

C Program

The screenshot shows the Visual Studio Code interface with a C program named `hello.c` open in the editor. The Explorer sidebar on the left shows the project structure, including files like `hello.java`, `hello.c`, `hello.py`, and `hello.exe`. The Output window at the bottom displays the execution results of the program.

```
C hello.c > ...
1  #include <stdio.h>
2
3  int main() {
4      printf("Hello World\n");
5      return 0;
6  }
7  |
```

1 error

[Done] exited with code=1 in 0.719 seconds

[Running] cd "c:\Users\Harsha BV\OneDrive\Documents\WAD\" && gcc hello.c -o hello && "c:\Users\Harsha BV\OneDrive\Documents\WAD\hello
Hello World


[Done] exited with code=0 in 1.882 seconds

[Running] cd "c:\Users\Harsha BV\OneDrive\Documents\WAD\" && gcc hello.c -o hello && "c:\Users\Harsha BV\OneDrive\Documents\WAD\hello
Hello World


[Done] exited with code=0 in 1.03 seconds

master* 0 0 WAD Debug C/C++ Runner: Debug Session (WAD) Indexing completed. Java: Ready windows-gcc-x64 Prettier


Python Program



Java Program



Before Formatting using prettier code formater



After Formatting using prettier code formater

