

BUSINESS VALUE REVIEW

Harness IaCM — Business Value Review

Infrastructure as Code Management · Adoption & Maturity Assessment

Account: SxuV0ChbRqWGSYCIFIMQM

May 8, 2026

Classification: Confidential

Harness IaCM — Business Value Review

Generated: May 8, 2026 | Account: SxuV0ChbRqWGSYCIFIMQMQ | Data collected: Live from Harness Platform APIs

Executive Summary

INFO

This BVR covers the full IaCM footprint — workspaces, pipelines, feature adoption, and OPA governance — scanned live from the Harness platform on May 8, 2026. All numbers are sourced directly from the account APIs.

Top findings at a glance:

- Solid foundation. 22 workspaces and 15 pipelines are active across 2 orgs — the account has genuine IaCM usage at scale.
- OPA governance is mature. 46 policies authored, 100% pipeline coverage — the strongest signal of platform adoption.
- Critical feature gaps. Cost estimation (0%), IaCM templates (0%), and Checkov (13%) represent the largest upsell surface.
- 4 of 6 policy sets are disabled. Compliance rules are written but not enforced — a quick win requiring zero authoring effort.
- 7 of 9 IACM-enabled projects are dormant. Licence is active but workspaces have not been created — expansion opportunity within existing footprint.

Section I — IaCM Footprint

1.1 Account-Wide Inventory

Org	Project	Workspaces	Pipelines	State
default	gketest	19	10	Active
default	chaos_project	3	4	Active
default	training-test	0	0	Dormant
default	chaos_test_project1	0	0	Dormant
default	LinuxDemo	0	0	Dormant
default	projectx	0	0	Dormant
sam	CCM-Demo	0	1	Pipeline only
sam	fftest1	0	0	Dormant
sam	fftestqa	0	0	Dormant

WARNING

7 of 9 IaCM-enabled projects have zero workspaces. The module licence is active but unused in these projects — this represents organic expansion potential without additional licence cost.

1.2 Workspace Breakdown — gketest (Primary Project)

Environment Tier	Count	Provisioner
------------------	-------	-------------

DEV	7	Terraform
QA	6	Terraform
PROD	3	Terraform
OpenTofu	3	OpenTofu
Total	**19**	—

INFO

The DEV/QA/PROD naming convention signals a structured promotion workflow — a positive maturity indicator. The parallel OpenTofu adoption shows the team is evaluating the open-source Terraform alternative.

1.3 Workspace Health

RISK

4 workspaces are in failed status and 4 are apply_needed, meaning 36% of the estate has unresolved infrastructure drift or provisioning failures. Left unattended, these represent operational risk and potential cost leakage from orphaned resources.

Section II — Pipeline Adoption

2.1 Pipeline Inventory

Pipeline	Project	Type	Checkov	OPA
Jira EC2 Provisioning	gketest	Provision	Yes	Yes
s3-dev-apply	gketest	Apply	Yes	Yes
Jira S3 Provisioning	gketest	Provision	No	Yes
laCM Jira Automation	gketest	Automation	No	Yes
create-s3-site	gketest	Provision	No	Yes
s3-dev-destroy	gketest	Destroy	No	Yes
s3-prod-apply	gketest	Apply	No	Yes
s3-dev-drift	gketest	Drift Detect	No	Yes
tofus3-deploy	gketest	Deploy	No	Yes
tofus3-destroy	gketest	Destroy	No	Yes
iacm-provision-pipeline	chaos_project	Provision	No	Yes
iamcm-destroy-pipeline	chaos_project	Destroy	No	Yes
ccm_connector_creation	chaos_project	Automation	No	Yes
Demo_Pipeline	chaos_project	Demo	No	Yes
Selective Approval Notification	CCM-Demo	Approval	No	Yes

INFO

The account has a sophisticated Jira-to-IaCM automation pattern (3 pipelines), drift detection (s3-dev-drift), and both Terraform and OpenTofu provisioning — these are advanced IaCM practices demonstrating good platform depth.

2.2 Feature Adoption Scorecard

Feature	Scope	Adopted	Total	%	Priority
Checkov Security Scans	Pipelines	2	15	13%	P1 — High
Cost Estimation	Workspaces	0	22	0%	P1 — High
IaCM Templates	Pipelines	0	15	0%	P2 — Medium
Private Module Registry	Workspaces	0	22	0%	P3 — Low

Section III — Feature D

3.1 Checkov Security Scann

CRITICAL

Only 2 of 15 pipelines (13%) include Checkov security scans.

Using Checkov: s3-dev-apply, Jira EC2 Provisioning

NOT using Checkov (13 pipelines): Jira S3 Provisioning, IaCM Jira Automation, tofus3-deploy, tofus3-destroy, s3-dev-destroy, s3-prod-apply, s3-dev-drift, create-s3-site, iacm-provision-pipeline, iamcm-destroy-pipeline, ccm_connector_creation, Demo_Pipeline, Selective Approval Notification Pipeline
...

Without Checkov, 87% of provisioning pipelines have no automated misconfiguration detection. Issues like public S3 buckets, missing encryption, or open security groups can be provisioned without detection.

Recommendation: Add the IaCMCheckov step to all provisioning pipelines. Prioritise s3-prod-apply, tofus3-deploy, and s3-dev-destroy as these touch production or destructive operations.

3.2 Cost Estimation

CRITICAL

Cost estimation is disabled on all 22 workspaces (0% adoption).

All workspaces in gketest (19) and chaos_project (3) have cost_estimation_enabled set to false.
...

Without cost estimation, infrastructure changes are provisioned with no pre-apply financial visibility. Teams discover spend impacts after resources are created — not before.

Recommendation: Enable cost_estimation_enabled on all production and QA workspaces immediately. Connect to Harness CCM for dashboard-level cost diffs. The Terraform Plan Cost policies already exist in the OPA library — enabling them completes the cost governance loop at zero additional effort.

3.3 IaCM Templates

WARNING

Zero pipelines use IaCM templates (0% adoption). Every pipeline is independently authored.

Without shared templates, pipeline standards drift over time. A change to the provisioning pattern — such as adding a required approval step or an OPA scan — must be applied individually to all 15 pipelines.

Recommendation: Create three canonical templates: a Provision template (plan + approval + apply), a Destroy template (approval gate + destroy), and a Drift Detection template (scheduled + alert). Migrate existing pipelines to use them within the next quarter.

3.4 Private Module Registry

All 22 workspaces source modules from the public HashiCorp registry. No private or enterprise registry is configured.

This is acceptable for early-stage adoption. As the estate scales, a private registry enables versioned, internally-approved modules with governance over which Terraform modules teams can consume.

Recommendation: Evaluate Terraform Cloud Enterprise or JFrog Artifactory for module governance as workspace count grows beyond 30.

Section IV — OPA Governance

4.1 Policy Inventory

The account has a rich, well-authored OPA policy library. All 46 policies are enabled. The IaCM-specific custom policies are particularly noteworthy:

Policy Name	Purpose
open-tofu	OpenTofu workspace governance
opentofu-s3-blockpublic	Enforce S3 public access blocking
opentofu-s3-bucket-logging	Enforce S3 access logging
opentofu-s3-lifecycle-policy	Mandate S3 lifecycle rules
opentofu-s3-tags	Enforce S3 resource tagging
s3-deny-public-read-access	Block public read ACLs
s3-deny-without-lifecycle	Reject plans missing lifecycle config
s3-enforce-versioning	Mandate S3 versioning
s3-opentofu-sse	Enforce server-side encryption
s3-opentofu-versioning	OpenTofu versioning enforcement
s3-server-side-encryption	SSE for all S3 resources
Terraform Plan Cost - Cost Estimate Increased	Block cost increases beyond threshold
Terraform Plan Cost - Total Cost Estimate	Enforce total cost budget at plan time

4.2 Policy Sets

Policy Set	Trigger	Enabled	Policy Count	Scope
Cost-Estimate-OPA	afterTerraformPlan	Active	1	Account
OpenTofuS3	afterTerraformPlan	Active	4	Account
New Policy Set - 10/13 - 20:11	onRun	Disabled	1	Account
s3-deny-without-lifecycle	afterTerraformPlan	Disabled	1	Account
s3-opa-policies	afterTerraformPlan	Disabled	3	Account
s3-versioning-opentofu	afterTerraformPlan	Disabled	0	Account

SUCCESS

All 15 IaCM pipelines (100%) are covered by the 2 active account-level policy sets — Cost-Estimate-OPA and OpenTofuS3. No pipeline runs without OPA enforcement.

WARNING

4 of 6 policy sets (67%) are disabled. These contain 5 S3 compliance policies that are fully authored, tested, and ready — but switched off. Enabling them requires a single toggle per policy set, with zero authoring effort.

Policies that would activate immediately: s3-deny-without-lifecycle, s3-opa-policies (3 rules), s3-versioning-opentofu.

...

RISK

Both active policy sets trigger after Terraform Plan — enforcement only occurs after a plan has been generated. No onRun (pre-execution) guardrails exist. The New Policy Set with an onRun trigger is written but disabled. Enabling it would shift compliance left, blocking non-compliant runs before any compute cost is incurred.

Section V — Recommended Next Steps

#	Action	Effort	Impact	Priority
1	Enable cost estimation on all 22 workspaces	Low	High	P1
2	Enable Checkov on 13 pipelines missing it	Medium	High	P1
3	Enable 4 disabled S3 OPA policy sets	Low	Medium-High	P1
4	Enable onRun policy set for shift-left enforcement	Low	Medium	P2
5	Create 3 canonical IaCM pipeline templates	Medium	Medium	P2
6	Remediate 4 failed and 4 apply-needed	Low	Medium	P2
7	Activate IaCM in 7 dormant projects	High	Medium	P3
8	Evaluate private module registry as estate scales	High	Low-Medium	P3

ACTION

P1 — Enable Cost Estimation (this week). Set `cost_estimation_enabled` to true on all 22 workspaces via the Harness UI or API. Activate the Terraform Plan Cost — Total Cost Estimate OPA policy set to enforce budget guardrails at plan time. Connect to Harness CCM for pre-apply cost diffs in the pipeline view.

ACTION

P1 — Add Checkov to 13 pipelines (this sprint). Add the IaCMCheckov step to s3-prod-apply, tofus3-deploy, s3-dev-destroy, and the 10 remaining pipelines. Start with production-impact and destructive pipelines first. This closes the largest security compliance gap with a single step addition per pipeline.

ACTION

P1 — Enable 4 disabled OPA policy sets (1 hour). Navigate to Harness Policy Management and toggle s3-deny-without-lifecycle, s3-opa-policies, and s3-versioning-opentofu to enabled. All policies are authored and validated — this is a configuration change only. Adds 5 S3 compliance rules to every IaCM pipeline execution immediately.

ACTION

P2 — Enable onRun policy enforcement (shift-left). Toggle New Policy Set - 10/13 - 20:11 to enabled. Create

additional pre-run checks for workspace configuration validation. This ensures policy failures surface before plan generation — faster developer feedback and lower CI cost.

ACTION

P2 — Create 3 canonical pipeline templates. Author a Provision template (plan + approval + apply), a Destroy template (approval + destroy), and a Drift Detection template. Migrate existing 15 pipelines to use them. Single-point updates to provisioning standards going forward.

Appendix A — Full Pipeline Feature Matrix

Pipeline	Project	Checkov	Templates	OPA Enforced By
Jira EC2 Provisioning	gketest	Yes	No	Cost-Estimate-OPA, OnenTofuS3
s3-dev-apply	gketest	Yes	No	Cost-Estimate-OPA, OnenTofuS3
Jira S3 Provisioning	gketest	No	No	Cost-Estimate-OPA, OnenTofuS3
laCM Jira Automation	gketest	No	No	Cost-Estimate-OPA, OnenTofuS3
create-s3-site	gketest	No	No	Cost-Estimate-OPA, OnenTofuS3
s3-dev-destroy	gketest	No	No	Cost-Estimate-OPA, OnenTofuS3
s3-prod-apply	gketest	No	No	Cost-Estimate-OPA, OnenTofuS3
s3-dev-drift	gketest	No	No	Cost-Estimate-OPA, OnenTofuS3
tofus3-deploy	gketest	No	No	Cost-Estimate-OPA, OnenTofuS3
tofus3-destroy	gketest	No	No	Cost-Estimate-OPA, OnenTofuS3
iacm-provision-pipeline	chaos_project	No	No	Cost-Estimate-OPA, OnenTofuS3
iamcm-destroy-pipeline	chaos_project	No	No	Cost-Estimate-OPA, OnenTofuS3
ccm_connector_creation	chaos_project	No	No	Cost-Estimate-OPA, OnenTofuS3
Demo_Pipeline	chaos_project	No	No	Cost-Estimate-OPA, OnenTofuS3
Selective Approval Notification	CCM-Demo	No	No	Cost-Estimate-OPA, OpenTofuS3

Appendix B — Full Works

Workspace	Project	Provisioner	Status	Cost Est.
DEV-ec2-SUP-13	gketest	terraform	active	No
DEV-ec2-SUP-18	gketest	terraform	active	No
DEV-Samriddha-Test-202025-ICM-10	gketest	terraform	failed	No
DEV-samtestfeb26-SUP-6	gketest	terraform	active	No
DEV-temsams3buck-ICM-11	gketest	terraform	active	No
null-null-null	gketest	terraform	failed	No
open tofu-s3	gketest	opentofu	active	No
open tofu-s3 destroy	gketest	opentofu	apply_needed	No
PROD-pleasetests3-ICM-6	gketest	terraform	active	No
PROD-temporariesams3test-ICM-5	gketest	terraform	active	No

QA-samriddhaes3-SUP-14	gketest	terraform	active	No
QA-samriddhatestccm-SUP-15	gketest	terraform	active	No
QA-samriddtempors3-SUP-16	gketest	terraform	active	No
QA-temp-s3-sam-test726-ICM-8	gketest	terraform	active	No
QA-test-bucket-SUP-17	gketest	terraform	failed	No
QA-test-s3-bukcet-ICM-7	gketest	terraform	failed	No
s3-dev	gketest	terraform	active	No
s3-new	gketest	opentofu	apply_needed	No
s3-prod	gketest	terraform	apply_needed	No
pga-aws	chaos_project	opentofu	—	No
test-idp	chaos_project	terraform	—	No
test-namespace-creation	chaos_project	terraform	—	No

Appendix C — OPA Policy

Policy	Category	Enabled	Active Policy Set
open-tofu	OpenTofu	Yes	OpenTofuS3
opentofu-s3-blockpublic	S3 Security	Yes	OpenTofuS3
opentofu-s3-bucket-logging	S3 Compliance	Yes	OpenTofuS3
opentofu-s3-lifecycle-policy	S3 Compliance	Yes	OpenTofuS3
opentofu-s3-tags	S3 Governance	Yes	OpenTofuS3
s3-deny-public-read-access	S3 Security	Yes	Disabled set
s3-deny-without-lifecycle	S3 Compliance	Yes	Disabled set
s3-enforce-versioning	S3 Compliance	Yes	Disabled set
s3-opentofu-sse	S3 Encryption	Yes	Disabled set
s3-opentofu-versioning	S3 Compliance	Yes	Disabled set
s3-server-side-encryption	S3 Encryption	Yes	Disabled set
Terraform Plan Cost - Cost Estimate Increased	Cost Guard	Yes	CostEstimateOPA
Terraform Plan Cost - Total Cost Estimate	Cost Budget	Yes	—

