



AWS Management Console:



AWS Elastic Beanstalk Dashboard:



Create application

The screenshot shows the AWS Elastic Beanstalk console. The left sidebar has 'Elastic Beanstalk' selected, with sub-links for 'Applications', 'Environments', and 'Change history'. The main content area is titled 'Applications (1)' and includes a search bar with the placeholder 'Filter results matching the display value'. Below the search bar is a table with the following columns: Application name, Environments, Date created, Last modified, and ARN. The table contains one entry: 'PICT-college-dashboard' with a '-' in the Environments column, a creation date of 'March 30, 2026 14:29:00', a last modified date of 'March 30, 2026 14:29:00', and an ARN of 'arn:aws:elasticbea...'. There are 'Actions' and 'Create application' buttons at the top right of the table.

Configure Environment

The screenshot shows the 'Create environment' page in the AWS Elastic Beanstalk console. The left sidebar has 'Elastic Beanstalk' selected, with sub-links for 'Applications', 'Environments', and 'Change history'. The main content area is titled 'Create environment' and includes a progress bar with six steps: 'Step 1: Configure environment' (selected), 'Step 2: Configure service access', 'Step 3 - optional: Set up networking, database, and tags', 'Step 4 - optional: Configure instance traffic and scaling', 'Step 5 - optional: Configure updates, monitoring, and logging', and 'Step 6: Review'. The 'Configure environment' section includes three main areas: 'Environment tier' with 'Web server environment' selected, 'Application information' with 'PICT-college-dashboard' entered for the application name, and 'Environment information' with 'PICT-college-dashboard-env' entered for the environment name. The 'Environment name' field has a note: 'Must be from 4 to 40 characters in length. The name can contain only letters, numbers, and hyphens. It can't start or end with a hyphen. This name must be unique within a region in your account.'

Configure service access

The screenshot shows the 'Create environment' wizard in the AWS Elastic Beanstalk console. The current step is 'Configure service access'. A notification at the top indicates that the user is using a legacy workflow and provides a link to switch to the new version. The left sidebar shows the progress of the six steps: 1. Configure environment, 2. Configure service access (current), 3. Set up networking, database, and tags, 4. Configure instance traffic and scaling, 5. Configure updates, monitoring, and logging, and 6. Review. The main content area contains three sections: 'Service access' with a 'Learn more' link, 'Service role' with a dropdown to 'Choose a service role' and a 'Create role' button, 'EC2 instance profile' with a dropdown to 'Choose an instance profile' and a 'Create role' button, and 'EC2 key pair - optional' with a dropdown to 'Choose a key pair' and a 'Create role' button. At the bottom are 'Cancel', 'Skip to Review', 'Previous', and 'Next' buttons.

Elastic Beanstalk > Create environment

Configure service access [Info](#)

Service access
IAM roles, assumed by Elastic Beanstalk as a service role, and EC2 instance profiles allow Elastic Beanstalk to create and manage your environment. Both the IAM role and instance profile must be attached to IAM managed policies that contain the required permissions. [Learn more](#)

Service role
Choose an IAM role for Elastic Beanstalk to assume as a service role. The IAM role must have the required IAM managed policies.
 [Create role](#)

EC2 instance profile
Choose an IAM instance profile with managed policies that allow your EC2 instances to perform required operations.
 [Create role](#)

EC2 key pair - optional
Select an EC2 key pair to securely log in to your EC2 instances. [Learn more](#)
 [Create role](#)

[Cancel](#) [Skip to Review](#) [Previous](#) [Next](#)

Project Deployed

The screenshot shows the 'Environment overview' page for 'PICT-College-Dashboard-env-1'. The left sidebar shows the application 'PICT-college-dashboard' and the environment 'PICT-College-Dashboard-env-1'. The main content area shows the environment's health as 'Ok', its domain, and its application name. The 'Platform' section shows 'Node.js 24 running on 64bit Amazon Linux 2023/6.9.0' with a 'Change version' button. Below these are tabs for 'Events', 'Deployments', 'Health', 'Logs', 'Monitoring', 'Alarms', 'Managed updates', and 'Tags'. The 'Events' tab is active, showing a list of 21 events. The first three events are: 'Environment health has transitioned from Info to Ok. Application update completed 24 seconds ago and took 74 seconds.', 'Environment update completed successfully.', and 'Successfully deployed new configuration to environment.'.

Elastic Beanstalk > Environments > PICT-College-Dashboard-env-1

PICT-College-Dashboard-env-1 [Info](#) [Actions](#) [Upload and deploy](#)

Environment overview

Health
Ok

Environment ID
e-mzhnbmfrsp

Domain
PICT-College-Dashboard-env-1.eba-x3df2amh.ap-south-1.elasticbeanstalk.com

Application name
PICT-college-dashboard

Platform [Change version](#)

Platform
Node.js 24 running on 64bit Amazon Linux 2023/6.9.0

Running version
1-1

Platform state
Supported

Events (21) [Info](#)

Time	Type	Details
March 30, 2026 14:55:52 (UTC+5:30)	INFO	Environment health has transitioned from Info to Ok. Application update completed 24 seconds ago and took 74 seconds.
March 30, 2026 14:54:53 (UTC+5:30)	INFO	Environment update completed successfully.
March 30, 2026 14:54:53 (UTC+5:30)	INFO	Successfully deployed new configuration to environment.

Website opened

