IT SOLUTION DOCUMENT

Kickstream

Live football broadcast studio

The web studio, the match pipeline and agents, and the Azure resources defined in deploy/terraform.

Kickstream does not implement Microsoft Marketplace SaaS fulfillment, an Entra purchase landing page, or a live Partner Center offer.

Companion briefing: kickstream-briefing.pdf. HTML entry: docs/solution/index.html.

Contents

1 Solution overview and scope 1
1.1 The running demo . . . 1

2 Architecture and data flow 4
2.1 Pipeline . . . 4
2.2 Where state lives . . . 4

3 Functional capabilities 5
3.1 Studio and the program . . . 5
3.2 Destinations, broadcasts, reels, guests . . . 5
3.3 Agents, Copilot, fans, auto live . . . 6

4 Security, privacy, and identity 6

5 Deployment and operations 7

6 Integrations and data sources 8

7 Assumptions, constraints, and risks 9
7.1 Assumptions . . . 9
7.2 Constraints . . . 9
7.3 Risks . . . 10


1 Solution overview and scope

Kickstream is live-streaming software for football. A host creates a broadcast, composes scenes in the studio, and goes live to YouTube, X, Facebook and Twitch at once. The picture on the program is a match event stream turned into live intelligence, AI narratives and recaps. Agents then cut the recording's best moments into vertical reels.


This document describes the software in this repository: apps/web, services/pipeline, and the resources deploy/terraform creates. It is not a store listing.

The running demo


These pictures are the local demo: a synthetic match, the operator's home, the studio, match data, and auto live. The scene strip switches the program with a click. Keyboard shortcuts are not implemented.




Home. The next broadcast, the program preview, and each destination.



Studio. The program, the tool rail, and the numbered scene strip.



Match data. The seven agents, the agent flow, and the 3D pitch.



Auto live. Twenty-two screens, with the channel off until an operator turns it on.

- **In scope.** Home (/), a broadcast (/broadcasts/{id}), that broadcast's studio, /studio, match data (/match), a guest page (/guest/{secret}), and auto live (/live). The pipeline is Python 3.13 and FastAPI. The web app is Vite, React, TypeScript, and Fluent UI v9. Match-page languages are English, Spanish, and Hindi. Commentary modes are Fan and Analyst.

- **Out of scope.** A transactable Marketplace offer, fulfillment webhooks, metering, or a purchase landing page. StatsBomb Open Data inside a paid offer. A video detector: the synthetic match, or a JSON Lines file named by KICKSTREAM_DETECTOR_FILE, stands in for detections. Taking money from fans. Superchats are displayed; payment stays on the fan's platform.

The same boundaries are restated under Constraints so a reader who opens only that section still sees them.


2 Architecture and data flow

Kickstream runs as one program. Locally that is FastAPI on port 8000 and the Vite app on port 5173. On Azure the template puts the server in a single Container App. Matches, the studio, and live streams are held in that process's memory, so the app is pinned to one replica (min_replicas = 1, max_replicas = 1).

Pipeline

A match moves through five stages. The seven match agents publish findings onto the same stream the browser reads.

Ingest	Interpret	Explain	Render	Personalize
Simulator, detector file, or a source	Analytics stats and pressure	Narration Fan and Analyst	Overlay scene widgets	Gateway mode and language



One encode. ffmpeg copies that picture to every destination.

The gateway fans the match out with Server-Sent Events and WebSockets. A late joiner is replayed the newest pitch scene and the newest player report, not the whole history. WebSockets are accepted only from the host the pipeline was reached at. Behind a proxy that rewrites Host, public names go in KICKSTREAM_ALLOWED_HOSTS. On the Container App, KICKSTREAM_PUBLIC_HOSTS is the app's own address.

Narration, when a model is configured, is four Microsoft Agent Framework agents: a Commentator and a Tactical Analyst on each key moment, a Recap Writer at half-time and full-time, and a Localizer into Spanish and Hindi. Each item is written once per mode and language. If the model fails, that item falls back to a template and is marked scripted. Only the Explainability Agent, among the seven match agents, writes prose. That prose is English, at most 20 explanations a match.

Where state lives

- **Playback, studio, encode.** Process memory locally, and the same inside the one replica.

- **Broadcasts, studio document, uploads, cache, fans, auto live, keys, recordings, reels.** Directory .data/ locally. Azure Files share data, mounted at /data.
- **Match log.** Memory unless Cosmos is configured. On Azure: database kickstream, container match_log, partition /match_id.
- **Guest calls.** Communication Services, or KICKSTREAM_ROOMS=fake. The deploy creates the Communication Services resource.
- **Model.** A Foundry project, or an OpenAI-compatible endpoint, otherwise templates. Terraform does not create Foundry.

Going live opens /studio?output (1920 by 1080) in a hidden Chromium browser. ffmpeg encodes that picture once and copies it to every destination. Microsoft Edge is used when it is present. Auto live captures /live?output the same way.

3 Functional capabilities

The path is Home, then a broadcast, then the studio. Scenes are one library shared by every broadcast.

Studio and the program

The top bar names the broadcast, the output state (Off air, Connecting, or LIVE with elapsed time), the scene on air, Edit layout, Ask Copilot, and the single Go live / End broadcast control. Tools, one at a time: Match, Banners, Comments, Guests, Replays, Timer, Stream, Settings. Templates: Starting soon, Live match, Analyst desk, Break, Full-time, Interview, Match intelligence, Fan zone, and 3D pitch. Live match is a Fan scene and Analyst desk is an Analyst scene, so a cut changes the narration. Banners fire for goals and red cards. Replays animate the 20 seconds before a key moment. Widgets cover score, charts, prediction, why it matters, 3D pitch, player card, comments, poll, superchats, and spotlight. The host can show a local camera without Azure; the hidden browser receives the camera and microphone only, never the screen.

Destinations, broadcasts, reels, guests

The Stream tool sends the program to YouTube, X, Facebook and Twitch. Record to file writes an MP4 and needs no key. Each destination shows connecting, live, retrying, or failed. One failure does not stop the others. The only sound is the guest call. With nobody unmuted, the stream is silent.


End broadcast keeps sessions, recordings, time on air, destinations, the score, and key moments. Generate reels cuts up to four 15-second vertical clips (1080 by 1920). Each clip starts 8 seconds before its moment. A Highlight Editor and a Social Copywriter run when a model is set; they do not choose the edit points.

Guest roles are Speaker, Co-host, and Member. Speaker and Co-host can be placed on stage; a Member cannot. A Co-host can go live, end or delete the broadcast, and make or revoke invites. Up to four people are on stage. Calls use Azure Communication Services Rooms.

Agents, Copilot, fans, auto live

Agent	Output
Event Interpreter	Third, flank, phase, possession sequence, danger
Tactical Analyst	Once a minute: pressure, tempo, tilt, patterns, control or chaos
Prediction Agent	Win, draw, loss, goal chance in ten minutes, next action, danger grid
Explainability Agent	English “why this matters” when patterns change, odds move by 12 points, or a hidden event appears
Visualization Agent	3D pitch. Only the ball and the player on it are known positions
Player Tracking Agent	Touches, passing, shots, expected goals, rating, heat map, distance, top speed
Highlights Agent	Ranked moments and hidden events

The chart counts calls the product allows in one match, not a measured audience.



Ask Copilot answers from the live match and from the newest 50 finished matches in .data/matches.json. Cards never come from the model. Web search is off until enabled: Wikipedia, or Tavily with KICKSTREAM_TAVILY_API_KEY. The same read-only answers are MCP tools at POST /mcp.


The fan zone starts on a demo feed. X is optional. Other platforms post to POST /api/fans/ingest. Kickstream shows superchats and takes no payment.

Auto live (/live) cycles 22 scenes, including one per match agent, every 5 to 10 minutes. Stream 24/7 publishes /live?output and restarts it if it drops. It waits while the studio is on air.

4 Security, privacy, and identity

On a developer machine the application has no sign-in of its own. Anyone who can reach the pipeline can stream to the configured channels, so the API stays on that machine. Stream keys live in .data/output-keys.json and are never sent back to a page. A guest tunnel must be listed in KICKSTREAM_PUBLIC_HOSTS first. If that list is empty, the gate is off and the tunnel would open the whole studio.

On Azure, Container Apps authentication signs studio users in with Microsoft Entra ID. The application registration is named “Kickstream studio” plus the resource name. sign_in_audience is AzureADMyOrg. The only Graph permission is User.Read. App-role assignment is required. The deployer and every object id in studio_users receive default access. The app reads KICKSTREAM_SIGNED_IN_HEADER, set to x-ms-client-principal-id. When public_view is true, anonymous clients reach the app and the app keeps /live and /match read-only, sending studio pages to /.auth/login/aad. When it is false, anonymous clients are redirected to login. /guest/*, /api/guest/*, and /assets/* stay open either way.



AzureADMyOrg. Public view keeps /live and /match read-only. Studio pages go to sign-in.

Cosmos DB has local_authentication_enabled = false. The Container App's system-assigned identity holds Cosmos DB Built-in Data Contributor on that account only. Foundry is not created by Terraform. If foundry_resource_id is set, the same identity receives Azure AI User on that existing resource.


Container App secrets are the registry admin password, the Communication Services connection string, the Entra client secret, the Speech key, and, only when provided, the API-Football key and the LLM key. The file share is Standard LRS with TLS 1.2 minimum, mounted with the storage account access key. The registry is Basic with the admin user enabled.

Fan text is truncated and shown as plain text. MCP on a deployment sits behind the studio sign-in and only reads. A co-host can end or delete the broadcast and can go live. Synthetic clubs are fictional. Favourite-club preferences stay in the browser.

5 Deployment and operations

deploy/deploy.ps1 and deploy/deploy.sh require the Azure CLI and Terraform 1.9 or newer. They set ARM_SUBSCRIPTION_ID from az account show, apply the container registry first, build kickstream:<tag>, then apply the rest with image_tag. Build uses az acr build, or local Docker with -LocalBuild or –local-build. deploy/destroy.ps1 asks before deleting the stack and the app registration unless -Force is passed. deploy/destroy.sh is the shell counterpart.

Providers: azurerm approximately 4.0, azuread approximately 3.0, azapi approximately 2.0, random approximately 3.6. Default region is centralindia. Communication Services data location defaults to India.



Terraform creates these resources and no others. Foundry is not one of them.

Registered namespaces: Microsoft.App, Microsoft.CognitiveServices, Microsoft.Communication, Microsoft.ContainerRegistry, Microsoft.DocumentDB, Microsoft.OperationalInsights, Microsoft.Storage.

Resource	What the template sets
Resource group rg-${name}	Deletion is not blocked while resources remain
Log Analytics	PerGB2018, 30-day retention, permanently deleted on destroy
Container Registry	Basic, admin user enabled
Storage and share data	Standard LRS, TLS 1.2, 10 GiB, mounted at /data
Communication Services	Guest rooms
Azure AI Speech	Kind SpeechServices, SKU F0 or S0, default S0
Cosmos DB	Serverless, session, keys off, container match_log, TTL default 90 days
Container Apps environment	cae-${name}, attached to Log Analytics
Container App	External ingress port 8000, one replica, 2 vCPU, 4 GiB
Entra auth config current	Studio gate. Not a Marketplace purchase app
Azure AI User	Only when foundry_resource_id is set


The container size is 2 vCPU and 4 GiB because the hidden browser and ffmpeg need at least two vCPU, and Container Apps pairs 2 GiB with each vCPU. Both probes call /api/health on port 8000, past the sign-in. Startup runs every 10 seconds and allows 30 failures. Liveness waits 30 seconds, then every 30 seconds, and allows 6 failures. The payload reports the match, the stream state, and whether auto live is on.

Defaults in variables, overridable from terraform.tfvars: autolive true, public_view true, real_sources false, speech_sku S0, speech_daily_chars 200000, match_log_ttl_days 90. Watch Log Analytics (30 days), /api/health, the per-destination status in the studio, the file share (Record to file plus Stream 24/7 fills 10 GiB), and the speech character cap (past it, captured auto-live speech goes quiet until midnight UTC).

6 Integrations and data sources

Kickstream encodes one program and copies it. It does not host the public video.

Destination	Host supplies
YouTube, Facebook, Twitch	A stream key. The ingest address is filled in
X	The account's server address and stream key
Record to file	Nothing. An MP4 is written on the data share




ffmpeg copies that picture. One failure does not stop the others.

Do not run the pipeline with –reload while going live: on Windows that mode cannot start ffmpeg.

A deploy offers the synthetic match only unless real_sources = true. Live feeds have key events and no ball positions. Pitch widgets then show that the coordinate is not available, rather than an invented one.

Source	Licence and limit
Synthetic match	Fictional clubs. Same seed, same match. Default on a deploy
Detector file	KICKSTREAM_DETECTOR_FILE. No video decoder in Kickstream
StatsBomb Open Data	StatsBomb Open Data is non-commercial and must not ship in a paid offer. Attribution: logo and “Data: StatsBomb”
API-Football	Free key, about 100 requests a day. One match is on the order of 80 requests
OpenLigaDB	No key, ODbL, credit “Data: OpenLigaDB”. Clock estimated from kick-off. Default leagues bl1,la1,ucl

The bars are API-Football requests. They are provider limits, not a measured audience.



Azure AI Speech is the voice the capture can hear. F0 allows 0.5 million characters a month; S0 bills per character. The daily cap defaults to 200000. Microsoft Foundry is used when both the project endpoint and the deployment name are set; otherwise KICKSTREAM_LLM_BASE_URL, KICKSTREAM_LLM_MODEL, and KICKSTREAM_LLM_API_KEY. KICKSTREAM_LLM_MAX_CALLS defaults to 60 narration calls a match. Copilot web search uses Wikipedia, or Tavily when its key is set. The X and Tavily adapters are tested against documented payloads, not against those live services. Guest rooms use Communication Services, or KICKSTREAM_ROOMS=fake locally.

7 Assumptions, constraints, and risks

Assumptions

The deploying operator can create the resource group, the Entra application, and the role assignments. The image can run ffmpeg and Chromium. Synthetic clubs are fictional, and a head-to-head is only matches this installation has finished. Viewers share narration; personalization is a gateway filter. A model is optional. Templates are the supported path when no endpoint is set.


Constraints

StatsBomb Open Data is non-commercial and must not ship in a paid offer. Kickstream does not implement Microsoft Marketplace SaaS fulfillment, an Entra purchase landing page, or a live Partner Center offer.

One replica only. Live feeds do not include ball positions. API-Football’s free plan is about 100 requests a day. OpenLigaDB can arrive late, and its clock is estimated. Explainability and Ask Copilot are English. The stream has no bed and no crowd. Reel in-points are fixed at 8 seconds before the moment, for 15 seconds. The current templates pull the image with the registry admin user and mount files with the storage account key.

Risks

A replica restart drops the in-memory match and the ffmpeg process. The file share and the Cosmos log remain.



Auto live can restart a 24/7 stream from saved settings. A studio encode does not resume itself. The default public view lets anyone watch /live and /match read-only. An empty public-host list plus a tunnel exposes studio controls. A co-host invite is an operator credential. S0 speech spends money per character, and the daily cap makes the captured voice go quiet rather than switching the encode to the browser voice. Record to file with Stream 24/7 fills the 10 GiB share. Cosmos has a single region. One failed destination does not stop the others, and nothing fails over to a second region.

The safe commercial reading is: operate the synthetic match, or a feed you have a right to use; keep StatsBomb off any paid offer; and do not describe a Marketplace purchase flow as part of the product that ships today.