

Experiment – 05 (HomeTask)

Name: Samridhi Singh

UID: 24BAI70514

Branch: BE-CSE(AI ML)

Section: 24AIT_KRG-1_A

Semester: 5th

Subject: Advanced Database Management System

Question 1: Challenges

Source: HackerRank — Challenges — <https://www.hackerrank.com/challenges/challenges/problem>

Julia asked her students to create some coding challenges. Write a query to print the hacker_id, name, and the total number of challenges created by each student, ordered by the number of challenges in descending order. If more than one student created the same number of challenges, sort them by hacker_id in ascending order. If more than one student created a lesser number of challenges than the maximum number of challenges created, and the count of challenges is the same for those students, then exclude those students from the result.

Solution:

```
SELECT
  C.HACKER_ID,
  H.NAME,
  COUNT(*) AS CHALLENGES_CREATED
FROM CHALLENGES AS C
JOIN HACKERS AS H
  ON H.HACKER_ID = C.HACKER_ID
GROUP BY C.HACKER_ID, H.NAME
HAVING COUNT(*) = (
  SELECT MAX(CNT) FROM (
    SELECT COUNT(*) AS CNT FROM CHALLENGES GROUP BY HACKER_ID
  ) T1
)
OR COUNT(*) IN (
  SELECT CNT FROM (
    SELECT COUNT(*) AS CNT FROM CHALLENGES GROUP BY HACKER_ID
  ) T2
  GROUP BY CNT
  HAVING COUNT(*) = 1
)
ORDER BY CHALLENGES_CREATED DESC, C.HACKER_ID ASC;
```

Question 2: Contest Leaderboard

Source: HackerRank — Contest Leaderboard — <https://www.hackerrank.com/challenges/contest-leaderboard/problem>

The purpose of this query is to determine the leaderboard of a contest. Write a query to print the hacker_id, name, and total score of the hackers who achieved a total score greater than 0 (a total score is the sum of their best scores for each challenge). Order the leaderboard by descending score; if more than one hacker has the same score, order them by ascending hacker_id.

Solution:

```
SELECT
```

```
S.HACKER_ID,  
H.NAME,  
SUM(S.BEST_SCORE) AS TOTAL_SCORE  
FROM HACKERS AS H  
JOIN (  
  SELECT  
    HACKER_ID,  
    CHALLENGE_ID,  
    MAX(SCORE) AS BEST_SCORE  
  FROM SUBMISSIONS  
  GROUP BY HACKER_ID, CHALLENGE_ID  
) AS S  
  ON H.HACKER_ID = S.HACKER_ID  
GROUP BY S.HACKER_ID, H.NAME  
HAVING SUM(S.BEST_SCORE) > 0  
ORDER BY TOTAL_SCORE DESC, S.HACKER_ID ASC;
```