PROPOSED RESIDENTIAL DEVELOPMENT

MECHANICAL SERVICES DRAWINGS

LEGEND					
SYMBOL DESCRIPTION					
WATER SUPPLY PIPE					
SLP	SOIL PIPE				
WAS	WASTE PIPE				
CHAMBER	CHAMBER				
8	WATER CLOSET				
Ð	WASH HAND BASIN				
	SHOWER BASIN				
ST	DRAIN SOIL TRAP				

ABBREVIATIONS					
CW COLD WATER					
HW	HOT WATER				
FU	FIXTURE UNIT				
GPM	GALLON PER MINUTE				
DWS	DOMESTIC WATER SUPPLY				
WAS	WASTE WATER EXTRACT PIPE				
SLP	SOIL WATER EXTRACT PIPE				

NOTE:	PROJECT TITLE PROPOSED RESIDENTIAL DEVELOPMENT		ARCHITECT	FASEMI A.	DRAWING TITLE:	
INOTE.					LEGENDS	
			DRAWN BY	IWEIBO S.E		
	CLIENT	MR. ADEWALE ALFRED AFOLABI	CHECKED BY		DRAWING SCALE:	DRAWINNG NO:
	LOCATION	ALAGBAKA, AKURE, ONDO STATE.	APPROVED BY			M01
	EGGATION		DATE	MARCH, 2022.	N.T.S.	

GENERAL NOTES

- 1) ALL PLUMBING WORKS SHALL INSTALLED IN ACCORDANCE TO NATIONAL PLUMBING CODE OF NIGERIA.
- 2) ALL PIPING WORK DONE IN WALLS MUST BE SEALED OFF ON COMPLETION OF FITTINGS.
- 3) TO PREVENT CONTAMINATION OF UNDERGROUND WATER SOURCE, THE SEPTIC TANK SHOULD NOT BE LOCATED LESS THAN 1.20m ABOVE THE WATER TABLE LEVEL.
- 4) WASTE PIPE SHOULD BE OF CPVC(CHLORINATED POLY-VINYL CHLORIDE) UNLESS STATED OTHERWISE.
- 5) SUPPLY PIPE SHOULD BE MADE OF CPVC(CHLORINATED POLY-VINYL CHLORIDE), OR OTHERWISE STATED.

OVERHEAD WATER TANK STORAGE CALCULATIONS FOR 3 B/R						
NO. OF LITRES PER HEAD PER 24 HR USAGE	135 LITRES					
NO. OF OCCUPANTS	10 USERS					
TOTAL REQUIRED	1350 LITERS					

*NO OF USERS ASSUMED TO BE 10. FIGURE IS SUSCEPTIBLE TO CHANGE.

PUMPING POWER					
FLOW RATE	0.063ltrs/sec				
TOTAL HEAD	5.0m				

*RECOMMENDED TO INSTALL A PUMPING MACHINE WITH A MINIMUM RATING OF 1HP.

OVERHEAD WATER TANK STORAGE CALCULATIONS FOR 2 B/R					
NO. OF LITRES PER HEAD PER 24 HR USAGE 135 LITRES					
NO. OF OCCUPANTS	5 USERS				
TOTAL REQUIRED	675 LITERS				

*NO OF USERS ASSUMED TO BE 5. FIGURE IS SUSCEPTIBLE TO CHANGE

* A PROVISION OF 2000 LITER CAPACITY OVERHEAD TANK IS ADVISED TO BE USED.

N	\cap	Т	F	
I A	\cup		_	


PROJECT TITLE	OJECT TITLE	ARCHITECT	FASEMI A.	DRAWING TITLE:	
	PROPOSED RESIDENTIAL DEVELOPMENT			GENERAL NO	TES
			IWEIBO S.E		
CLIENT	MR. ADEWALE ALFRED AFOLABI	CHECKED BY		DRAWING SCALE:	DRAWINNG NO:
LOCATION		APPROVED BY			M02
LOCATION	ALAGBAKA, AKURE, ONDO STATE.	DATE	MARCH, 2022.	N.T.S.	


^{*} A PROVISION OF 2000 LITER CAPACITY OVERHEAD TANK IS ADVISED TO BE USED.

FIVE TYPE	NO.	W A	ASTE	WA	TER	
FIXTURE TYPE				CW	HW	
		FU	TOTAL	FU	FU	TOTA
SHOWER AND SHOWER TUB	6	2	12	2	2	12
WASH HAND BASIN (W.H.B)	8	2	16	1	1	8
KITCHEN SINK	2	2	4	1.5	1.5	3
WATER CLOSET	8	4	32	3		24
TOTAL FIXTURE UNITS			64			47
MINIMUM REQUIRED 'WATER' PIPE SIZE (INCHES) MINIMUM REQUIRED 'WASTE' PIPE SIZE (INCHES)						1.0
						3.0

NOTE:		


1	PROJECT TITLE		ARCHITECT	FASEMI A.	DRAWING TITLE:	
		PROPOSED RESIDENTIAL DEVELOPMENT			FIXTURE UNIT AND PIPING SIZING	
				IWEIBO S.E		
	CLIENT	MR. ADEWALE ALFRED AFOLABI	CHECKED BY		DRAWING SCALE:	DRAWINNG NO:
	LOCATION	ALACRAKA AKURE ONDO CTATE	APPROVED BY		MT O MO	
	2007111011	ALAGBAKA, AKURE, ONDO STATE.	DATE	MARCH, 2022.	N.T.S.	






NOTE:

PROJECT TITLE		ARCHITECT	FASEMI A.	DRAWING TITLE:	
	PROPOSED RESIDENTIAL DEVELOPMENT			WATER SUPPLY PLAN	
		DRAWN BY	IWEIBO S.E		
CLIENT	MR. ADEWALE ALFRED AFOLABI	CHECKED BY		DRAWING SCALE:	DRAWINNG NO:
LOCATION ALACBAKA AKLIBE ONDO STATE		APPROVED BY		NTO	M04
2007111011	ALAGBAKA, AKURE, ONDO STATE.	DATE	MARCH, 2022.	N.T.S.	



NOTE:		


PROJECT TITI	LE	ARCHITECT	FASEMI A.	DRAWING TITLE: WASTE EXTRACT PLAN	
	PROPOSED RESIDENTIAL DEVELOPMENT				
		DRAWN BY	IWEIBO S.E		
CLIENT	MR. ADEWALE ALFRED AFOLABI	CHECKED BY		DRAWING SCALE:	DRAWINNG NO:
LOCATION		APPROVED BY		NAO5	
LOGATION	ALAGBAKA, AKURE, ONDO STATE.	DATE	MARCH, 2022.	N.T.S.	M05



PLAN OF SEPTIC TANK

SEPTIC TA	SEPTIC TANK CALCULATIONS			
NO. OF LITRES PER HEAD PER 24 HR USAGE	360 LITRES			
NO. OF OCCUPANTS	20 USERS			
LIQUID DEPTH	2700mm <=> 2.7m			
FLOOR AREA (COMPARTMENT 1)	5.31sqm			
LENGTH (COMPARTMENT 1)	3.26m			
BREATH (COMPARTMENT 1)	1.63m			
FLOOR AREA (COMPARTMENT 2)	2.66sqm			
LENGTH (COMPARTMENT 2)	1.63m			
BREATH (COMPARTMENT 2)	1.63m			


*NO OF USERS ASSUMED TO BE 20. FIGURE IS SUSCEPTIBLE TO CHANGE.
*CLEANIGN OF SEPTIC TANK SHOULD DONE EVERY 6 YEARS.



Galvanized iron


NOTE:


PROJECT TITLE		ARCHITECT	FASEMI A.	DRAWING TITLE:	
PROPOSED RESIDENTIAL DEVELOPMENT				SEPTIC PLAN AND SECTION	
		DRAWN BY	IWEIBO S.E		
CLIENT	MR. ADEWALE ALFRED AFOLABI	CHECKED BY		DRAWING SCALE:	DRAWINNG NO:
LOCATION	ALACDAKA AKUDE ONDO CTATE	APPROVED BY		M06	
2007171011	ALAGBAKA, AKURE, ONDO STATE.	DATE	MARCH, 2022.	N.T.S.	




	NO		
Ш			

PROJECT TITLE		ARCHITECT	FASEMI A.	DRAWING TITLE:	
	PROPOSED RESIDENTIAL DEVELOPMENT			SOAKAWAY PIT DESIGN	
		DRAWN BY	IWEIBO S.E		
CLIENT	MR. ADEWALE ALFRED AFOLABI	CHECKED BY		DRAWING SCALE:	DRAWINNG NO:
LOCATION	ALAODAKA AKURE ONDO OTATE	APPROVED BY		M07	
LOGATION	ALAGBAKA, AKURE, ONDO STATE.	DATE	MARCH, 2022.	N.T.S.	







l a i	\triangle T	
IN	()	⊢ :
I N	\cup 1	ь.

PROJECT TITLE		ARCHITECT	FASEMI A.	DRAWING TITLE: SANIATARY FITTINGS SECTIONS	
	PROPOSED RESIDENTIAL DEVELOPMENT				
		DRAWN BY	IWEIBO S.E		
CLIENT	MR. ADEWALE ALFRED AFOLABI	CHECKED BY		DRAWING SCALE:	DRAWINNG NO:
LOCATION	W 405 W 4 W 105 0 100 0 7 1 7 5	APPROVED BY			M08
LOCATION	ALAGBAKA, AKURE, ONDO STATE.	DATE	MARCH, 2022.	N.T.S.	