Football Database Project

Report To: Dr. Omar Shalsh & Eng. Salma Mohamed

Report By: Abdulrahman Saeed (211003941)

Database System Design (DS211)

Date: 2022-31-12

Contents

| Brief idea2 |
|--------------------------|
| ERD3 |
| Relation schema diagram4 |
| Assumptions5 |
| Table creation queries7 |
| Relations table11 |
| Table before insertion17 |
| Insertion queries20 |
| Table after insertion30 |

1- Brief idea


The main idea of the project is to create database of a football.

The project is built in such way that clubs have players, and players


Play in the match, and league enroll players, and coach train players, and managers

manage coaches, players and club, and players play in stadium.

2- ERD



3- Schema



4- Assumptions

- 1- players must treated by medical teams (Total participation).
- 2- medical teams may treat players (Partial participation).
- 3- players must join to clubs (Total participation).
- 4- clubs may have players (Partial participation).
- 5-players may play in stadium (Partial participation).
- 6-stadiums may be players play in it (Partial participation).
- 7- mangers must manage players (Total participation).
- 8-players must be managed by mangers (Total participation).
- 9- Referees must judge players (Total participation).
- 10- players must be judged by referee (Total participation).
- 11-players must enroll to leagues (Total participation).
- 12-leagues must enroll players (Total participation).
- 13-coaches must train players (Total participation).
- 14-players must be trained by coaches (Total participation).
- 15-matches must be played by players (Total participation).
- 16-players may play in matches (Total participation).
- 17-Referees must judge in stadiums (Total participation).
- 18- stadiums must Referees judge in it (Total participation).
- 19-Referees must join in leagues (Total participation).
- 20-league must enroll referee (Total participation).
- 21-Refrees must join in matches (Total participation).
- 22-matches must enroll referees (Total participation).
- 23-sponsors may consider clubs (Partial participation).
- 24-clubs must be considered by sponsors (Total participation).
- 25- coaches may be work in leagues (Partial participation).
- 26- leagues may coaches work in it (Partial participation).
- 27-leagues must occur matches (Total participation).
- 28- matches may be occurred by leagues (Partial participation).
- 29- league must play in stadium (Total participation).

- 30-stadium must play in it league (Total participation).
- 31-league must enroll clubs (Total participation).
- 32-clubs must join to league (Total participation)
- 33-managers may manage coaches (Partial participation).
- 34- coaches must managed by managers (**Total participation**).
- 35-matches must enroll coaches (Total participation).
- 36-coaches may be joined to match (Partial participation).
- 37- coaches may train in club (Partial participation).
- 38- clubs must have coaches (Total participation).
- 39- stadium must coaches control in it (Total participation).
- 40-coaches must control in stadiums (Total participation).
- 41-managers may manage clubs (Partial participation).
- 42-clubs must be managed by managers (**Total participation**).
- 43-managers may have medical team (Partial participation).
- 44- medical team must work for managers (**Total participation**).
- 45-managers may have stadiums (Partial participation).
- 46-stadiums may be had by managers (Partial participation).
- 47-matches must play in stadium (Total participation).
- 48-stadium must be matches play in it (Total participation).
- 49-stadium may be had by clubs (Partial participation).
- 50-clubs may have stadiums (Partial participation).
- 51-stadiums may use by clubs (Partial participation).
- 52-stadiums must use clubs (Total participation).
- 53-clubs must have medical team (Total participation).
- 54-medical team may be had by clubs (Partial participation).

5- Table creation queries

```
I Created the tables without relations,
I Created 10 entities
(Players, clubs, stadium, managers, leagues, matches, coach, medical_team, referee,
sponsor)
1-
CREATE TABLE Players
Fname VARCHAR (20) NOT NULL,
Mname VARCHAR (20) NOT NULL,
Lname VARCHAR (20) NOT NULL,
Nname VARCHAR (20) NOT NULL,
BOD DATE NOT NULL,
Player Id VARCHAR (20) PRIMARY KEY,
player posi VARCHAR (5) NOT NULL,
Squad number INT NOT NULL,
player rating INT NOT NULL,
P Country VARCHAR (20) NOT NULL,
);
2-
CREATE TABLE Clubs
(
C name VARCHAR (20) NOT NULL,
Location VARCHAR (20) NOT NULL,
C id VARCHAR (20) PRIMARY KEY,
HESTORY DATE NOT NULL,
NICKNAME VARCHAR (20) NOT NULL,
c country VARCHAR (20) NOT NULL
```

```
3-
CREATE TABLE STADIUM
(
s name VARCHAR (20) NOT NULL,
s id VARCHAR (20) PRIMARY KEY,
S country VARCHAR (20) NOT NULL,
s capacity INT NOT NULL
);
4 –
CREATE TABLE MANAGERS
m Fname VARCHAR (20) NOT NULL,
m Mname VARCHAR (20) NOT NULL,
m Lname VARCHAR (20) NOT NULL,
m id VARCHAR (20) PRIMARY KEY,
m DOB DATE NOT NULL,
m country VARCHAR (20) NOT NULL
);
5-
CREATE TABLE LEAGUES
l id VARCHAR (20) PRIMARY KEY,
l_name VARCHAR (20) NOT NULL,
HESTORY DATE NOT NULL,
NUM TEAMS INT DEFAULT 1
);
```

```
CREATE TABLE MATCHES

(
match_id VARCHAR (20) PRIMARY KEY,
PLAY_DATE DATE NOT NULL,
attendce INT DEFAULT 0
);

7-
CREATE TABLE coach

(
c_Fname VARCHAR (20) NOT NULL,
c_Mname VARCHAR (20) NOT NULL,
c_Lname VARCHAR (20) NOT NULL,
coach_id VARCHAR (20) PRIMARY KEY,
coach_country VARCHAR (20) NOT NULL,
c_rating INT DEFAULT 1
);
```

```
8-
CREATE TABLE medical team
(
number_of_doctors INT DEFAULT 1,
number _of_nurse INT DEFAULT 2,
m t id VARCHAR (20) PRIMARY KEY
);
CREATE TABLE REFEREE
R_Fname VARCHAR (20) NOT NULL,
R_Mname VARCHAR (20) NOT NULL,
R Lname VARCHAR (20) NOT NULL,
R DOB DATE NOT NULL,
R id VARCHAR (20) PRIMARY KEY
);
10-
CREATE TABLE sponsor
(
spon id VARCHAR (20) PRIMARY KEY,
spon name VARCHAR (20) UNIQUE NOT NULL
);
```

6- Relations Tables

After that I added the relations to tables

1 - Table players

```
ALTER TABLE Players

ADD Coach_id VARCHAR (20) NOT NULL,

ADD L_id VARCHAR (20) NOT NULL,

ADD M_id VARCHAR (20) NOT NULL,

ADD R_id VARCHAR (20) NOT NULL,

ADD C_id VARCHAR (20) NOT NULL,

ADD m_t_id VARCHAR (20) NOT NULL,

ADD FOREIGN KEY (coach_id) REFERENCES coach (coach_id),

ADD FOREIGN KEY(L_id) REFERENCES LEAGUES (1_id),

ADD FOREIGN KEY (M_id) REFERENCES MANAGERS (m_id)

ADD FOREIGN KEY(R_id) REFERENCES REFEREE (R_id),

ADD FOREIGN KEY(C_id) REFERENCES Clubs(C_id),

ADD FOREIGN KEY(m_t_id) REFERENCES medical_team (m_t_id);
```

2-Table clubs

```
ALTER TABLE Clubs

ADD coach_id VARCHAR (20) NOT NULL,

ADD L_id VARCHAR (20) NOT NULL,

ADD M_id VARCHAR (20) NOT NULL,

ADD m_t_id VARCHAR (20) NOT NULL

ADD spon_id VARCHAR (20) NOT NULL,

ADD FOREIGN KEY (spon_id) REFERENCES sponsor (spon_id),

ADD FOREIGN KEY (coach_id) REFERENCES coach (coach_id),

ADD FOREIGN KEY(L_id) REFERENCES LEAGUES (1_id)

ADD FOREIGN KEY(M_id) REFERENCES MANAGERS (m_id),

ADD FOREIGN KEY(m_t_id) REFERENCES medical_team (m_t_id);
```

3-Table coach

```
ALTER TABLE Coach

ADD L_id VARCHAR (20),

ADD M_id VARCHAR (20) NOT NULL

ADD s_id VARCHAR (20) NOT NULL,

ADD FOREIGN KEY(s_id) REFERENCES STADIUM (s_id),

ADD FOREIGN KEY(L_id) REFERENCES LEAGUES (1_id)

ADD FOREIGN KEY(M_id) REFERENCES MANAGERS (m_id);
```

4-Table league

```
ALTER TABLE LEAGUES

ADD R_id VARCHAR (20) NOT NULL,

ADD FOREIGN KEY(R_id) REFERENCES REFEREE (R_id);
```

5-Table stadium

```
ALTER TABLE STADIUM

ADD L_id VARCHAR (20) NOT NULL,

ADD M_id VARCHAR (20),

ADD R_id VARCHAR (20) NOT NULL,

ADD C_id VARCHAR (20),

ADD FOREIGN KEY(L_id) REFERENCES LEAGUES (1_id),

ADD FOREIGN KEY (M_id) REFERENCES MANAGERS (m_id),

ADD FOREIGN KEY (R_id) REFERENCES REFEREE (R_id),

ADD FOREIGN KEY(C_id) REFERENCES Clubs(C_id);
```

6-Table matches

```
ALTER TABLE MATCHES
ADD L id VARCHAR (20),
ADD s id VARCHAR (20) NOT NULL,
ADD R id VARCHAR (20) NOT NULL,
ADD FOREIGN KEY(s id) REFERENCES STADIUM(s id),
ADD FOREIGN KEY(L id) REFERENCES LEAGUES (1 id),
ADD FOREIGN KEY(R id) REFERENCES REFEREE (R id);
7-Table medical_team
ALTER TABLE medical team
ADD M id VARCHAR (20) NOT NULL,
ADD FOREIGN KEY (M id) REFERENCES MANAGERS (m id);
8-Player_phone
CREATE TABLE player phone
(
Player id VARCHAR (20),
phone VARCHAR (20) UNIQUE NOT NULL,
PRIMARY KEY (player id, phone),
FOREIGN KEY (player_id) REFERENCES Players (Player_Id)
);
```

9-Coach_phone

```
CREATE TABLE Coach phone
coach id VARCHAR (20),
c phone VARCHAR (20) UNIQUE NOT NULL,
PRIMARY KEY (coach id, c phone),
FOREIGN KEY (coach id) REFERENCES coach (coach id)
);
10-manager_phone
CREATE TABLE manager phone
(
m id VARCHAR (20),
m phone VARCHAR (20) UNTQUE NOT NULL,
PRIMARY KEY (m_id, m_phone),
FOREIGN KEY (m id) REFERENCES MANAGERS (m id)
);
11-Referee_phone
CREATE TABLE Referee phone
(
R id VARCHAR (20),
R phone VARCHAR (20) UNIQUE NOT NULL,
PRIMARY KEY (R id, R phone),
FOREIGN KEY (Rid) REFERENCES REFEREE(R id)
);
```

12-player_play_match

```
CREATE TABLE player play match
(
score INT DEFAULT 0,
player id VARCHAR (20),
match id VARCHAR (20),
PRIMARY KEY (player id, match id),
FOREIGN KEY (player id) REFERENCES Players (Player Id),
FOREIGN KEY (match id) REFERENCES MATCHES (match id)
);
13-player_play_in_stadium
CREATE TABLE player play in stadium
player id VARCHAR (20),
s id VARCHAR (20),
PRIMARY KEY (player id, s id),
FOREIGN KEY (player id) REFERENCES Players (Player Id),
FOREIGN KEY(s id) REFERENCES STADIUM (s_id)
);
14-Club_use_stadium
CREATE TABLE Club use stadium
 (
c id VARCHAR (20),
s id VARCHAR (20),
PRIMARY KEY (c id, s id)
FOREIGN KEY(c id) REFERENCES Clubs (C_id),
FOREIGN KEY(s id) REFERENCES STADIUM (s_id)
);
```

15-coach_join_match

```
CREATE TABLE coach_join_match

(
coach_id VARCHAR (20),

match_id VARCHAR (20),

PRIMARY KEY (coach_id, match_id),

FOREIGN KEY (coach_id) REFERENCES coach(coach_id),

FOREIGN KEY (match_id) REFERENCES MATCHES (match_id)
);
```

7- Table before insertion

1- Players

Fname Mname Lname Nname BOD Player_Id player_posi Squad_number player_rating P_country coach_id L_id M_id R_id C_id m_t_id

2- Clubs

C_name Location C_id HESTORY NICKNAME c_country coach_id L_id M_id m_t_id spon_id

3- Stadium

s_name s_id s_country s_capacity L_id M_id R_id C_id

4- Managers

m_Fname m_Mname m_Lname m_id m_DOB m_country

5- Leagues

I_id I_name HESTORY NUM_TEAMS R_id

6- Matches

match_id PLAY_DATE attendce s_id L_id R_id

12-Coach phone

coach_id c_phone

7- Coach c_Fname c_Mname c_Lname coach_id coach_country c_rating L_id M_id s_id 8- Medical team number_of_doctors number_of_nurse m_t_id M_id 9- Referee R_Fname R_Mname R_Lname R_DOB R_id 10-Sponsor spon_id spon_name 11-Player phone Player_id phone

| 13-Manager phone | | |
|---------------------------|--|---|
| m_id m_phone | | |
| | | |
| 14-Referee phone | | |
| R_id R_phone | | |
| 15-Player play match | | _ |
| score player_id match_id | | |
| | | |
| 16-Player paly in stadium | | |
| player_id s_id | | |
| | | |
| 17-Club use stadium | | |
| c_id s_id | | |
| | | |
| 18-Coach join match | | |
| coach_id match_id | | |

8- Insertion queries

1-

```
Run SQL query/queries on table sep22_211003941_proj.sponsor: 

INSERT INTO sponsor

VALUES

(3, 'Adidas'),

(4, 'Coca-cola'),

(7, 'Hyundai-Kia'),

(5, 'Mcdonalds'),

(1, 'Nike'),

(2, 'Puma'),

(8, 'Vivo'),

(6, 'Vodafone')
```

2-

```
INSERT INTO REFEREE

VALUES ('John', 'David', 'Smith', '1970-7-1', '1'),

('Jane', 'Mae', 'Doe', '1980-4-2', 'ID2'),

('Bob', 'James', 'Johnson', '1988-7-4', '3'),

('Alice', 'Jean', 'Williams', '1989-5-1', '4'),

('Michael', 'Scott', 'Jones', '1975-1-1', '5'),

('Sara', 'Ann', 'Brown', '1994-8-3', '6'),

('Chris', 'Thomas', 'Davis', '1973-2-1', '7'),

('Emily', 'Elizabeth', 'Miller', '1972-4-14', '8');
```

1

```
INSERT INTO LEAGUES

VALUES

('1', 'Premier League', '1888-1-1', 20, '1'),
('2', 'La Liga', '1929-5-27', 20, '2'),
('3', 'Bundesliga', '1963-12-31', 18, '2'),
('4', 'Serie A', '1898-8-1', 20, '5'),
('5', 'Egyption Ligue ', '1932-4-3', 20, '4'),
('6', 'Major League Soccer', '1993-7-8', 26, '1'),
('7', 'Chinese Super League', '2004-4-1', 16, '3'),
('8', 'Australian A-League', '2004-1-1', 11, '6');
```

4 –

```
INSERT INTO MANAGERS

VALUES

('John', 'David', 'Smith', '1', '1970-01-01', 'USA'),

('Jane', 'Mae', 'Doe', '2', '1970-02-01', 'Italy'),

('Bob', 'James', 'Johnson', '3', '1970-03-01', 'Germany'),

('Alice', 'Jean', 'Williams', '4', '1970-04-01', 'Spain'),

('Michael', 'Scott', 'Jones', '5', '1970-05-01', 'France'),

('Ismail', 'Ibrahem', 'Negm', '6', '2003-12-04', 'Egypt|'),

('Chris', 'Thomas', 'Davis', '7', '1970-07-01', 'China'),

('Emily', 'Elizabeth', 'Miller', '8', '1970-08-01',

'Australia');
```

Note:

When I insert in stadium, I didn't insert clubs

And I can't update or add foreign key references primary key

So, I insert in stadium first because I need it for coach table.

```
Run SQL query/queries on table sep22_211003941_proj.STADIUM: (a)
  1 INSERT INTO STADIUM
   (s_name, s_id, s_country, s_capacity, L_id, M_id, R_id)
  <sup>2</sup> VALUES
                                              '5',
 ('Old Trafford', '1', 'UK', 75000, '7',
  ('Camp Nou', '2', 'Spain', 99000, '2', '1'
 <sup>5</sup> ('Allianz Arena', '3', 'Germany', 70000, '3',
                                                     '3',
  ('San Siro', '4', 'Italy', 80000, '2', '4',
                                                    '4'),
 ('Parc des Princes', '5', 'France', 40000, '2',
 ('Yankee Stadium', '6', 'USA', 50000, '2',
                                                  '1'
 ('Jiangwan Stadium', '7', 'China', 30000, '4',
                                                      '4', '1'),
 ('Allianz Stadium', '8', 'Australia', 60000, '5', '3', '8');
```

6-

Then, insert in coach table

```
INSERT INTO coach

VALUES

('John', 'David', 'Smith', '1', 'USA', 4, '1', '3', '2'),

('Jane', 'Mae', 'Doe', '2', 'UK', 8, '2', '4', '1'),

('Bob', 'James', 'Johnson', '3', 'Germany', 3, '1', '3', '2'),

('Alice', 'Jean', 'Williams', '4', 'Spain', 9, '4', '4', '6'),

('Michael', 'Scott', 'Jones', '5', 'France', 6, '5', '3', '2'),

('Sara', 'Ann', 'Brown', '6', 'Italy', 7, '6', '4', '5'),

('Chris', 'Thomas', 'Davis', '7', 'China', 8, '7', '2', '4'),

('Emily', 'Elizabeth', 'Miller', '8', 'Australia', 10, '8',

'2', '3');
```

Insert medical to use primary key in clubs

```
Run SQL query/queries on table sep22_211003941_proj.medical_team:

INSERT INTO medical_team

VALUES

(10, 20, '1', '1'),
(12, 24, '2', '3'),
(14, 28, '3', '5'),
(16, 32, '4', '2'),
(18, 36, '5', '3'),
(20, 40, '6', '6'),
(22, 44, '7', '7'),
(24, 48, '8', '4');
```

8-

insert clubs to use primary key clubs in stadium

```
INSERT INTO Clubs

VALUES

('Manchester United', 'Manchester', '1', '1878-01-01', 'The Red Devils', 'UK', '1', '1', '1', '1', '1'),

('Barcelona', 'Barcelona', '2', '1899-01-01', 'Barça', 'Spain', '2', '2', '2', '2', '2'),

('Bayern Munich', 'Munich', '3', '1900-01-01', 'Die Bayern', 'Germany', '3', '3', '3', '3'),

('Inter Milan', 'Milan', '4', '1908-01-01', 'Inter', 'Italy', '4', '4', '4', '4', '4'),

('Paris Saint-Germain', 'Paris', '5', '1970-01-01', 'PSG', 'France', '5', '5', '5', '5'),

('ARSENAL', 'London', '6', '1886-01-01', 'THE GUNNERS', 'England', '6', '6', '6', '6'),

('R MADRID', 'Madrid', '7', '1902-01-01', 'LOS MERENGUES', 'Spain', '7', '7', '7', '7'),

('LIVERPOOL', 'LIVERPOOL', '8', '1892-01-01', 'THE POOL', 'England', '8', '8', '8', '8', '8');
```

update stadium for insert primary key clubs in it

```
Run SQL query/queries on table sep22_211003941_proj.STADIUM: @
  1 UPDATE STADIUM
  2 SET C_id='1'
  WHERE s_id='1';
  UPDATE STADIUM
  SET C id='2'
  WHERE s id='2';
  UPDATE STADIUM
  SET C_id='3'
 WHERE s_id='3';
 10 UPDATE STADIUM
 11 SET C_id='4'
 WHERE s_id='4';
 13 UPDATE STADIUM
 14 SET C id='5'
 WHERE s_id='5';
 UPDATE STADIUM
 SET C_id='6'
 WHERE s_id='6';
 UPDATE STADIUM
 SET C_id='7'
 WHERE s_id='7';
 <sup>22</sup> UPDATE STADIUM
 23 SET C_id='8'
 WHERE s_id='8';
```

```
INSERT INTO MATCHES

VALUES

('1', '2022-01-01', 75000, '2', '1', '1'),

('2', '2022-01-02', 80000, '5', '4', '6'),

('3', '2022-01-03', 85000, '3', '6', '7'),

('4', '2022-01-04', 90000, '4', '2', '2'),

('5', '2022-01-05', 95000, '7', '7', '3'),

('6', '2022-01-06', 100000, '6', '2', '6'),

('7', '2022-01-07', 105000, '7', '3', '7'),

('8', '2022-01-08', 110000, '8', '8', '8');
```

```
Run SQL query/queries on table sep22_211003941_proj.Players: @
  INSERT INTO Players VALUES
  ('John', 'Michael', 'Smith', 'Johnny', '1970-01-01', '1', 'CF',
   10, 99, 'USA','1','3','2','3','1','1'),
 ('Jane', 'Elizabeth', 'Doe', 'Janie', '1980-03-14', '2', 'MF',
   8, 98, 'Canada','1','4','5','1','3','2'),
  ('Bob', 'Khaled', 'Jones', 'Bobby', '1985-06-30', '3', 'DF', 5,
   7, 'England','2','1','1','2','1','4'),
 ('Alice', 'Ahmed', 'Smith', 'Ali', '1990-09-12', '4', 'GK', 1,
   88, 'Australia','2','1','5','5','1','1'),
  ('Mike', 'Saeed', 'Williams', 'Mike', '1995-05-22', '5', 'RF',
   9, 87, 'Spain','3','1','4','3','2','1'),
  ('Emily', 'Rched', 'Johnson', 'Em', '2000-01-01', '6', 'DM', 7,
   8, 'France','5','2','3','4','5','2'),
 ('James', 'Ali', 'Brown', 'Jim', '2005-07-07', '7', 'LM', 6,
   87, 'Germany','6','1','1','3','2','2'),
  ('Samantha', 'Mahmod', 'Miller', 'Sam', '2003-11-11', '8', 'GK', 1, 98, 'Italy','5','1','1','3','1','1'),
 ('David', 'Ali', 'Davis', 'Dave', '2000-03-03', '9', 'RB', 11, 97, 'Brazil', '8', '1', '1', '4', '1', '1'),
 "('Jessica', 'Jhon', 'Garcia', 'Jess', '1992-06-06', '10', 'LB',
   8, 88, 'Argentina','4','1','4','1','1','1'),
 ('Chris', 'Manga', 'Wilson', 'vhris', '1995-12-12', '11',
   'RWB', 4, 95, 'Mexico','6','1','1','5','1','1');
```

```
INSERT INTO player_phone

VALUES

('1', '+4843434567890'),

('4', '+2013234567891'),

('3', '+2014345678952'),

('4', '+4832134567893'),

('5', '+3612345667894'),

('6', '+1012334456795'),

('3', '+201434567894'),

('6', '+1012334456795'),

('5', '+3012323433896'),

('8', '+7512345367856'),

('2', '+2412345678940'),

('8', '+3212345674828');
```

```
Run SQL query/queries on table sep22_211003941_proj.manager_phone: 

INSERT INTO manager_phone

VALUES

('1', '+481234578890'),

('2', '+201234523891'),

('3', '+201234549892'),

('4', '+481234510893'),

('5', '+331234575894'),

('8', '+121234567695'),

('7', '+701234567196'),

('6', '+651234567854'),

('2', '+241234567891'),

('3', '+321234564982');
```

```
INSERT INTO coach_phone

VALUES

('1', '+481234567890'),
('1', '+201234567891'),
('3', '+201234567892'),
('4', '+481234567893'),
('5', '+361234567894'),
('6', '+101234567895'),
('7', '+301234567896'),
('5', '+751234567856'),
('2', '+241234567890'),
('8', '+321234567828');
```

```
Run SQL query/queries on table sep22_211003941_proj.player_play_match:

1 INSERT INTO player_play_match

VALUES

3 (2,'2','3'),

4 (1,'1','2'),

5 (0,'3','6'),

6 (3,'4','5'),

7 (4,'5','4'),

8 (0,'5','3'),

9 (2,'3','3'),

10 (1,|'6','8');
```

```
INSERT INTO player_play_in_stadium

VALUES

('2','3'),
('4','2'),
('3','6'),
('4','5'),
('5','4'),
('7','3'),
('1','3'),
('1','3'),
('6','8');
```

```
Run SQL query/queries on table sep22_211003941_proj.coach_join_match:

1 INSERT INTO coach_join_match

2 VALUES

3 ('2','3'),

4 ('1','2'),

5 ('3','6'),

6 ('4','5'),

7 ('5','4'),

8 ('5','3'),

9 ('3','3'),

10 ('6','8');
```

```
Run SQL query/queries on table sep22_211003941_proj.Club_use_stadium:

INSERT INTO Club_use_stadium

VALUES


('1','2'),
('2','3'),
('3','2'),
('4','4'),
('7','3'),
('5','3');
```

9- Table after insertion

1- clubs

| + Options | IS | | | | | | | | | | | | |
|-------------|-----------------------|----------|---------------------|------------|------|------------|----------------|-----------|----------|------|------|--------|---------|
| ← ⊤→ | • | ∇ | C_name | Location | C_id | HESTORY | NICKNAME | c_country | coach_id | L_id | M_id | m_t_id | spon_id |
| | PEdit ≩ € Copy | Delete | Manchester United | Manchester | 1 | 1878-01-01 | The Red Devils | UK | 1 | 1 | 1 | 1 | 1 |
| | Edit 3 Copy | Delete | Barcelona | Barcelona | 2 | 1899-01-01 | Barça | Spain | 2 | 2 | 2 | 2 | 2 |
| | Edit 👫 Copy | Delete | Bayern Munich | Munich | 3 | 1900-01-01 | Die Bayern | Germany | 3 | 3 | 3 | 3 | 3 |
| | Edit 👫 Copy | Delete | Inter Milan | Milan | 4 | 1908-01-01 | Inter | Italy | 4 | 4 | 4 | 4 | 4 |
| | Edit 👫 Copy | Delete | Paris Saint-Germain | Paris | 5 | 1970-01-01 | PSG | France | 5 | 5 | 5 | 5 | 5 |
| | Edit 👫 Copy | Delete | ARSENAL | London | 6 | 1886-01-01 | THE GUNNERS | England | 6 | 6 | 6 | 6 | 6 |
| | P Edit 3 € Copy | Delete | R MADRID | Madrid | 7 | 1902-01-01 | LOS MERENGUES | Spain | 7 | 7 | 7 | 7 | 7 |
| | Edit 👫 Copy | Delete | LIVERPOOL | LIVERPOOL | 8 | 1892-01-01 | THE POOL | England | 8 | 8 | 8 | 8 | 8 |

2- coach



3- League



4- Managers

| ←] | | ∇ | m_Fname | m_Mname | m_Lname | m_id | m_DOB | m_country |
|----|----------------|------------|---------|-----------|----------|------|------------|-----------|
| | Ø Edit ∰ Copy | / 🥥 Delete | John | David | Smith | 1 | 1970-01-01 | USA |
| | Ø Edit ∰€ Copy | / 🥥 Delete | Jane | Mae | Doe | 2 | 1970-02-01 | Italy |
| | Ø Edit 3€ Copy | / 🥥 Delete | Bob | James | Johnson | 3 | 1970-03-01 | Germany |
| | Ø Edit 3€ Copy | / 🥥 Delete | Alice | Jean | Williams | 4 | 1970-04-01 | Spain |
| | Ø Edit 3€ Copy | / 🥥 Delete | Michael | Scott | Jones | 5 | 1970-05-01 | France |
| | Ø Edit ∰€ Copy | / 🔵 Delete | Ismail | Ibrahem | Negm | 6 | 2003-12-04 | Egypt |
| | Ø Edit ₃ Copy | / 🔵 Delete | Chris | Thomas | Davis | 7 | 1970-07-01 | China |
| | Ø Edit ∰ Copy | / 🥥 Delete | Emily | Elizabeth | Miller | 8 | 1970-08-01 | Australia |


5- Match

| ı | + Uptions | | | | | | | | | | |
|---|-----------|----------------|-----------------|--|-----------|----------|------------|----------|------|------|------|
| ı | ←┐ | \rightarrow | | | \square | match_id | PLAY_DATE | attendce | s_id | L_id | R_id |
| ı | | 🥜 Edit | ≩ € Copy | | Delete | 1 | 2022-01-01 | 75000 | 2 | 1 | 1 |
| ı | | <i></i> | ≩ € Copy | | Delete | 2 | 2022-01-02 | 80000 | 5 | 4 | 6 |
| 1 | | 🥜 Edit | ≩ € Copy | | Delete | 3 | 2022-01-03 | 85000 | 3 | 6 | 7 |
| ı | | <i></i> €dit | ∄ € Copy | | Delete | 4 | 2022-01-04 | 90000 | 4 | 2 | 2 |
| ı | | 🥜 Edit | ≩ € Copy | | Delete | 5 | 2022-01-05 | 95000 | 7 | 7 | 3 |
| ı | | <i> ∅</i> Edit | ≩ € Copy | | Delete | 6 | 2022-01-06 | 100000 | 6 | 2 | 6 |
| | | 🥜 Edit | ≩ € Copy | | Delete | 7 | 2022-01-07 | 105000 | 7 | 3 | 7 |
| | | <i>⊘</i> Edit | ≩ € Copy | | Delete | 8 | 2022-01-08 | 110000 | 8 | 8 | 8 |
| Ш | | | | | | | | | | | |

6- Medical team

| · Oh | นเบาเอ | | | | | |
|------|-----------------|----------|-------------------|-----------------|--------|------|
| ← | Γ→ | ∇ | number_of_doctors | number_of_nurse | m_t_id | M_id |
| | 🥜 Edit 🛂 Copy | Delete | 10 | 20 | 1 | 1 |
| | 🥜 Edit 👫 Copy | Delete | 12 | 24 | 2 | 3 |
| | 🥜 Edit 🛂 € Copy | Delete | 14 | 28 | 3 | 5 |
| | 🥜 Edit 👫 Copy | Delete | 16 | 32 | 4 | 2 |
| | 🥜 Edit 👫 Copy | Delete | 18 | 36 | 5 | 3 |
| | 🥜 Edit 👫 Copy | Delete | 20 | 40 | 6 | 6 |
| | 🥜 Edit 👫 Copy | Delete | 22 | 44 | 7 | 7 |
| | 🥜 Edit 👫 Copy | Delete | 24 | 48 | 8 | 4 |
| | | | | | | |

7- Players



8- Referee



9-Sponsors



10- Stadium




11- Referee phone



12- Player phone



13- Manager phone



14- Coach phone



15- Player play in match



16- Player in stadium



17- coach join match



18- Club use stadium

