

1.1.Варианты заданий

Таблица 1.1

Номер варианта	$y = f(x)$	Исходные данные
1	$y = \frac{\sqrt{cx + 62,7e^x}}{ax^2 + 7x + b \ln x}$	$a = 7,2$ $b = 14,3$ $c = 13,4$ $x = 5,6$
2	$y = \frac{ax + 3,8 \operatorname{tg} x}{\sqrt{bx^3 + c}}$	$a = 1,23$ $b = 5,14$ $c = 3,97$ $x = 7,1$
3	$y = \left(\frac{a}{bx^2 + 1} + cx^3 + b \sin^2 x \right)^2$	$a = 2,27$ $b = 1,18$ $c = 3,92$ $x = 0,78$
4	$y = \left(a\sqrt{4,19x^3 - 1} - \sqrt{b \ln x + c} \right)^{-1}$	$a = 9,2$ $b = 3,5$ $c = 12,3$ $x = 3,2$
5	$y = \ln a \sin x + b \cos(x^2) $	$a = 1,2$ $b = 2,3$ $x = 5,6$
6	$y = \sqrt{\frac{ax^3 + \operatorname{arctg} x}{cx + b \ln x}}$	$a = 2,71$ $b = 1,63$ $c = 0,81$ $x = 0,51$
7	$y = \frac{ax}{\sqrt{b^2 + 2e^x - bx}}$	$a = 6,32$ $b = 3,704$ $x = 7,15$
8	$y = \cos(ax) + b \ln(1 + bx + e^x)$	$a = 7,1$ $b = 1,8$ $x = 0,9$
9	$y = \frac{\sqrt{e^{ax} + x^2} \cdot \ln(x^2 + bx + 10)}{\sin(cx) + 4,2}$	$a = 5,7$ $b = 6,4$ $c = 3,1$ $x = 2,8$
10	$y = \frac{\sqrt{e^{2x+b}} - 1,7 \cos(cx)}{\ln(x^2 + a)} + x^3$	$a = 2,1$ $b = 5,3$ $c = 1,4$ $x = 1,2$
11	$y = \frac{\ln \sqrt{x^2 + b} + cx^3}{e^x + a}$	$a = 4,7$ $b = 7,21$ $c = 1,72$ $x = 0,91$

12	$y = \frac{\sin \sqrt{e^x + ax^2 + b \ln x}}{ax^2 + cx + 13,7}$	$a = 3,7$ $b = 4,9$ $c = 2,5$ $x = 1,3$
13	$y = \sqrt{\frac{a}{1 + bx^2}} + b \operatorname{ctg} x + e^{cx}$	$a = 4,5$ $b = 2,2$ $c = -1,5$ $x = 0,85$
14	$y = \frac{(cx)^2 - e^{bx}}{\sqrt{x + \cos(ax)}}$	$a = 4,5$ $b = 2,2$ $c = 1,67$ $x = 2,36$
15	$y = \frac{\sin(x^2 + a^2) \cdot e^{b+x}}{\sqrt{ax^3 + c}}$	$a = 4,26$ $b = 1,71$ $c = 3,86$ $x = 2,73$
16	$y = \frac{\sqrt{\ln^2(ax + 2) + \sin(bx^2 - 1)}}{x^2}$	$a = 4,3$ $b = 2,9$ $x = 1,8$
17	$y = \sqrt{x + e^{ax}} \cdot \ln \frac{bx^2 - 1}{cx^2 + 3}$	$a = 2,44$ $b = 1,39$ $c = 6,21$ $x = 3,10$
18	$y = \frac{2\sqrt{\sin(ax^3 + 3) + bx^2}}{e^{-x} + 3,2}$	$a = 4,17$ $b = 3,69$ $x = 1,2$
19	$y = \sqrt{ax^2 + bx^3 + 9,2} \cdot \ln(2 + \cos x)$	$a = 6,27$ $b = 2,73$ $x = 2,83$
20	$y = e^{\sqrt{\cos(bx) + x}} \cdot \sin\left(\frac{\sqrt{ax + 1}}{c}\right)$	$a = 2,13$ $b = 4,7$ $c = 2,6$ $x = 1,2$
21	$y = x^{\ln x} \cdot e^{\sqrt{ax + \lg(bx)}}$	$a = 3,2$ $b = 1,67$ $x = 3,49$
22	$y = \frac{\sqrt{ax + b \cos x}}{e^{cx} + 2}$	$a = 2,71$ $b = -6,23$ $c = 3,34$ $x = 2,43$
23	$y = \frac{ax^2 + \sqrt{\ln x + a^2}}{b \cos x + 4,7}$	$a = -1,83$ $b = -2,15$ $x = 3,57$
24	$y = \arctg(e^{-ax}) + \frac{\ln(b + x)}{x^3}$	$a = 0,21$ $b = 2,19$ $x = 3,74$
25	$y = \frac{a \cos x + b e^{\sin x}}{\ln x + cx^4}$	$a = 1,93$ $b = 3,48$ $c = 0,27$ $x = 1,44$
26	$y = \frac{\sqrt{a + cx + \ln x}}{ ax^2 + x + b }$	$a = 5,72$ $b = 4,48$ $c = 1,72$ $x = 1,29$
27	$y = \frac{a^2 + x^2 e^{-b+x^3}}{\sin(cx) + 4,79}$	$a = 0,83$ $b = 1,16$ $c = 2,72$ $x = 1,63$

28	$y = \frac{\operatorname{tg}(c + x^2) - \sqrt{e^x + bx}}{a^2 + x}$	$a = 1,3$ $b = 2,8$ $c = 0,9$ $x = 3,5$
29	$y = \frac{\ln(ax^2 + c) + \sin(bx)}{e^{2x-4}}$	$a = 4,53$ $b = 3,19$ $c = 1,73$ $x = 0,58$
30	$y = \frac{a \cdot \operatorname{ctgx} + x^{\cos x}}{b + e^{-cx}}$	$a = 2,63$ $b = 3,71$ $c = 0,32$ $x = 1,29$