

Table Name	Field Name	Data Type	Key Type	Business Meaning / Analytical Purpose
dim_drivers	driverId	Integer	Primary Key	Unique identifier for each Formula 1 driver.
dim_drivers	driverRef	Text	Attribute	Standardized string slug for driver identification.
dim_drivers	forename	Text	Attribute	Driver's first name.
dim_drivers	surname	Text	Attribute	Driver's last name (used in bar charts and slicers).
dim_drivers	nationality	Text	Attribute	Driver country of origin; joins to spatial maps.
dim_constructors	constructorId	Integer	Primary Key	Unique identifier for each racing team/team license.
dim_constructors	name	Text	Attribute	Official constructor name (e.g., Ferrari, Mercedes).
dim_constructors	nationality	Text	Attribute	Country under which the constructor license is registered.
dim_circuits	circuitId	Integer	Primary Key	Unique identifier for racing circuits.
dim_circuits	name	Text	Attribute	Official circuit name (e.g., Autodromo Nazionale Monza).
dim_circuits	location	Text	Attribute	City or town where the circuit is situated.
dim_circuits	country	Text	Attribute	Host country for geographical grouping.

Table Name	Field Name	Data Type	Key Type	Business Meaning / Analytical Purpose
dim_races	raceId	Integer	Primary Key	Unique identifier for every Grand Prix event.
dim_races	year	Integer	Attribute	Season year (1950–2020); primary dimension for era trends.
dim_races	circuitId	Integer	Foreign Key	Links Grand Prix events to specific circuit locations (dim_circuits).
fact_results	resultId	Integer	Primary Key	Unique event result line item per driver/race.
fact_results	raceId	Integer	Foreign Key	Links results to race metadata (dim_races).
fact_results	driverId	Integer	Foreign Key	Links result to driver dimension (dim_drivers).
fact_results	constructorId	Integer	Foreign Key	Links result to constructor dimension (dim_constructors).
fact_results	positionOrder	Integer	Metric/Attr	Official finishing position used for calculating wins (\$positionOrder = 1\$).
fact_results	points	Decimal	Metric	Points scored in a specific race event.
fact_results	laps	Integer	Metric	Laps completed by driver during the race.

Table Name	Field Name	Data Type	Key Type	Business Meaning / Analytical Purpose
fact_pit_stops	raceId	Integer	Foreign Key	Links pit stop details to race metadata (dim_races).
fact_pit_stops	driverId	Integer	Foreign Key	Links pit stop events to individual drivers (dim_drivers).
fact_pit_stops	stop	Integer	Metric	Pit stop sequence number within a race (Stop 1, 2, etc.).
fact_pit_stops	duration	Decimal	Metric	Duration of pit stop in seconds.