




ReconMed

Automated Medicine Reconciliation

Reconciled before the visit.


Pre-visit medication reconciliation
for clinical trial sites.

HackMIT 2026



The medication list is out of date, and the visit is now

Every medication a participant takes besides the study drug is collected once, at the visit.



Medication reconciliation happens at the visit, so the record is whatever the participant remembers.


Nothing above reaches the site any other way. A course that ended six weeks ago is the easiest thing in the world to forget.

Reconciliation times: AHRQ *Patient Safety and Quality*; time-and-motion study of 103 reconciliations, *BMC Health Serv Res* 13:485. Hospital settings.

Common in every trial, and expensive to find late

Participants with a protocol deviation

187 protocols, 20 sponsors and CROs — Tufts CSDD, 2022



Found later, in retrospective review

One phase 2 trial — I-SPY COVID, 2025

\$4,862

per data error identified

\$6.1M

and 61,073 person-hours, to check 30% of one trial

0.36%

of the fields checked actually held an error

Calling participants between visits already works

25,829 pharmacist calls across 12 clinical trials — Martinez et al., 2017

45.5%

of those calls produced at least one intervention

Around 55% were rated high-impact — affecting trial outcomes or adherence.

Participants with an issue found by phone

adverse events



medication use against protocol



concurrent medications




A pharmacist made every one of those calls.

That is why it is not standard practice. ReconMed makes the call, and a coordinator reviews only what it found.


Martinez et al., *Clinical Therapeutics* 39(3), 2017. 3,873 participants; 12 trials in type 2 diabetes.

How a call becomes a record

The agent proposes. A coordinator decides.



Drop in the clinical trial protocol. It reads it.




the published clinical protocol

a trial, ready to run

Inside the voice agent

One model speaks. A second thinks between turns, so the line is never waiting.



It may not answer from memory. Three questions, three sources:

Is this drug banned here?

the trial's own protocol

What side effects are known?

the drug's FDA label

Is alcohol or smoking allowed?

the protocol's non-drug rules

What we do about hallucination

The model is never the source. It may not state a fact it did not look up.



GPT-5.6 Luna

decides what to ask,
never what is true



RxNorm · RxClass

what a drug is, and which class it belongs to



the drug's FDA label

which side effects are actually documented



the participant's record

the only source of anything about this person

heard

"prednasone"

resolved · RxCUI 8640

prednisone

classified

ATC H02

rule

\$5.7.2

What we do about privacy

Every hosted call has an open model behind it, so the whole call can run on the site's own hardware.

WHAT THE PATIENT SAYS



~~speech to text~~



Parakeet 0.6B

NVIDIA · open weights

WHAT THE AGENT SAYS



~~text to speech~~



Qwen3-TTS 0.6B

Alibaba · open weights

WHAT IT REASONS WITH



~~hosted model~~



Gemma 4 E4B

Google · calls tools natively

Their voice and their words can both stay in the building.

No key, no upload, no account. The record stays on the site's machine, and the name and date of birth are stripped as the call is filed.

The demo runs the hosted path for latency. Each replacement is built and tested on its own; switching is configuration, not a rewrite.



ReconMed

Automated Medicine Reconciliation

Thank you · questions

HackMIT 2026