



# Material Lifts

## Load Lifter™/Super Hoist™: LL™/GH™

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Load Lifter</b>	<b><u>Load Lifter</u></b>	
200 lb. load capacity	<b>LL 5.5</b>	<b>\$1,195</b>
5 ft. 7 in. lifting height		
8 in. solid non-marking wheels	<b><u>Options</u></b>	
Compact folding design for easy storage	8 in. pneumatic rear wheels	\$55
Lightweight design allows easy transport	Foot brake option	\$305
Quiet high-speed winch	Non-marking front swivel casters	\$305
<b>Super Hoist</b>	<b><u>Super Hoist</u></b>	
GH 3.8 - 300 lb. load capacity	<b>GH 3.8:</b> 12 ft. 5.6 in. lifting height	<b>\$2,180</b>
GH 5.6 - 250 lb. load capacity	<b>GH 5.6:</b> 18 ft. 4.5 in. lifting height	<b>\$2,365</b>
Auto-lubricating cylinder		
Braking casters	<b><u>Options</u></b>	
Legs fold up for easy storage	Platform cradle package	\$305
Lightweight design allows easy transport	20 lb. CO <sub>2</sub> tank, brushed aluminum	\$555
Quick setup requires no tools		

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Standard Base/Straddle Base</b>	<b><u>Standard Base</u></b>	
2 in. dual wheel front swivel casters	<b>GL-4</b>	<b>\$1,210</b>
8 in. non-marking rear wheels	<b>GL-8</b>	<b>\$1,445</b>
Manual winch		
Portable and compact design	<b><u>Straddle Base</u></b>	
Rolls easily through a single door	<b>GL-4</b>	<b>\$1,290</b>
Standard forks	<b>GL-8</b>	<b>\$1,525</b>
Transport carriage lock	<b>GL-10</b>	<b>\$1,565</b>
	<b>GL-12</b>	<b>\$1,655</b>
<b>Counterweight Base</b>	<b><u>Counterweight Base</u></b>	
4 in. fixed front wheels	<b>GL-4</b>	<b>\$1,655</b>
5 in. rear swivel casters with side brakes	<b>GL-8</b>	<b>\$1,890</b>
Manual winch	<b>GL-10</b>	<b>\$1,930</b>
Portable and compact design		
Rolls easily through a single door	<b><u>Options</u></b>	
Standard forks	Load platform	\$305
Transport carriage lock	Boom	\$305
	Foot-release brakes: not available with the counterweight base	\$305
	Heavy duty winch	\$255
	<b><u>Ladder Options</u></b> (not available with the counterweight base)	
	GL-4 and GL-8	\$370
	GL-10	\$395
	GL-12	\$425
	<b><u>Wheels and Casters</u></b>	
	10 in. pneumatic rear wheels & 2½ in. front swivel casters (not available with the counterweight base)	\$305
	4-point caster option A: 4 in. rear swivel casters, 2 in. front dual swivel casters, for straddle base only	\$235
	4-point caster option B: 5 in. rear swivel casters with side brakes, 4-point rotational locks with 2½ in. front swivel casters for straddle base only	\$365



# Material Lifts

## Superlift Contractor®: SLC™

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>SLC-12</b>	<b>\$2,235</b>
4 in. non-marking front casters and	<b>SLC-18 includes stabilizer set</b>	<b>\$2,755</b>
5 in. rear casters with side brakes	<b>SLC-24 includes stabilizer set</b>	<b>\$3,160</b>
Glide rails allow easy loading and unloading		
Quick setup requires no tools	<b>Chassis Options</b>	
Single door access when tilted back	Stabilizer set for the SLC-12	\$390
<b>Mast</b>	<b>Mast Options</b>	
Transport carriage lock keeps mast	Adjustable forks in addition to standard forks	\$375
assembly in place during transport	Adjustable forks instead of standard forks	\$260
One-speed manual winch	Boom in addition to standard forks	\$375
Patented telescoping mast system	Boom instead of standard forks	\$250
Standard forks	Fork extensions	\$330
Winch locks load in place	Load platform	\$305
	<b>Mast - Brake Options</b>	
	Mast brake	\$110

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16



# Material Lifts

## Superlift Advantage®: SLA™

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>SLA-5</b>	<b>\$2,105</b>
4 in. front and 5 in. rear casters with	<b>SLA-10</b>	<b>\$2,625</b>
4-way swivel locks and side brakes	<b>SLA-15</b>	<b>\$3,145</b>
Compact folding design for easy storage	<b>SLA-20 includes stabilizer set</b>	<b>\$3,540</b>
Quick setup requires no tools	<b>SLA-25 includes stabilizer set</b>	<b>\$3,980</b>
Single door access		
	<b><u>Chassis Options</u></b>	
<b>Mast</b>	Rear transport wheel assembly	\$305
Transport carriage lock keeps mast	Stabilizer set: not available on straddle base	\$390
assembly in place during transport	Straddle Base: SLA-5, SLA-10 and SLA-15 only	\$300
One-speed manual winch		
Patented telescoping mast system	<b><u>Mast Options</u></b>	
Standard forks	Adjustable forks in addition to standard forks	\$375
Winch locks load in place	Adjustable forks instead of standard forks	\$260
	Boom in addition to standard forks	\$375
	Boom instead of standard forks	\$250
	Flat forks in addition to standard forks: SLA-5, SLA-10 and SLA-15 only	\$1,345
	Flat forks instead of standard forks: SLA-5, SLA-10 and SLA-15 only	\$1,230
	Fork extensions: not available on Flat forks	\$330
	Load platform	\$305
	<b><u>Mast - Brake Options</u></b>	
	Mast brake	\$110

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16



# Material Lifts

## Super Tower™: ST™

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>ST-20</b>	<b>\$5,605</b>
Easy to transport	<b>ST-25</b>	<b>\$6,235</b>
Flat black anodized finish		
Portable and compact design		
Position swivel-lock casters		
Quick setup requires no tools		
Rolls easily through a single door		
	<b><u>Options</u></b>	
	Fork extensions	\$330
	Load platform	\$305
<b>Mast</b>		
Adjustable width forks		
Transport carriage lock		
One-speed manual winch		
Winch locks the load in place		

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16



# Aerial Work Platforms AWP™ Standard Base

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>AWP-20S DC</b>	<b>\$9,080</b>
12V 110/230V 50-60 Hz worldwide	<b>AWP-25S DC</b>	<b>\$9,825</b>
smart charging system	<b>AWP-30S DC</b>	<b>\$10,755</b>
29 in. base width	<b>AWP-36S DC</b> , tilt-back frame included	<b>\$12,415</b>
Crane attachment point	<b>AWP-40S DC</b> , tilt-back frame included	<b>\$13,165</b>
Fork Pockets		
LED lights confirm proper set-up	<b>AWP AC Power</b> voltage available in 85V, 110V or 220V each is 50-60 Hz	No Charge
Outrigger storage pockets		
Rocker base system	<b>AWP-30S Air Motor</b> : AC power to platform not available	<b>\$20,580</b>
improves maneuverability		
<b>Platform</b>	<b>Chassis</b>	
AC power to platform	Super straddle with pin & outrigger interlocks	\$6,905
Auxiliary platform lowering		
Sliding mid-rail platform	<b>Platforms</b>	
	Gated narrow platform	\$865
	Gated standard platform	\$980
	Gated ultra-narrow platform	\$865
	Standard fiberglass platform	\$1,870
	<b>Platform Options</b>	
	Fluorescent tube caddy: not available on fiberglass platform	\$285
	Platform-locating laser light: not available on fiberglass platform	\$460
	Tool tray: not available on narrow and ultra-narrow platforms	\$285
	Descent light and alarm package	\$350

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

[www.genielift.com](http://www.genielift.com)

Contact us at: 1-800-536-1810



# Aerial Work Platforms

## AWP™ Narrow Base

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>AWP-20S DC Narrow Base</b>	<b>\$9,520</b>
12V 110/230V 50-60 Hz worldwide	<b>AWP-25S DC Narrow Base</b>	<b>\$10,265</b>
smart charging system	<b>AWP-30S DC Narrow Base</b>	<b>\$11,195</b>
22 in. base width		
Crane attachment point	<b>AWP AC Power</b> voltage available in 85V, 110V or 220V each is 50-60 Hz	<b>No Charge</b>
LED lights confirm proper set-up		
Outrigger storage pockets	<b>AWP-30S Air Motor:</b> AC power to platform not available	<b>\$21,020</b>
Rocker base system		
improves maneuverability		
<b>Platform</b>	<b>Chassis</b>	
AC power to platform	Super straddle with pin & outrigger interlocks	\$6,905
Auxiliary platform lowering		
Gated narrow platform	<b>Platforms</b>	
	Sliding mid-rail standard platform	No Charge
	Gated standard platform	\$980
	Gated ultra-narrow platform	No Charge
	Standard fiberglass platform	\$1,870
	<b>Platform Options</b>	
	Fluorescent tube caddy: not available on fiberglass platform	\$285
	Platform-locating laser light	\$460
	Descent light and alarm package	\$350

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

[www.genielift.com](http://www.genielift.com)

Contact us at: 1-800-536-1810



# Aerial Work Platforms AWP™ Rough Terrain

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>AWP-20S DC Rough Terrain</b>	<b>\$9,925</b>
12V 110/230V 50-60 Hz worldwide	<b>AWP-25S DC Rough Terrain</b>	<b>\$10,670</b>
smart charging system	<b>AWP-30S DC Rough Terrain</b>	<b>\$11,600</b>
30 in. base width		
Crane attachment point	<b>AWP AC Power</b> voltage available in 85V, 110V or 220V each is 50-60 Hz	No Charge
LED lights confirm proper set-up		
Outrigger storage pockets	<b>AWP-30S Air Motor:</b> AC power to platform not available	<b>\$21,425</b>
Rocker base system		
improves maneuverability		
<b>Platform</b>	<b>Chassis</b>	
AC power to platform	Super straddle with pin & outrigger interlocks	\$6,905
Auxiliary platform lowering		
Sliding mid-rail platform		
	<b>Platforms</b>	
	Gated narrow platform	\$865
	Gated standard platform	\$980
	Gated ultra-narrow platform	\$865
	Standard fiberglass platform	\$1,870
	<b>Platform Options</b>	
	Fluorescent tube caddy: not available on fiberglass platform	\$285
	Platform-locating laser light: not available on fiberglass platform	\$460
	Tool tray: not available on narrow and ultra-narrow platforms	\$285
	Descent light and alarm package	\$350

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810





# Aerial Work Platforms

## Industrial Work Platform: IWP™

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>IWP-20S DC</b>	<b>\$11,355</b>
12V 110/230V 50-60 Hz worldwide	<b>IWP-25S DC</b>	<b>\$12,585</b>
smart charging system	<b>IWP-30S DC, wide base</b>	<b>\$13,810</b>
32 in. base width		
Built-in level system		
Designed to fit through a single door		
	<b>IWP AC Power</b> voltage available in 85V, 110V or 220V each is 50-60 Hz	No Charge
	<b>Chassis - Motor Options</b>	
<b>Chassis - Wide Base</b>	Dual battery package, DC only	\$620
40 in. base width	Power wheel assist with dual battery package, DC only	\$3,975
<b>Platform</b>	<b>Platforms</b>	
AC power to platform	Gated narrow platform	\$865
Auxiliary platform lowering	Gated standard platform	\$980
Sliding mid-rail platform	Standard fiberglass platform: not available with Outreach package	\$1,870
	<b>Platform Options</b>	
	Fluorescent tube caddy: not available on fiberglass platform	\$285
	Outreach package: not available for CSA models, IWP-20 only	\$1,380
	Platform-locating laser light: not available on fiberglass platform	\$460
	Tool tray: not available on narrow and ultra-narrow platforms	\$285
	Descent light and alarm package	\$350

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

[www.genielift.com](http://www.genielift.com)

Contact us at: 1-800-536-1810



# Aerial Work Platforms Dual Personnel Lift: DPL™

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>DPL-25S DC</b>	<b>\$16,685</b>
12V 110/230V 50-60 Hz worldwide	<b>DPL-30S DC</b>	<b>\$19,975</b>
smart charging system	<b>DPL-35S DC</b>	<b>\$23,260</b>
Designed to fit through a single door		
Ground and platform controls	<b>DPL AC Power</b> voltage available in 85V, 110V or 220V each is 50-60 Hz	No Charge
Outrigger storage sockets		
Patented outrigger interlock system	<b>Platform Options</b>	
Position swivel-lock casters	Fluorescent tube caddy	\$285
Wheel brakes	Platform-locating laser light	\$460
	Tool tray	\$285
	Descent light and alarm package	\$350
<b>Platform</b>		
27.5 x 72 in. platform (2-person)		
AC power to platform		
Angled entry ladder		
Auxiliary platform lowering		

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

[www.genielift.com](http://www.genielift.com)

Contact us at: 1-800-536-1810



# Aerial Work Platforms

## Genie® Runabout™: GR™

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>GR-12</b>	<b>\$21,130</b>
Descent and tilt alarm	<b>GR-15</b>	<b>\$23,300</b>
Motion alarm	<b>GR-20</b>	<b>\$25,190</b>
Hydraulic brake release		
Non-marking solid tires		
On-board diagnostic system		
with battery charge indicator		
Pothole protection		
Tie-down attachment points		
Proportional drive		
Telematics Ready Connector		
Motion alarm		
	<b><u>Chassis Options</u></b>	
	AGM maintenance-free batteries	\$1,150
	Automotive-style horn	\$295
	Biodegradable hydraulic oil	\$330
	Drive cutout while charging	No Charge
	Dual LED flashing beacons	\$485
	Power inverter, 800W, 24V DC, 120V AC, 60 Hz	\$2,975
	Retractable charging cord (not available with Power Inverter)	\$750
<b>Platform</b>	<b><u>Certification Options</u></b>	
Proportional lift - New	EE Certification <sup>1</sup>	\$975
35 x 29.5 in. platform		
AC power to platform		
Auxiliary platform lowering		
Sliding mid-rail platform		
SmartLink™ control system		
Work station tray, not available		
on the GR-20		
	<b><u>Platforms</u></b>	
	Extension deck, gated	\$1,385
	Extension deck, sliding mid-rail	\$985
	Gated narrow platform	\$865
	<b><u>Platform Option</u></b>	
	Fluorescent tube caddy	\$285

<sup>1</sup> Not available with Automotive-style horn or Power Inverter

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810



# Aerial Work Platforms

## Genie® Runabout™ Contractor: GRC™

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>GRC-12</b>	<b>\$22,745</b>
Descent and tilt alarm		
Hydraulic brake release		
Non-marking solid tires		
On-board diagnostic system		
with battery charge indicator		
Pothole protection		
Tie-down attachment points		
Proportional drive		
Telematics Ready Connector		
Motion alarm		
	<b><u>Chassis Options</u></b>	
	AGM maintenance-free batteries	\$1,150
	Automotive-style horn	\$295
	Biodegradable hydraulic oil	\$330
	Drive cutout while charging	No charge
	Dual LED flashing beacons	\$485
	Power inverter, 800W, 24V DC, 120V AC, 60 Hz	\$2,975
	Retractable charging cord	\$750
	<b><u>Certification Options</u></b>	
	EE Certification <sup>1</sup>	\$975
<b>Platform</b>		
Proportional lift - New		
AC power to platform		
Auxiliary platform lowering		
Dual tool trays		
SmartLink™ control system		
Steel extension deck platform w/swing gate		
Steel tube-in-tube mast system		
	<b><u>Platform Option</u></b>	
	Fluorescent tube caddy	\$285

<sup>1</sup> Not available with Automotive-style horn or Power Inverter

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810



# Aerial Work Platforms

## Genie® QuickStock™ : QS™

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b><u>Warehouse</u></b>	
(for BOTH Warehouse & Retail versions)	<b>QS-12W</b>	<b>\$28,650</b>
6 ft. charger cord	<b>QS-15W</b>	<b>\$30,725</b>
Descent and tilt alarm	<b>QS-20W</b> (rear parcel tray not available for this item)	<b>\$32,565</b>
Maintenance-free batteries		
Non-marking solid tires	<b><u>Retail</u></b> (includes obstruction sensing pad and dual flashing beacons)	
On-board diagnostic system	<b>QS-12R</b>	<b>\$29,890</b>
Pothole protection	<b>QS-15R</b>	<b>\$31,965</b>
Proportional drive	<b>QS-20R</b> (rear parcel tray not available for this item)	<b>\$33,805</b>
Telematics Ready Connector		
<b>Platform</b>	<b><u>Certification Options</u></b>	
(for BOTH Warehouse & Retail versions)	EE certification: Warehouse models only	\$975
Proportional lift - New	<b><u>Options</u></b>	
AC power to platform	Adjustable front tray	\$320
Auxiliary platform lowering	Biodegradable hydraulic oil	\$330
Folding front tray	Drive cutout while charging	No charge
SmartLink™ control system	Dual LED flashing beacons (standard on retail model)	\$485
Rear parcel tray (not available on QS-20 or with the platform bike rack)	Platform bike rack (rear parcel tray not available with platform bike rack)	\$300
Stock Picker dual swing-gate entry	Retractable charging cord	\$750

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16



# Aerial Work Platforms

## Genie® Runabout™ with Jib: GRJ™

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>GR-26J</b>	<b>\$71,485</b>
Descent and tilt alarm		
Electric brake release		
Non-marking solid tires		
On-board diagnostic system		
with battery charge indicator		
Pothole protection		
Tie-down attachment points		
Motion alarm		
<b>Platform</b>		
Power to platform		
Proportional drive control		
Steel extension deck platform, sliding midrail		
Steel tube-in-tube mast system		
	<b><u>Chassis Options</u></b>	
	Flashing beacon	\$485

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>GS-1530</b> fixed rails with chain entry gate	<b>\$20,340</b>
Dual wheel multi-disc brakes	<b>GS-1930</b> fixed rails with chain entry gate	<b>\$20,770</b>
Non-marking tires	<b>GS-2032</b> fixed rails with chain entry gate	<b>\$24,235</b>
Pothole protection	<b>GS-2632</b> folding rails with half height swing gate	<b>\$30,060</b>
Rear recessed charger receptacle	<b>GS-3232</b> folding rails with half height swing gate	<b>\$45,050</b>
Descent and Tilt alarm	<b>GS-2046</b> folding rails with full height swing gate	<b>\$27,700</b>
Motion alarm	<b>GS-2646</b> folding rails with full height swing gate	<b>\$29,500</b>
Proportional drive	<b>GS-3246</b> folding rails with full height swing gate	<b>\$38,775</b>
Automatic leveling hydraulic outriggers (GS™-3232 only)	<b>GS-4047</b> folding rails with full height swing gate	<b>\$51,955</b>
Telematics Ready Connector		
<b>Platform</b>	<b>Chassis Options</b>	
Proportional lift	AGM maintenance-free batteries <sup>3</sup>	\$1,150
3 ft. Slide out extension deck	Automotive-style horn <sup>1</sup>	\$270
AC power to platform	Specialty hydraulic oil ( biodegradable only) <sup>4</sup>	\$335
Electronic horn	Specialty hydraulic oil (for GS-3232, GS-3246, & GS4047) <sup>4</sup>	\$420
Lanyard attachment points	Dual LED flashing beacons	\$485
On-board diagnostic system	Power inverter, 800W, 24V DC, 120V AC, 60 Hz <sup>1,3</sup>	\$3,550
Platform control with fault indicator	<b>Certification Options</b>	
SmartLink™ control system	EE Certification <sup>3</sup>	\$980
	<b>Platform Options</b>	
	Air line to platform: 3/8 in. inner diameter <sup>3</sup>	\$980
	Folding rails with half-height swing gate (GS-1530, GS-1930, GS-2032 only)	\$665
	Platform swing gate, half-height (GS-1530, GS-1930 and GS-2032 only)	\$280
	Padded auxiliary rail <sup>2</sup>	\$6,490

<sup>1</sup> Not available with EE certification

<sup>2</sup> Available on GS1930 only

<sup>3</sup> Not available on GS-4047

<sup>4</sup> Consult factory for lead time and availability



# Electric Scissors AV™ Series

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>GS™-2646 AV™</b>	<b>\$46,275</b>
Dual wheel multi-disc brakes		
Non-marking tires		
Pothole protection		
Rear, recessed charger receptacle		
Descent and Tilt alarm		
Motion alarm		
Proportional drive		
Telematics Ready Connector		
	<b><u>Chassis Options</u></b>	
	AGM maintenance-free batteries	\$1,150
	Dual LED flashing beacons	\$485
	Keyless switch	\$105
	Power inverter, 800W, 24V DC, 120V AC, 60 Hz <sup>1</sup>	\$3,550
	Remote charging (no on-board charger)	No Charge
	35 MPH (56 km/h) wind speed rating	\$2,810
<b>Platform</b>	<b><u>Certification Options</u></b>	
Proportional lift	EE Certification	\$980
AC power to platform		
Electronic horn		
AC power to platform	<b><u>Platform Options</u></b>	
Front gate	Air line to platform: 3/8 in. inner diameter	\$980
Gate limit switch		
Lanyard attachment points		
On-board diagnostic system		
Padded aircraft protection rail (PAR)		
Platform control with fault indicator		
SmartLink™ control system		
Tread-grip deck		

<sup>1</sup> Not available with EE certification

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810





# Rough Terrain Scissor Lifts

## GS™-69 DC Series

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>GS-2669 DC</b>	<b>\$63,125</b>
2WD	<b>GS-3369 DC</b>	<b>\$71,920</b>
48V DC drive system	<b>GS-4069 DC</b>	<b>\$85,445</b>
Eight 6V, 225 Ah batteries		
Dual wheel multi-disc brakes	<b>Chassis Options</b>	
Rough terrain, non-marking foam filled (water based) tires	285 Ah batteries (standard on GS-4069)	\$2,150
Front oscillating axle	Automatic leveling hydraulic outriggers	\$10,955
Hour meter	Dual LED flashing beacons	\$485
Sealed AC drive motors	Power inverter, 800W, 48V DC, 120V AC, 60 Hz	\$3,550
Descent and Tilt alarm	<b>Chassis - Tire Options</b>	
Motion alarm	Rough terrain, non-marking foam-filled tires (petroleum based)	\$1,885
Proportional drive	High floatation foam-filled non-marking tires	\$4,925
Telematics Ready Connector		
<b>Platform</b>	<b>Platform Options</b>	
Proportional lift and descent	Air line to platform: 3/8 in. inner diameter	\$975
Drivable at full height		
5 ft. slide out extension deck		
AC power to platform		
Diamond plate deck		
Electronic horn		
Full height swing gate		
Lanyard attachment points		
Platform control with fault indicator		
SmartLink™ control system		

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16



# Rough Terrain Scissor Lifts

## GS™-69 DC Series

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>GS-2669 DC</b>	<b>\$63,125</b>
2WD	<b>GS-3369 DC</b>	<b>\$71,920</b>
48V DC drive system	<b>GS-4069 DC</b>	<b>\$85,445</b>
Eight 6V, 225 Ah batteries		
Dual wheel multi-disc brakes	<b>Chassis Options</b>	
Rough terrain, non-marking foam filled (water based) tires	285 Ah batteries (standard on GS-4069)	\$2,150
Front oscillating axle	Automatic leveling hydraulic outriggers	\$10,955
Hour meter	Dual LED flashing beacons	\$480
Sealed AC drive motors	Power inverter, 800W, 48V DC, 120V AC, 60 Hz	\$3,550
Descent and Tilt alarm	<b>Chassis - Tire Options</b>	
Motion alarm	Rough terrain, non-marking foam-filled tires (petroleum based)	\$1,525
Proportional drive	High floatation foam-filled non-marking tires	\$4,925
Telematics Ready		
<b>Platform</b>	<b>Platform Options</b>	
	Air line to platform: 3/8 in. inner diameter	\$975
Drivable at full height		
5 ft. slide out extension deck		
AC power to platform		
Diamond plate deck		
Electronic horn		
Full height swing gate		
Lanyard attachment points		
Platform control with fault indicator		
SmartLink™ control system		

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

[www.genielift.com](http://www.genielift.com)

Contact us at: 1-800-536-1810



# Rough Terrain Scissor Lifts

## GS™-69 BE Hybrid Series

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>GS-2669 BE Bi-Energy Hybrid</b>	<b>\$72,610</b>
2WD	<b>GS-3369 BE Bi-Energy Hybrid</b>	<b>\$81,240</b>
48V DC drive system	<b>GS-4069 BE Bi-Energy Hybrid</b>	<b>\$94,500</b>
Dual wheel multi-disc brakes		
Rough terrain, non-marking foam filled (water based) tires	<b>Chassis Options</b>	
Front oscillating axle	260 Ah batteries (only on GS-2269, GS-3369)	\$1,010
Hour meter	Automatic leveling hydraulic outriggers	\$10,955
Sealed AC drive motors	Dual LED flashing beacons	\$485
Descent and Tilt alarm	<b>Chassis - Tire Options</b>	
Motion alarm	Rough terrain, non-marking foam-filled tires (petroleum based)	\$1,885
On board 2.4KW generator powered by Kohler Tier 4f KD350, 6.7 hp (5 KW) diesel engine	High floatation foam-filled non-marking tires	\$4,925
Generator AC power to chassis	<b>Platform Options</b>	
48V Deep cycle battery - 225 Ah on GS-2669, GS-3369; 260 Ah on GS-4069	Air line to platform: 3/8 in. inner diameter	\$975
Proportional drive		
Telematics Ready Connector		
<b>Platform</b>		
Proportional lift and descent		
Full height drive		
5 ft. slide out extension deck		
Diamond plate deck		
Electronic horn		
Full height swing gate		
Lanyard attachment points		
On-board diagnostics		
Platform control with fault indicator		
SmartLink™ control system		

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16



# Rough Terrain Scissor Lifts

## GS™-69 RT Series

Effective January 1st, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>GS-2669 RT</b>	<b>\$64,865</b>
4WD	<b>GS-3369 RT</b>	<b>\$73,660</b>
Dual wheel multi-disc brakes	<b>GS-4069 RT</b>	<b>\$87,630</b>
Rough terrain, foam-filled (water based) tires		
Front oscillating axle	<b>Chassis Options</b>	
Hour meter	AC generator, 120V/60Hz or 240V/50Hz, 3000W	\$5,650
Descent and Tilt alarm	Automatic leveling hydraulic outriggers	\$10,955
Motion alarm	Specialty hydraulic oil (18 gal - cold weather, biodegradable) <sup>3</sup>	\$640
Hydraulic oil cooler	Dual LED flashing beacons	\$485
Telematics Ready Connector		
<b>Engine</b>	<b>Chassis - Tire Options</b>	
24.8 hp Kubota D1105 diesel, Tier 4f <sup>1</sup>	Rough terrain, non-marking foam-filled tires (water based)	\$1,965
	Rough terrain, non-marking foam-filled tires (petroleum based)	\$3,850
	High floatation foam-filled tires: GS™-2669 and GS™-3369 only	\$4,925
<b>Platform</b>	<b>Engine Options</b>	
Drivable at full height	28 hp GM, gas/LPG Dual Fuel	\$2,000
5 ft. slide out extension deck	Cold weather kit: 5W-40 synthetic engine oil, freeze plug heater, 110V battery blanket <sup>2</sup>	\$835
AC power to platform	<b>Platform Options</b>	
Diamond plate deck	Air line to platform: 3/8 in. inner diameter	\$975
Electronic horn		
Full height swing gate		
Lanyard attachment points		
Proportional lift and drive		

<sup>1</sup> Kubota Tier 4f engine is compatible with standard diesel fuel outside US

<sup>2</sup> Dual Fuel engine does not have freeze plug heater

<sup>3</sup> Consult factory for lead time and availability

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810



# Rough Terrain Scissor Lifts

## GS™ - 84 and 90 RT Series

\*\* Tier 4f \*\* Effective January 1st, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>GS-3384 RT</b>	<b>\$93,530</b>
4WD	<b>GS-3390 RT, oscillating axle</b>	<b>\$105,425</b>
Rough terrain foam-filled (water based) tires	<b>GS-4390 RT</b>	<b>\$111,105</b>
Hour meter	<b>GS-5390 RT, automatic leveling hydraulic outriggers</b>	<b>\$129,820</b>
Descent and Tilt alarm		
Motion alarm		
Telematics Ready Connector		
<b>Engine</b>	<b>Chassis Options</b>	
48 hp Deutz Tier 4f D2.9L4 diesel	AC generator (110V/60Hz, 2000W) Includes hydraulic oil cooler	\$4,315
	Automatic leveling hydraulic outriggers: standard on GS-5390	\$10,955
	Specialty hydraulic oil (30 gal - cold weather, biodegradable) <sup>1</sup>	\$1,875
	Dual LED flashing beacons	\$485
	Hydraulic oil cooler	\$1,890
<b>Platform</b>	LPG tank only, steel, 33.5 lb. capacity	\$610
5 ft. slide out extension deck	Oscillating axle: GS-4390 and GS-5390 only	\$5,375
AC power to platform		
Diamond plate deck	<b>Chassis - Tire Options</b>	
Electronic horn	High floatation, air-filled tires	\$4,180
Lanyard attachment points	High floatation, foam-filled tires	\$5,880
Platform control with fault indicator	Rough terrain, foam-filled tires (petroleum based)	\$1,885
Proportional lift and drive	Rough terrain, non-marking foam-filled tires (water based)	\$3,320
Self-closing entry gates	Rough terrain, non-marking foam-filled tires (petroleum based)	\$5,205
	<b>Engine Options</b>	
	60 hp Ford gas/LPG	No Charge
	Cold weather kit: 5W-40 synthetic engine oil, freeze plug heater, 110V battery blanket	\$835
	<b>Platform Options</b>	
	Air line to platform: 3/8 in. inner diameter	\$975
	Dual slide-out extension deck package: 5 ft. front/4 ft. rear	\$2,530

<sup>1</sup> Consult factory for lead time and availability

\*\* Tier 4f \*\* engines available in US only

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>S-40 - 2WD with non-oscillating axles</b>	<b>\$120,450</b>
2 speed wheel motors	<b>S-40 - 4WD</b>	<b>\$130,290</b>
Active oscillating axles - 4WD	<b>S-45 - 2WD with non-oscillating axles</b>	<b>\$131,775</b>
Positive traction drive	<b>S-45 - 4WD</b>	<b>\$141,615</b>
Rough terrain air-filled tires		
<b>Engine</b>	<b>Chassis Options</b>	
48 hp Deutz Tier 4f D2.9L4 diesel	Tow package	\$4,205
water-cooled		
Anti-restart engine protection	<b>Tire Options</b>	
Auto engine fault shutdown	S-40 Trax or S-45 Trax: Quadra Track System, requires 4WD	\$52,900
In cylinder glow plug (diesel only)	High floatation air-filled tires, requires 4WD	\$5,015
	Rough terrain, foam-filled tires (water based)	\$2,705
	Rough terrain, foam-filled tires (petroleum based)	\$4,590
	Rough terrain, non-marking air-filled tires	\$2,805
	Rough terrain, non-marking, foam-filled tires (water based)	\$6,650
	Rough terrain, non-marking, foam-filled tires (petroleum based)	\$8,535
	Tire sealant: air-filled tires only	\$925
<b>Lift/Turntable</b>	<b>Engine Options</b>	
12V DC Auxiliary power unit	49 hp Perkins AB&T 404D-22 diesel, water-cooled	No Charge
20 gallon diesel fuel tank	60 hp Ford MSG425, gas/LPG Dual Fuel	No Charge
360° continuous rotation	Cold weather kit: 5W-40 synthetic engine oil, oil pan heater, battery heater	
Hour meter	hydraulic tank heater and platform control board heater	\$1,515
Diesel engine gauge display	Ford engine gauge package: oil pressure, temperature and voltage	\$680
Telematics Ready Connector		
<b>Platform</b>	<b>Lift/Turntable Options</b>	
8 ft. tri entry platform with side swing gate	Alarm package: includes flashing beacon and travel alarm	\$550
AC power cord to platform	Specialty hydraulic oil (60 gal - cold weather, fire resistant, biodegradable)	\$4,815
Dual axis joystick steering	Hydraulic oil cooler	\$1,565
Drive enable system	LPG tank, 33.5 lb. capacity: Ford engine only	\$460
Proportional controls <sup>1</sup>	Hostile environment kit: cylinder bellows, boom wiper seals, platform and	
Horn	ground control box covers	\$3,460
Self-leveling platform	Deluxe hostile environment kit: hostile environment kit, center turntable shield,	
	ring gear guard, tail pipe guard, engine cover flaps <sup>2</sup>	\$6,625

**\*\* Tier 4f \*\*** engines available in US only

<sup>1</sup> Excluding platform rotate, platform level and jib up/down functions

<sup>2</sup> Air pre-cleaner available only on diesel engine options

**Continued on next page...**

<u>Model</u>	<u>List Price</u>
--------------	-------------------

**S-40 Series continued**

**Platforms**

6 ft. dual entry or 8 ft. tri entry platform with ½ height mesh inserts and side swing gate	\$1,300
6 ft. dual entry platform with side swing gate	No Charge

**Platform Options**

AC generator, 110V/60Hz , 110V/50Hz or 220V/50Hz, 3000W, hydraulically driven	\$5,035
Air line to platform: ½ in. inner diameter	\$925
Aircraft protection kit: platform foam padding and padded disable system <sup>3</sup>	\$8,185
Aircraft protection kit: with swing gate <sup>3</sup>	\$8,790
Light package: 2 chassis mounted drive lights and 2 platform mounted work lights	\$1,635
Lockable platform and ground control box covers	\$415
Panel cradle package	\$905
Platform auxiliary top rail	\$1,000
Thumb rocker steering	No Charge
Welder - Select Lincoln or Miller	\$14,105
Welder ready package: includes hydraulic oil cooler	\$9,030
Operator protective alarm	\$4,315
Traveling fall arrest anchor system: requires 6ft platform	\$3,600
Traveling fall arrest anchor system: requires 8ft platform	\$3,700

<sup>3</sup>6 ft. front entry platform, not available with any other platform options

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>S-60X - 4WD</b>	<b>\$183,215</b>
2 speed wheel motors	<b>S-65 - 4WD</b>	<b>\$196,715</b>
Active oscillating axles		
Positive traction drive		
Rough terrain air-filled tires		
<b>Engine</b>	<b>Chassis Options</b>	
48 hp Deutz Tier 4f D2.9L4 diesel	<b>S-60XC:</b> 750 lb. / 1,250 lb. high capacity with automatic envelope	
water-cooled	control and rough terrain foam-filled tires	\$8,575
Anti-restart engine protection	Tow package	\$4,205
Auto engine fault shutdown		
Intake air heater (Deutz diesel only)	<b>Tire Options</b>	
<b>Lift/Turntable</b>	S-60 Trax or S-65 Trax: Quadra Track System	\$55,580
500 lb. / 1,000 lb. dual load capacity	High floatation tires: includes additional counterweight	\$9,085
with automatic envelope control	Rough terrain, foam-filled tires (water based)	\$4,545
S™-60X only	Rough terrain, foam-filled tires (petroleum based)	\$6,430
12 V DC Auxiliary power unit	Rough terrain, non-marking air-filled tires	\$3,460
35 gallon diesel fuel tank	Rough terrain, non-marking, foam-filled tires (water based)	\$7,990
360° continuous rotation	Rough terrain, non-marking, foam-filled tires (petroleum based)	\$9,875
Descent and Tilt alarm	Tire sealant: air-filled tires only	\$925
Hour meter	<b>Engine Options</b>	
Hydraulic oil cooler	49 hp Perkins AB&T 404D-22 diesel, water-cooled	No Charge
Diesel engine gauge display <sup>1</sup>	60 hp Ford MSG425, gas/LPG Dual Fuel (not available on S60/65 Trax)	No Charge
Telematics Ready Connector	74 hp Deutz Tier 4f TD2.9L4, turbo diesel (standard with Trax)	\$7,095
<b>Platform</b>	Diesel intake air pre-cleaner <sup>1</sup>	\$690
8 ft. tri entry platform with side swing gate	LPS Fire protection rating: Ford engine only and requires LP only operation <sup>3</sup>	\$10,045
AC power cord to platform	Cold weather kit: 5W-40 synthetic engine oil, oil pan heater, battery heater	
Dual axis joystick steering	and hydraulic tank heater	\$1,515
Drive enable system	Ford engine gauge package: oil pressure, temperature and voltage	\$680
Proportional controls <sup>2</sup>		
Horn		
Self-leveling platform		

**\*\* Tier 4f \*\* engines available in US only**

<sup>1</sup> Not available on 74 hp turbo diesel Deutz

<sup>2</sup> Excluding platform rotate, platform level and jib up/down functions

<sup>3</sup> Available on S-65 model only

**Continued on next page...**



<b><u>Model</u></b>	<b><u>List Price</u></b>
---------------------	--------------------------

**S-60X Series continued**

**Lift/Turntable Options**

Alarm package: includes flashing beacon and travel alarm	\$550
Specialty hydraulic oil (60 gal - cold weather, fire resistant, biodegradable)	\$4,815
LPG tank, 33.5 lb. capacity: Ford engine only	\$460
Second battery	\$775
Hostile environment kit: cylinder bellows, boom wiper seals, platform and ground control box covers	\$4,765
Deluxe hostile environment kit: hostile environment kit, ring gear guard, cable track hose cover, air pre-cleaner <sup>4</sup>	\$6,625

**Platforms**

4 ft. front-entry steel platform	\$685
6 ft. dual entry or 8 ft. tri entry platform with ½ height mesh inserts and side swing gate	\$1,300
6 ft. dual entry platform with side swing gate	No Charge

**Platform Options**

AC generator, 110V/60Hz or 220V/50Hz, 3000W, hydraulically driven	\$5,035
Air line to platform: ½ in. inner diameter	\$925
Aircraft protection kit: platform foam padding and padded disable system <sup>5</sup>	\$8,185
Aircraft protection kit: with swing gate <sup>5</sup>	\$8,790
Light package: 2 chassis mounted drive lights and 2 platform mounted work lights	\$1,635
Lockable platform and ground control box covers	\$415
Panel cradle package	\$905
Platform auxiliary top rail	\$1,000
Thumb rocker steering	No Charge
Welder - Select Lincoln or Miller	\$14,105
Welder ready package	\$9,030
Operator Protective Alarm	\$4,315
Traveling fall arrest anchor system: requires 6ft platform	\$3,600
Traveling fall arrest anchor system: requires 8ft platform	\$3,700

<sup>4</sup> Air pre-cleaner available only on diesel engine options

<sup>5</sup> Available only on S-65 models with foam-filled tires & 6 ft. front platform required,  
not available with any other platform options



# Telescopic S™-Booms S™-80X Series

**\*\* Tier 4f \*\*** Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>S-80X - 4WD</b>	<b>\$259,160</b>
2 speed wheel motors	<b>S-85 - 4WD</b>	<b>\$270,370</b>
Active oscillating axles		
Positive traction drive	<b>Chassis Options</b>	
Rough terrain foam-filled tires (water based)	Tow package	\$4,205
<b>Engine</b>	<b>Tire Options</b>	
74 hp Deutz Tier 4f TD2.9L4,	High floatation, turf, air-filled tires: requires 4WD and includes additional	
turbo diesel, water-cooled	counterweight and higher torque wheel drive motors	\$8,430
Anti-restart engine protection	Rough terrain, foam-filled tires (petroleum based)	\$1,885
Auto engine fault shutdown	Rough terrain, non-marking, foam-filled tires (water based)	\$3,600
In cylinder glow plug (diesel only)	Rough terrain, non-marking, foam-filled tires (petroleum based)	\$5,485
Engine gauge display		
<b>Lift/Turntable</b>	<b>Engine Options</b>	
500 lb. / 1,000 lb. dual load capacity	58 hp Perkins AB&T 404D-22T turbo diesel, water-cooled	No Charge
with automatic envelope control	70 hp GM Vortec 3.0L Gas/LPG Dual Fuel	No Charge
S-80X only	Diesel air intake pre-cleaner	\$690
12 V DC Auxiliary power unit	Cold weather recirc kit: 5W-40 synthetic engine oil, oil pan heater, battery heater,	
35 gallon diesel fuel tank	platform manifold recirculation and hydraulic tank heater	\$2,060
360° continuous rotation	<b>Lift/Turntable Options</b>	
Descent and Tilt alarm	Alarm package: includes flashing beacon and travel alarm	\$550
Dual battery system	Specialty hydraulic oil (60 gal - cold weather, fire resistant, biodegradable)	\$4,815
Hour meter	Hydraulic oil cooler	\$1,565
Telematics Ready Connector	LPG tank, 33.5 lb. capacity: dual fuel engine only	\$460
<b>Platform</b>	Hostile environment kit: cylinder bellows, boom wiper seals, platform	
8 ft. tri entry platform with side swing gate	and ground control box covers	\$5,995
Drive enable system	Deluxe hostile environment kit: hostile environment kit,	
AC power cord to platform	ring gear guard, tail pipe guard, engine cover flaps, air pre-cleaner <sup>1</sup>	\$6,625
Dual axis joystick steering		
Proportional controls <sup>2</sup>		
Horn		
Self-leveling platform		

**\*\* Tier 4f \*\* engines available in US only**

<sup>1</sup> Air pre-cleaner available only on diesel engine options

<sup>2</sup> Excluding platform rotate, platform level and jib up/down functions

**Continued on next page...**

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810

<u><b>Model</b></u>	<u><b>List Price</b></u>
---------------------	--------------------------

**S-80X Series continued**

**Platforms**

6 ft. dual entry or 8 ft. tri entry platform with ½ height mesh inserts and side swing gate	\$1,300
6 ft. dual entry platform with side swing gate	No Charge

**Platform Options**

AC generator, 110V/60Hz or 220V/50Hz, 3000W, belt driven <sup>3</sup>	\$5,035
Air line to platform: ½ in. inner diameter	\$925
Aircraft protection kit: platform foam padding and padded disable system <sup>4</sup>	\$8,185
Aircraft protection kit: with swing gate <sup>4</sup>	\$8,790
Light package: 2 chassis mounted drive lights and 2 platform mounted work lights	\$1,635
Lockable platform and ground control box covers	\$415
Panel cradle package	\$905
Platform auxiliary top rail	\$1,000
Thumb rocker steering	No Charge
Welder - Select Lincoln or Miller <sup>5</sup>	\$14,105
Welder ready package: includes hydraulic oil cooler <sup>5</sup>	\$9,030
Operator Protective Alarm	\$4,315
Traveling fall arrest anchor system: requires 6ft platform	\$3,600
Traveling fall arrest anchor system: requires 8ft platform	\$3,700

<sup>3</sup> Not available with GM engine

<sup>4</sup> Available only on S-85 models 6 ft. front platform required, not available with other platform options

<sup>5</sup> Not available with Perkins engine



# Telescopic S™-Booms S™-105 and S™-125 Series

**\*\* Tier 4f \*\*** Effective January 1<sup>st</sup>, 2017

## Standard Features

### **Chassis**

- 2 speed wheel motors
- Positive traction drive
- Rough terrain foam-filled tires (water based)
- Telescoping axles
- 2 chassis work lights

### **Engine**

- 74 hp Deutz Tier 4f TD2.9L4, turbo diesel, water-cooled
- Anti-restart engine protection
- Auto engine fault shutdown
- Engine gauge display

### **Lift/Turntable**

- 12 V DC Auxiliary power unit
- 360° continuous rotation
- 40 gallon fuel tank
- Alarm package: flashing beacon, descent, travel and tilt alarms
- Welder-Ready 12.5 kW AC generator
- Hour meter
- Hydraulic oil cooler
- Telematics Ready Connector

### **Platform**

- 8 ft. tri entry platform with side swing gate
- AC power cord to platform
- Drive enable system
- Dual axis joystick steering
- Proportional controls <sup>1</sup>
- Horn
- Self-leveling platform
- 2 platform work lights
- Lockable platform control box covers
- Air line to platform, ½ in. inner diameter

## Model

**S-105 - 4WD, 4WS**

**S-125 - 4WD, 4WS**

## List Price

**\$353,080**

**\$400,110**

## Engine Options

74 hp Perkins, Tier 4f 854F-E34T, turbo diesel, water-cooled	\$4,715
Diesel intake air pre-cleaner	\$690
Cold weather kit: 5W-40 synthetic engine oil, oil pan heater, battery heater, and hydraulic tank heater	\$1,855

## Lift/Turntable Options

Deluxe hostile environment kit: hostile environment kit, center turntable shield, ring gear guard, tail pipe guard, engine cover flaps and air pre-cleaner	\$8,720
--	---------

## Platforms

6 ft. dual entry or 8 ft. tri entry platform with ½ height mesh inserts and side swing gate	\$1,300
6 ft. dual entry platform with side swing gate	No Charge

## Platform Options

Panel cradle package	\$905
Platform auxiliary top rail	\$1,000
Thumb rocker steering	No Charge
Welder - Select Lincoln or Miller	\$5,735
Operator Protective Alarm	\$4,315
Traveling fall arrest anchor system: requires 6ft platform	\$3,600
Traveling fall arrest anchor system: requires 8ft platform	\$3,700

**\*\* Tier 4f \*\* engines available in US only**

<sup>1</sup> Excluding platform rotate, platform level and jib up/down functions

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16



# Telescopic S™-Booms SX-135

**\*\* Tier 4f \*\*** Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
	<b>SX-135 - 4WD, 4WS</b>	<b>\$449,000</b>
<b>Chassis</b>	<b><u>Engine Options</u></b>	
2 speed wheel motors	74hp Perkins Tier 4f, 854F-E34T, turbo diesel, water-cooled	\$4,715
Positive traction drive	Diesel intake air pre-cleaner	\$690
Rough terrain foam-filled tires (water based)	Cold weather recirc kit: 5W-40 Synthetic engine oil, oil pan heater, battery heater, control board heater, platform manifold recirculation, and hydraulic tank heater	\$2,060
4 wheel high angle steer		
4 steering modes	<b><u>Lift/Turntable Options</u></b>	
XChassis™ extendable axles	Hostile environment kit: cylinder bellows, boom wiper seals, LCD heater, platform manifold recirculation, and hydraulic tank heater	\$13,830
Jib-Extend™	Specialty hydraulic oil (138 gal - cold weather, fire resistant, biodegradable) <sup>1</sup>	\$7,385
<b>Engine</b>	<b><u>Platforms</u></b>	
74 hp Deutz Tier 4f TD2.9L4, turbo diesel, water-cooled	6 ft. dual entry or 8 ft. tri entry platform with ½ height mesh inserts and side swing gate	\$1,300
Intake air heater (Deutz diesel only)	6 ft. dual entry platform with side swing gate	No Charge
Anti-restart engine protection	<b><u>Platform Options</u></b>	
Auto engine fault shutdown	AC generator, 110V/60Hz or 220V/50Hz, 3000W, hydraulically driven	\$5,035
Engine gauge display	Air line to platform	\$1,575
	Light package: 2 platform mounted work lights	\$2,295
<b>Lift/Turntable</b>	Lockable platform control box cover	\$415
12V DC Auxiliary power unit	Thumb rocker steering	No Charge
360° continuous rotation	Welder package, 7.5kW generator - Select Lincoln or Miller	\$12,105
40 gallon diesel fuel tank	Welder package, 12kW generator - Select Lincoln or Miller	\$14,105
Alarm package: flashing beacon, descent, travel and tilt alarms	Welder ready package: 7.5kW generator	\$7,030
Hour meter	Welder ready package: 12kW generator	\$9,030
Hydraulic oil cooler	Operator Protective Alarm	\$4,315
Ground control box cover	Traveling fall arrest anchor system: requires 6ft platform	\$3,600
Telematics Ready Connector	Traveling fall arrest anchor system: requires 8ft platform	\$3,700
<b>Platform</b>	<b>** Tier 4f ** engines available in US only</b>	
18 ft. to 30 ft Jib-Extend™	<sup>1</sup> Consult factory for lead times	
8 ft. tri entry platform with side swing gate	<sup>2</sup> Excluding platform rotate and platform level	
Platform load sense system		
AC power cord to platform		
Drive enable system		
Dual axis joystick steering		
Proportional controls <sup>2</sup>		
Horn		
Self-leveling platform		

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16



# Telescopic S™-Booms SX-150

**\*\* Tier 4f \*\*** Effective January 1<sup>st</sup>, 2017

## Standard Features

### **Chassis**

- 2 speed wheel motors
- Positive traction drive
- Rough terrain foam-filled tires (water based)
- 4 wheel high angle steer
- 4 steering modes
- XChassis™ extendable axles

### **Engine**

- 74 hp Deutz Tier 4f TD2.9L4, turbo diesel, water-cooled
- Intake air heater (Deutz diesel only)
- Anti-restart engine protection
- Auto engine fault shutdown
- Engine gauge display

### **Lift/Turntable**

- 12V DC Auxiliary power unit
- 360° continuous rotation
- 50 gallon diesel fuel tank
- Alarm package: flashing beacon, descent, travel and tilt alarms
- Welder-Ready 7.5 kW AC generator
- Hour meter
- Hydraulic oil cooler
- Slew ring cover ring guard
- Ground control box cover
- Telematics Ready Connector

### **Platform**

- 10 ft. rotating jib
- 8 ft. tri entry platform with side swing gate
- AC power cord to platform
- Welder mounts and brackets
- Drive enable system
- Dual axis joystick steering
- Proportional controls<sup>1</sup>
- Horn
- Self-leveling platform

## Model

**SX-150 - 4WD, 4WS**

## List Price

**\$511,800**

### Engine Options

74hp Perkins Tier 4f, 854F-E34T, turbo diesel, water-cooled	\$4,715
Diesel intake air pre-cleaner	\$690
Cold weather recirc kit: 5W-40 Synthetic engine oil, oil pan heater, battery heater, platform manifold recirculation, and hydraulic tank heater	\$2,060

### Lift/Turntable Options

Hostile environment kit: cylinder bellows, boom wiper seals, platform control box cover, second engine oil filter	\$13,830
Specialty hydraulic oil (225 gal - cold weather, fire resistant, biodegradable)	\$7,385

### Platforms

8 ft. tri entry platform with ½ height mesh inserts and side swing gate	\$1,300
---	---------

### Platform Options

Air line to platform	\$1,575
Light package: 2 platform mounted work lights	\$2,295
Lockable platform control box cover	\$415
Thumb rocker steering	No Charge
Welder - Select Lincoln or Miller	\$5,735
Anemometer	\$2,740
Operator Protective Alarm	\$4,315
Traveling fall arrest anchor system: requires 8ft platform	\$3,700

### Generator Options

AC Generator, 12kW, 208V/110V/60Hz	\$4,515
------------------------------------	---------

**\*\* Tier 4f \*\* engines available in US only**

<sup>1</sup> Excluding platform rotate and platform level

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16



# Telescopic S™-Booms SX-180

**\*\* Tier 4f \*\*** Effective January 1<sup>st</sup>, 2017

## Standard Features

### Chassis

- 2 speed wheel motors
- Positive traction drive
- Rough terrain foam-filled tires (water based)
- 4 wheel high angle steer
- 4 steering modes
- XChassis™ extendable axles

### Engine

- 74 hp Deutz Tier 4f TD2.9L4, turbo diesel, water-cooled
- Intake air heater (Deutz diesel only)
- Anti-restart engine protection
- Auto engine fault shutdown
- Engine gauge display

### Lift/Turntable

- 12V DC Auxiliary power unit
- 360° continuous rotation
- 50 gallon diesel fuel tank
- Alarm package: flashing beacon, descent, travel and tilt alarms
- Welder-Ready 7.5 kW AC generator
- Hour meter
- Hydraulic oil cooler
- Slew ring cover ring guard
- Ground control box cover
- Telematics Ready Connector

### Platform

- 10 ft. rotating jib
- 8 ft. tri entry platform with side swing gate
- AC power cord to platform
- Welder mounts and brackets
- Drive enable system
- Dual axis joystick steering
- Proportional controls<sup>2</sup>
- Horn
- Self-leveling platform

## Model

### SX-180 - 4WD, 4WS

## List Price

**\$668,870**

### Engine Options

74hp Perkins Tier 4f, 854F-E34T, turbo diesel, water-cooled	\$4,715
Diesel intake air pre-cleaner	\$690
Cold weather recirc kit: 5W-40 Synthetic engine oil, oil pan heater, battery heater, platform manifold recirculation, and hydraulic tank heater	\$2,060

### Lift/Turntable Options

Hostile environment kit: cylinder bellows, boom wiper seals, platform control box cover, second engine oil filter	\$13,830
Specialty hydraulic oil (225 gal - cold weather, fire resistant, biodegradable)	\$7,385

### Platforms

8 ft. tri entry platform with ½ height mesh inserts and side swing gate	\$1,300
---	---------

### Platform Options

Air line to platform	\$1,575
Light package: 2 platform mounted work lights	\$2,295
Lockable platform control box cover	\$415
Thumb rocker steering	No Charge
Welder - Select Lincoln or Miller	\$5,735
Anemometer	\$2,740
Operator Protective Alarm	\$4,315
Traveling fall arrest anchor system: requires 8ft platform	\$3,700

### Generator Options

AC Generator, 12kW, 208V/110V/60Hz	\$4,515
------------------------------------	---------

**\*\* Tier 4f \*\*** engines available in US only

<sup>1</sup> Excluding platform rotate and platform level

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>Z-30/20N with jib</b>	<b>\$85,550</b>
2WD	<b>Z-30/20N RJ with rotating jib</b>	<b>\$89,265</b>
48V DC drive system		
48V solid state battery charger		
Solid non-marking tires		
	<b><u>Certification Options</u></b>	
	EE rating <sup>1</sup>	<b>\$2,075</b>
<b>Turntable/Lift</b>	<b><u>Lift/Turntable Options</u></b>	
24V DC auxiliary power unit	AGM maintenance-free batteries	\$4,455
355° non-continuous rotation	Battery charge indicator (BCI)	\$650
48V DC hydraulic power unit	Specialty hydraulic oil (6 gal - cold weather, fire resistant, biodegradable)	\$705
Descent and Tilt Alarm	Flashing beacon	\$265
Dual parallelogram lift linkage	Low voltage interrupt with battery charge indicator (BCI)	\$1,210
Hour meter	Power inverter, 800W, 120V AC, 60 Hz	\$5,405
Travel alarm	Hostile environment kit: cylinder bellows, boom wiper seals and	
Telematics Ready Connector	platform control box cover	\$3,460
<b>Platform</b>	<b><u>Platform Options</u></b>	
3 ft. 10 in. steel platform	Air line to platform: ¾ in. inner diameter	\$860
4 ft. jib	Aircraft protection kit: platform foam padding and padded disable system <sup>2</sup>	\$5,090
AC power cord to platform	Light package: 2 chassis mounted drive lights, 2 platform mounted work lights	\$1,375
Drive enable system	Lockable platform control box cover	\$340
Proportional controls	Platform ½ height mesh inserts with swing gate	\$1,100
Horn	Platform auxiliary top rail <sup>3</sup>	\$1,000
Self-leveling platform	Platform swing gate	\$725
	Operator Protective Alarm	\$4,315

<sup>1</sup> Not available with AGM battery, lights package, power inverter, OPA or flashing beacon options

<sup>2</sup> Derates load capacity to 440 lbs., not available with any other platform options nor rotating jib

<sup>3</sup> Not available with swing gate or 1/2 height mesh





# Articulating Z™-Booms

## Z™-33/18 DC Series

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>Z-33/18</b>	<b>\$71,275</b>
2WD		
48V DC battery pack		
48V solid state battery charger		
Electric release brakes		
Low voltage interrupt		
Solid non-marking tires		
Three phase AC drive system		
	<b><u>Platform Options</u></b>	
	Air line to platform: 3/8 in. inner diameter <sup>1</sup>	\$860
	Light package: 2 chassis mounted drive lights, 2 platform mounted work lights	\$1,375
	Platform control box cover	\$340
	Specialty hydraulic oil (8 gal - cold weather, fire resistant, biodegradable)	\$700
	<sup>1</sup> Factory-fit option only	
<b>Turntable/Lift</b>		
24V DC auxiliary power unit		
400° non-continuous rotation		
48V DC hydraulic power unit		
Descent and Tilt Alarm		
Hour meter		
Alarm Package (Flashing Beacon/Travel Alarm)		
Telematics Ready Connector		
<b>Platform</b>		
3 ft. 10 in. aluminum platform		
AC power cord to platform		
Battery Charge Indicator		
Drive enable system		
Proportional controls		
Horn		
On-board diagnostics system		
LCD Control Panel		
Self-leveling platform		
Entry toe board		

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>Z-34/22 DC</b> , industrial air-filled tires	<b>\$76,060</b>
2WD	<b>Z-34/22 Bi-Energy</b> , industrial air-filled tires, BCI,	
48V DC drive system	13 hp Kubota Tier 4f Z482 diesel driven alternator (Not available in Z-34/22N DC)	<b>\$95,870</b>
48V solid state battery charger	<b>Z-34/22N</b> , solid rubber non-marking tires <sup>1</sup>	<b>\$81,970</b>
<b>Turntable/Lift</b>	<b>Chassis - Engine Options</b>	
24V DC auxiliary power unit	Cold weather kit for Z-34/22 Bi-Energy model only, includes:	
355° non-continuous rotation	5W-40 synthetic oil, oil pan heater, battery heater, hydraulic tank heater	\$1,055
48V DC Hydraulic power unit	<b>Certification Options</b>	
Descent and Tilt Alarm	EE rating, DC only <sup>2</sup>	\$2,075
Dual parallelogram lift linkage	<b>Chassis - Tires Options</b> (not available with Z-34/22N)	
Hour meter	Industrial foam-filled tires (water based)	\$2,120
Travel alarm	Non-marking industrial air-filled tires	\$1,750
Telematics Ready Connector	Non-marking industrial foam-filled tires (water based)	\$3,865
<b>Platform</b>	Tire sealant: air-filled tires only	\$700
4 ft. 8 in. steel platform	<b>Lift/Turntable Options</b>	
4 ft. jib	AGM maintenance-free batteries	\$4,455
AC power cord to platform	Battery charge indicator (BCI) (standard on Bi-Energy model)	\$650
Drive enable system	Specialty hydraulic oil (6 gal - cold weather, fire resistant, biodegradable)	\$700
Proportional controls	Flashing beacon	\$265
Horn	Low voltage interrupt with BCI (DC only)	\$1,210
Self-leveling platform	Low voltage interrupt with BCI (Bi-Energy only)	\$610
	Power inverter, 800W, 120V AC, 60 Hz (DC only)	\$5,405
	Hostile environment kit: cylinder bellows, boom wiper seals and lockable platform control box covers	\$3,460
	<b>Platform Options</b>	
	Air line to platform: ¾ in. inner diameter	\$860
	Aircraft protection kit: platform foam padding and padded disable system <sup>3</sup>	\$5,830
	Light package: 2 chassis mounted drive lights, 2 platform mounted work lights	\$1,375
	Lockable platform control box cover	\$340
	Platform with ½ height mesh inserts and swing gate	\$1,100
	Platform auxiliary top rail <sup>4</sup>	\$1,000
	Platform swing gate	\$725
	Operator Protective Alarm	\$4,315

<sup>1</sup> Z-34/22N only available with solid rubber non-marking tires

<sup>2</sup> Not available with AGM battery, lights package, power inverter, OPA or flashing beacon options

<sup>3</sup> Derates load capacity to 440 lbs., not available with any other platform options

<sup>4</sup> Not available with swing gate or 1/2 height mesh

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>Z-34/22 IC - 2WD</b> , industrial air-filled tires	<b>\$89,725</b>
2 speed wheel motors	<b>Z-34/22 IC - 4WD</b> , rough terrain air-filled tires	<b>\$98,120</b>
Air-filled tires		
Hydrostatic drive system		
<b>Engine</b>	<b>Tire Options</b>	
28 hp GM, gas / LPG Dual Fuel	2WD Industrial foam-filled tires (water based)	\$2,120
	2WD Non-marking industrial air-filled tires	\$1,750
	2WD Non-marking industrial foam-filled tires (water based)	\$3,865
	2WD Rough-terrain air-filled tires	\$3,845
	4WD Rough-terrain foam-filled tires (water based)	\$2,740
	Tire sealant: air-filled tires only	\$700
<b>Turntable/Lift</b>	<b>Engine Options</b>	
12V DC Auxiliary power unit	24 hp Kubota D-1105, diesel	\$5,580
355° non-continuous rotation	Cold weather kit: 5W-40 synthetic engine oil, oil pan heater, battery heater	\$1,055
9 gallon fuel tank	Engine gauge package: oil pressure, temperature and voltage	\$465
Descent and Tilt Alarm		
Dual parallelogram lift linkage	<b>Lift/Turntable Options</b>	
Hour meter	AC generator, 110V/60Hz or 220V/50Hz, 2200W, hydraulically driven	\$5,035
Travel alarm	Specialty hydraulic oil (22 gal - cold weather, fire resistant, biodegradable) <sup>1</sup>	\$1,195
Telematics Ready Connector	Flashing beacon	\$265
	LPG tank, 33.5 lb. capacity: Kubota gas/LPG engine only	\$460
	Hostile environment kit: cylinder bellows, boom wiper seals and platform control box cover	\$3,460
<b>Platform</b>	<b>Platforms</b>	
4 ft. 8 in. steel platform	4 ft. platform	No Charge
4 ft. jib	4ft. or 4 ft. 8 in. platform with ½ height mesh inserts and swing gate <sup>2</sup>	\$1,360
AC power cord to platform		
Drive enable system	<b>Platform Options</b>	
Proportional controls	Air line to platform: ¾ in. inner diameter	\$860
Horn	Aircraft protection kit : 4ft. 8in. platform foam padding and padded disable system <sup>3</sup>	\$5,830
Self-leveling platform	Entry toe boards	\$515
	Light package: 2 chassis mounted drive lights, 2 platform mounted work lights	\$1,375
	Lockable platform control box cover	\$340
	Platform auxiliary top rail	\$1,000
	Platform swing gate <sup>1</sup>	\$725
	Operator Protective Alarm	\$4,315

<sup>1</sup> Consult factory for lead time

<sup>2</sup> Not available with auxiliary top rail

<sup>3</sup> Derates load capacity to 440 lbs., not available with any other platform options

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16



# Articulating Z™-Booms

## Z™-40/23N Series

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>Z-40/23N with jib</b>	<b>\$99,380</b>
2WD	<b>Z-40/23N RJ with rotating jib</b>	<b>\$102,680</b>
48V DC battery pack		
48V solid state battery charger		
Electric release brakes		
Low voltage interrupt		
Solid non-marking tires		
Three phase AC drive system		
<b>Turntable/Lift</b>	<b><u>Lift/Turntable Options</u></b>	
24V DC auxiliary power unit	AGM maintenance-free batteries	\$4,455
355° non-continuous rotation	Specialty hydraulic oil (11 gal - cold weather, fire resistant, biodegradable)	\$1,195
Descent and Tilt Alarm	Flashing beacon	\$265
Dual parallelogram lift linkage	Power inverter, 800W, 120V AC, 60 Hz	\$5,405
High pressure hydraulic filter with status monitor	Hostile environment kit: cylinder bellows, boom wiper seals and platform control box covers	\$3,460
Hour meter		
Travel alarm		
Telematics Ready Connector		
<b>Platform</b>	<b><u>Platforms</u></b>	
3 ft. 10 in. steel platform	4 ft. 8 in. steel platform: not available with rotating jib	\$685
4 ft. jib		
AC power cord to platform	<b><u>Platform Options</u></b>	
Battery Charge Indicator	Air line to platform: 3/8 in. inner diameter	\$860
Drive enable system	Entry toe boards	\$515
Proportional controls	Light package: 2 chassis mounted drive lights, 2 platform mounted work lights	\$1,375
Horn	Lockable platform control box cover	\$340
On-board diagnostics system	Platform swing gate	\$725
LCD control panel	Platform with 1/2 height mesh inserts and swing gate	\$1,100
Self-leveling platform		

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>Z-45/25 DC</b>	<b>\$94,770</b>
2WD	<b>Z-45/25J DC with jib</b>	<b>\$99,570</b>
48V DC drive system		
48V solid state battery charger		
Industrial foam-filled tires (water based)		
	<u><b>Chassis Options</b></u>	
	Tow package	\$4,165
<b>Turntable/Lift</b>	<u><b>Tire Options</b></u>	
24V DC auxiliary power unit	Industrial non-marking foam-filled tires (water based)	\$1,755
355° non-continuous rotation		
48V DC hydraulic power unit		
Descent and Tilt Alarm		
Dual parallelogram lift linkage		
Hour meter		
Zero tail swing		
Travel alarm		
Telematics Ready Connector		
<b>Platform</b>	<u><b>Engine Options (Bi-Energy models only)</b></u>	
6 ft. dual entry platform with side swing gate	13 hp Kubota Z482 Tier 4f, diesel driven alternator	\$21,125
AC power cord to platform	Cold weather kit: 5W-40 synthetic engine oil, oil pan heater, battery heater	\$1,055
Drive enable system	Diesel catalytic scrubber muffler	\$4,175
Proportional controls		
Horn		
Self-leveling platform		
	<u><b>Lift/Turntable Options</b></u>	
	AGM maintenance-free batteries	\$4,455
	Flashing beacon	\$265
	Battery charge indicator (BCI): standard on Bi-Energy model	\$650
	Specialty hydraulic oil (11 gal - cold weather, fire resistant, biodegradable)	\$1,820
	Low voltage interrupt with BCI	\$1,210
	Low voltage interrupt with BCI: Bi-Energy only	\$610
	Power inverter, 800W, 120V AC, 60 Hz: DC models only	\$5,405
	Hostile environment kit - cylinder bellows, boom wiper seals, lockable platform control box cover	\$3,460
	EE rating, DC only <sup>1</sup>	\$2,075
	<u><b>Platforms</b></u>	
	4 ft. steel platform	\$685
	6 ft. dual entry platform with ½ height mesh inserts and side swing gate <sup>3</sup>	\$1,300
	<u><b>Platform Options</b></u>	
	Air line to platform: ¾ in. inner diameter	\$860
	Aircraft protection kit: platform foam padding and padded disable system <sup>2,3</sup>	\$8,185
	Aircraft protection kit with swing gate <sup>2,3</sup>	\$8,790
	Light package: 2 chassis mounted drive lights, 2 platform mounted work lights	\$1,375
	Lockable platform control box cover	\$340
	Panel cradle package	\$905
	Platform auxiliary top rail	\$1,000
	Operator Protective Alarm	\$4,315
	Traveling fall arrest anchor system: requires 6ft platform	\$3,600

<sup>1</sup> Not available with AGM battery, lights package, power inverter, OPA or flashing beacon options

<sup>2</sup> Derates load capacity to 440 lbs., not available with any other platform options

<sup>3</sup> Only available with Jib



# Articulating Z™-Booms Z™-45/25 RT Series

**\*\* Tier 4f \*\*** Effective January 1st, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>Z-45/25J RT with jib - 2WD, non-oscillating axles</b>	<b>\$115,605</b>
2 speed wheel motors	<b>Z-45/25J RT with jib - 4WD</b>	<b>\$124,510</b>
Air-filled rough terrain tires		
Active oscillating axles - 4WD		
Positive traction drive		
	<b><u>Chassis Options</u></b>	
	Tow package	\$4,205
<b>Engine</b>	<b><u>Tires Options</u></b>	
48 hp Deutz Tier 4f D2.9L4, diesel	High floatation tires: requires 4WD	\$4,145
water-cooled	Rough terrain foam-filled tires (water based)	\$4,425
Anti-restart engine protection	Rough terrain foam-filled tires (petroleum based)	\$6,310
Auto engine fault shutdown	Rough terrain, non-marking air-filled tires	\$4,100
In cylinder glow plug (diesel only)	Rough terrain, non-marking foam-filled tires (water based)	\$7,725
	Rough terrain, non-marking foam-filled tires (petroleum based)	\$9,610
	Tire sealant: air-filled tires only	\$925
<b>Turntable/Lift</b>	<b><u>Engine Options</u></b>	
12V DC auxiliary power unit	49 hp Perkins AB&T 404D-22 diesel, water-cooled	No Charge
17 gallon diesel fuel tank	60 hp Ford MSG425 gas/LPG Dual Fuel	No Charge
355° non-continuous rotation	Cold weather kit: 5W-40 synthetic engine oil, oil pan heater, battery heater	
Descent and Tilt Alarm	and hydraulic tank heater	\$1,515
Dual parallelogram lift linkage	Ford engine gauge package: oil pressure, temperature and voltage	\$680
Hour meter		
Intake air heater (Deutz diesel only)	<b><u>Lift/Turntable Options</u></b>	
Zero tail swing	Alarm package: includes flashing beacon and travel alarm	\$550
Diesel engine gauge display	Specialty hydraulic oil (28 gal - cold weather, fire resistant, biodegradable)	\$2,180
Telematics Ready Connector	LPG tank, 33.5 lb. capacity: Ford engine only	\$460
<b>Platform</b>	Hostile environment kit - cylinder bellows, boom wiper seals,	
6 ft. dual entry platform with side swing gate	lockable platform control box covers and air pre-cleaner	\$3,460
AC power cord to platform		
Drive enable system		
Dual axis joystick		
Proportional controls <sup>1</sup>		
Horn		
Self-leveling platform		

**\*\* Tier 4f \*\* engines available in US only**

<sup>1</sup> Excluding platform rotate, platform level and jib up/down functions

**Continued on next page...**

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810



# Articulating Z™-Booms Z™-45/25 RT Series

**\*\* Tier 4f \*\*** Effective January 1st, 2017

## Model

## List Price

### **Z-45/25 Series continued**

#### Platforms

6 ft. dual entry platform with ½ height mesh inserts and side swing gate <sup>2</sup>	\$1,300
4 ft. steel platform	\$685

#### Platform Options

AC generator, 110V/60Hz or 220V/50Hz, 2200W: includes Hydraulic oil cooler	\$5,035
Air line to platform: ¾ in. inner diameter	\$860
Aircraft protection kit: platform foam padding and padded disable system <sup>3</sup>	\$8,185
Aircraft protection kit with swing gate <sup>3</sup>	\$8,790
Light package: 2 chassis mounted drive lights, 2 platform mounted work lights	\$1,375
Lockable platform control box cover	\$340
Panel cradle package	\$905
Platform auxiliary top rail	\$1,000
Thumb rocker steering	No Charge
Hydraulic oil cooler: standard on 4WD	\$1,565
Operator Protective Alarm	\$4,315
Traveling fall arrest anchor system: requires 6ft platform	\$3,600

<sup>2</sup> Available only on Z-45/25J models

<sup>3</sup> Available only on Z-45/25J models with foam-filled tires and 6 ft. platform required,  
not available with any other platform options, derates load capacity to 440 lbs.

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

[www.genielift.com](http://www.genielift.com)

Contact us at: 1-800-536-1810



# Articulating Z™-Booms Z™-60/37 DC and FE Series

Effective January 1st, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>Z-60/37DC - 4WD, with jib</b>	<b>\$174,530</b>
48V DC FLA battery pack	<b>Z-60/37FE Hybrid - 4WD, with jib</b>	<b>\$182,650</b>
48V solid state battery charger		
Electric release brakes		
Low voltage interrupt		
Rough terrain foam-filled tires (water based)		
Three phase AC positive traction drive system		
<b>Turntable/Lift</b>	<b><u>Chassis Options</u></b>	
24.8hp T4f Kubota D1105 (FE hybrid only)	Tow package	\$4,205
48V DC hydraulic power unit		
355° non-continuous rotation	<b><u>Tires Options</u></b>	
12 DC auxiliary power unit	Rough terrain foam-filled tires (water based): standard on FE Hybrid	No Charge
Descent and Tilt Alarm	Rough terrain, non-marking foam-filled tires (water based): standard on DC	\$2,885
Dual parallelogram lift linkage	Foam-tire fill (petroleum based)	\$1,885
High pressure hydraulic filter with status monitor		
Hour meter	<b><u>Engine Options</u></b>	
Travel alarm	Cold weather kit: 5W-40 synthetic engine oil, battery heater, engine block heater: FE Hybrid only	\$1,055
Telematics Ready Connector		
<b>Platform</b>	<b><u>Lift/Turntable Options</u></b>	
6 ft. dual entry platform with side swing gate	FLA (flooded lead acid) batteries: standard on DC	No Charge
5 ft. jib	AGM maintenance-free batteries: standard on FE Hybrid	\$4,455
AC power cord to platform	Specialty hydraulic oil (11 gal - cold weather, fire resistant, biodegradable)	\$1,195
Battery Charge Indicator	Flashing beacon	\$265
On-board diagnostics system	Power inverter, 2000W, 120V AC, 60 Hz	\$4,165
Drive enable system	Hostile environment kit: cylinder bellows, boom wiper seals and control box covers	\$3,460
Proportional controls		
Self-leveling platform	<b><u>Platforms</u></b>	
Horn	4 ft. 8 in. front-entry steel platform	\$685
	8 ft. tri entry platform with side swing gate	\$685
	Platform with ½ height mesh inserts	\$1,300
	<b><u>Platform Options</u></b>	
	Air line to platform: ¾ in. inner diameter	\$925
	Aircraft protection kit: platform foam padding and padded disable system <sup>1</sup>	\$8,185
	Aircraft protection kit: with swing gate <sup>1</sup>	\$8,790
	Light package: 2 chassis mounted drive lights, 2 platform mounted work lights	\$1,310
	Lockable platform and ground control box covers	\$415
	Panel cradle package	\$905
	Operator Protective Alarm	\$4,315
	Platform auxiliary top rail	\$1,000
	Thumb rocker steering	No Charge
	Traveling fall arrest anchor system: requires 6ft platform	\$3,600
	Traveling fall arrest anchor system: requires 8ft platform	\$3,700

<sup>1</sup> 6 ft. front entry platform, not available with any other platform options



<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>Z-62/40 with jib - 2WD, non-oscillating axles</b>	<b>\$174,085</b>
2 speed wheel motors	<b>Z-62/40 with jib - 4WD</b>	<b>\$192,510</b>
Active oscillating axles - 4WD		
Positive traction drive		
Rough terrain air-filled tires		
<b>Engine</b>	<b><u>Chassis Options</u></b>	
48 hp Deutz Tier 4f D2.9L4, diesel	Tow package	\$4,205
water-cooled	4 wheel steering	\$8,835
35 gallon diesel fuel tank		
Auto engine fault shutdown	<b><u>Tire Options</u></b>	
Intake air heater (Deutz diesel only)	Z-62 Trax: Quadra Track System, requires 4WD	\$54,755
	High floatation tires: requires 4WD	\$9,040
	Rough terrain foam-filled tires (water based)	\$4,545
	Rough terrain foam-filled tires (petroleum based)	\$6,430
	Rough terrain, non-marking air-filled tires	\$2,945
	Rough terrain, non-marking foam-filled tires (water based)	\$7,425
	Rough terrain, non-marking foam-filled tires (petroleum based)	\$9,310
	Tire sealant: air-filled tires only	\$995
<b>Turntable/Lift</b>	<b><u>Engine Options</u></b>	
12V DC auxiliary power unit	49 hp Perkins AB&T 404D-22 diesel, water-cooled	No Charge
35 gallon diesel fuel tank	60 hp Ford MSG425, gas/LPG Dual Fuel (not available on Trax)	No Charge
360° continuous rotation	74 hp Deutz Tier 4f TD2.9L4, turbo diesel (standard with Trax)	\$7,095
Descent and Tilt alarm	Diesel air intake pre-cleaner	\$690
Hour meter	LPG tank, 33.5 lb. capacity: Ford engine only	\$460
In cylinder glow plug (diesel only)	LPS fire protection rating: Ford engine only and requires LP only operation	\$10,045
Zero tail swing	Cold weather kit: 5W-40 synthetic engine oil, oil pan heater, battery heater,	
Diesel engine gauge display	hydraulic tank heater	\$1,515
Hydraulic oil cooler	Ford engine gauge package: oil pressure, temperature and voltage(excludes turbo)	\$680
Telematics Ready Connector		
<b>Platform</b>	<b><u>Lift/Turntable Options</u></b>	
5 ft. jib	Alarm package: includes flashing beacon and travel alarm	\$550
8 ft. tri entry platform with side swing gate	Specialty hydraulic oil (50 gal - cold weather, fire resistant, biodegradable)	\$4,815
AC power cord to platform		
Drive enable system		
Dual axis joystick		
Proportional controls <sup>1</sup>		
Horn		
Self-leveling platform		

**\*\* Tier 4f \*\* engines available in US only**

<sup>1</sup> Excluding platform rotate, platform level and jib up/down functions

**Continued on next page...**

<u>Model</u>	<u>List Price</u>
<b>Z-62/40 Series continued</b>	
<b><u>Lift/Turntable Options (continued)</u></b>	
Hostile environment kit: cylinder bellows, boom wiper seals, platform and ground control box covers	\$5,595
Deluxe hostile environment kit : hostile environment kit, center turntable shield, ring gear guard, tail pipe guard, and air pre-cleaner	\$8,630
<b><u>Platforms</u></b>	
6 ft. dual entry or 8 ft. tri entry platform with ½ height mesh inserts and side swing gate	\$1,300
6 ft. dual entry platform with side swing gate	No Charge
<b><u>Platform Options</u></b>	
AC generator, 110V/60Hz, or 220V/50Hz, 3000W, hydraulically driven	\$5,035
Air line to platform: ½ in. inner diameter	\$925
Aircraft protection kit: platform foam padding and padded disable system <sup>2</sup>	\$8,185
Aircraft protection kit: with swing gate <sup>2</sup>	\$8,790
Light package: 2 chassis mounted drive lights and 2 platform mounted work lights	\$1,415
Lockable platform and ground control box covers	\$415
Panel cradle package	\$905
Platform auxiliary top rail	\$1,000
Thumb rocker steering	No Charge
Welder - Select Lincoln or Miller	\$14,105
Welder ready package	\$9,030
Operator Protective Alarm	\$4,315
Traveling fall arrest anchor system: requires 6ft platform	\$3,600
Traveling fall arrest anchor system: requires 8ft platform	\$3,700

<sup>2</sup> 6 ft. platform only, not available with any other platform options



# Articulating Z™-Booms Z™-80/60 Series

**\*\* Tier 4f \*\*** Effective January 1st, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>Z-80/60 with jib - 4WD</b>	<b>\$273,895</b>
2 speed wheel motors		
2 wheel steering		
Active oscillating axles - 4WD		
Positive traction drive		
Rough terrain foam-filled tires (water based)		
<b>Engine</b>	<b><u>Chassis Options</u></b>	
74 hp Deutz Tier 4f TD2.9L4, turbo diesel, water-cooled	4 wheel steering	\$8,970
Auto engine fault shutdown		
Engine gauge display	<b><u>Tire Options</u></b>	
	Rough terrain, foam-filled tires (petroleum based)	\$1,885
	Rough terrain, non-marking, foam-filled tires (water based)	\$5,770
	Rough terrain, non-marking, foam-filled tires (petroleum based)	\$7,650
	High floatation, rough terrain, air-filled tires: requires 4WD and includes additional counterweight and higher torque wheel drive motors	\$34,960
<b>Turntable/Lift</b>	<b><u>Engine Options</u></b>	
12V DC auxiliary power unit	58 hp Perkins AB&T 404D-22T, turbo diesel, water-cooled	No Charge
35 gallon diesel fuel tank	70 hp GM Vortec 3.0L Gas/LPG Dual Fuel	No Charge
360° continuous rotation	Diesel air intake pre-cleaner	\$690
Dual battery	LPG tank, 33.5 lb. capacity: Dual Fuel engine only	\$460
Hour meter	Cold weather kit: 5W-40 synthetic engine oil, oil pan heater, battery heater, hydraulic tank heater	\$1,515
Hydraulic oil cooler	<b><u>Lift/Turntable Options</u></b>	
In cylinder glow plug (diesel only)	Alarm package: includes flashing beacon and travel alarm	\$550
Telescoping riser for up and over	Specialty hydraulic oil (80 gal - cold weather, fire resistant, biodegradable)	\$5,830
Descent and Tilt alarm	Hostile environment kit: cylinder bellows, boom wiper seals, platform and ground control box covers	\$5,540
Telematics Ready Connector	Deluxe hostile environment kit: hostile environment kit, center turntable shield, ring gear guard, tail pipe guard, engine cover flaps and air pre-cleaner <sup>1</sup>	\$8,810
<b>Platform</b>	<b><u>Platforms</u></b>	
6 ft. jib	6 ft. dual entry or 8 ft. tri entry platform with ½ height mesh inserts and side swing gate	\$1,300
8 ft. tri entry platform with side swing gate	6 ft. dual entry platform with side swing gate	No Charge
AC power cord to platform		
Drive enable system		
Dual axis joystick		
Proportional controls <sup>2</sup>		
Horn		
Self-leveling platform		

**\*\* Tier 4f \*\* engines available in US only**

<sup>1</sup> Air pre-cleaner available only on diesel engine options

<sup>2</sup> Excluding platform rotate, platform level and jib up/down functions

**Continued on next page...**

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810



# Articulating Z™-Booms

## Z™-80/60 Series

**\*\* Tier 4f \*\*** Effective January 1st, 2017

### Model

### List Price

#### **Z-80/60 Series continued**

#### Platform Options

AC generator, 110V/60Hz, 110V/ 50Hz, or 220V/50Hz, 3000W, hydraulically driven	\$5,035
Air line to platform: ½ in. inner diameter	\$925
Aircraft protection kit: platform foam padding and padded disable system <sup>3</sup>	\$8,185
Aircraft protection kit: with swing gate <sup>3</sup>	\$8,790
Light package: 2 chassis mounted drive lights and 2 platform mounted work lights	\$1,795
Lockable platform and ground control box covers	\$415
Panel cradle package	\$905
Platform auxiliary top rail	\$1,000
Thumb rocker steering	No Charge
Welder - Select Lincoln or Miller	\$14,105
Welder ready package	\$9,030
Operator Protective Alarm	\$4,315
Traveling fall arrest anchor system: requires 6ft platform	\$3,600
Traveling fall arrest anchor system: requires 8ft platform	\$3,700

<sup>3</sup> 6 ft. single entry platform only, not available with any other platform options

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

[www.genielift.com](http://www.genielift.com)

Contact us at: 1-800-536-1810



# Articulating Z™-Booms ZX™ -135/70 Series

**\*\* Tier 4f \*\*** Effective January 1st, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>ZX-135/70 - 4WD, 4WS</b>	<b>\$458,280</b>
4 wheel high angle steer		
4 steering modes		
Rough terrain foam-filled tires (water based)		
XChassis™ extendable axles		
Positive traction drive		
2 speed wheel motors		
<b>Engine</b>	<b><u>Chassis - Tires Options</u></b>	
74 hp Deutz Tier 4f TD2.9L4, turbo diesel, water-cooled	Rough terrain, foam-filled tires (petroleum based)	\$1,885
Intake air heater (Perkins diesel only)		
Anti-restart engine protection	<b><u>Engine Options</u></b>	
Auto engine fault shutdown	74 hp Perkins, Tier 4f 854F-E34T, turbo diesel, water-cooled	\$4,715
Engine gauge display	Diesel intake air pre-cleaner	\$690
	Cold weather recirc kit: 5W-40 synthetic engine oil, oil pan heater, battery heater , platform manifold recirculation and hydraulic tank heater	\$2,060
<b>Turntable/Lift</b>	<b><u>Lift/Turntable Options</u></b>	
360° continuous rotation	Alarm package: includes flashing beacon and travel alarm	\$550
40 gallon fuel tank	Specialty hydraulic oil (123 gal - cold weather, fire resistant, biodegradable)	\$9,060
Descent alarm	Hostile environment kit: cylinder bellows, boom wiper seals, platform control box cover and boom hole covers	\$6,650
Hour meter	Deluxe hostile environment kit: hostile environment kit, ring gear guard, air pre-cleaner	\$9,595
Hydraulic oil cooler		
On-board diagnostics	<b><u>Platforms</u></b>	
Telescoping riser for up and over	6 ft. dual entry or 8 ft. tri entry platform with ½ height mesh inserts and side swing gate	\$1,300
Tilt alarm / sensor	6 ft. dual entry platform with side swing gate	No Charge
Auxiliary power unit	<b><u>Platform Options</u></b>	
Telematics Ready Connector	AC generator, 110V/60Hz or 220V/50Hz, 3000W, belt driven <sup>1</sup>	\$5,035
	Air line to platform: ½ in. inner diameter	\$1,260
<b>Platform</b>	Light package: 2 chassis mounted drive lights and 2 platform mounted work lights	\$1,995
12 to 20 ft. Jib-Extend™	Panel cradle package	\$905
8 ft. tri entry platform with side swing gate	Platform auxiliary top rail	\$1,000
AC power cord to platform	Platform control box cover	\$270
Drive enable system	Thumb rocker steering	No Charge
Dual axis joystick	Welder - Select Lincoln or Miller	\$14,105
Proportional controls <sup>3</sup>	Welder ready package	\$9,030
Horn	Operator Protective Alarm	\$4,315
Self-leveling platform	Traveling fall arrest anchor system: requires 6ft platform	\$3,600
	Traveling fall arrest anchor system: requires 8ft platform	\$3,700

**\*\* Tier 4f \*\*** engines available in US only

<sup>1</sup> Not available with Perkins engines

<sup>2</sup> 6 ft. platform only, not available with other platform options

<sup>3</sup> Excluding platform rotate and platform level

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Boom</b>	<b>GTH-5519</b>	<b>\$109,725</b>
48 in. pallet forks 1.5 x 4 x 48 in		
48 in. manual Quick-Attach™ carriage		
Boom angle indicator		
Auxiliary hydraulic circuit (18.5 GPM)		
Self-leveling fork frame		
Lifting shackle at boom tip		
<b>Cab</b>		
3 in. retractable seat belt		
Adjustable upholstered suspension seat		
Backup alarm		
Fully proportional boom and auxiliary hydraulic controls		
Machine level indicator		
Full gauge cluster with engine diagnostics		
Mirror - LH canopy mounted		
Multi-function joystick controller		
Power steering		
RH steel mesh screen		
Top glass		
ROPS/FOPS canopy		
Tilt steering wheel		
Telematics Ready Connector		
<b>Chassis</b>		
3-mode steering (2-wheel, 4-wheel and crab) with limited slip front differential		
Fenders - set of four		
Full time 4WD		
Internal multiple wet disc brakes		
Mirror - RH chassis-mounted		
Rough terrain air-filled tires		
Spring applied, hydraulic release parking brake		
Variable speed hydrostatic drive		
	<b><u>Powertrain Options</u></b>	
	Electric oil pan heater	\$360
	<b><u>Carriage/Attachment Options</u></b>	
	48 in. QA side shift carriage (4 in. R/L)	\$7,435
	48 in. QA side tilt (rotating) carriage	\$7,435
	6 ft. QA - 2,000 lb Truss Boom	\$3,815
	66 in. QA bucket with bolt-on cutting edge, 0.5/0.65 yd <sup>3</sup> struck / heaped	\$3,020
	78 in. QA scrap grapple bucket, 0.68/0.83 yd <sup>3</sup> struck / heaped	\$8,565
	Genie® Hydraulic Quick-Attach	\$1,495
	Universal skid steer adapter	\$2,550
	<b><u>Fork Options</u></b>	
	Set of two 60 in. pallet forks, 2 x 4 x 60 in.	\$650
	Set of four 48 in. cubing tines, 2 x 2 x 48 in.	\$2,550
	48" Heavy Duty Forks 1.75 x 4 x 48 in	\$390
	<b><u>Chassis and Cab Options</u></b>	
	Fire Extinguisher	\$400
	Flashing beacon	\$460
	Work lights: High output LED cab, boom, rear	\$1,345
	Road and Work lights: Work lights and front turn/headlights, rear stop/turn/tail	\$1,980
	Front and top glass	\$555
	Fully enclosed cab: full glass, heater, defroster, wipers, washer and split door	\$5,300
	Fully enclosed cab with air conditioner: full glass, heater, defroster, wipers, washer and split door	\$10,100
	Rear proximity alarm	\$2,515
	Rear proximity alarm ready	\$260
	LoJack Stolen Vehicle Recovery System	\$950
	Brick Guard	\$1,755
	<b><u>Tire Options</u></b>	
	Foam-filled rough terrain tires	\$5,135
	Solid rough terrain tires	\$9,295
<b>Engine</b>	<b>** Tier 4f ** engines available in US only</b>	
Cold start intake glow plug		
Deutz 74 HP TD 2.9 L4 Tier 4f diesel engine		

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Boom</b>	<b>GTH-636</b>	<b>\$145,335</b>
48 in. pallet forks (2 x 4 x 48 in.)		
48 in. manual Quick-Attach™ carriage		
Boom angle indicator		
Auxiliary hydraulic circuit (15 GPM)		
Self-leveling fork frame		
Lifting shackle at boom tip		
<b>Cab</b>	<b><u>Powertrain Options</u></b>	
3 in. retractable seat belt	Electric block heater	\$890
Adjustable upholstered suspension seat		
Backup alarm		
Full gauge cluster with engine diagnostics	<b><u>Carriage/Attachment Options</u></b>	
Fully proportional hydraulic boom controls	60 in. QA carriage	\$3,090
Machine level indicators	72 in. QA carriage	\$3,250
Mirror - LH canopy mounted	48 in. QA side tilt (rotating) carriage	\$7,610
Multi-function joystick controller	60 in. QA side tilt (rotating) carriage	\$7,770
Power steering	72 in. QA swing carriage (45 deg L/R)	\$10,415
RH steel mesh screen		
ROPS/FOPS canopy	<b><u>Fork Options</u></b>	
Tilt steering wheel	Set of two 60 in. pallet forks, 2 x 4 x 60 in.	\$650
Telematics Ready Connector	Set of two 72 in. pallet forks, 2 x 4 x 72 in.	\$1,325
	Set of two 60 in. lumber forks, 1.75 x 7 x 60 in.	\$1,900
	Set of four 48 in. cubing tines, 2 x 4 x 48 in.	\$2,550
<b>Chassis</b>	<b><u>Chassis/Cab Options</u></b>	
3-mode steering (2-wheel, 4-wheel and crab)	Dual joystick control	\$1,160
3-speed forward and 3-speed reverse	Fire extinguisher	\$405
power shift transmission	Flashing beacon	\$460
Rough terrain air-filled tires	Work lights: High output LED cab, boom, rear	\$1,345
Fenders - set of four	Road and Work lights: Work lights and front turn/headlights, rear stop/turn/tail	\$1,980
Frame leveling, ± 10°	Front and top glass	\$800
Front axle differential lock	Fully enclosed cab: full glass, heater, defroster fan, wipers, washer and split door	\$8,015
Full time 4WD	Fully enclosed cab with air conditioner: full glass, heater, defroster, wipers, washer and split door	\$12,770
Internal multiple wet disc brakes	Rear proximity alarm	\$2,515
Mirror - RH chassis-mounted	Rear proximity alarm ready	\$260
Spring applied, hydraulic release parking brake	LoJack Stolen Vehicle Recovery System	\$935
	<b><u>Tire Options</u></b>	
	Foam-filled rough terrain tires	\$6,800
	Solid rough terrain tires	\$11,675
<b>Engine</b>	<b>** Tier 4f ** engines available in US only</b>	
Deutz 74 HP, TD 2.9 L4, Tier 4f diesel engine		



# High Reach Telehandler GTH™-844

**\*\* Tier 4f \*\*** Effective January 1st, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Boom</b>		
48 in. pallet forks (2 x 4 x 48 in.)	<b>GTH-844, Deutz 74 HP, model TCD 3.6L4, Tier 4f diesel engine</b>	<b>\$168,705</b>
48 in. wide manual Quick-Attach™ carriage	<b>GTH-844, Deutz 99 HP, model TCD 3.6L4, Tier 4f diesel engine</b>	<b>\$180,955</b>
Boom angle indicator		
Auxiliary hydraulic circuit (15 GPM)		
Self-leveling fork frame		
Lifting shackle at boom tip		
<b>Cab</b>		
3 in. retractable seat belt		
Adjustable upholstered suspension seat		
Backup alarm		
Full gauge cluster with engine diagnostics		
Fully proportional hydraulic boom controls		
Machine level indicators		
Mirror - LH canopy mounted		
Multi-function joystick controller		
Power steering		
RH steel mesh screen		
ROPS/FOPS canopy		
Tilt steering wheel		
Telematics Ready Connector		
<b>Chassis</b>		
3-mode steering (2-wheel, 4-wheel and crab)		
3-speed forward and 3-speed reverse power shift transmission		
Rough terrain air-filled tires		
Fenders - set of four		
Frame leveling, ± 10°		
Front axle differential lock		
Full time 4WD		
Internal multiple wet disc brakes		
Mirror - RH chassis-mounted		
Rear axle stabilization system		
Spring applied, hydraulic release parking brake		
	<b><u>Powertrain Options</u></b>	
	Electric block heater	\$890
	<b><u>Carriage/Attachment Options</u></b>	
	60 in. QA carriage	\$3,120
	72 in. QA carriage	\$3,280
	48 in. QA side tilt (rotating) carriage	\$7,690
	60 in. QA side tilt (rotating) carriage	\$7,855
	72 in. QA swing carriage (45 deg L/R)	\$10,060
	<b><u>Fork Options</u></b>	
	Set of two 60 in. pallet forks, 2 x 4 x 60 in.	\$650
	Set of two 72 in. pallet forks, 2 x 4 x 72 in.	\$1,325
	Set of two 60 in. lumber forks, 1.75 x 7 x 60 in.	\$1,900
	Set of four 48 in. cubing tines, 2 x 2 x 48 in.	\$2,550
	<b><u>Chassis/Cab Options</u></b>	
	Dual joystick control	\$1,160
	Fire extinguisher	\$405
	Flashing beacon	\$460
	Work lights: High output LED cab, boom, rear	\$1,345
	Road and Work lights: Work lights and front turn/headlights, rear stop/turn/tail	\$1,980
	Front and top glass	\$800
	Fully enclosed cab: full glass, heater, defroster, wipers, washer and split door	\$8,090
	Fully enclosed cab with air conditioner: full glass, heater, defroster, wipers, washer and split door	\$12,895
	Rear proximity alarm	\$2,515
	Rear proximity alarm ready	\$260
	<b><u>Tire Options</u></b>	
	Foam-filled rough terrain tires	\$6,870
	Solid rough terrain tires	\$11,790

**\*\* Tier 4f \*\*** engines available in US only

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810



<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Boom</b>	<b>GTH-1056, Deutz 121 HP, model TCD 3.6L4, Tier 4f diesel engine</b>	<b>\$232,390</b>
48 in. pallet forks (2 x 4 x 48 in.)		
48 in. wide manual Quick-Attach™ carriage		
Auxiliary hydraulic circuit (15 GPM)		
Boom angle indicator		
Self-leveling fork frame		
Lifting shackle at boom tip		
<b>Cab</b>		
3 in. retractable seat belt		
Adjustable upholstered suspension seat		
Backup alarm		
Full gauge cluster with engine diagnostics		
Fully proportional hydraulic boom controls		
Machine level indicators		
Mirror - LH canopy mounted		
Multi-function joystick controller		
Power steering		
ROPS/FOPS canopy		
Tilt steering wheel		
Telematics Ready Connector		
<b>Chassis</b>		
3-mode steering (2-wheel, 4-wheel and crab)		
4-speed forward and 3-speed reverse		
power shift transmission		
Rough terrain air-filled tires		
Fenders - set of four		
Frame leveling, ± 10°		
Front axle differential lock		
Full time 4WD		
Internal multiple wet disc brakes		
Mirror - RH chassis-mounted		
Rear axle stabilization system		
Spring applied, hydraulic release		
parking brake		
Twin axle-mounted stabilizers		
	<b><u>Powertrain Options</u></b>	
	Electric block heater	\$890
	<b><u>Carriage/Attachment Options</u></b>	
	60 in. QA carriage	\$3,280
	72 in. QA carriage	\$3,445
	48 in. QA side tilt (rotating) carriage	\$7,800
	60 in. QA side tilt (rotating) carriage	\$8,015
	72 in. QA swing carriage (45 deg L/R)	\$10,415
	14 ft.QA Variable reach truss boom	\$5,345
	<b><u>Fork Options</u></b>	
	Set of two 60 in. pallet forks, 2 x 4 x 60 in.	\$650
	Set of two 72 in. pallet forks, 2 x 4 x 72 in.	\$1,325
	Set of two 60 in. lumber forks, 1.75 x 7 x 60 in.	\$1,900
	Set of six 48 in. cubing tines, 2 x 2 x 48 in.	\$2,550
	<b><u>Chassis/Cab Options</u></b>	
	Dual joystick control	\$1,160
	Fire extinguisher	\$405
	Flashing beacon	\$460
	Right side steel mesh screen for open canopy	\$735
	Work lights: High output LED cab, boom, rear	\$1,345
	Road and Work lights: Work lights and front turn/headlights, rear stop/turn/tail	\$1,980
	Front and top glass	\$800
	Fully enclosed cab: full glass, heater, defroster, wipers, washer and split door	\$8,090
	Fully enclosed cab with air conditioner: full glass, heater, defroster, wipers, washer and split door	\$12,895
	Rear proximity alarm	\$2,515
	Rear proximity alarm ready	\$260
	<b><u>Tire Options</u></b>	
	Foam-filled rough terrain tires	\$8,360
	Solid rough terrain tires	\$14,950

**\*\* Tier 4f \*\*** engines available in US only



# High Reach Telehandler GTH™ -1256

**\*\* Tier 4f \*\*** Effective January 1st, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Boom</b>	<b>GTH-1256</b>	<b>\$274,385</b>
60 in. pallet forks (2.4 x 5.9 x 60 in.)		
60 in. manual Quick-Attach™ carriage		
Boom angle indicator		
Self-leveling fork frame		
Auxiliary hydraulic circuit (15 GPM)		
Lifting shackle at boom tip		
<b>Cab</b>	<b><u>Powertrain Options</u></b>	
3 in. retractable seat belt	Cold weather kit (engine block heater, oil pan heater, and battery heater)	\$1,325
Adjustable upholstered suspension seat		
Backup alarm		
Full gauge cluster with engine diagnostics	<b><u>Carriage/Attachment Options</u></b>	
Fully proportional boom and auxiliary hydraulic controls	48 in. QA carriage	No Charge
Machine level indicators	72 in. QA carriage	\$2,210
Mirror - LH canopy mounted	60 in. QA side tilt (rotating) carriage	\$8,930
Multi-function joystick controller	72 in. QA side tilt (rotating) carriage	\$9,255
Power steering	7 ft. QA - 4,400 lb Truss Boom	\$5,820
ROPS/FOPS canopy	96 in. QA Heavy duty bucket with bolt on cutting edge, .87/1.0 yd3 struck/heaped	\$4,925
Right hand steel mesh screen	96 in QA Rubbish bucket	\$5,635
Top glass	60 in Dual positioning fork carriage	\$12,740
Tilt steering wheel		
Telematics Ready Connector	<b><u>Fork Options</u></b>	
	Set of two 72 in. pallet forks, 2.4 x 5.9 x 72 in.	\$1,310
	<b><u>Chassis/Cab Options</u></b>	
	Fire extinguisher	\$405
	Flashing beacon	\$460
	Work lights: 2 cab front mounted, 2 tail	\$1,345
	Road lights: 2 chassis mounted turn /headlights , 1 backup, 2 rear/stop/turn/tail	\$1,980
	Front and top glass	\$800
	Fully enclosed cab: full glass, heater, defroster, wipers, washer and split door	\$14,050
	Fully enclosed cab with air conditioner: full glass, heater, defroster, wipers, washer and split door	\$18,855
	Rear backup camera	\$2,875
<b>Chassis</b>	<b><u>Tire Options</u></b>	
Rear fisheye mirror	Foam-filled rough terrain tires	\$12,775
3-mode steering (2-wheel, 4-wheel and crab)		
Hydrostatic transmission - 2 speeds		
Transmission inch valve, brake pedal actuated		
Rough terrain air-filled tires		
Fenders - set of four		
Frame leveling, ± 7 degrees		
Front axle differential lock		
Full time 4WD		
Internal multiple wet disc brakes		
High efficiency/variable displacement- hydr. pump		
Mirror - RH chassis-mounted		
Rear axle stabilization system		
Spring applied, hydraulic release parking brake		
<b>Engine</b>		
Deutz 134 HP model TCD3.6 L4 T4f diesel engine		

**\*\* Tier 4i \*\*** engines available in US only

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810



# High Reach Telehandler GTH™-1544

**\*\* Tier 4f \*\*** Effective January 1st, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Boom</b>	<b>GTH™-1544</b>	<b>\$310,650</b>
60 in. pallet forks (2.4 x 5.9 x 60 in.)		
60 in. manual Quick-Attach™ carriage		
Boom angle indicator		
Self-leveling fork frame		
Auxiliary hydraulic circuit (15 GPM)		
Lifting shackle at boom tip		
<b>Cab</b>	<b><u>Powertrain Options</u></b>	
3 in. retractable seat belt	Cold weather kit (engine block heater, oil pan heater, and battery heater)	\$1,325
Adjustable upholstered suspension seat		
Backup alarm		
Full gauge cluster with engine diagnostics	<b><u>Carriage/Attachment Options</u></b>	
Fully proportional boom and auxiliary hydraulic controls	48 in. QA carriage	No Charge
Machine level indicators	72 in. QA carriage	\$2,210
Mirror - LH canopy mounted	60 in. QA side tilt (rotating) carriage	\$8,930
Multi-function joystick controller	72 in. QA side tilt (rotating) carriage	\$9,255
Power steering	7 ft. QA - 4,400 lb Truss Boom	\$5,820
ROPS/FOPS canopy	96 in. QA Heavy duty bucket with bolt on cutting edge, .87/1.0 yd3 struck/heaped	\$4,925
Right hand steel mesh screen	96 in QA Rubbish bucket	\$5,635
Top glass	60 in Dual positioning fork carriage	\$12,740
Tilt steering wheel		
Telematics Ready Connector	<b><u>Fork Options</u></b>	
	Set of two 72 in. pallet forks, 2.4 x 5.9 x 72 in.	\$1,310
	<b><u>Chassis/Cab Options</u></b>	
	Fire extinguisher	\$405
	Flashing beacon	\$460
	Work lights: 2 cab front mounted, 2 tail	\$1,345
	Road lights: 2 chassis mounted turn/headlights, 1 back-up, 2 rear/stop/turn/tail	\$1,980
	Front and top glass	\$800
	Fully enclosed cab: full glass, heater, defroster, wipers, washer and split door	\$14,050
	Fully enclosed cab with air conditioner: full glass, heater, defroster, wipers, washer and split door	\$18,855
	Rear backup camera	\$2,875
<b>Chassis</b>	<b><u>Chassis - Tire Options</u></b>	
Rear fisheye mirror	Foam-filled rough terrain tires	\$12,775
3-mode steering (2-wheel, 4-wheel and crab)		
Automatic Hydrostatic transmission - 2 speeds		
Transmission inch valve, brake pedal actuated		
Rough terrain air-filled tires		
Fenders - set of four		
Frame leveling, ± 7 degrees		
Front axle differential lock		
Full time 4WD		
Internal multiple wet disc brakes		
High efficiency/variable displacement-hydr. pump		
Mirror - RH chassis-mounted		
Rear axle stabilization system		
Spring applied, hydraulic release parking brake		
<b>Engine</b>		
Deutz 134 HP , model TCD3.6 L4, Tier 4f diesel engine		

**\*\* Tier 4f \*\*** engines available in US only

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810



# Trailer Mounted Z™-Booms

## TZ™-34/20

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>TZ-34 DC</b>	<b>\$33,355</b>
Combination hitch with choice of coupler from the Hitch Options list	<b><u>Chassis Options</u></b>	
Automatic 11 degree leveling system	Non-marking outrigger foot pads	\$355
Auxiliary platform descent	Spare tire	\$590
Hydraulic outriggers	Wheel chocks	\$275
Hydraulic surge brakes		
LED brake lights	<b><u>Hitch Options</u></b>	
Mechanical parking brake	2 inch ball coupler (lever lock or Bulldog™)	No Charge
Outrigger interlocks	2 5/16 inch ball coupler (lever lock or Bulldog™)	No Charge
Highway safety chains with snap hook	2 1/2 inch (6.53 cm) I.D. pintle ring coupler	No Charge
Telematics Ready Connector	Clevis coupler	No Charge
<b>Lift/Turntable</b>	<b><u>Lift/Turntable Options</u></b>	
24V DC power	Battery charge indicator (BCI)	\$780
355 degree non-continuous rotation	Flashing beacon	\$275
Hour meter	Horn	\$265
Illuminated outrigger indicators		
Tilt alarm/sensor	<b><u>Platform Options</u></b>	
	90 degree manual platform rotation	\$2,450
<b>Platform</b>	Fluorescent tube caddy	\$285
AC wiring to platform	Tool tray	\$285
Aluminum 26.8 in. x 44 in. platform		
Variable speed control system	<b><u>Tongue Jack</u></b>	
	Dual 10 inch air filled tires	\$155
<b>Tongue Jack</b>		
8 inch solid plastic wheel		

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810



# Trailer Mounted Z<sup>TM</sup>-Booms TZ<sup>TM</sup>-50

Effective January 1<sup>st</sup>, 2017

<u>Standard Features</u>	<u>Model</u>	<u>List Price</u>
<b>Chassis</b>	<b>TZ-50 DC</b>	<b>\$54,315</b>
Combination hitch with choice of coupler from the Hitch Options list	<b>TZ-50 Hybrid</b> with Gas Honda 5.5 HP charging system	<b>\$58,280</b>
Automatic 11 degree leveling system		
Auxiliary platform descent		
Hydraulic outriggers		
Hydraulic surge brakes		
LED brake lights		
Mechanical parking brake		
Outrigger interlocks		
Highway safety chains with snap hook		
Telematics Ready Connector		
<b>Lift/Turntable</b>	<b><u>Chassis Options</u></b>	
24V DC power	Drive and set option includes high capacity battery	\$9,840
355 degree non-continuous rotation	Non-marking outrigger foot pads	\$355
Hour meter	Spare tire	\$835
Illuminated outrigger indicators	Wheel chocks	\$275
Tilt alarm/sensor		
<b>Platform</b>	<b><u>Hitch Options</u></b>	
AC wiring to platform	2 inch ball coupler (lever lock or Bulldog <sup>TM</sup> )	No Charge
Aluminum 26.8 in. x 44 in. platform	2 5/16 inch ball coupler (lever lock or Bulldog <sup>TM</sup> )	No Charge
Variable speed control system	2 1/2 inch (6.53 cm) I.D. pintle ring coupler	No Charge
	Clevis coupler	No Charge
<b>Tongue Jack</b>	<b><u>Lift/Turntable Options</u></b>	
10 inch solid plastic wheels	Battery charge indicator (BCI)	\$780
	Flashing beacon	\$275
	High capacity battery	\$440
	Horn	\$265
	<b><u>Platform Options</u></b>	
	160 degree hydraulic platform rotation	\$2,450
	Fluorescent tube caddy	\$285
	Tool tray	\$285

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810

**RL<sup>TM</sup> 4**

Contact us at: 1-800-536-1810

AL<sup>TM</sup> 4

Effective January 1<sup>st</sup>, 2017

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7 1 16



# TEREX®

## Trailer Mounted Light Towers

AL™ 5

\*\* Tier 4f \*\* Effective January 1<sup>st</sup>, 2017

### Standard Features

#### **Chassis**

2 in. ball hitch  
30 gal fuel tank  
3500 lb. axle rating  
8 kW, 60 Hz generator  
Dome light inside cabinet  
DOT approved run, stop and turn lights  
(must specify 4, 6 or 7 pole)  
One 30A/240V T/L receptacle  
One GFI duplex receptacle, 20A/120V  
P205/75C15 tires  
Plug-in ballasts  
Pneumatic gas lift springs on doors  
Three 3,000 lbs. plated screw jacks  
Highway safety chains with snap hook  
Telematics Ready Connector

#### **Engine**

13.6 hp Kubota diesel engine, water cooled  
Low oil pressure and high temperature  
engine shut down

#### **Tower**

Four 1000W 19" metal halide lights  
round, spun aluminum axial mounted  
Hand winch operated 30 ft. galvanized tower  
Quick disconnect fixtures  
Retractable coiled power cord

### Model

AL5

### List Price

\$19,080

#### Chassis Options

30 gal fuel tank with spill containment	\$1,045
60 gal fuel tank	\$740
60 gal fuel tank with spill containment	\$1,585
Export racking and preparation	\$650
Extra GFI duplex receptacle, 20A/120V with breaker	\$125
Rubber door hold-down latches	\$85
Spare tire and wheel	\$435
Tough coat paint surface: cabinet and trailer front	\$740
Trailer brakes, electric	\$670
Trailer brakes, hydraulic surge: ball hitch	\$1,545
Trailer brakes, hydraulic surge: ring hitch	\$1,635

#### Hitch Options

2 5/16 inch ball coupler	\$285
2 1/2 inch I.D. pintle ring coupler	\$100
Combination ring and ball hitch	\$215
2 1/2 inch ring hitch, adjustable, 6"	\$145
3 Inch ring hitch, adjustable, 6"	\$160
2 inch bulldog hitch, fixed	\$200
2 5/16 inch bulldog hitch, fixed	\$260
2 5/16 inch bulldog hitch, adjustable, 6"	\$285

#### Engine Options

20 kW, 60 Hz generator, with 33.0 hp Isuzu turbo diesel -includes external receptacle package, and 2 ea. 20A/120V GFI, & 3 ea. 30A/240V T/L, 800 CCA battery, fuel/water separator filter	\$11,435
Automatic air shutdown	\$1,700
Fuel/water separator filter	\$225
Fuel/water separator with fuel line heater	\$510

#### Tower Options

Vertical mast with electric winch	\$2,215
6 metal halide lights	\$2,040
Electronic winch, 12 volt	\$1,200

#### Cold Weather Options

Cold Weather Package (includes 800 CCA battery, heater blanket, coolant heater, and low temp coolant)	\$395
800 CCA battery	\$130
1000 CCA battery	\$170
Battery heater blanket	\$170
Engine block heater	\$90
Low temperature coolant mixture (-40° F)	\$60

\*\* Tier 4f \*\* engines available in US only

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

www.genielift.com

Contact us at: 1-800-536-1810





# TEREX®

## Trailer Mounted Light Towers AL™ 5HT

**\*\* Tier 4f \*\*** Effective January 1<sup>st</sup>, 2017

### Standard Features

#### **Chassis**

2 in. ball hitch  
30 gal fuel tank  
4200 lb. axle rating  
8 kW, 60 Hz generator  
DOT approved run, stop and turn lights  
(must specify 4, 6 or 7 pole)  
Dome light inside cabinet  
Five 3,000 lbs. plated screw jacks  
One 30A/240V T/L receptacle  
One GFI duplex receptacle, 20A/120V  
P205/75C15 tires  
Plug-in ballasts  
Pneumatic gas lift springs on doors  
Highway safety chains with snap hook  
Telematics Ready Connector

#### **Engine**

13.6 hp Kubota diesel engine, water cooled  
Low oil pressure and high temperature  
engine shut down

#### **Tower**

Four 1000W metal halide lights  
mounted, cast aluminum square housing  
Hydraulically operated 28 ft.  
articulated, telescoping tower  
with 20 ft. of outreach  
Quick disconnect fixtures

### Model

**AL5HT (Hydraulic Tower)**

### List Price

**\$23,970**

### Chassis Options

30 gal fuel tank with spill containment	\$1,045
60 gal fuel tank	\$740
60 gal fuel tank with spill containment	\$1,585
Spare tire and wheel	\$435
Tough coat paint surface: cabinet and trailer front	\$740
Trailer brakes, electric	\$670
Trailer brakes, hydraulic surge: ball hitch	\$1,545
Trailer brakes, hydraulic surge: ring hitch	\$1,635

### Hitch Options

2 5/16 inch ball coupler	\$285
2 1/2 inch I.D. pintle ring coupler	\$100
Combination ring and ball hitch	\$215
2 1/2 inch ring hitch, adjustable, 6"	\$145
3 Inch ring hitch, adjustable, 6"	\$160
2 inch bulldog hitch, fixed	\$200
2 5/16 inch bulldog hitch, fixed	\$260
2 5/16 inch bulldog hitch, adjustable, 6"	\$285

### Engine Options

15 kW, 50 Hz generator with 16.3 hp Kubota diesel	\$6,675
20 kW, 60 Hz generator, with 33.0 hp Isuzu turbo diesel -includes external receptacle package, and 2 ea. 20A/120V GFI, & 3 ea. 30A/240V T/L, 800 CCA battery, fuel/water separator filter	\$11,435
Auto-Start	\$1,640
Automatic air shutdown	\$1,700
Fuel/water separator filter	\$225
Fuel/water separator with fuel line heater	\$510

### Tower Options

6 metal halide lights	\$2,040
8 metal halide lights: only available with 20 kW engine option	\$3,730
Tower Lock kit	\$320

### Cold Weather Options

Cold Weather Package (includes 800 CCA battery, heater blanket, coolant heater, and low temp coolant)	\$455
1000 CCA battery	\$170
Battery heater blanket	\$170
Engine block heater	\$90
Low temperature coolant mixture (-40° F)	\$60

**\*\* Tier 4f \*\* engines available in US only**

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 7\_1\_16

[www.genielift.com](http://www.genielift.com)

Contact us at: 1-800-536-1810



# Extended Service Protection Plans \*

## New Equipment Only

Effective January 1st, 2017

Model	(2/3/5) 2-Year 2,000 hr.	(3/3/5) 3-Year 3,000 hr.	(4/4/5) 4-Year 4,000 hr.	(5/5/5) 5-Year 5,000 hr.
S1530 & S1930		\$260		\$495
S2032		\$300		\$545
S2046		\$365		\$545
S2632 & S2646		\$365		\$715
S3232 & S3246		\$545		\$885
GS4047		\$580		\$1,160
S2668DC & S2669DC		\$890		\$1,210
S2668RT & S2669RT	\$715	\$1,020	\$1,870	\$2,255
S3268DC & S3369DC		\$1,020		\$1,540
GS4069DC	\$840	\$1,780	\$2,770	\$3,600
S3268RT & S3369RT	\$855	\$1,210	\$2,090	\$2,640
GS4069RT	\$860	\$1,830	\$2,830	\$3,690
S3384RT	\$1,210	\$1,540	\$2,640	\$3,300
S3390RT	\$1,210	\$1,650	\$3,080	\$3,740
S4390RT	\$1,320	\$1,870	\$3,080	\$3,850
S5390RT	\$1,540	\$2,090	\$3,740	\$4,620
S40	\$855	\$1,210	\$2,090	\$2,640
S45	\$890	\$1,210	\$2,090	\$2,860
S60X	\$1,210	\$1,650	\$2,860	\$3,740
S60XC	\$1,870	\$2,255	\$3,520	\$4,620
S60 TraX	\$2,420	\$3,520	\$4,620	\$5,940
S65	\$1,320	\$1,870	\$3,080	\$4,180
S65 TraX	\$2,640	\$3,960	\$4,950	\$6,380
S80	\$1,870	\$2,420	\$4,180	\$5,500
S85	\$1,870	\$2,640	\$4,620	\$5,940
S100	\$4,180	\$5,060	\$8,360	\$11,000
S105	\$4,620	\$5,500	\$8,800	\$11,550
S120	\$4,840	\$5,940	\$9,680	\$12,650
S125	\$5,060	\$5,940	\$10,120	\$12,650
SX180	\$7,040	\$9,680	\$15,950	\$23,650
Z30N	\$1,020	\$1,320	\$1,870	\$2,640
Z34	\$885	\$1,210	\$1,650	\$2,255
Z34N	\$1,020	\$1,210	\$1,870	\$2,420
Z40N	\$1,210	\$1,540	\$2,255	\$2,860
Z45E	\$1,210	\$1,320	\$2,090	\$2,860
Z45I	\$855	\$1,320	\$2,090	\$2,640
Z60 DC/FE	\$1,335	\$2,180	\$3,630	\$4,600
Z62	\$1,210	\$1,980	\$3,300	\$4,180
Z80	\$1,870	\$3,300	\$5,280	\$6,380
Z135	\$6,380	\$7,370	\$12,650	\$16,500
H5519 Full Machine	\$1,100	\$1,900	\$3,200	\$4,200
H5519 Power Train	\$805	\$1,700	\$1,900	\$2,200
H636 Full Machine	\$1,400	\$2,600	\$4,200	\$5,400
H636 Power Train	\$1,100	\$2,200	\$2,600	\$2,800
H844 Full Machine	\$1,700	\$3,000	\$5,000	\$6,400
H844 Power Train	\$1,200	\$2,600	\$3,000	\$3,200
H1056 Full Machine	\$2,200	\$4,200	\$6,700	\$8,500
H1056 Power Train	\$1,700	\$3,500	\$4,200	\$4,600
H1544 Full Machine	\$4,000	\$8,000	\$12,900	\$16,990
H1544 Power Train	\$2,250	\$4,550	\$7,000	\$9,500

\* All Extended Service Contract prices are Net prices. There are no additional discounts allowed.

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2011 Terex Corporation. Updated: 7\_1\_15

<u>Standard Features</u>	<u>Course</u>	<u>*List Price</u>
Provides information necessary to meet ANSI, OSHA and CSA requirements for Aerial Work Platform operator training	<b><u>Online Training</u></b> <b>Aerial Work Platform Operator Training</b> Web-based platform satisfies ANSI, OSHA and CSA requirements for general training. Available only through an Authorized Genie® Lift Pro Training provider.	<b>\$299</b>
Provides information necessary to meet ANSI/ITSDF, OSHA and CSA requirements for Telehandler operator training	<b>Telehandler Operator Training</b> Web-based platform satisfies ANSI/ITSDF, OSHA and CSA requirements for general training. Available only through an Authorized Genie® Lift Pro Training provider	<b>\$299</b>
Train-the-Trainer courses include a full Operator Training Kit for subject covered	<b><u>Train-the-Trainer</u></b> <b>Aerial Work Platform, per person - Genie Location</b> One day course which includes AWP operator training and provides the trainee the knowledge and materials they need to successfully train other operators.	<b>\$599</b>
	<b>Telehandler, per person - Genie Location</b> One day course which includes telehandler operator training and provides the trainee the knowledge and materials they need to successfully train other operators.	<b>\$599</b>
	<b>AWP and Telehandler Combined - Genie Location</b> Two day course which includes telehandler and AWP operator training and provides the trainee the knowledge and materials they need to successfully train other operators.	<b>\$899</b>
	<b>Field Training Administration Fee</b> Admin fee to be added to the price of the course when presented at a customer location. Admin fee is applied to each group up to 8 participants.	<b>\$1,999</b>
Operator Training Kits contain reproducible materials to allow the trainer to train an unlimited number of participants	<b><u>Operator Training Kits</u></b> <b>Aerial Work Platform</b> Training kit contains Trainer's Guide, reproducible Participant's Guide, DVD, CD, ANSI Responsibilities Manuals and sample Genie Operator's Manuals	<b>\$249</b>
	<b>Telehandler</b> Training kit contains Trainer's Guide, reproducible Participant's Guide, DVD, CD, and sample Genie Operator's Manuals	<b>\$249</b>
	<b>AWP and Telehandler Combined</b>	<b>\$429</b>

*\*Special discounting applies. Contact Genie Sales for quotes.*

This Price List supersedes all previously published Price Lists. Product specifications and prices are subject to change without notice or obligation. All prices are in U.S. dollars and do not include freight or taxes. All sales are subject to Terex USA, LLC terms and conditions of sale. Products and services listed may be trademarks, service marks, or trade names of Terex Corporation, Terex South Dakota, Inc., and/or their subsidiaries in the USA and other countries. All rights reserved. Terex is a registered trademark of Terex Corporation in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. in the USA and many other countries. ©2012 Terex Corporation. Updated: 07-1-15