

L&T Shelving Price List

EFFECTIVE JANUARY 1, 2015

This price list supersedes all previous price lists.
Prices subject to change without notice.

tennsco[®]
Storage Made Easy

Main Office: (800) 251-8184 * **FAX:** (800) 722-0134
Customer Service: (615) 446-8000
Website: www.tennsco.com * **E-mail:** info@tennsco.com

MAILING ADDRESS: P.O. Box 1888, Dickson, TN 37056-1888

SHIPPING ADDRESS: 201 Tennsco Drive Dickson, TN 37055

CONTENTS:

PRECONFIGURED UNITS


PAGE 2: Policies, Services and Warranty
PAGE 3: The L&T System - Component Reference Illustration
PAGE 4: Open Shelf Filing: 64" High 22 Gauge Shelves
PAGE 5: Open Shelf Filing: 64" High 18 Gauge Shelves
PAGE 6: Open Shelf Filing: 76" High 22 Gauge Shelves
PAGE 7: Open Shelf Filing: 76" High 18 Gauge Shelves
PAGE 8: Open Shelf Filing: 88" High 22 Gauge Shelves
PAGE 9: Open Shelf Filing: 88" High 18 Gauge Shelves
PAGE 10: Open Shelf Filing: 97" High 22 Gauge Shelves
PAGE 11: Open Shelf Filing: 97" High 18 Gauge Shelves
PAGE 12: Library Shelving: 76" High
PAGE 13: Library Shelving: 88" High
PAGE 14: Heavy Duty Shelving: 76" and 88" High, Open Style
PAGE 15: Heavy Duty Shelving: 76" and 88" High, Closed Style
PAGE 16: X-Ray Shelving: 85" High, Single and Double Style

COMPONENTS AND ACCESSORIES

PAGE 17: Open Uprights
PAGE 18: Closed Uprights
PAGE 19: Double-Wall (Library) Uprights
PAGE 20: Shelves — Thin Profile (18 & 22 gauge)
PAGE 21: Shelves — Thin Profile Slotted (18 & 22 gauge)
PAGE 22: Shelves — Library
PAGE 23: Shelves — Heavy, X-Ray, Particleboard
PAGE 24: Shelf Supports, Reinforcements, Hang Rods
PAGE 25: Backs, Reference Shelves, Periodical Shelves
PAGE 26: Door Kits, Retractable Doors, Dividers
PAGE 27: Back Stops, Center Stops, Nylon Feet
PAGE 28: Seismic Center Stop, Misc. Parts

FOR STANDARD COLORS, PLEASE REFER TO
TENNSCO'S L&T COLOR CARD (AVAILABLE ON REQUEST).

CALL FACTORY FOR SPECIAL OR MATCHED COLOR CHARGES.



TENNSCO QUICK-SHIP PROGRAM

NEED AN ORDER FAST? Look for the ♦ logo throughout the book.

Many of Tennsco's top items are available to ship in 2 days.

Quick Ship inventory is available in limited quantities and select colors. For larger orders, please contact customer service for availability.





Look for the red diamond!

POLICIES, SERVICES AND WARRANTY

POLICY AND SERVICES

PRICING: All prices are F.O.B. Tennsco Corp's Facility in Dickson, Tennessee. All orders are subject to final acceptance at the Home Office, Dickson, Tennessee. Prices subject to change without notice. Tennsco has the right to make product design changes at any time. Tennsco's prices do not include sales, use, excise or similar taxes. Consequently, in addition to the prices specified herein, the amount of any present or future sales, use, excise or similar tax applicable to the manufacture, sale, purchase or use of the goods sold hereunder shall be paid by Buyer. In lieu thereof, Buyer shall provide Seller with a tax exemption certificate acceptable to the applicable taxing authorities.

TERMS OF PAYMENT: Terms are Net 30 Days from date of shipment. A service charge of 1 1/2% per month will be charged for overdue invoices.

MINIMUM ORDERS: Minimum order is \$15.00.

SPECIFICATIONS: Tennsco reserves the right to change any product specifications contained in this price list.

FREIGHT CHARGES: All shipments will be made freight collect unless otherwise specified. If freight is prepared, it will be added to the invoice or billed separately, depending on arrangements. On shipments by parcel post, the postage will be added to the invoice. All routing will be done solely by the Home Office. If purchaser does not accept delivery of merchandise when ready for shipment, storage fees will be charged to the purchaser.

WEIGHT: Weights shown are approximate.

FREIGHT CLAIMS: Claims for shortages must be made in writing to the Home Office within 5 business days from receipt of shipment. Claims for damaged or lost material must be filed with the carrier.

CAUTION: When you give delivering carrier a clear receipt for a shipment in which there is damaged merchandise or a shortage, the carrier is relieved of further responsibility. Claims for damage or shortage must be filed by you with the delivering carrier. Tennsco will not accept return of merchandise damaged in transit. Your claim is with the delivering carrier.

PARTIAL SHIPMENTS: Tennsco reserves the right to make delivery in installments unless otherwise expressly stated herein. All such installments shall be separately invoiced and paid for when due, without regard to subsequent deliveries. Delay in delivery of all installments shall not relieve Buyer of its obligations to accept remaining deliveries.

SHIPPING TIME: Shipping dates are estimates only, based on standard manufacturing times. Tennsco makes every effort to meet shipping date requests, but will not be held liable for missed shipping dates. Once items are shipped, Tennsco is not responsible for delays caused by the delivering carrier. This includes, but is not limited to, delays in installation proceedings due to slow delivery by carrier.

CANCELLATIONS & RETURNS: Orders for "Special" items are not subject to change or cancellation. No return merchandise will be accepted without written consent of the General Office, Dickson, Tennessee. All returned shipments are subject to a handling charge of 25% plus all transportation charges incurred by Tennsco unless Tennsco is at fault. Once production of "Special" items has begun, cancellation of order is subject to Tennsco approval. A 15% surcharge will be assessed to approved cancelled items.

CODE RESTRICTIONS: Local building codes vary. It is the purchaser's responsibility to determine that product installation is in accordance with local requirements.

LIMITED WARRANTY

Tennsco warrants goods purchased hereunder to be free of defects in materials and workmanship for a period of one (1) year from the date of shipment, hereunder. Tennsco's warranty shall not apply in the event goods are damaged as a result of misuse, abuse, neglect, accident, improper application, modification or repair by persons not authorized by Seller, where goods are damaged during shipment. UNLESS CONSIDERED UNENFORCEABLE OR UNLAWFUL UNDER APPLICABLE LAW:

- a. ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY EXCLUDED.
- b. BUYERS REMEDY, IF ANY, FOR ANY DEFECTIVE GOODS SHALL BE LIMITED TO A REFUND BY SELLER OR REPLACEMENT OF THE GOODS AT SELLER'S OPTION AND SHALL IN NO EVENT INCLUDE DAMAGES OF ANY KIND, WHETHER INCIDENTAL, CONSEQUENTIAL OR OTHERWISE.


NO GOODS ACCEPTED FOR RETURN WITHOUT PRIOR APPROVAL. Seller shall have the right to inspect any goods claimed to be defective at Buyer's place of business or require Buyer to return the goods to Seller for inspection on Seller's premises. Transportation charges covering returned goods will be borne by Seller only if such goods are proven to be defective, are covered by this warranty and are returned within the warranty period stated above.

The L&T System



The L&T System

Tennsco L&T systems use a unique interlock design to combine strength and rigidity for extra functional flexibility and assembly ease. It literally snaps together in minutes for quick installation and reconfiguration whenever necessary.



L&T shelving offers a vast array of shelf accessories which can be easily added to any L&T unit. With so many options available, the illustration below may prove helpful in showing how many of the components and accessories work together.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 64" High - 22 Gauge Shelves



Look for the red diamond!

7 SHELVES, 6 OPENINGS



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base
Optional back available on page 25



ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 1 1/2"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-7-3012M5♦	4	30	12	64 1/4	96	366.00
LCT-7-3015M5♦	4	30	15	64 1/4	107	400.00
LCT-7-3612M5♦	4	36	12	64 1/4	107	366.00
LCT-7-3615M5♦	4	36	15	64 1/4	118	400.00
LCT-7-4212M5♦	4	42	12	64 1/4	132	445.00
LCT-7-4215M5♦	4	42	15	64 1/4	144	471.00
LCT-7-4812M5♦	5	48	12	64 1/4	149	493.00
LCT-7-4815M5♦	5	48	15	64 1/4	162	522.00
Double Entry						
LCT-7-3024M5♦§	8	30	24	64 1/4	203	576.00
LCT-7-3030M5♦*	8	30	30	64 1/4	237	672.00
LCT-7-3624M5♦§	8	36	24	64 1/4	211	576.00
LCT-7-3630M5♦*	8	36	30	64 1/4	246	672.00
LCT-7-4224M5♦*	8	42	24	64 1/4	253	678.00
LCT-7-4230M5♦*	8	42	30	64 1/4	284	760.00
LCT-7-4824M5♦*	10	48	24	64 1/4	285	759.00
LCT-7-4830M5♦*	10	48	30	64 1/4	320	846.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-7-3012M5♦	4	30	12	64 1/4	84	315.00
TOT-7-3015M5♦	4	30	15	64 1/4	92	343.00
TOT-7-3612M5♦	4	36	12	64 1/4	95	315.00
TOT-7-3615M5♦	4	36	15	64 1/4	103	343.00
TOT-7-4212M5♦	4	42	12	64 1/4	120	387.00
TOT-7-4215M5♦	4	42	15	64 1/4	129	414.00
TOT-7-4812M5♦	5	48	12	64 1/4	137	434.00
TOT-7-4815M5♦	5	48	15	64 1/4	147	465.00
Double Entry						
TOT-7-3024M5♦§	8	30	24	64 1/4	180	497.00
TOT-7-3030M5♦*	8	30	30	64 1/4	210	566.00
TOT-7-3624M5♦§	8	36	24	64 1/4	188	497.00
TOT-7-3630M5♦*	8	36	30	64 1/4	219	566.00
TOT-7-4224M5♦*	8	42	24	64 1/4	230	599.00
TOT-7-4230M5♦*	8	42	30	64 1/4	257	660.00
TOT-7-4824M5♦*	10	48	24	64 1/4	262	680.00
TOT-7-4830M5♦*	10	48	30	64 1/4	293	746.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

6 SHELVES, 5 OPENINGS



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25



ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-6-3012-5♦	4	30	12	64 1/4	86	327.00
LCT-6-3015-5♦	4	30	15	64 1/4	95	358.00
LCT-6-3612-5♦	4	36	12	64 1/4	95	327.00
LCT-6-3615-5♦	4	36	15	64 1/4	104	358.00
LCT-6-4212-5♦	4	42	12	64 1/4	116	395.00
LCT-6-4215-5♦	4	42	15	64 1/4	127	425.00
LCT-6-4812-5♦	5	48	12	64 1/4	131	436.00
LCT-6-4815-5♦	5	48	15	64 1/4	142	469.00
Double Entry						
LCT-6-3024-5♦§	8	30	24	64 1/4	146	514.00
LCT-6-3030-5♦*	8	30	30	64 1/4	167	597.00
LCT-6-3624-5♦§	8	36	24	64 1/4	159	514.00
LCT-6-3630-5♦*	8	36	30	64 1/4	183	597.00
LCT-6-4224-5♦*	8	42	24	64 1/4	191	606.00
LCT-6-4230-5♦*	8	42	30	64 1/4	211	679.00
LCT-6-4824-5♦*	10	48	24	64 1/4	214	677.00
LCT-6-4830-5♦*	10	48	30	64 1/4	236	754.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-6-3012-5♦	4	30	12	64 1/4	74	276.00
TOT-6-3015-5♦	4	30	15	64 1/4	80	301.00
TOT-6-3612-5♦	4	36	12	64 1/4	83	276.00
TOT-6-3615-5♦	4	36	15	64 1/4	89	301.00
TOT-6-4212-5♦	4	42	12	64 1/4	104	344.00
TOT-6-4215-5♦	4	42	15	64 1/4	112	368.00
TOT-6-4812-5♦	5	48	12	64 1/4	119	385.00
TOT-6-4815-5♦	5	48	15	64 1/4	127	412.00
Double Entry						
TOT-6-3024-5♦§	8	30	24	64 1/4	122	435.00
TOT-6-3030-5♦*	8	30	30	64 1/4	140	497.00
TOT-6-3624-5♦§	8	36	24	64 1/4	136	435.00
TOT-6-3630-5♦*	8	36	30	64 1/4	156	497.00
TOT-6-4224-5♦*	8	42	24	64 1/4	167	527.00
TOT-6-4230-5♦*	8	42	30	64 1/4	184	579.00
TOT-6-4824-5♦*	10	48	24	64 1/4	191	598.00
TOT-6-4830-5♦*	10	48	30	64 1/4	209	654.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LCT-7-3012-6 becomes LCT-7-3012M6. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 64" High - 18 Gauge Shelves

Look for the red diamond!



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports (TS), with SHS supports at bottom level
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 1 1/2"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.



7 SHELVES, 6 OPENINGS

ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports (TS), with SHS supports at bottom level
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ7-3012M5	4	30	12	64 1/4	110	441.00
LCTQ7-3015M5	4	30	15	64 1/4	123	484.00
LCTQ7-3612M5	4	36	12	64 1/4	123	441.00
LCTQ7-3615M5	4	36	15	64 1/4	138	484.00
LCTQ7-4212M5	4	42	12	64 1/4	151	519.00
LCTQ7-4215M5	4	42	15	64 1/4	167	575.00
LCTQ7-4812M5	5	48	12	64 1/4	171	585.00
LCTQ7-4815M5	5	48	15	64 1/4	189	636.00
Double Entry						
LCTQ7-3024M5 §	8	30	24	64 1/4	203	690.00
LCTQ7-3030M5 *	8	30	30	64 1/4	237	834.00
LCTQ7-3624M5 §	8	36	24	64 1/4	211	690.00
LCTQ7-3630M5 *	8	36	30	64 1/4	246	834.00
LCTQ7-4224M5 *	8	42	24	64 1/4	253	822.00
LCTQ7-4230M5 *	8	42	30	64 1/4	284	946.00
LCTQ7-4824M5 *	10	48	24	64 1/4	285	903.00
LCTQ7-4830M5 *	10	48	30	64 1/4	320	1,050.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ7-3012M5	4	30	12	64 1/4	98	390.00
TOTQ7-3015M5	4	30	15	64 1/4	108	427.00
TOTQ7-3612M5	4	36	12	64 1/4	111	390.00
TOTQ7-3615M5	4	36	15	64 1/4	123	427.00
TOTQ7-4212M5	4	42	12	64 1/4	139	468.00
TOTQ7-4215M5	4	42	15	64 1/4	152	518.00
TOTQ7-4812M5	5	48	12	64 1/4	159	534.00
TOTQ7-4815M5	5	48	15	64 1/4	174	579.00
Double Entry						
TOTQ7-3024M5 §	8	30	24	64 1/4	180	611.00
TOTQ7-3030M5 *	8	30	30	64 1/4	210	734.00
TOTQ7-3624M5 §	8	36	24	64 1/4	188	611.00
TOTQ7-3630M5 *	8	36	30	64 1/4	219	734.00
TOTQ7-4224M5 *	8	42	24	64 1/4	230	743.00
TOTQ7-4230M5 *	8	42	30	64 1/4	257	846.00
TOTQ7-4824M5 *	10	48	24	64 1/4	262	824.00
TOTQ7-4830M5 *	10	48	30	64 1/4	293	950.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



6 SHELVES, 5 OPENINGS

ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ6-3012-5	4	30	12	64 1/4	97	390.00
LCTQ6-3015-5	4	30	15	64 1/4	109	428.00
LCTQ6-3612-5	4	36	12	64 1/4	108	390.00
LCTQ6-3615-5	4	36	15	64 1/4	121	428.00
LCTQ6-4212-5	4	42	12	64 1/4	132	463.00
LCTQ6-4215-5	4	42	15	64 1/4	147	511.00
LCTQ6-4812-5	5	48	12	64 1/4	149	519.00
LCTQ6-4815-5	5	48	15	64 1/4	164	564.00
Double Entry						
LCTQ6-3024-5 §	8	30	24	64 1/4	178	609.00
LCTQ6-3030-5 *	8	30	30	64 1/4	207	732.00
LCTQ6-3624-5 §	8	36	24	64 1/4	185	609.00
LCTQ6-3630-5 *	8	36	30	64 1/4	215	732.00
LCTQ6-4224-5 *	8	42	24	64 1/4	220	726.00
LCTQ6-4230-5 *	8	42	30	64 1/4	247	834.00
LCTQ6-4824-5 *	10	48	24	64 1/4	247	797.00
LCTQ6-4830-5 *	10	48	30	64 1/4	278	924.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ6-3012-5	4	30	12	64 1/4	85	339.00
TOTQ6-3015-5	4	30	15	64 1/4	94	371.00
TOTQ6-3612-5	4	36	12	64 1/4	96	339.00
TOTQ6-3615-5	4	36	15	64 1/4	106	371.00
TOTQ6-4212-5	4	42	12	64 1/4	120	412.00
TOTQ6-4215-5	4	42	15	64 1/4	132	454.00
TOTQ6-4812-5	5	48	12	64 1/4	137	468.00
TOTQ6-4815-5	5	48	15	64 1/4	149	507.00
Double Entry						
TOTQ6-3024-5 §	8	30	24	64 1/4	154	530.00
TOTQ6-3030-5 *	8	30	30	64 1/4	180	632.00
TOTQ6-3624-5 §	8	36	24	64 1/4	162	530.00
TOTQ6-3630-5 *	8	36	30	64 1/4	188	632.00
TOTQ6-4224-5 *	8	42	24	64 1/4	197	647.00
TOTQ6-4230-5 *	8	42	30	64 1/4	220	734.00
TOTQ6-4824-5 *	10	48	24	64 1/4	224	718.00
TOTQ6-4830-5 *	10	48	30	64 1/4	251	824.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LCTQ6-3012-5 becomes LCTQ6-3012M5. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 76" High - 22 Gauge Shelves



Look for the red diamond!

8 SHELVES, 7 OPENINGS



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 3"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.



ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-8-3012-6♦	4	30	12	76 1/4	110	413.00
LCT-8-3015-6♦	4	30	15	76 1/4	120	451.00
LCT-8-3612-6♦	4	36	12	76 1/4	122	413.00
LCT-8-3615-6♦	4	36	15	76 1/4	132	451.00
LCT-8-4212-6♦	4	42	12	76 1/4	151	504.00
LCT-8-4215-6♦	4	42	15	76 1/4	162	540.00
LCT-8-4812-6♦	5	48	12	76 1/4	170	559.00
LCT-8-4815-6♦	5	48	15	76 1/4	183	599.00
Double Entry						
LCT-8-3024-6♦§	8	30	24	76 1/4	187	670.00
LCT-8-3030-6♦*	8	30	30	76 1/4	217	779.00
LCT-8-3624-6♦§	8	36	24	76 1/4	205	670.00
LCT-8-3630-6♦*	8	36	30	76 1/4	239	779.00
LCT-8-4224-6♦*	8	42	24	76 1/4	247	793.00
LCT-8-4230-6♦*	8	42	30	76 1/4	275	888.00
LCT-8-4824-6♦*	10	48	24	76 1/4	278	889.00
LCT-8-4830-6♦*	10	48	30	76 1/4	310	989.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-8-3012-6♦	4	30	12	76 1/4	97	358.00
TOT-8-3015-6♦	4	30	15	76 1/4	104	386.00
TOT-8-3612-6♦	4	36	12	76 1/4	109	358.00
TOT-8-3615-6♦	4	36	15	76 1/4	116	386.00
TOT-8-4212-6♦	4	42	12	76 1/4	138	449.00
TOT-8-4215-6♦	4	42	15	76 1/4	146	475.00
TOT-8-4812-6♦	5	48	12	76 1/4	157	504.00
TOT-8-4815-6♦	5	48	15	76 1/4	167	534.00
Double Entry						
TOT-8-3024-6♦§	8	30	24	76 1/4	161	573.00
TOT-8-3030-6♦*	8	30	30	76 1/4	186	665.00
TOT-8-3624-6♦§	8	36	24	76 1/4	179	573.00
TOT-8-3630-6♦*	8	36	30	76 1/4	208	665.00
TOT-8-4224-6♦*	8	42	24	76 1/4	221	696.00
TOT-8-4230-6♦*	8	42	30	76 1/4	245	774.00
TOT-8-4824-6♦*	10	48	24	76 1/4	252	792.00
TOT-8-4830-6♦*	10	48	30	76 1/4	279	875.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

7 SHELVES, 6 OPENINGS



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-7-3012-6♦	4	30	12	76 1/4	100	376.00
LCT-7-3015-6♦	4	30	15	76 1/4	109	410.00
LCT-7-3612-6♦	4	36	12	76 1/4	111	376.00
LCT-7-3615-6♦	4	36	15	76 1/4	120	410.00
LCT-7-4212-6♦	4	42	12	76 1/4	136	455.00
LCT-7-4215-6♦	4	42	15	76 1/4	146	489.00
LCT-7-4812-6♦	5	48	12	76 1/4	152	503.00
LCT-7-4815-6♦	5	48	15	76 1/4	164	540.00
Double Entry						
LCT-7-3024-6♦§	8	30	24	76 1/4	169	607.00
LCT-7-3030-6♦*	8	30	30	76 1/4	195	705.00
LCT-7-3624-6♦§	8	36	24	76 1/4	185	607.00
LCT-7-3630-6♦*	8	36	30	76 1/4	215	705.00
LCT-7-4224-6♦*	8	42	24	76 1/4	221	715.00
LCT-7-4230-6♦*	8	42	30	76 1/4	247	800.00
LCT-7-4824-6♦*	10	48	24	76 1/4	249	798.00
LCT-7-4830-6♦*	10	48	30	76 1/4	277	889.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-7-3012-6♦	4	30	12	76 1/4	86	321.00
TOT-7-3015-6♦	4	30	15	76 1/4	92	345.00
TOT-7-3612-6♦	4	36	12	76 1/4	97	321.00
TOT-7-3615-6♦	4	36	15	76 1/4	103	345.00
TOT-7-4212-6♦	4	42	12	76 1/4	122	400.00
TOT-7-4215-6♦	4	42	15	76 1/4	130	424.00
TOT-7-4812-6♦	5	48	12	76 1/4	139	448.00
TOT-7-4815-6♦	5	48	15	76 1/4	148	475.00
Double Entry						
TOT-7-3024-6♦§	8	30	24	76 1/4	143	510.00
TOT-7-3030-6♦*	8	30	30	76 1/4	165	591.00
TOT-7-3624-6♦§	8	36	24	76 1/4	159	510.00
TOT-7-3630-6♦*	8	36	30	76 1/4	184	591.00
TOT-7-4224-6♦*	8	42	24	76 1/4	195	618.00
TOT-7-4230-6♦*	8	42	30	76 1/4	216	686.00
TOT-7-4824-6♦*	10	48	24	76 1/4	223	701.00
TOT-7-4830-6♦*	10	48	30	76 1/4	246	775.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LCT-7-3012-6 becomes LCT-7-3012M6. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS


Open Shelf Filing, 76" High - 18 Gauge Shelves

Look for the red diamond!



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 3"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.



8 SHELVES, 7 OPENINGS


ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ8-3012-6	4	30	12	76 1/4	126	501.00
LCTQ8-3015-6	4	30	15	76 1/4	140	549.00
LCTQ8-3612-6	4	36	12	76 1/4	141	501.00
LCTQ8-3615-6	4	36	15	76 1/4	156	549.00
LCTQ8-4212-6	4	42	12	76 1/4	173	598.00
LCTQ8-4215-6	4	42	15	76 1/4	190	661.00
LCTQ8-4812-6	5	48	12	76 1/4	195	676.00
LCTQ8-4815-6	5	48	15	76 1/4	214	732.00
Double Entry						
LCTQ8-3024-6 §	8	30	24	76 1/4	232	803.00
LCTQ8-3030-6 *	8	30	30	76 1/4	274	968.00
LCTQ8-3624-6 §	8	36	24	76 1/4	241	803.00
LCTQ8-3630-6 *	8	36	30	76 1/4	283	968.00
LCTQ8-4224-6 *	8	42	24	76 1/4	288	961.00
LCTQ8-4230-6 *	8	42	30	76 1/4	326	1,105.00
LCTQ8-4824-6 *	10	48	24	76 1/4	325	1,057.00
LCTQ8-4830-6 *	10	48	30	76 1/4	368	1,227.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ8-3012-6	4	30	12	76 1/4	113	446.00
TOTQ8-3015-6	4	30	15	76 1/4	123	484.00
TOTQ8-3612-6	4	36	12	76 1/4	128	446.00
TOTQ8-3615-6	4	36	15	76 1/4	140	484.00
TOTQ8-4212-6	4	42	12	76 1/4	159	543.00
TOTQ8-4215-6	4	42	15	76 1/4	173	596.00
TOTQ8-4812-6	5	48	12	76 1/4	182	621.00
TOTQ8-4815-6	5	48	15	76 1/4	198	667.00
Double Entry						
TOTQ8-3024-6 §	8	30	24	76 1/4	206	706.00
TOTQ8-3030-6 *	8	30	30	76 1/4	243	854.00
TOTQ8-3624-6 §	8	36	24	76 1/4	215	706.00
TOTQ8-3630-6 *	8	36	30	76 1/4	252	854.00
TOTQ8-4224-6 *	8	42	24	76 1/4	262	864.00
TOTQ8-4230-6 *	8	42	30	76 1/4	296	991.00
TOTQ8-4824-6 *	10	48	24	76 1/4	299	960.00
TOTQ8-4830-6 *	10	48	30	76 1/4	337	1,113.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



7 SHELVES, 6 OPENINGS

ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ7-3012-6	4	30	12	76 1/4	114	451.00
LCTQ7-3015-6	4	30	15	76 1/4	125	495.00
LCTQ7-3612-6	4	36	12	76 1/4	127	451.00
LCTQ7-3615-6	4	36	15	76 1/4	140	495.00
LCTQ7-4212-6	4	42	12	76 1/4	154	536.00
LCTQ7-4215-6	4	42	15	76 1/4	169	592.00
LCTQ7-4812-6	5	48	12	76 1/4	174	604.00
LCTQ7-4815-6	5	48	15	76 1/4	191	654.00
Double Entry						
LCTQ7-3024-6 §	8	30	24	76 1/4	207	721.00
LCTQ7-3030-6 *	8	30	30	76 1/4	244	867.00
LCTQ7-3624-6 §	8	36	24	76 1/4	215	721.00
LCTQ7-3630-6 *	8	36	30	76 1/4	253	867.00
LCTQ7-4224-6 *	8	42	24	76 1/4	257	859.00
LCTQ7-4230-6 *	8	42	30	76 1/4	291	986.00
LCTQ7-4824-6 *	10	48	24	76 1/4	289	942.00
LCTQ7-4830-6 *	10	48	30	76 1/4	327	1,093.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ7-3012-6	4	30	12	76 1/4	100	396.00
TOTQ7-3015-6	4	30	15	76 1/4	109	430.00
TOTQ7-3612-6	4	36	12	76 1/4	113	396.00
TOTQ7-3615-6	4	36	15	76 1/4	124	430.00
TOTQ7-4212-6	4	42	12	76 1/4	141	481.00
TOTQ7-4215-6	4	42	15	76 1/4	153	527.00
TOTQ7-4812-6	5	48	12	76 1/4	161	549.00
TOTQ7-4815-6	5	48	15	76 1/4	174	589.00
Double Entry						
TOTQ7-3024-6 §	8	30	24	76 1/4	181	624.00
TOTQ7-3030-6 *	8	30	30	76 1/4	213	753.00
TOTQ7-3624-6 §	8	36	24	76 1/4	189	624.00
TOTQ7-3630-6 *	8	36	30	76 1/4	222	753.00
TOTQ7-4224-6 *	8	42	24	76 1/4	231	762.00
TOTQ7-4230-6 *	8	42	30	76 1/4	260	872.00
TOTQ7-4824-6 *	10	48	24	76 1/4	263	845.00
TOTQ7-4830-6 *	10	48	30	76 1/4	296	979.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LCTQ7-3012-6 becomes LCTQ7-3012M6. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 88" High - 22 Gauge Shelves



Look for the red diamond!

9 SHELVES, 8 OPENINGS



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 4 1/2"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-9-3012-7 ♦	4	30	12	88 1/4	126	468.00
LCT-9-3015-7 ♦	4	30	15	88 1/4	136	515.00
LCT-9-3612-7 ♦	4	36	12	88 1/4	140	468.00
LCT-9-3615-7 ♦	4	36	15	88 1/4	150	515.00
LCT-9-4212-7 ♦	4	42	12	88 1/4	172	570.00
LCT-9-4215-7 ♦	4	42	15	88 1/4	184	616.00
LCT-9-4812-7 ♦	5	48	12	88 1/4	194	632.00
LCT-9-4815-7 ♦	5	48	15	88 1/4	208	682.00
Double Entry						
LCT-9-3024-7 ♦§	8	30	24	88 1/4	213	764.00
LCT-9-3030-7 ♦*	8	30	30	88 1/4	245	884.00
LCT-9-3624-7 ♦§	8	36	24	88 1/4	233	764.00
LCT-9-3630-7 ♦*	8	36	30	88 1/4	270	884.00
LCT-9-4224-7 ♦*	8	42	24	88 1/4	281	904.00
LCT-9-4230-7 ♦*	8	42	30	88 1/4	311	1,007.00
LCT-9-4824-7 ♦*	10	48	24	88 1/4	316	1,012.00
LCT-9-4830-7 ♦*	10	48	30	88 1/4	350	1,122.00



ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-9-3012-7 ♦	4	30	12	88 1/4	109	404.00
TOT-9-3015-7 ♦	4	30	15	88 1/4	118	439.00
TOT-9-3612-7 ♦	4	36	12	88 1/4	123	404.00
TOT-9-3615-7 ♦	4	36	15	88 1/4	132	439.00
TOT-9-4212-7 ♦	4	42	12	88 1/4	155	506.00
TOT-9-4215-7 ♦	4	42	15	88 1/4	166	540.00
TOT-9-4812-7 ♦	5	48	12	88 1/4	177	568.00
TOT-9-4815-7 ♦	5	48	15	88 1/4	190	606.00
Double Entry						
TOT-9-3024-7 ♦§	8	30	24	88 1/4	183	654.00
TOT-9-3030-7 ♦*	8	30	30	88 1/4	212	753.00
TOT-9-3624-7 ♦§	8	36	24	88 1/4	203	654.00
TOT-9-3630-7 ♦*	8	36	30	88 1/4	237	753.00
TOT-9-4224-7 ♦*	8	42	24	88 1/4	251	794.00
TOT-9-4230-7 ♦*	8	42	30	88 1/4	278	876.00
TOT-9-4824-7 ♦*	10	48	24	88 1/4	286	902.00
TOT-9-4830-7 ♦*	10	48	30	88 1/4	317	991.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

8 SHELVES, 7 OPENINGS



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-8-3012-7 ♦	4	30	12	88 1/4	115	429.00
LCT-8-3015-7 ♦	4	30	15	88 1/4	124	472.00
LCT-8-3612-7 ♦	4	36	12	88 1/4	128	429.00
LCT-8-3615-7 ♦	4	36	15	88 1/4	137	472.00
LCT-8-4212-7 ♦	4	42	12	88 1/4	156	520.00
LCT-8-4215-7 ♦	4	42	15	88 1/4	167	562.00
LCT-8-4812-7 ♦	5	48	12	88 1/4	175	575.00
LCT-8-4815-7 ♦	5	48	15	88 1/4	188	621.00
Double Entry						
LCT-8-3024-7 ♦§	8	30	24	88 1/4	194	697.00
LCT-8-3030-7 ♦*	8	30	30	88 1/4	223	806.00
LCT-8-3624-7 ♦§	8	36	24	88 1/4	212	697.00
LCT-8-3630-7 ♦*	8	36	30	88 1/4	245	806.00
LCT-8-4224-7 ♦*	8	42	24	88 1/4	254	821.00
LCT-8-4230-7 ♦*	8	42	30	88 1/4	282	916.00
LCT-8-4824-7 ♦*	10	48	24	88 1/4	285	917.00
LCT-8-4830-7 ♦*	10	48	30	88 1/4	316	1,017.00



ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-8-3012-7 ♦	4	30	12	88 1/4	98	365.00
TOT-8-3015-7 ♦	4	30	15	88 1/4	106	396.00
TOT-8-3612-7 ♦	4	36	12	88 1/4	111	365.00
TOT-8-3615-7 ♦	4	36	15	88 1/4	119	396.00
TOT-8-4212-7 ♦	4	42	12	88 1/4	139	456.00
TOT-8-4215-7 ♦	4	42	15	88 1/4	149	486.00
TOT-8-4812-7 ♦	5	48	12	88 1/4	158	511.00
TOT-8-4815-7 ♦	5	48	15	88 1/4	170	545.00
Double Entry						
TOT-8-3024-7 ♦§	8	30	24	88 1/4	164	587.00
TOT-8-3030-7 ♦*	8	30	30	88 1/4	190	675.00
TOT-8-3624-7 ♦§	8	36	24	88 1/4	182	587.00
TOT-8-3630-7 ♦*	8	36	30	88 1/4	212	675.00
TOT-8-4224-7 ♦*	8	42	24	88 1/4	224	711.00
TOT-8-4230-7 ♦*	8	42	30	88 1/4	249	785.00
TOT-8-4824-7 ♦*	10	48	24	88 1/4	255	807.00
TOT-8-4830-7 ♦*	10	48	30	88 1/4	283	886.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LCT-8-3012-7 becomes LCT-8-3012M7. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 88" High - 18 Gauge Shelves

Look for the red diamond!




9 SHELVES, 8 OPENINGS



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 3"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.



ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ9-3012-7	4	30	12	88 1/4	144	568.00
LCTQ9-3015-7	4	30	15	88 1/4	158	627.00
LCTQ9-3612-7	4	36	12	88 1/4	161	568.00
LCTQ9-3615-7	4	36	15	88 1/4	177	627.00
LCTQ9-4212-7	4	42	12	88 1/4	197	678.00
LCTQ9-4215-7	4	42	15	88 1/4	215	753.00
LCTQ9-4812-7	5	48	12	88 1/4	223	766.00
LCTQ9-4815-7	5	48	15	88 1/4	243	834.00
Double Entry						
LCTQ9-3024-7§	8	30	24	88 1/4	264	916.00
LCTQ9-3030-7*	8	30	30	88 1/4	310	1,100.00
LCTQ9-3624-7§	8	36	24	88 1/4	274	916.00
LCTQ9-3630-7*	8	36	30	88 1/4	321	1,100.00
LCTQ9-4224-7*	8	42	24	88 1/4	328	1,096.00
LCTQ9-4230-7*	8	42	30	88 1/4	370	1,255.00
LCTQ9-4824-7*	10	48	24	88 1/4	370	1,204.00
LCTQ9-4830-7*	10	48	30	88 1/4	417	1,394.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ9-3012-7	4	30	12	88 1/4	127	504.00
TOTQ9-3015-7	4	30	15	88 1/4	140	551.00
TOTQ9-3612-7	4	36	12	88 1/4	144	504.00
TOTQ9-3615-7	4	36	15	88 1/4	159	551.00
TOTQ9-4212-7	4	42	12	88 1/4	180	614.00
TOTQ9-4215-7	4	42	15	88 1/4	197	677.00
TOTQ9-4812-7	5	48	12	88 1/4	206	702.00
TOTQ9-4815-7	5	48	15	88 1/4	225	758.00
Double Entry						
TOTQ9-3024-7§	8	30	24	88 1/4	234	806.00
TOTQ9-3030-7*	8	30	30	88 1/4	277	969.00
TOTQ9-3624-7§	8	36	24	88 1/4	244	806.00
TOTQ9-3630-7*	8	36	30	88 1/4	288	969.00
TOTQ9-4224-7*	8	42	24	88 1/4	298	986.00
TOTQ9-4230-7*	8	42	30	88 1/4	337	1,124.00
TOTQ9-4824-7*	10	48	24	88 1/4	340	1,094.00
TOTQ9-4830-7*	10	48	30	88 1/4	384	1,263.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

8 SHELVES, 7 OPENINGS



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ8-3012-7	4	30	12	88 1/4	131	517.00
LCTQ8-3015-7	4	30	15	88 1/4	144	571.00
LCTQ8-3612-7	4	36	12	88 1/4	146	517.00
LCTQ8-3615-7	4	36	15	88 1/4	161	571.00
LCTQ8-4212-7	4	42	12	88 1/4	178	614.00
LCTQ8-4215-7	4	42	15	88 1/4	194	683.00
LCTQ8-4812-7	5	48	12	88 1/4	201	692.00
LCTQ8-4815-7	5	48	15	88 1/4	219	754.00
Double Entry						
LCTQ8-3024-7§	8	30	24	88 1/4	239	830.00
LCTQ8-3030-7*	8	30	30	88 1/4	280	995.00
LCTQ8-3624-7§	8	36	24	88 1/4	248	830.00
LCTQ8-3630-7*	8	36	30	88 1/4	289	995.00
LCTQ8-4224-7*	8	42	24	88 1/4	295	989.00
LCTQ8-4230-7*	8	42	30	88 1/4	333	1,133.00
LCTQ8-4824-7*	10	48	24	88 1/4	332	1,085.00
LCTQ8-4830-7*	10	48	30	88 1/4	375	1,255.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ8-3012-7	4	30	12	88 1/4	114	453.00
TOTQ8-3015-7	4	30	15	88 1/4	126	495.00
TOTQ8-3612-7	4	36	12	88 1/4	129	453.00
TOTQ8-3615-7	4	36	15	88 1/4	143	495.00
TOTQ8-4212-7	4	42	12	88 1/4	161	550.00
TOTQ8-4215-7	4	42	15	88 1/4	176	607.00
TOTQ8-4812-7	5	48	12	88 1/4	184	628.00
TOTQ8-4815-7	5	48	15	88 1/4	201	678.00
Double Entry						
TOTQ8-3024-7§	8	30	24	88 1/4	209	720.00
TOTQ8-3030-7*	8	30	30	88 1/4	247	864.00
TOTQ8-3624-7§	8	36	24	88 1/4	218	720.00
TOTQ8-3630-7*	8	36	30	88 1/4	256	864.00
TOTQ8-4224-7*	8	42	24	88 1/4	265	879.00
TOTQ8-4230-7*	8	42	30	88 1/4	300	1,002.00
TOTQ8-4824-7*	10	48	24	88 1/4	302	975.00
TOTQ8-4830-7*	10	48	30	88 1/4	342	1,124.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LCTQ8-3012-7 becomes LCTQ8-3012M7. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 97" High - 22 Gauge Shelves




Look for the red diamond!

10 SHELVES, 9 OPENINGS



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 3"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.



ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-10-3012-8	4	30	12	97 1/4	140	521.00
LCT-10-3015-8	4	30	15	97 1/4	155	571.00
LCT-10-3612-8	4	36	12	97 1/4	156	521.00
LCT-10-3615-8	4	36	15	97 1/4	171	571.00
LCT-10-4212-8	4	42	12	97 1/4	191	634.00
LCT-10-4215-8	4	42	15	97 1/4	208	683.00
LCT-10-4812-8	5	48	12	97 1/4	216	703.00
LCT-10-4815-8	5	48	15	97 1/4	235	757.00
Double Entry						
LCT-10-3024-8§	8	30	24	97 1/4	237	853.00
LCT-10-3030-8*	8	30	30	97 1/4	275	974.00
LCT-10-3624-8§	8	36	24	97 1/4	259	853.00
LCT-10-3630-8*	8	36	30	97 1/4	302	974.00
LCT-10-4224-8*	8	42	24	97 1/4	312	1,008.00
LCT-10-4230-8*	8	42	30	97 1/4	348	1,110.00
LCT-10-4824-8*	10	48	24	97 1/4	352	1,129.00
LCT-10-4830-8*	10	48	30	97 1/4	391	1,238.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-10-3012-8	4	30	12	97 1/4	122	448.00
TOT-10-3015-8	4	30	15	97 1/4	132	483.00
TOT-10-3612-8	4	36	12	97 1/4	138	448.00
TOT-10-3615-8	4	36	15	97 1/4	148	483.00
TOT-10-4212-8	4	42	12	97 1/4	173	561.00
TOT-10-4215-8	4	42	15	97 1/4	185	595.00
TOT-10-4812-8	5	48	12	97 1/4	198	630.00
TOT-10-4815-8	5	48	15	97 1/4	212	669.00
Double Entry						
TOT-10-3024-8§	8	30	24	97 1/4	204	727.00
TOT-10-3030-8*	8	30	30	97 1/4	235	831.00
TOT-10-3624-8§	8	36	24	97 1/4	226	727.00
TOT-10-3630-8*	8	36	30	97 1/4	262	831.00
TOT-10-4224-8*	8	42	24	97 1/4	279	882.00
TOT-10-4230-8*	8	42	30	97 1/4	308	967.00
TOT-10-4824-8*	10	48	24	97 1/4	319	1,003.00
TOT-10-4830-8*	10	48	30	97 1/4	351	1,095.00


§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

9 SHELVES, 8 OPENINGS



STARTER UNITS - MOBILE READY

Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports (TS), w/SHS supports at bottom
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 1 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



ADDER UNITS - MOBILE READY

Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports (TS), w/SHS supports at bottom
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCT-9-3012-8	4	30	12	97 1/4	130	484.00
LCT-9-3015-8	4	30	15	97 1/4	144	530.00
LCT-9-3612-8	4	36	12	97 1/4	143	484.00
LCT-9-3615-8	4	36	15	97 1/4	157	530.00
LCT-9-4212-8	4	42	12	97 1/4	173	579.00
LCT-9-4215-8	4	42	15	97 1/4	189	624.00
LCT-9-4812-8	5	48	12	97 1/4	195	640.00
LCT-9-4815-8	5	48	15	97 1/4	212	690.00
Double Entry						
LCT-9-3024-8§	8	30	24	97 1/4	219	785.00
LCT-9-3030-8*	8	30	30	97 1/4	254	897.00
LCT-9-3624-8§	8	36	24	97 1/4	237	785.00
LCT-9-3630-8*	8	36	30	97 1/4	277	897.00
LCT-9-4224-8*	8	42	24	97 1/4	283	919.00
LCT-9-4230-8*	8	42	30	97 1/4	316	1,012.00
LCT-9-4824-8*	10	48	24	97 1/4	318	1,025.00
LCT-9-4830-8*	10	48	30	97 1/4	354	1,125.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOT-9-3012-8	4	30	12	97 1/4	112	411.00
TOT-9-3015-8	4	30	15	97 1/4	121	443.00
TOT-9-3612-8	4	36	12	97 1/4	126	411.00
TOT-9-3615-8	4	36	15	97 1/4	135	443.00
TOT-9-4212-8	4	42	12	97 1/4	158	513.00
TOT-9-4215-8	4	42	15	97 1/4	169	544.00
TOT-9-4812-8	5	48	12	97 1/4	180	575.00
TOT-9-4815-8	5	48	15	97 1/4	193	610.00
Double Entry						
TOT-9-3024-8§	8	30	24	97 1/4	180	642.00
TOT-9-3030-8*	8	30	30	97 1/4	208	735.00
TOT-9-3624-8§	8	36	24	97 1/4	199	642.00
TOT-9-3630-8*	8	36	30	97 1/4	231	735.00
TOT-9-4224-8*	8	42	24	97 1/4	246	780.00
TOT-9-4230-8*	8	42	30	97 1/4	271	856.00
TOT-9-4824-8*	10	48	24	97 1/4	280	884.00
TOT-9-4830-8*	10	48	30	97 1/4	309	967.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LCT-10-3012-8 becomes LCT-10-3012M8. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Open Shelf Filing, 97" High - 18 Gauge Shelves

Look for the red diamond!




10 SHELVES, 9 OPENINGS



STARTER UNITS

Includes: Uprights (Two Closed "L")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 3"; shelf placed 10 1/2" on center with 9 3/4" vertical filing space/opening.



ADDER UNITS

Includes: Upright (One Open "T")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ10-3012-8	4	30	12	97 1/4	161	634.00
LCTQ10-3015-8	4	30	15	97 1/4	181	698.00
LCTQ10-3612-8	4	36	12	97 1/4	180	634.00
LCTQ10-3615-8	4	36	15	97 1/4	201	698.00
LCTQ10-4212-8	4	42	12	97 1/4	219	755.00
LCTQ10-4215-8	4	42	15	97 1/4	243	838.00
LCTQ10-4812-8	5	48	12	97 1/4	248	854.00
LCTQ10-4815-8	5	48	15	97 1/4	274	928.00
Double Entry						
LCTQ10-3024-8§	8	30	24	97 1/4	295	1,024.00
LCTQ10-3030-8*	8	30	30	97 1/4	348	1,217.00
LCTQ10-3624-8§	8	36	24	97 1/4	305	1,024.00
LCTQ10-3630-8*	8	36	30	97 1/4	359	1,217.00
LCTQ10-4224-8*	8	42	24	97 1/4	365	1,224.00
LCTQ10-4230-8*	8	42	30	97 1/4	413	1,389.00
LCTQ10-4824-8*	10	48	24	97 1/4	412	1,345.00
LCTQ10-4830-8*	10	48	30	97 1/4	466	1,544.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ10-3012-8	4	30	12	97 1/4	143	561.00
TOTQ10-3015-8	4	30	15	97 1/4	158	610.00
TOTQ10-3612-8	4	36	12	97 1/4	162	561.00
TOTQ10-3615-8	4	36	15	97 1/4	178	610.00
TOTQ10-4212-8	4	42	12	97 1/4	201	682.00
TOTQ10-4215-8	4	42	15	97 1/4	220	750.00
TOTQ10-4812-8	5	48	12	97 1/4	230	781.00
TOTQ10-4815-8	5	48	15	97 1/4	251	840.00
Double Entry						
TOTQ10-3024-8§	8	30	24	97 1/4	262	898.00
TOTQ10-3030-8*	8	30	30	97 1/4	308	1,074.00
TOTQ10-3624-8§	8	36	24	97 1/4	272	898.00
TOTQ10-3630-8*	8	36	30	97 1/4	319	1,074.00
TOTQ10-4224-8*	8	42	24	97 1/4	332	1,098.00
TOTQ10-4230-8*	8	42	30	97 1/4	373	1,246.00
TOTQ10-4824-8*	10	48	24	97 1/4	379	1,219.00
TOTQ10-4830-8*	10	48	30	97 1/4	426	1,401.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

9 SHELVES, 8 OPENINGS



STARTER UNITS - MOBILE READY

Includes: Uprights (Two Closed "L")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports (TS), w/SHS supports at bottom
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25
Height to top of bottom shelf: 1 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



ADDER UNITS - MOBILE READY

Includes: Upright (One Open "T")
Slotted steel shelves (18 gauge)
Plain top shelf (22 gauge)
Shelf supports (TS), w/SHS supports at bottom
Reinforcements (where noted)
Backstops or centerstops
Adjustable dividers
Front base(s)
Optional back available on page 25

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry						
LCTQ9-3012-8	4	30	12	97 1/4	149	584.00
LCTQ9-3015-8	4	30	15	97 1/4	167	643.00
LCTQ9-3612-8	4	36	12	97 1/4	165	584.00
LCTQ9-3615-8	4	36	15	97 1/4	184	643.00
LCTQ9-4212-8	4	42	12	97 1/4	198	687.00
LCTQ9-4215-8	4	42	15	97 1/4	220	762.00
LCTQ9-4812-8	5	48	12	97 1/4	223	774.00
LCTQ9-4815-8	5	48	15	97 1/4	248	842.00
Double Entry						
LCTQ9-3024-8§	8	30	24	97 1/4	270	937.00
LCTQ9-3030-8*	8	30	30	97 1/4	318	1,113.00
LCTQ9-3624-8§	8	36	24	97 1/4	278	937.00
LCTQ9-3630-8*	8	36	30	97 1/4	327	1,113.00
LCTQ9-4224-8*	8	42	24	97 1/4	330	1,111.00
LCTQ9-4230-8*	8	42	30	97 1/4	374	1,260.00
LCTQ9-4824-8*	10	48	24	97 1/4	372	1,217.00
LCTQ9-4830-8*	10	48	30	97 1/4	421	1,397.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry						
TOTQ9-3012-8	4	30	12	97 1/4	131	511.00
TOTQ9-3015-8	4	30	15	97 1/4	144	555.00
TOTQ9-3612-8	4	36	12	97 1/4	147	511.00
TOTQ9-3615-8	4	36	15	97 1/4	161	555.00
TOTQ9-4212-8	4	42	12	97 1/4	180	614.00
TOTQ9-4215-8	4	42	15	97 1/4	197	674.00
TOTQ9-4812-8	5	48	12	97 1/4	205	701.00
TOTQ9-4815-8	5	48	15	97 1/4	225	754.00
Double Entry						
TOTQ9-3024-8§	8	30	24	97 1/4	237	811.00
TOTQ9-3030-8*	8	30	30	97 1/4	278	970.00
TOTQ9-3624-8§	8	36	24	97 1/4	245	811.00
TOTQ9-3630-8*	8	36	30	97 1/4	287	970.00
TOTQ9-4224-8*	8	42	24	97 1/4	297	985.00
TOTQ9-4230-8*	8	42	30	97 1/4	334	1,117.00
TOTQ9-4824-8*	10	48	24	97 1/4	339	1,091.00
TOTQ9-4830-8*	10	48	30	97 1/4	381	1,254.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LCTQ10-3012-8 becomes LCTQ10-3012M8. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS Library Shelving, 76" High



Look for the red diamond!

7 SHELVES, 6 OPENINGS



STARTER UNITS (No Slots or Dividers)

Includes: Uprights (Two Closed "L")
Steel shelves (22 gauge)
Shelf supports
Reinforcements (where noted)
Front base(s)

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



ADDER UNITS (No Slots or Dividers)

Includes: Upright (One Open "T")
Steel shelves (22 gauge)
Shelf supports
Reinforcements (where noted)
Front base(s)

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.

CAT. NO.	W	D	H	WT.	PRICE
STARTER UNITS					
Single Entry With Open Back					
LOL-7-3609-6	36	9	76 1/4	84	357.00
LOL-7-3612-6	36	12	76 1/4	94	400.00
LOL-7-4209-6	42	9	76 1/4	106	432.00
LOL-7-4212-6	42	12	76 1/4	117	476.00
LOL-7-4809-6	48	9	76 1/4	116	443.00
LOL-7-4812-6	48	12	76 1/4	129	494.00
Single Entry With Closed Back					
LCL-7-3609-6	36	9	76 1/4	102	458.00
LCL-7-3612-6	36	12	76 1/4	113	501.00
LCL-7-4209-6	42	9	76 1/4	128	552.00
LCL-7-4212-6	42	12	76 1/4	139	596.00
LCL-7-4809-6	48	9	76 1/4	141	572.00
LCL-7-4812-6	48	12	76 1/4	154	623.00
Double Entry					
LOL-7-3618-6§	36	18	76 1/4	119	517.00
LOL-7-3624-6§	36	24	76 1/4	146	628.00
LOL-7-4218-6§	42	18	76 1/4	145	599.00
LOL-7-4224-6§	42	24	76 1/4	174	717.00
LOL-7-4818-6*	48	18	76 1/4	162	630.00
LOL-7-4824-6*	48	24	76 1/4	195	761.00



STARTER UNITS (With Slotted Shelves & Dividers)

Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Dividers and Front base(s)



ADDER UNITS (With Slotted Shelves & Dividers)

Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Dividers and Front base(s)

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry With Open Back						
LOD-7-3609-6	3	36	9	76 1/4	101	441.00
LOD-7-3612-6	3	36	12	76 1/4	116	481.00
LOD-7-4209-6	3	42	9	76 1/4	124	515.00
LOD-7-4212-6	3	42	12	76 1/4	141	558.00
LOD-7-4809-6	4	48	9	76 1/4	139	552.00
LOD-7-4812-6	4	48	12	76 1/4	159	596.00
Single Entry With Closed Back						
LCD-7-3609-6	3	36	9	76 1/4	119	542.00
LCD-7-3612-6	3	36	12	76 1/4	135	582.00
LCD-7-4209-6	3	42	9	76 1/4	146	635.00
LCD-7-4212-6	3	42	12	76 1/4	163	678.00
LCD-7-4809-6	4	48	9	76 1/4	164	681.00
LCD-7-4812-6	4	48	12	76 1/4	184	725.00
Double Entry						
LOD-7-3618-6§	6	36	18	76 1/4	150	672.00
LOD-7-3624-6§	6	36	24	76 1/4	188	767.00
LOD-7-4218-6§	6	42	18	76 1/4	179	755.00
LOD-7-4224-6§	6	42	24	76 1/4	218	862.00
LOD-7-4818-6*	8	48	18	76 1/4	204	827.00
LOD-7-4824-6*	8	48	24	76 1/4	252	956.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry With Open Back						
TOD-7-3609-6	3	36	9	76 1/4	87	378.00
TOD-7-3612-6	3	36	12	76 1/4	102	406.00
TOD-7-4209-6	3	42	9	76 1/4	110	452.00
TOD-7-4212-6	3	42	12	76 1/4	127	483.00
TOD-7-4809-6	4	48	9	76 1/4	125	489.00
TOD-7-4812-6	4	48	12	76 1/4	145	521.00
Single Entry With Closed Back						
TCD-7-3609-6	3	36	9	76 1/4	105	479.00
TCD-7-3612-6	3	36	12	76 1/4	121	507.00
TCD-7-4209-6	3	42	9	76 1/4	132	572.00
TCD-7-4212-6	3	42	12	76 1/4	149	603.00
TCD-7-4809-6	4	48	9	76 1/4	150	618.00
TCD-7-4812-6	4	48	12	76 1/4	170	650.00
Double Entry						
TOD-7-3618-6§	6	36	18	76 1/4	134	581.00
TOD-7-3624-6§	6	36	24	76 1/4	166	622.00
TOD-7-4218-6§	6	42	18	76 1/4	163	664.00
TOD-7-4224-6§	6	42	24	76 1/4	196	717.00
TOD-7-4818-6*	8	48	18	76 1/4	188	736.00
TOD-7-4824-6*	8	48	24	76 1/4	230	811.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LOD-7-3612-6 becomes LOD-7-3612M6. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Library Shelving, 88" High

Look for the red diamond!



STARTER UNITS (No Slots or Dividers)

Includes: Uprights (Two Closed "L")
Steel shelves (22 gauge)
Shelf supports
Reinforcements (where noted)
Front base(s)

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.



ADDER UNITS (No Slots or Dividers)


Includes: Upright (One Open "T")
Steel shelves (22 gauge)
Shelf supports
Reinforcements (where noted)
Front base(s)

Height to top of bottom shelf: 4 1/2"; shelf placed 12" on center with 11 1/4" vertical filing space/opening.

8 SHELVES, 7 OPENINGS

CAT. NO.	W	D	H	WT.	PRICE
STARTER UNITS					
Single Entry With Open Back					
LOL-8-3609-7	36	9	88 1/4	96	397.00
LOL-8-3612-7	36	12	88 1/4	110	443.00
LOL-8-4209-7	42	9	88 1/4	121	483.00
LOL-8-4212-7	42	12	88 1/4	136	530.00
LOL-8-4809-7	48	9	88 1/4	133	496.00
LOL-8-4812-7	48	12	88 1/4	149	551.00
Single Entry With Closed Back					
LCL-8-3609-7	36	9	88 1/4	117	508.00
LCL-8-3612-7	36	12	88 1/4	131	554.00
LCL-8-4209-7	42	9	88 1/4	146	612.00
LCL-8-4212-7	42	12	88 1/4	161	659.00
LCL-8-4809-7	48	9	88 1/4	162	640.00
LCL-8-4812-7	48	12	88 1/4	178	695.00
Double Entry					
LOL-8-3618-7§	36	18	88 1/4	137	593.00
LOL-8-3624-7§	36	24	88 1/4	169	696.00
LOL-8-4218-7§	42	18	88 1/4	167	686.00
LOL-8-4224-7§	42	24	88 1/4	200	797.00
LOL-8-4818-7*	48	18	88 1/4	186	722.00
LOL-8-4824-7*	48	24	88 1/4	224	848.00

CAT. NO.	W	D	H	WT.	PRICE
ADDER UNITS					
Single Entry With Open Back					
TOL-8-3609-7	36	9	88 1/4	82	327.00
TOL-8-3612-7	36	12	88 1/4	91	357.00
TOL-8-4209-7	42	9	88 1/4	107	413.00
TOL-8-4212-7	42	12	88 1/4	117	444.00
TOL-8-4809-7	48	9	88 1/4	119	426.00
TOL-8-4812-7	48	12	88 1/4	130	465.00
Single Entry With Closed Back					
TCL-8-3609-7	36	9	88 1/4	103	438.00
TCL-8-3612-7	36	12	88 1/4	112	468.00
TCL-8-4209-7	42	9	88 1/4	132	542.00
TCL-8-4212-7	42	12	88 1/4	142	573.00
TCL-8-4809-7	48	9	88 1/4	148	570.00
TCL-8-4812-7	48	12	88 1/4	159	609.00
Double Entry					
TOL-8-3618-7§	36	18	88 1/4	117	480.00
TOL-8-3624-7§	36	24	88 1/4	143	550.00
TOL-8-4218-7§	42	18	88 1/4	147	573.00
TOL-8-4224-7§	42	24	88 1/4	174	651.00
TOL-8-4818-7*	48	18	88 1/4	166	609.00
TOL-8-4824-7*	48	24	88 1/4	198	702.00



STARTER UNITS (With Slotted Shelves & Dividers)

Includes: Uprights (Two Closed "L")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Dividers and Front base(s)



ADDER UNITS (With Slotted Shelves & Dividers)

Includes: Upright (One Open "T")
Slotted steel shelves (22 gauge)
Plain top shelf (22 gauge)
Shelf supports
Reinforcements (where noted)
Backstops or centerstops
Dividers and Front base(s)

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
STARTER UNITS						
Single Entry With Open Back						
LOD-8-3609-7	3	36	9	88 1/4	116	495.00
LOD-8-3612-7	3	36	12	88 1/4	136	537.00
LOD-8-4209-7	3	42	9	88 1/4	143	580.00
LOD-8-4212-7	3	42	12	88 1/4	164	625.00
LOD-8-4809-7	4	48	9	88 1/4	159	623.00
LOD-8-4812-7	4	48	12	88 1/4	184	670.00
Single Entry With Closed Back						
LCD-8-3609-7	3	36	9	88 1/4	137	606.00
LCD-8-3612-7	3	36	12	88 1/4	157	648.00
LCD-8-4209-7	3	42	9	88 1/4	168	709.00
LCD-8-4212-7	3	42	12	88 1/4	189	754.00
LCD-8-4809-7	4	48	9	88 1/4	188	767.00
LCD-8-4812-7	4	48	12	88 1/4	213	814.00
Double Entry						
LOD-8-3618-7§	6	36	18	88 1/4	174	775.00
LOD-8-3624-7§	6	36	24	88 1/4	218	858.00
LOD-8-4218-7§	6	42	18	88 1/4	206	869.00
LOD-8-4224-7§	6	42	24	88 1/4	252	968.00
LOD-8-4818-7*	8	48	18	88 1/4	235	953.00
LOD-8-4824-7*	8	48	24	88 1/4	290	1,076.00

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
ADDER UNITS						
Single Entry With Open Back						
TOD-8-3609-7	3	36	9	88 1/4	102	425.00
TOD-8-3612-7	3	36	12	88 1/4	117	451.00
TOD-8-4209-7	3	42	9	88 1/4	129	510.00
TOD-8-4212-7	3	42	12	88 1/4	145	539.00
TOD-8-4809-7	4	48	9	88 1/4	145	553.00
TOD-8-4812-7	4	48	12	88 1/4	165	584.00
Single Entry With Closed Back						
TCD-8-3609-7	3	36	9	88 1/4	123	536.00
TCD-8-3612-7	3	36	12	88 1/4	138	562.00
TCD-8-4209-7	3	42	9	88 1/4	154	639.00
TCD-8-4212-7	3	42	12	88 1/4	170	668.00
TCD-8-4809-7	4	48	9	88 1/4	174	697.00
TCD-8-4812-7	4	48	12	88 1/4	194	728.00
Double Entry						
TOD-8-3618-7§	6	36	18	88 1/4	154	662.00
TOD-8-3624-7§	6	36	24	88 1/4	192	712.00
TOD-8-4218-7§	6	42	18	88 1/4	186	756.00
TOD-8-4224-7§	6	42	24	88 1/4	226	822.00
TOD-8-4818-7*	8	48	18	88 1/4	215	840.00
TOD-8-4824-7*	8	48	24	88 1/4	264	930.00

§ Includes 1 reinforcement per shelf, except top shelf. *Includes 2 reinforcements per shelf, except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LOD-8-3612-7 becomes LOD-8-3612M7. Pricing is identical; weight may vary slightly.

L&T PRECONFIGURED UNITS

Heavy Duty Shelving: Open Style



Look for the red diamond!

5 SHELVES, 4 OPENINGS — OPEN STYLE



STARTER UNITS

Includes: Uprights (Two Open "L")
Steel shelves (18 gauge)
Shelf supports
Reinforcements: 2 per shelf
(except top shelf)



ADDER UNITS

Includes: Upright (One Open "T")
Steel shelves (18 gauge)
Shelf supports
Reinforcements: 2 per shelf
(except top shelf)

CAT. NO.	W	D	H	WT.	PRICE
76" High: 5 Shelves, 4 Openings					
LO-5-3612-6	36	12	76 1/4	83	313.00
LO-5-3615-6	36	15	76 1/4	93	349.00
LO-5-3618-6	36	18	76 1/4	104	369.00
LO-5-3624-6	36	24	76 1/4	126	441.00
LO-5-3630-6	36	30	76 1/4	148	513.00
LO-5-3636-6	36	36	76 1/4	168	574.00
LO-5-4212-6	42	12	76 1/4	91	351.00
LO-5-4215-6	42	15	76 1/4	102	382.00
LO-5-4218-6	42	18	76 1/4	115	422.00
LO-5-4224-6	42	24	76 1/4	139	484.00
LO-5-4230-6	42	30	76 1/4	163	561.00
LO-5-4236-6	42	36	76 1/4	186	627.00
LO-5-4812-6	48	12	76 1/4	99	374.00
LO-5-4815-6	48	15	76 1/4	112	415.00
LO-5-4818-6	48	18	76 1/4	126	455.00
LO-5-4824-6	48	24	76 1/4	152	532.00
LO-5-4830-6	48	30	76 1/4	179	614.00
LO-5-4836-6	48	36	76 1/4	205	685.00
88" High: 5 Shelves, 4 Openings					
LO-5-3612-7	36	12	88 1/4	85	321.00
LO-5-3615-7	36	15	88 1/4	95	359.00
LO-5-3618-7	36	18	88 1/4	108	383.00
LO-5-3624-7	36	24	88 1/4	130	445.00
LO-5-3630-7	36	30	88 1/4	151	525.00
LO-5-3636-7	36	36	88 1/4	172	602.00
LO-5-4212-7	42	12	88 1/4	93	359.00
LO-5-4215-7	42	15	88 1/4	104	392.00
LO-5-4218-7	42	18	88 1/4	119	436.00
LO-5-4224-7	42	24	88 1/4	143	488.00
LO-5-4230-7	42	30	88 1/4	167	573.00
LO-5-4236-7	42	36	88 1/4	190	655.00
LO-5-4812-7	48	12	88 1/4	101	382.00
LO-5-4815-7	48	15	88 1/4	114	425.00
LO-5-4818-7	48	18	88 1/4	130	469.00
LO-5-4824-7	48	24	88 1/4	156	536.00
LO-5-4830-7	48	30	88 1/4	182	626.00
LO-5-4836-7	48	36	88 1/4	209	713.00
Extra Shelf Levels					
HDSL-3612	36	12	1 7/32	12.9	43.00
HDSL-3615	36	15	1 7/32	14.9	50.00
HDSL-3618	36	18	1 7/32	16.9	53.00
HDSL-3624	36	24	1 7/32	21.0	66.00
HDSL-3630	36	30	1 7/32	25.0	80.00
HDSL-3636	36	36	1 7/32	29.0	93.00
HDSL-4212	42	12	1 7/32	14.5	51.00
HDSL-4215	42	15	1 7/32	16.8	57.00
HDSL-4218	42	18	1 7/32	19.0	64.00
HDSL-4224	42	24	1 7/32	24.0	74.00
HDSL-4230	42	30	1 7/32	28.0	89.00
HDSL-4236	42	36	1 7/32	33.0	104.00
HDSL-4812	48	12	1 7/32	16.1	55.00
HDSL-4815	48	15	1 7/32	18.7	63.00
HDSL-4818	48	18	1 7/32	21.0	70.00
HDSL-4824	48	24	1 7/32	26.0	84.00
HDSL-4830	48	30	1 7/32	31.0	100.00
HDSL-4836	48	36	1 7/32	36.0	115.00

CAT. NO.	W	D	H	WT.	PRICE
76" High: 5 Shelves, 4 Openings					
TO-5-3612-6	36	12	76 1/4	77	270.00
TO-5-3615-6	36	15	76 1/4	86	304.00
TO-5-3618-6	36	18	76 1/4	98	324.00
TO-5-3624-6	36	24	76 1/4	118	384.00
TO-5-3630-6	36	30	76 1/4	139	461.00
TO-5-3636-6	36	36	76 1/4	158	536.00
TO-5-4212-6	42	12	76 1/4	85	308.00
TO-5-4215-6	42	15	76 1/4	96	337.00
TO-5-4218-6	42	18	76 1/4	109	377.00
TO-5-4224-6	42	24	76 1/4	131	427.00
TO-5-4230-6	42	30	76 1/4	155	509.00
TO-5-4236-6	42	36	76 1/4	176	589.00
TO-5-4812-6	48	12	76 1/4	93	331.00
TO-5-4815-6	48	15	76 1/4	105	370.00
TO-5-4818-6	48	18	76 1/4	120	410.00
TO-5-4824-6	48	24	76 1/4	144	475.00
TO-5-4830-6	48	30	76 1/4	170	562.00
TO-5-4836-6	48	36	76 1/4	195	647.00
88" High: 5 Shelves, 4 Openings					
TO-5-3612-7	36	12	88 1/4	78	275.00
TO-5-3615-7	36	15	88 1/4	89	313.00
TO-5-3618-7	36	18	88 1/4	100	330.00
TO-5-3624-7	36	24	88 1/4	120	395.00
TO-5-3630-7	36	30	88 1/4	142	468.00
TO-5-3636-7	36	36	88 1/4	163	541.00
TO-5-4212-7	42	12	88 1/4	86	313.00
TO-5-4215-7	42	15	88 1/4	98	346.00
TO-5-4218-7	42	18	88 1/4	111	383.00
TO-5-4224-7	42	24	88 1/4	133	438.00
TO-5-4230-7	42	30	88 1/4	158	516.00
TO-5-4236-7	42	36	88 1/4	181	594.00
TO-5-4812-7	48	12	88 1/4	94	336.00
TO-5-4815-7	48	15	88 1/4	108	379.00
TO-5-4818-7	48	18	88 1/4	122	416.00
TO-5-4824-7	48	24	88 1/4	146	486.00
TO-5-4830-7	48	30	88 1/4	173	569.00
TO-5-4836-7	48	36	88 1/4	200	652.00
Extra Shelf Levels					
HDSL-3612	36	12	1 7/32	12.9	43.00
HDSL-3615	36	15	1 7/32	14.9	50.00
HDSL-3618	36	18	1 7/32	16.9	53.00
HDSL-3624	36	24	1 7/32	21.0	66.00
HDSL-3630	36	30	1 7/32	25.0	80.00
HDSL-3636	36	36	1 7/32	29.0	93.00
HDSL-4212	42	12	1 7/32	14.5	51.00
HDSL-4215	42	15	1 7/32	16.8	57.00
HDSL-4218	42	18	1 7/32	19.0	64.00
HDSL-4224	42	24	1 7/32	24.0	74.00
HDSL-4230	42	30	1 7/32	28.0	89.00
HDSL-4236	42	36	1 7/32	33.0	104.00
HDSL-4812	48	12	1 7/32	16.1	55.00
HDSL-4815	48	15	1 7/32	18.7	63.00
HDSL-4818	48	18	1 7/32	21.0	70.00
HDSL-4824	48	24	1 7/32	26.0	84.00
HDSL-4830	48	30	1 7/32	31.0	100.00
HDSL-4836	48	36	1 7/32	36.0	115.00

L&T PRECONFIGURED UNITS

Heavy Duty Shelving: Closed Style

Look for the red diamond!



STARTER UNITS

Includes: Uprights (Two Closed "L")
Steel shelves (18 gauge)
Shelf supports
Reinforcements: 2 per shelf
(except top shelf)

Optional backs available on page 25



ADDER UNITS

Includes: Upright (One Closed "T")
Steel shelves (18 gauge)
Shelf supports
Reinforcements: 2 per shelf
(except top shelf)

Optional backs available on page 25

5 SHELVES, 4 OPENINGS — CLOSED STYLE

CAT. NO.	W	D	H	WT.	PRICE
76" High: 5 Shelves, 4 Openings					
LS-5-3612-6	36	12	76 1/4	91	325.00
LS-5-3615-6	36	15	76 1/4	103	369.00
LS-5-3618-6	36	18	76 1/4	116	399.00
LS-5-3624-6	36	24	76 1/4	144	481.00
LS-5-3630-6	36	30	76 1/4	170	575.00
LS-5-3636-6	36	36	76 1/4	196	654.00
LS-5-4212-6	42	12	76 1/4	99	363.00
LS-5-4215-6	42	15	76 1/4	112	402.00
LS-5-4218-6	42	18	76 1/4	127	452.00
LS-5-4224-6	42	24	76 1/4	157	524.00
LS-5-4230-6	42	30	76 1/4	185	623.00
LS-5-4236-6	42	36	76 1/4	214	707.00
LS-5-4812-6	48	12	76 1/4	107	386.00
LS-5-4815-6	48	15	76 1/4	122	435.00
LS-5-4818-6	48	18	76 1/4	138	485.00
LS-5-4824-6	48	24	76 1/4	170	572.00
LS-5-4830-6	48	30	76 1/4	201	676.00
LS-5-4836-6	48	36	76 1/4	233	765.00
88" High: 5 Shelves, 4 Openings					
LS-5-3612-7	36	12	88 1/4	95	339.00
LS-5-3615-7	36	15	88 1/4	107	389.00
LS-5-3618-7	36	18	88 1/4	122	429.00
LS-5-3624-7	36	24	88 1/4	150	505.00
LS-5-3630-7	36	30	88 1/4	175	599.00
LS-5-3636-7	36	36	88 1/4	202	694.00
LS-5-4212-7	42	12	88 1/4	103	377.00
LS-5-4215-7	42	15	88 1/4	116	422.00
LS-5-4218-7	42	18	88 1/4	133	482.00
LS-5-4224-7	42	24	88 1/4	163	548.00
LS-5-4230-7	42	30	88 1/4	191	647.00
LS-5-4236-7	42	36	88 1/4	220	747.00
LS-5-4812-7	48	12	88 1/4	111	400.00
LS-5-4815-7	48	15	88 1/4	126	455.00
LS-5-4818-7	48	18	88 1/4	144	515.00
LS-5-4824-7	48	24	88 1/4	176	596.00
LS-5-4830-7	48	30	88 1/4	206	700.00
LS-5-4836-7	48	36	88 1/4	239	805.00
Extra Shelf Levels					
HDLSL-3612	36	12	1 7/32	12.9	43.00
HDLSL-3615	36	15	1 7/32	14.9	50.00
HDLSL-3618	36	18	1 7/32	16.9	53.00
HDLSL-3624	36	24	1 7/32	21.0	66.00
HDLSL-3630	36	30	1 7/32	25.0	80.00
HDLSL-3636	36	36	1 7/32	29.0	93.00
HDLSL-4212	42	12	1 7/32	14.5	51.00
HDLSL-4215	42	15	1 7/32	16.8	57.00
HDLSL-4218	42	18	1 7/32	19.0	64.00
HDLSL-4224	42	24	1 7/32	24.0	74.00
HDLSL-4230	42	30	1 7/32	28.0	89.00
HDLSL-4236	42	36	1 7/32	33.0	104.00
HDLSL-4812	48	12	1 7/32	16.1	55.00
HDLSL-4815	48	15	1 7/32	18.7	63.00
HDLSL-4818	48	18	1 7/32	21.0	70.00
HDLSL-4824	48	24	1 7/32	26.0	84.00
HDLSL-4830	48	30	1 7/32	31.0	100.00
HDLSL-4836	48	36	1 7/32	36.0	115.00

CAT. NO.	W	D	H	WT.	PRICE
76" High: 5 Shelves, 4 Openings					
TS-5-3612-6	36	12	76 1/4	81	282.00
TS-5-3615-6	36	15	76 1/4	92	320.00
TS-5-3618-6	36	18	76 1/4	104	344.00
TS-5-3624-6	36	24	76 1/4	127	414.00
TS-5-3630-6	36	30	76 1/4	150	496.00
TS-5-3636-6	36	36	76 1/4	172	565.00
TS-5-4212-6	42	12	76 1/4	89	320.00
TS-5-4215-6	42	15	76 1/4	101	353.00
TS-5-4218-6	42	18	76 1/4	115	397.00
TS-5-4224-6	42	24	76 1/4	140	457.00
TS-5-4230-6	42	30	76 1/4	166	544.00
TS-5-4236-6	42	36	76 1/4	190	618.00
TS-5-4812-6	48	12	76 1/4	97	343.00
TS-5-4815-6	48	15	76 1/4	111	386.00
TS-5-4818-6	48	18	76 1/4	126	430.00
TS-5-4824-6	48	24	76 1/4	153	505.00
TS-5-4830-6	48	30	76 1/4	181	597.00
TS-5-4836-6	48	36	76 1/4	209	676.00
88" High: 5 Shelves, 4 Openings					
TS-5-3612-7	36	12	88 1/4	83	290.00
TS-5-3615-7	36	15	88 1/4	95	332.00
TS-5-3618-7	36	18	88 1/4	107	359.00
TS-5-3624-7	36	24	88 1/4	131	428.00
TS-5-3630-7	36	30	88 1/4	154	510.00
TS-5-3636-7	36	36	88 1/4	178	590.00
TS-5-4212-7	42	12	88 1/4	91	328.00
TS-5-4215-7	42	15	88 1/4	104	365.00
TS-5-4218-7	42	18	88 1/4	118	412.00
TS-5-4224-7	42	24	88 1/4	144	471.00
TS-5-4230-7	42	30	88 1/4	170	558.00
TS-5-4236-7	42	36	88 1/4	196	643.00
TS-5-4812-7	48	12	88 1/4	99	351.00
TS-5-4815-7	48	15	88 1/4	114	398.00
TS-5-4818-7	48	18	88 1/4	129	445.00
TS-5-4824-7	48	24	88 1/4	157	519.00
TS-5-4830-7	48	30	88 1/4	185	611.00
TS-5-4836-7	48	36	88 1/4	215	701.00
Extra Shelf Levels					
HDLSL-3612	36	12	1 7/32	12.9	43.00
HDLSL-3615	36	15	1 7/32	14.9	50.00
HDLSL-3618	36	18	1 7/32	16.9	53.00
HDLSL-3624	36	24	1 7/32	21.0	66.00
HDLSL-3630	36	30	1 7/32	25.0	80.00
HDLSL-3636	36	36	1 7/32	29.0	93.00
HDLSL-4212	42	12	1 7/32	14.5	51.00
HDLSL-4215	42	15	1 7/32	16.8	57.00
HDLSL-4218	42	18	1 7/32	19.0	64.00
HDLSL-4224	42	24	1 7/32	24.0	74.00
HDLSL-4230	42	30	1 7/32	28.0	89.00
HDLSL-4236	42	36	1 7/32	33.0	104.00
HDLSL-4812	48	12	1 7/32	16.1	55.00
HDLSL-4815	48	15	1 7/32	18.7	63.00
HDLSL-4818	48	18	1 7/32	21.0	70.00
HDLSL-4824	48	24	1 7/32	26.0	84.00
HDLSL-4830	48	30	1 7/32	31.0	100.00
HDLSL-4836	48	36	1 7/32	36.0	115.00

L&T PRECONFIGURED UNITS X-Ray Shelving, 85" High



Look for the red diamond!


6 SHELVES, 5 OPENINGS



STARTER UNITS (Single Entry)

Includes: Uprights (Two Closed "L"s)
Slotted or punched steel shelves
Plain top shelf
Shelf supports
Reinforcements (where noted)
Backstops
Dividers
Front base
Optional back available on page 25

Height to top of bottom shelf: 3"; shelf
placed 16 1/2" on center with 15 1/4"
vertical filing space/opening.



ADDER UNITS (Single Entry)

Includes: Upright (One Closed "T")
Slotted or punched steel shelves
Plain top shelf
Shelf supports
Reinforcements (where noted)
Backstops
Dividers
Front base
Optional back available on page 25

Height to top of bottom shelf: 3"; shelf
placed 16 1/2" on center with 15 1/4"
vertical filing space/opening.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
WITH ADJUSTABLE FILE DIVIDERS						
LX-6-3618-85*	3	36	18	85	178	626.00
LX-6-4218-85*	3	42	18	85	206	736.00
LX-6-4818-85*	4	48	18	85	234	825.00
WITH BIN DIVIDERS						
LB-6-3618-85	3	36	18	85	176	685.00
LB-6-4218-85	3	42	18	85	190	744.00
LB-6-4818-85	4	48	18	85	219	840.00

*Includes 2 reinforcements per shelf except top shelf.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
WITH ADJUSTABLE FILE DIVIDERS						
TX-6-3618-85*	3	36	18	85	164	560.00
TX-6-4218-85*	3	42	18	85	192	670.00
TX-6-4818-85*	4	48	18	85	220	759.00
WITH BIN DIVIDERS						
TB-6-3618-85	3	36	18	85	162	619.00
TB-6-4218-85	3	42	18	85	176	678.00
TB-6-4818-85	4	48	18	85	205	774.00

*Includes 2 reinforcements per shelf except top shelf.



STARTER UNITS (Double Entry)

Includes: Uprights (Two Closed "L"s)
Slotted or punched steel shelves
Plain top shelf
Shelf supports
Reinforcements (where noted)
Backstops
Dividers
Front base
Optional back available on page 25

Height to top of bottom shelf: 3"; shelf
placed 16 1/2" on center with 15 1/4"
vertical filing space/opening.



ADDER UNITS (Double Entry)

Includes: Upright (One Closed "T")
Slotted or punched steel shelves
Plain top shelf
Shelf supports
Reinforcements (where noted)
Backstops
Dividers
Front base
Optional back available on page 25

Height to top of bottom shelf: 3"; shelf
placed 16 1/2" on center with 15 1/4"
vertical filing space/opening.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
WITH ADJUSTABLE FILE DIVIDERS						
LX-6-3636-85*	6	36	36	85	327	1,160.00
LX-6-4236-85¥	6	42	36	85	367	1,269.00
LX-6-4836-85§	8	48	36	85	429	1,471.00
WITH BIN DIVIDERS						
LB-6-3636-85*	6	36	36	85	330	1,206.00
LB-6-4236-85*	6	42	36	85	356	1,279.00
LB-6-4836-85*	8	48	36	85	410	1,475.00

*Includes 2 reinforcements per shelf except top shelf.

¥Includes 3 reinforcements per shelf except top shelf.

§Includes 4 reinforcements per shelf except top shelf.

CAT. NO.	DIV/OPENING	W	D	H	WT.	PRICE
WITH ADJUSTABLE FILE DIVIDERS						
TX-6-3636-85*	6	36	36	85	304	1,058.00
TX-6-4236-85¥	6	42	36	85	344	1,167.00
TX-6-4836-85§	8	48	36	85	406	1,369.00
WITH BIN DIVIDERS						
TB-6-3636-85*	6	36	36	85	307	1,104.00
TB-6-4236-85*	6	42	36	85	333	1,177.00
TB-6-4836-85*	8	48	36	85	387	1,373.00

*Includes 2 reinforcements per shelf except top shelf.

¥Includes 3 reinforcements per shelf except top shelf.

§Includes 4 reinforcements per shelf except top shelf.

MOBILE READY UNITS - Any unit can be converted by substituting an "M" for the final dash in the catalog number.
Example: LX-6-3636-85 becomes LX-6-3636M85. Pricing is identical; weight may vary slightly.

L&T COMPONENTS & ACCESSORIES

Open Uprights

Look for the red diamond!



OPEN UPRIGHTS

All open "L" uprights are 1 1/8" wide.



Top

Bottom



USE FOR ROW ENDS

CAT. NO.	PCS/CTN	D	H	WT.	PRICE
1240LO	4	12	40 1/4	5.8	33.00
1540LO	4	15	40 1/4	6.4	34.00
1840LO	4	18	40 1/4	7.1	35.00
2440LO	4	24	40 1/4	7.6	36.00
3040LO	4	30	40 1/4	8.2	37.00
3640LO	4	36	40 1/4	8.9	39.00
0964LO	6	9	64 1/4	8.5	44.00
1264LO	4	12	64 1/4	8.9	45.00
1564LO	4	15	64 1/4	9.7	46.00
1864LO	4	18	64 1/4	10.0	50.00
2464LO	4	24	64 1/4	11.0	53.00
3064LO	4	30	64 1/4	12.0	52.00
3664LO	4	36	64 1/4	13.0	54.00
0976LO	4	9	76 1/4	9.6	48.00
1076LO	4	10	76 1/4	9.7	51.00
1276LO	6	12	76 1/4	9.9	51.00
1376LO	4	13	76 1/4	9.9	52.00
1576LO	6	15	76 1/4	10.0	52.00
1676LO	4	16	76 1/4	10.3	55.00
1876LO	4	18	76 1/4	11.0	55.00
2076LO	4	20	76 1/4	11.3	61.00
2476LO	4	24	76 1/4	12.0	61.00
2676LO	4	26	76 1/4	12.4	63.00
3076LO	4	30	76 1/4	13.3	63.00
3276LO	4	32	76 1/4	14.0	61.00
3676LO	4	36	76 1/4	14.0	61.00
0985LO	4	9	85 1/4	10.0	53.00
1085LO	4	10	85 1/4	10.3	55.00
1285LO	6	12	85 1/4	11.0	55.00
1385LO	4	13	85 1/4	11.0	57.00
1585LO	6	15	85 1/4	11.0	57.00
1685LO	4	16	85 1/4	11.3	61.00
1885LO	4	18	85 1/4	12.0	61.00
2085LO	4	20	85 1/4	12.3	63.00
2485LO	4	24	85 1/4	13.0	63.00
2685LO	4	26	85 1/4	13.3	69.00
3085LO	4	30	85 1/4	14.0	69.00
3285LO	4	32	85 1/4	14.3	74.00
3685LO	4	36	85 1/4	15.0	74.00
0988LO	4	9	88 1/4	11.0	53.00
1088LO	4	10	88 1/4	11.0	55.00
1288LO	6	12	88 1/4	11.0	55.00
1388LO	4	13	88 1/4	11.0	57.00
1588LO	6	15	88 1/4	11.0	57.00
1688LO	4	16	88 1/4	13.0	62.00
1888LO	4	18	88 1/4	13.0	62.00
2088LO	4	20	88 1/4	13.3	63.00
2488LO	4	24	88 1/4	14.0	63.00
2688LO	4	26	88 1/4	14.3	69.00
3088LO	4	30	88 1/4	15.0	69.00
3288LO	4	32	88 1/4	16.0	75.00
3688LO	4	36	88 1/4	16.0	75.00
0997LO	4	9	97 1/4	12.0	57.00
1297LO	4	12	97 1/4	13.0	58.00
1597LO	4	15	97 1/4	14.0	60.00
1897LO	4	18	97 1/4	15.0	65.00
2497LO	4	24	97 1/4	17.0	74.00
3097LO	4	30	97 1/4	17.0	77.00
3697LO	4	36	97 1/4	18.0	85.00

All open "T" uprights are 2" wide.



Top

Bottom



USE FOR INTERMEDIATE POSTS

CAT. NO.	PCS/CTN	D	H	WT.	PRICE
1240TO	3	12	40 1/4	7.9	39.00
1540TO	3	15	40 1/4	8.6	40.00
1840TO	3	18	40 1/4	8.9	40.00
2440TO	3	24	40 1/4	9.8	42.00
3040TO	3	30	40 1/4	11.0	44.00
3640TO	3	36	40 1/4	11.0	45.00
0964TO	6	9	64 1/4	11.0	53.00
1264TO	3	12	64 1/4	12.0	53.00
1564TO	3	15	64 1/4	13.0	57.00
1864TO	3	18	64 1/4	14.0	58.00
2464TO	3	24	64 1/4	14.7	57.00
3064TO	3	30	64 1/4	15.0	58.00
3664TO	3	36	64 1/4	16.0	62.00
0976TO	6	9	76 1/4	13.4	59.00
1076TO	4	10	76 1/4	13.6	59.00
1276TO ♦	4	12	76 1/4	14.0	59.00
1376TO	4	13	76 1/4	13.7	59.00
1576TO ♦	4	15	76 1/4	13.7	59.00
1676TO	3	16	76 1/4	14.2	65.00
1876TO	3	18	76 1/4	16.0	65.00
2076TO	3	20	76 1/4	16.0	65.00
2476TO ♦	3	24	76 1/4	16.0	65.00
2676TO	3	26	76 1/4	16.7	74.00
3076TO ♦	3	30	76 1/4	18.0	74.00
3276TO	3	32	76 1/4	16.0	84.00
3676TO	3	36	76 1/4	18.0	84.00
0985TO	6	9	85 1/4	12.1	65.00
1085TO	4	10	85 1/4	13.1	63.00
1285TO	4	12	85 1/4	15.0	63.00
1385TO	4	13	85 1/4	15.3	66.00
1585TO	4	15	85 1/4	16.0	66.00
1685TO	3	16	85 1/4	16.3	69.00
1885TO	3	18	85 1/4	17.0	69.00
2085TO	3	20	85 1/4	17.7	75.00
2485TO	3	24	85 1/4	19.0	75.00
2685TO	3	26	85 1/4	19.1	78.00
3085TO	3	30	85 1/4	19.3	78.00
3285TO	3	32	85 1/4	20.0	88.00
3685TO	4	36	85 1/4	22.0	88.00
0988TO	6	9	88 1/4	15.0	66.00
1088TO	4	10	88 1/4	15.0	64.00
1288TO ♦	4	12	88 1/4	15.0	64.00
1388TO	4	13	88 1/4	16.0	68.00
1588TO ♦	4	15	88 1/4	16.0	68.00
1688TO	3	16	88 1/4	18.0	71.00
1888TO	3	18	88 1/4	18.0	71.00
2088TO	3	20	88 1/4	18.0	76.00
2488TO ♦	3	24	88 1/4	18.0	76.00
2688TO	3	26	88 1/4	19.0	81.00
3088TO ♦	3	30	88 1/4	21.0	81.00
3288TO	3	32	88 1/4	23.0	89.00
3688TO	4	36	88 1/4	23.0	89.00
0997TO	6	9	97 1/4	17.0	71.00
1297TO	3	12	97 1/4	18.0	71.00
1597TO	3	15	97 1/4	19.0	72.00
1897TO	3	18	97 1/4	19.0	75.00
2497TO	3	24	97 1/4	21.0	86.00
3097TO	3	30	97 1/4	22.0	85.00
3697TO	3	36	97 1/4	23.0	94.00

Custom heights and/or custom punch spacing on uprights are also available. Call factory for pricing.

L&T COMPONENTS & ACCESSORIES

Closed Uprights



Look for the red diamond!

CLOSED UPRIGHTS

USE FOR ROW ENDS

CAT. NO.	PCS/CTN	D	H	WT.	PRICE
1240LC	4	12	40 ¹ / ₄	7.8	40.00
1540LC	4	15	40 ¹ / ₄	9.0	42.00
1840LC	4	18	40 ¹ / ₄	10.1	46.00
2440LC	4	24	40 ¹ / ₄	12.0	50.00
3040LC	4	30	40 ¹ / ₄	14.0	58.00
3640LC	4	36	40 ¹ / ₄	16.0	62.00
0964LC	6	9	64 ¹ / ₄	11.0	49.00
1264LC	4	12	64 ¹ / ₄	12.0	52.00
1564LC	4	15	64 ¹ / ₄	14.0	57.00
1864LC	4	18	64 ¹ / ₄	15.0	62.00
2464LC	4	24	64 ¹ / ₄	19.0	68.00
3064LC	4	30	64 ¹ / ₄	21.0	79.00
3664LC	4	36	64 ¹ / ₄	24.0	93.00
0976LC	4	9	76 ¹ / ₄	13.0	55.00
1076LC	4	10	76 ¹ / ₄	13.7	57.00
1276LC♦	6	12	76 ¹ / ₄	13.7	57.00
1376LC	4	13	76 ¹ / ₄	14.1	62.00
1576LC♦	6	15	76 ¹ / ₄	15.0	62.00
1676LC	4	16	76 ¹ / ₄	15.1	70.00
1876LC	4	18	76 ¹ / ₄	17.0	70.00
2076LC	4	20	76 ¹ / ₄	21.0	81.00
2476LC♦	4	24	76 ¹ / ₄	21.0	81.00
2676LC	4	26	76 ¹ / ₄	22.0	94.00
3076LC♦	4	30	76 ¹ / ₄	24.3	94.00
3276LC	4	32	76 ¹ / ₄	25.0	101.00
3676LC	4	36	76 ¹ / ₄	28.0	101.00
0985LC	4	9	85 ¹ / ₄	14.0	63.00
1085LC	4	10	85 ¹ / ₄	15.0	63.00
1285LC	6	12	85 ¹ / ₄	15.0	63.00
1385LC	4	13	85 ¹ / ₄	17.0	71.00
1585LC	6	15	85 ¹ / ₄	17.0	71.00
1685LC	4	16	85 ¹ / ₄	17.7	79.00
1885LC	4	18	85 ¹ / ₄	19.0	79.00
2085LC	4	20	85 ¹ / ₄	20.0	91.00
2485LC	4	24	85 ¹ / ₄	23.0	91.00
2685LC	4	26	85 ¹ / ₄	24.0	106.00
3085LC	4	30	85 ¹ / ₄	27.0	106.00
3285LC	4	32	85 ¹ / ₄	31.0	118.00
3685LC	4	36	85 ¹ / ₄	30.0	118.00
0988LC	4	9	88 ¹ / ₄	14.0	64.00
1088LC	4	10	88 ¹ / ₄	16.0	64.00
1288LC♦	6	12	88 ¹ / ₄	16.0	64.00
1388LC	6	13	88 ¹ / ₄	17.0	72.00
1588LC♦	6	15	88 ¹ / ₄	17.0	72.00
1688LC	4	16	88 ¹ / ₄	20.0	85.00
1888LC	4	18	88 ¹ / ₄	20.0	85.00
2088LC	4	20	88 ¹ / ₄	24.0	93.00
2488LC♦	4	24	88 ¹ / ₄	24.0	93.00
2688LC	4	26	88 ¹ / ₄	25.0	106.00
3088LC♦	4	30	88 ¹ / ₄	27.0	106.00
3288LC	4	32	88 ¹ / ₄	31.0	121.00
3688LC	4	36	88 ¹ / ₄	31.0	121.00
0997LC	4	9	97 ¹ / ₄	16.0	68.00
1297LC	4	12	97 ¹ / ₄	18.0	72.00
1597LC	4	15	97 ¹ / ₄	21.0	80.00
1897LC	4	18	97 ¹ / ₄	23.0	86.00
2497LC	4	24	97 ¹ / ₄	27.0	106.00
3097LC	4	30	97 ¹ / ₄	31.0	114.00
3697LC	4	36	97 ¹ / ₄	35.0	129.00
09121LC	4	9	121 ¹ / ₄	20.0	88.00
12121LC	4	12	121 ¹ / ₄	23.0	97.00
15121LC	4	15	121 ¹ / ₄	26.0	104.00
18121LC	4	18	121 ¹ / ₄	28.0	112.00
24121LC	4	24	121 ¹ / ₄	34.0	130.00
30121LC	4	30	121 ¹ / ₄	39.0	147.00
36121LC	4	36	121 ¹ / ₄	44.0	168.00

All closed "L" uprights are 1¹/₈" wide.



Top

Bottom

Custom heights and/or custom punch spacing on uprights are also available. Call factory for pricing.

USE FOR INTERMEDIATE POSTS

CAT. NO.	PCS/CTN	D	H	WT.	PRICE
1240TC	3	12	40 ¹ / ₄	10.0	47.00
1540TC	3	15	40 ¹ / ₄	11.0	50.00
1840TC	3	18	40 ¹ / ₄	12.0	52.00
2440TC	3	24	40 ¹ / ₄	14.0	57.00
3040TC	3	30	40 ¹ / ₄	16.0	64.00
3640TC	3	36	40 ¹ / ₄	18.0	65.00
0964TC	6	9	64 ¹ / ₄	14.0	61.00
1264TC	3	12	64 ¹ / ₄	16.0	62.00
1564TC	3	15	64 ¹ / ₄	17.0	68.00
1864TC	3	18	64 ¹ / ₄	18.5	72.00
2464TC	3	24	64 ¹ / ₄	22.0	80.00
3064TC	3	30	64 ¹ / ₄	25.0	93.00
3664TC	3	36	64 ¹ / ₄	28.0	96.00
0976TC	6	9	76 ¹ / ₄	16.6	66.00
1076TC	4	10	76 ¹ / ₄	17.1	71.00
1276TC♦	4	12	76 ¹ / ₄	18.0	71.00
1376TC	4	13	76 ¹ / ₄	18.3	75.00
1576TC♦	4	15	76 ¹ / ₄	19.0	75.00
1676TC	3	16	76 ¹ / ₄	20.0	85.00
1876TC	3	18	76 ¹ / ₄	22.0	85.00
2076TC	3	20	76 ¹ / ₄	23.0	95.00
2476TC♦	3	24	76 ¹ / ₄	25.0	95.00
2676TC	3	26	76 ¹ / ₄	26.0	109.00
3076TC♦	3	30	76 ¹ / ₄	29.0	109.00
3276TC	3	32	76 ¹ / ₄	30.0	113.00
3676TC	3	36	76 ¹ / ₄	32.0	113.00
0985TC	6	9	85 ¹ / ₄	18.0	76.00
1085TC	4	10	85 ¹ / ₄	20.0	79.00
1285TC	4	12	85 ¹ / ₄	20.0	79.00
1385TC	4	13	85 ¹ / ₄	20.0	86.00
1585TC	4	15	85 ¹ / ₄	21.0	86.00
1685TC	3	16	85 ¹ / ₄	22.0	92.00
1885TC	3	18	85 ¹ / ₄	24.0	92.00
2085TC	3	20	85 ¹ / ₄	26.0	108.00
2485TC	3	24	85 ¹ / ₄	29.0	108.00
2685TC	3	26	85 ¹ / ₄	30.0	119.00
3085TC	3	30	85 ¹ / ₄	32.0	119.00
3285TC	3	32	85 ¹ / ₄	37.0	134.00
3685TC	3	36	85 ¹ / ₄	37.0	134.00
0988TC	6	9	88 ¹ / ₄	19.0	78.00
1088TC	4	10	88 ¹ / ₄	20.0	79.00
1288TC♦	4	12	88 ¹ / ₄	20.0	79.00
1388TC	4	13	88 ¹ / ₄	22.0	87.00
1588TC♦	4	15	88 ¹ / ₄	22.0	87.00
1688TC	3	16	88 ¹ / ₄	25.0	100.00
1888TC	3	18	88 ¹ / ₄	25.0	100.00
2088TC	3	20	88 ¹ / ₄	26.0	109.00
2488TC♦	3	24	88 ¹ / ₄	29.0	109.00
2688TC	3	26	88 ¹ / ₄	30.0	123.00
3088TC♦	3	30	88 ¹ / ₄	33.0	123.00
3288TC	3	32	88 ¹ / ₄	38.0	138.00
3688TC	3	36	88 ¹ / ₄	38.0	138.00
0997TC	6	9	97 ¹ / ₄	21.0	89.00
1297TC	3	12	97 ¹ / ₄	23.0	89.00
1597TC	3	15	97 ¹ / ₄	25.0	95.00
1897TC	3	18	97 ¹ / ₄	28.0	106.00
2497TC	3	24	97 ¹ / ₄	32.0	123.00
3097TC	3	30	97 ¹ / ₄	37.0	130.00
3697TC	3	36	97 ¹ / ₄	41.0	144.00
09121TC	6	9	121 ¹ / ₄	26.0	109.00
12121TC	3	12	121 ¹ / ₄	21.0	114.00
15121TC	3	15	121 ¹ / ₄	32.0	120.00
18121TC	3	18	121 ¹ / ₄	35.0	132.00
24121TC	3	24	121 ¹ / ₄	40.0	150.00
30121TC	3	30	121 ¹ / ₄	46.0	161.00
36121TC	3	36	121 ¹ / ₄	51.0	191.00

All closed "T" uprights are 2" wide.



Top

Bottom

LIGHT OAK decorative end panels are also available; call factory for pricing.

Custom heights and/or custom punch spacing on uprights are also available. Call factory for pricing.

L&T COMPONENTS & ACCESSORIES

Double Wall (Library) Uprights

Look for the red diamond!



DOUBLE WALL UPRIGHTS



FOR STARTER UNITS

Top




USE "L" UPRIGHTS
FOR ROW ENDS


Bottom



Top View Profile
Single Entry



Top View Profile
Double Entry



LIGHT OAK decorative end panels
are also available; Call factory for pricing.



FOR ADDER UNITS

Top




USE "T" UPRIGHTS AS
INTERMEDIATE POSTS

Bottom



Top View Profile
Single Entry



Top View Profile
Double Entry



LIGHT OAK decorative end panels
are also available; Call factory for pricing.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
"L" UPRIGHTS						
0940LL	4	1 1/8	9	40 1/4	10	73.00
1240LL	4	1 1/8	12	40 1/4	12	73.00
1540LL	3	1 1/8	15	40 1/4	14	91.00
1840LL	3	1 1/8	18	40 1/4	15	90.00
2440LL	2	1 1/8	24	40 1/4	18	102.00
3040LL	2	1 1/8	30	40 1/4	21	128.00
0964LL	4	1 1/8	9	64 1/4	16	87.00
1264LL	3	1 1/8	12	64 1/4	19	96.00
1564LL	3	1 1/8	15	64 1/4	21	110.00
1864LL	3	1 1/8	18	64 1/4	23	122.00
2464LL	2	1 1/8	24	64 1/4	28	141.00
3064LL	2	1 1/8	30	64 1/4	33	168.00
0976LL	4	1 1/8	9	76 1/4	18	97.00
1276LL	3	1 1/8	12	76 1/4	20	110.00
1576LL	3	1 1/8	15	76 1/4	21	119.00
1876LL	2	1 1/8	18	76 1/4	23	134.00
2476LL	2	1 1/8	24	76 1/4	29	169.00
3076LL	2	1 1/8	30	76 1/4	35	189.00
0985LL	4	1 1/8	9	85 1/4	21	104.00
1285LL	3	1 1/8	12	85 1/4	23	116.00
1585LL	3	1 1/8	15	85 1/4	25	129.00
1885LL	2	1 1/8	18	85 1/4	26	146.00
2485LL	2	1 1/8	24	85 1/4	35	181.00
3085LL	2	1 1/8	30	85 1/4	44	205.00
0988LL	4	1 1/8	9	88 1/4	21	106.00
1288LL	3	1 1/8	12	88 1/4	24	119.00
1588LL	3	1 1/8	15	88 1/4	25	133.00
1888LL	2	1 1/8	18	88 1/4	27	155.00
2488LL	2	1 1/8	24	88 1/4	34	183.00
3088LL	2	1 1/8	30	88 1/4	41	204.00
0997LL	2	1 1/8	9	97 1/4	23	114.00
1297LL	3	1 1/8	12	97 1/4	28	129.00
1597LL	3	1 1/8	15	97 1/4	31	149.00
1897LL	2	1 1/8	18	97 1/4	33	162.00
2497LL	2	1 1/8	24	97 1/4	41	199.00
3097LL	2	1 1/8	30	97 1/4	49	233.00

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
"T" UPRIGHTS						
0940LT	2	1 1/8	9	40 1/4	14	96.00
1240LT	2	1 1/8	12	40 1/4	16	101.00
1540LT	2	1 1/8	15	40 1/4	18	106.00
1840LT	2	1 1/8	18	40 1/4	20	120.00
2440LT	2	1 1/8	24	40 1/4	24	132.00
3040LT	2	1 1/8	30	40 1/4	28	153.00
0964LT	2	1 1/8	9	64 1/4	21	119.00
1264LT	2	1 1/8	12	64 1/4	25	128.00
1564LT	2	1 1/8	15	64 1/4	28	136.00
1864LT	2	1 1/8	18	64 1/4	30	161.00
2464LT	2	1 1/8	24	64 1/4	36	180.00
3064LT	2	1 1/8	30	64 1/4	42	201.00
0976LT	2	1 1/8	9	76 1/4	22	131.00
1276LT	2	1 1/8	12	76 1/4	26	145.00
1576LT	2	1 1/8	15	76 1/4	28	154.00
1876LT	2	1 1/8	18	76 1/4	30	177.00
2476LT	2	1 1/8	24	76 1/4	36	193.00
3076LT	2	1 1/8	30	76 1/4	42	223.00
0985LT	2	1 1/8	9	85 1/4	27	138.00
1285LT	2	1 1/8	12	85 1/4	28	149.00
1585LT	2	1 1/8	15	85 1/4	31	162.00
1885LT	2	1 1/8	18	85 1/4	33	189.00
2485LT	2	1 1/8	24	85 1/4	46	217.00
3085LT	2	1 1/8	30	85 1/4	59	243.00
0988LT	2	1 1/8	9	88 1/4	28	142.00
1288LT	2	1 1/8	12	88 1/4	29	152.00
1588LT	2	1 1/8	15	88 1/4	32	167.00
1888LT	2	1 1/8	18	88 1/4	34	197.00
2488LT	2	1 1/8	24	88 1/4	42	220.00
3088LT	2	1 1/8	30	88 1/4	50	247.00
0997LT	2	1 1/8	9	97 1/4	30	149.00
1297LT	2	1 1/8	12	97 1/4	36	169.00
1597LT	2	1 1/8	15	97 1/4	40	181.00
1897LT	2	1 1/8	18	97 1/4	43	208.00
2497LT	2	1 1/8	24	97 1/4	51	246.00
3097LT	2	1 1/8	30	97 1/4	59	275.00

Custom heights available. Call factory for pricing.



Look for the red diamond!

THIN PROFILE SHELVES — 22 GAUGE



CAT. NO.	LOAD CAP.*	TR-dd's Recommended	PCS/ CTN	W	D	H	WT.	PRICE
T2-2412	600	—	16	24	12	25/32	3.1	13.40
T2-2415	500	—	16	24	15	25/32	3.8	16.90
T2-2424	400	1	8	24	24	25/32	5.8	25.00
T2-2430	400	2	8	24	30	25/32	7.2	31.00
T2-3010	600	—	8	30	10	25/32	3.2	13.40
T2-3012 ♦	600	—	8	30	12	25/32	3.8	13.40
T2-3013	500	—	8	30	13	25/32	4.1	16.90
T2-3015 ♦	500	—	8	30	15	25/32	4.7	16.90
T2-3016	500	1	8	30	16	25/32	4.9	20.00
T2-3018	500	1	8	30	18	25/32	5.5	20.00
T2-3020	400	1	8	30	20	25/32	6.1	25.00
T2-3024 ♦	400	1	8	30	24	25/32	7.2	25.00
T2-3026	400	2	8	30	26	25/32	7.7	28.00
T2-3030 ♦	400	2	8	30	30	25/32	8.8	31.00
T2-3032	400	2	8	30	32	25/32	9.4	34.00
T2-3609	600	—	16	36	9	25/32	3.6	11.90
T2-3610	600	—	16	36	10	25/32	3.9	13.40
T2-3612 ♦	600	—	16	36	12	25/32	4.6	13.40
T2-3613	500	—	8	36	13	25/32	4.6	16.90
T2-3615 ♦	500	—	8	36	15	25/32	5.5	16.90
T2-3616	500	1	8	36	16	25/32	5.9	20.00
T2-3618	500	1	8	36	18	25/32	6.5	20.00
T2-3620	400	1	8	36	20	25/32	7.2	25.00
T2-3624 ♦	400	1	8	36	24	25/32	8.5	25.00
T2-3626	400	2	8	36	26	25/32	9.2	31.00
T2-3630 ♦	400	2	8	36	30	25/32	10.5	31.00
T2-3632	400	2	8	36	32	25/32	11.1	34.00

CAT. NO.	LOAD CAP.*	TR-dd's Recommended	PCS/ CTN	W	D	H	WT.	PRICE
T2-4209	600	—	16	42	9	25/32	4.1	13.70
T2-4210	600	—	12	42	10	25/32	4.5	16.50
T2-4212 ♦	600	—	12	42	12	25/32	5.3	16.50
T2-4213	500	—	8	42	13	25/32	5.7	20.00
T2-4215 ♦	500	—	8	42	15	25/32	6.4	20.00
T2-4216	500	1	8	42	16	25/32	6.8	23.00
T2-4218	500	1	8	42	18	25/32	7.6	23.00
T2-4220	500	1	8	42	20	25/32	8.3	28.00
T2-4224 ♦	500	1	8	42	24	25/32	9.8	28.00
T2-4226	450	2	8	42	26	25/32	10.6	36.00
T2-4230 ♦	450	2	8	42	30	25/32	12.0	36.00
T2-4232	450	2	8	42	32	25/32	12.8	38.00
T2-4809	550	—	16	48	9	25/32	4.7	15.70
T2-4810	550	—	12	48	10	25/32	5.1	18.30
T2-4812 ♦	550	—	12	48	12	25/32	6.0	18.30
T2-4813	400	—	8	48	13	25/32	6.4	23.00
T2-4815 ♦	400	—	8	48	15	25/32	7.3	23.00
T2-4816	350	1	8	48	16	25/32	7.7	26.00
T2-4818	350	1	8	48	18	25/32	8.6	26.00
T2-4820	450	2	8	48	20	25/32	9.5	33.00
T2-4824 ♦	450	2	8	48	24	25/32	11.2	33.00
T2-4826	400	2	8	48	26	25/32	12.1	40.00
T2-4830 ♦	400	2	6	48	30	25/32	13.8	40.00
T2-4832	400	2	6	48	32	25/32	14.7	45.00

For use with all uprights except double wall (library) uprights. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and on using TS-wwgg shelf supports, with weight evenly distributed. Shelves punched for optional center dividers (CD-ww).

*NOTE: Load capacities do not apply to mobile units.

THIN PROFILE SHELVES — 18 GAUGE



CAT. NO.	LOAD CAP.*	TR-dd's Recommended	PCS/ CTN	W	D	H	WT.	PRICE
T-3009	600	—	16	30	9	25/32	5.0	21.00
T-3012	600	—	16	30	12	25/32	5.4	26.00
T-3015	500	—	8	30	15	25/32	8.2	31.00
T-3018	500	1	8	30	18	25/32	9.8	37.00
T-3024	400	1	8	30	24	25/32	13.0	38.00
T-3030	500	2	8	30	30	25/32	16.8	58.00
T-3609	600	—	16	36	9	25/32	5.7	21.00
T-3612	600	—	16	36	12	25/32	7.3	26.00
T-3615	500	—	8	36	15	25/32	8.9	31.00
T-3618	500	1	8	36	18	25/32	10.5	37.00
T-3624	400	1	8	36	24	25/32	13.6	38.00
T-3630	500	2	8	36	30	25/32	18.0	58.00
T-4209	600	—	16	42	9	25/32	6.6	26.00
T-4212	600	—	12	42	12	25/32	8.4	31.00
T-4215	500	—	8	42	15	25/32	10.3	37.00
T-4218	550	1	8	42	18	25/32	12.1	42.00
T-4224	550	2	8	42	24	25/32	15.8	53.00
T-4230	550	2	8	42	30	25/32	19.4	63.00
T-4809	550	—	16	48	9	25/32	7.5	28.00
T-4812	550	—	12	48	12	25/32	9.6	35.00
T-4815	450	—	8	48	15	25/32	11.7	41.00
T-4818	450	1	8	48	18	25/32	13.8	48.00
T-4824	500	2	8	48	24	25/32	17.9	59.00
T-4830	500	2	6	48	30	25/32	22.1	74.00

For use with all uprights except double wall (library) uprights. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and on using TS-wwgg shelf supports, with weight evenly distributed.

Shelves punched for optional center dividers (CD-ww).

*NOTE: Load capacities do not apply to mobile units.

L&T COMPONENTS & ACCESSORIES

Thin Profile Slotted Shelves

Look for the red diamond!



THIN PROFILE SLOTTED SHELVES — 22 GAUGE



SINGLE ENTRY



DOUBLE ENTRY

CAT. NO.	LOAD CAP.*	TR-dd's Recommended	PCS/ CTN	W	D	H	WT.	PRICE
SINGLE ENTRY								
TQ2-2412	600	—	16	24	12	25/32	3.8	13.50
TQ2-2415	500	—	8	24	15	25/32	3.8	16.90
TQ2-3010	600	—	16	30	10	25/32	3.2	13.50
TQ2-3012♦	600	—	16	30	12	25/32	3.8	13.50
TQ2-3013	500	—	8	30	13	25/32	4.1	16.90
TQ2-3015♦	500	—	8	30	15	25/32	4.7	16.90
TQ2-3016	500	1	8	30	16	25/32	4.9	20.00
TQ2-3609	600	—	16	36	9	25/32	3.6	12.20
TQ2-3610	600	—	16	36	10	25/32	3.9	13.50
TQ2-3612♦	600	—	16	36	12	25/32	4.6	13.50
TQ2-3613	500	—	8	36	13	25/32	4.9	16.90
TQ2-3615♦	500	—	8	36	15	25/32	5.5	16.90
TQ2-3616	500	1	8	36	16	25/32	5.9	20.00
TQ2-4209	600	—	16	42	9	25/32	4.1	14.00
TQ2-4210	600	—	16	42	10	25/32	4.5	16.50
TQ2-4212♦	600	—	12	42	12	25/32	5.3	16.50
TQ2-4213	500	—	8	42	13	25/32	5.7	19.80
TQ2-4215♦	500	—	8	42	15	25/32	6.4	19.80
TQ2-4216	500	1	12	42	16	25/32	6.8	23.00
TQ2-4809	550	—	16	48	9	25/32	4.7	15.30
TQ2-4810	550	—	16	48	10	25/32	5.1	18.30
TQ2-4812	550	—	12	48	12	25/32	6.0	18.30
TQ2-4813	400	—	8	48	13	25/32	6.4	22.00
TQ2-4815	400	—	8	48	15	25/32	7.3	22.00
TQ2-4816	350	1	8	48	16	25/32	7.7	26.00

CAT. NO.	LOAD CAP.*	TR-dd's Recommended	PCS/ CTN	W	D	H	WT.	PRICE
DOUBLE ENTRY								
TQD2-2424	400	1	8	24	24	25/32	5.8	25.00
TQD2-2430	400	2	8	24	30	25/32	7.2	31.00
TQD2-3020	400	1	8	30	20	25/32	7.2	25.00
TQD2-3024♦	400	1	8	30	24	25/32	7.2	25.00
TQD2-3026	400	2	8	30	26	25/32	7.7	31.00
TQD2-3030♦	400	2	8	30	30	25/32	8.7	31.00
TQD2-3032	400	2	8	30	32	25/32	9.4	34.00
TQD2-3618	500	1	8	36	18	25/32	6.5	20.00
TQD2-3620	400	1	8	36	20	25/32	7.2	25.00
TQD2-3624♦	400	1	8	36	24	25/32	8.5	25.00
TQD2-3626	400	2	8	36	26	25/32	9.2	31.00
TQD2-3630♦	400	2	8	36	30	25/32	10.5	31.00
TQD2-3632	400	2	8	36	32	25/32	11.1	34.00
TQD2-4218	500	1	8	42	18	25/32	7.6	23.00
TQD2-4220	500	2	8	42	20	25/32	8.4	29.00
TQD2-4224♦	500	2	8	42	24	25/32	9.9	29.00
TQD2-4226	450	2	8	42	26	25/32	10.6	36.00
TQD2-4230♦	450	2	8	42	30	25/32	12.1	36.00
TQD2-4232	450	2	8	42	32	25/32	12.9	39.00
TQD2-4818	350	1	8	48	18	25/32	8.6	26.00
TQD2-4820	450	2	8	48	20	25/32	9.5	33.00
TQD2-4824♦	450	2	8	48	24	25/32	11.2	33.00
TQD2-4826	400	2	8	48	26	25/32	12.1	41.00
TQD2-4830♦	400	2	8	48	30	25/32	13.8	41.00
TQD2-4832	400	2	8	48	32	25/32	14.7	46.00

For use with all uprights except double wall (library) uprights. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and using TS-wwgg shelf supports, with weight evenly distributed. Slotted on 2" centers for optional adjustable dividers.

*NOTE: Load capacities do not apply to mobile units.

THIN PROFILE SLOTTED SHELVES — 18 GAUGE



SINGLE ENTRY



DOUBLE ENTRY

CAT. NO.	LOAD CAP.*	TR-dd's Recommended	PCS/ CTN	W	D	H	WT.	PRICE
SINGLE ENTRY								
TQ-3009	600	—	16	30	9	25/32	4.7	21.00
TQ-3012	600	—	16	30	12	25/32	6.1	26.00
TQ-3015	500	—	8	30	15	25/32	7.5	31.00
TQ-3609	600	—	16	36	9	25/32	5.7	21.00
TQ-3612	600	—	16	36	12	25/32	7.3	26.00
TQ-3615	500	—	8	36	15	25/32	8.9	31.00
TQ-4209	600	—	16	42	9	25/32	6.6	25.00
TQ-4212	600	—	12	42	12	25/32	8.4	30.00
TQ-4215	500	—	8	42	15	25/32	10.3	37.00
TQ-4809	550	—	16	48	9	25/32	7.5	28.00
TQ-4812	550	—	12	48	12	25/32	9.6	35.00
TQ-4815	450	—	8	48	15	25/32	11.7	41.00

CAT. NO.	LOAD CAP.*	TR-dd's Recommended	PCS/ CTN	W	D	H	WT.	PRICE
DOUBLE ENTRY								
TQD-3018	500	1	8	30	18	25/32	8.8	37.00
TQD-3024	400	1	8	30	24	25/32	13.6	44.00
TQD-3030	500	2	8	30	30	25/32	16.8	58.00
TQD-3618	500	1	8	36	18	25/32	10.5	37.00
TQD-3624	400	1	8	36	24	25/32	13.6	44.00
TQD-3630	500	2	8	36	30	25/32	16.8	58.00
TQD-4218	550	1	8	42	18	25/32	12.1	42.00
TQD-4224	550	2	8	42	24	25/32	15.8	53.00
TQD-4230	550	2	8	42	30	25/32	19.4	67.00
TQD-4818	450	1	8	48	18	25/32	13.8	48.00
TQD-4824	500	2	8	48	24	25/32	17.9	57.00
TQD-4830	500	2	8	48	30	25/32	22.1	75.00

For use with all uprights except double wall (library) uprights. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and using TS-wwgg shelf supports, with weight evenly distributed. Slotted on 2" centers for optional adjustable dividers.

*NOTE: Load capacities do not apply to mobile units.



Look for the red diamond!

LIBRARY SINGLE ENTRY SLOTTED SHELVES



For use with double wall (library) uprights only. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and on using TS-wwgg shelf supports, with weight evenly distributed. 18 gauge shelves also available; Call factory for prices, weights and load capacities.

*NOTE: Load capacities do not apply to mobile units.

CAT. NO.	LOAD CAP.*	TR-dd's Recommended	PCS/ CTN	W	D	H	WT.	PRICE
LQ2-3009	600	—	16	30	9	25/32	2.8	12.70
LQ2-3012	600	—	16	30	12	25/32	3.6	15.50
LQ2-3609	600	—	16	36	9	25/32	3.4	12.70
LQ2-3612	600	—	16	36	12	25/32	4.3	15.50
LQ2-3615	500	—	8	36	15	25/32	5.2	19.80
LQ2-4209	600	—	16	42	9	25/32	3.9	14.90
LQ2-4212	600	—	12	42	12	25/32	5.0	18.10
LQ2-4215	500	—	8	42	15	25/32	6.1	23.00
LQ2-4809	550	—	16	48	9	25/32	4.5	14.90
LQ2-4812	550	—	12	48	12	25/32	5.8	18.60
LQ2-4815	450	—	8	48	15	25/32	7.0	23.00

LIBRARY DOUBLE ENTRY SLOTTED SHELVES



For use with double wall (library) uprights only. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and on using TS-wwgg shelf supports, with weight evenly distributed. 18 gauge shelves also available; Call factory for prices, weights and load capacities.

*NOTE: Load capacities do not apply to mobile units.

CAT. NO.	LOAD CAP.*	TR-dd's Recommended	PCS/ CTN	W	D	H	WT.	PRICE
LQD2-3018	500	1	8	30	18	25/32	5.1	23.00
LQD2-3024	400	1	8	30	24	25/32	6.8	27.00
LQD2-3618	500	1	8	36	18	25/32	6.2	23.00
LQD2-3624	400	1	18	36	24	25/32	8.1	27.00
LQD2-3630	400	2	8	36	30	25/32	9.9	36.00
LQD2-4218	500	1	8	42	18	25/32	7.3	26.00
LQD2-4224	500	2	8	42	24	25/32	9.4	32.00
LQD2-4230	450	2	8	42	30	25/32	11.6	41.00
LQD2-4818	350	1	8	48	18	25/32	8.2	26.00
LQD2-4824	450	2	8	48	24	25/32	10.7	35.00
LQD2-4830	400	2	8	48	30	25/32	13.2	40.00

LIBRARY SHELVES



For use with double wall (library) uprights only. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of TR-dd reinforcements and on using TS-wwgg shelf supports, with weight evenly distributed. 18 gauge shelves also available; Call factory for prices, weights and load capacities.

*NOTE: Load capacities do not apply to mobile units.

CAT. NO.	LOAD CAP.*	TR-dd's Recommended	PCS/ CTN	W	D	H	WT.	PRICE
L2-3009	600	—	16	30	9	25/32	2.8	12.50
L2-3012	600	—	16	30	12	25/32	3.6	14.90
L2-3018	500	1	8	30	18	25/32	5.2	22.00
L2-3024	400	1	8	30	24	25/32	6.7	27.00
L2-3609	600	—	16	36	9	25/32	3.4	12.50
L2-3612	600	—	16	36	12	25/32	4.3	14.90
L2-3615	500	—	8	36	15	25/32	5.2	19.40
L2-3618	500	1	8	36	18	25/32	6.2	22.00
L2-3624	400	1	16	36	24	25/32	8.1	27.00
L2-3630	400	2	8	36	30	25/32	9.9	35.00
L2-4209	600	—	16	42	9	25/32	3.9	15.70
L2-4212	600	—	12	42	12	25/32	5.0	18.30
L2-4215	500	—	8	42	15	25/32	6.1	22.00
L2-4218	500	1	8	42	18	25/32	7.2	26.00
L2-4224	500	2	8	42	24	25/32	9.4	32.00
L2-4230	450	2	8	42	30	25/32	11.6	39.00
L2-4809	550	—	16	48	9	25/32	4.5	15.00
L2-4812	550	—	12	48	12	25/32	5.8	18.60
L2-4815	450	—	8	48	15	25/32	7.0	22.00
L2-4818	350	1	8	48	18	25/32	8.2	26.00
L2-4824	450	2	8	48	24	25/32	10.7	33.00
L2-4830	400	2	8	48	30	25/32	13.2	40.00

LIBRARY TOP SHELF FILLERS



Used to enhance the appearance of the top shelf of library units. Fills the gap between the double walls of the upright. Especially usefull for shorter shelving units where unit top is easily visible.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
FOR L UPRIGHTS						
LTLF-09-1	1	1 1/8	9	—	.2	12.80
LTLF-12-1	1	1 1/8	12	—	.3	12.90
LTLF-15-1	1	1 1/8	15	—	.3	12.90
LTLF-18-1	1	1 1/8	18	—	.4	13.00
LTLF-24-1	1	1 1/8	24	—	.5	13.10
LTLF-30-1	1	1 1/8	30	—	.7	13.30
FOR T UPRIGHTS						
LTLF-09-2	1	2 1/16	9	—	.3	13.00
LTLF-12-2	1	2 1/16	12	—	.4	13.20
LTLF-15-2	1	2 1/16	15	—	.5	13.40
LTLF-18-2	1	2 1/16	18	—	.6	13.40
LTLF-24-2	1	2 1/16	24	—	.7	13.60
LTLF-30-2	1	2 1/16	30	—	.9	14.10

L&T COMPONENTS & ACCESSORIES

Heavy, X-Ray and Particleboard Shelves

Look for the red diamond!



HEAVY SHELVES



HEAVY SHELF

CAT. NO.	LOAD CAP.*	HR-dd's Recommended	PCS/CTN	W	D	H	WT.	PRICE
HEAVY SHELF								
H-3612	1,100	—	12	36	12	17/32	7.9	28.00
H-3615	1,000	—	6	36	15	17/32	9.5	34.00
H-3618	950	1	6	36	18	17/32	11.1	36.00
H-3624	900	1	6	36	24	17/32	14.4	46.00
H-3630	1,000	2	4	36	30	17/32	17.6	58.00
H-3636	900	2	4	36	36	17/32	20.8	69.00
H-4212	1,000	—	8	42	12	17/32	9.1	34.00
H-4215	900	—	6	42	15	17/32	11.0	39.00
H-4218	800	1	6	42	18	17/32	12.8	45.00
H-4224	900	2	6	42	24	17/32	16.6	53.00
H-4230	900	2	4	42	30	17/32	20.3	66.00
H-4236	800	2	4	42	36	17/32	24.0	78.00
H-4812	900	—	8	48	12	17/32	10.3	37.00
H-4815	750	—	6	48	15	17/32	12.5	44.00
H-4818	700	1	6	48	18	17/32	14.6	50.00
H-4824	800	2	6	48	24	17/32	18.8	61.00
H-4830	800	2	4	48	30	17/32	23.0	75.00
H-4836	700	2	4	48	36	17/32	27.3	88.00

May not be used with double wall (library) uprights. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of HR-dd reinforcements and using HS-xx14 shelf supports, with weight evenly distributed.

*NOTE: Load capacities do not apply to mobile units.



HEAVY PUNCHED SHELF

CAT. NO.	LOAD CAP.*	HR-dd's Recommended	PCS/CTN	W	D	H	WT.	PRICE
HEAVY PUNCHED SHELF								
Single Entry								
HP-3612	1,100	—	12	36	12	17/32	7.9	29.00
HP-3615	1,000	—	6	36	15	17/32	9.5	35.00
HP-3618	950	1	6	36	18	17/32	11.1	39.00
HP-4212	1,000	—	8	42	12	17/32	9.1	34.00
HP-4215	900	—	6	42	15	17/32	11.0	39.00
HP-4218	800	1	6	42	18	17/32	12.8	46.00
HP-4812	900	—	8	48	12	17/32	10.3	37.00
HP-4815	750	—	6	48	15	17/32	12.5	44.00
HP-4818	700	1	6	48	18	17/32	14.6	50.00
Double Entry								
HPD-3624	900	1	6	36	24	17/32	14.4	50.00
HPD-3630	1,000	2	4	36	30	17/32	17.6	58.00
HPD-3636	900	2	4	36	36	17/32	20.9	72.00
HPD-4224	900	2	6	42	24	17/32	16.6	58.00
HPD-4230	900	2	4	42	30	17/32	20.3	66.00
HPD-4236	800	2	4	42	36	17/32	24.1	82.00
HPD-4824	800	2	4	48	24	17/32	18.8	65.00
HPD-4830	800	2	4	48	30	17/32	23.1	80.00
HPD-4836	700	2	4	48	36	17/32	27.3	94.00

May not be used with double wall (library) uprights. For use with bin dividers (LTBD-ddhh). Each shelf requires two shelf supports. Load capacities are based on using the recommended number of HR-dd reinforcements and using HS-ww14 shelf supports, with weight evenly distributed.

*NOTE: Load capacities do not apply to mobile units.

X-RAY SLOTTED SHELVES



May not be used with double wall (library) uprights. Each shelf requires two shelf supports. Load capacities are based on using the recommended number of HR-dd reinforcements and using HS-ww14 shelf supports, with weight evenly distributed.

*NOTE: Load capacities do not apply to mobile units.

CAT. NO.	LOAD CAP.*	HR-dd's Recommended	PCS/CTN	W	D	H	WT.	PRICE
Single Entry								
HX-3018	950	1	6	30	18	17/32	9.4	36.00
HX-3618	950	1	6	36	18	17/32	11.1	36.00
HX-4218	800	1	6	42	18	17/32	12.9	45.00
HX-4818	700	1	6	48	18	17/32	14.6	50.00
Double Entry								
HXD-3036	900	2	6	30	36	17/32	17.6	69.00
HXD-3636	900	2	6	36	36	17/32	20.9	69.00
HXD-4236	800	2	6	42	36	17/32	24.1	78.00
HXD-4836	700	2	6	48	36	17/32	27.3	88.00

PARTICLEBOARD SHELVES



For oakgrain finish, change "PBL" to "PBL5" and add 50% to shelf price. May not be used with double wall (library) uprights. Each shelf requires two HS or PBS shelf supports. Load capacities are based on using HS-ww14 shelf supports and on weight being evenly distributed.

*NOTE: Load capacities do not apply to mobile units.

CAT. NO.	W	D	H	WT.	PRICE
PBL-3612	35 ⁹ / ₁₆	10 ⁷ / ₈	5/8	7.7	6.00
PBL-3615	35 ⁹ / ₁₆	13 ⁷ / ₈	5/8	9.6	6.60
PBL-3618	35 ⁹ / ₁₆	16 ⁷ / ₈	5/8	11.4	9.00
PBL-3624	35 ⁹ / ₁₆	22 ⁷ / ₈	5/8	15.1	12.00
PBL-3630	35 ⁹ / ₁₆	28 ⁷ / ₈	5/8	19.2	15.10
PBL-3636	35 ⁹ / ₁₆	34 ⁷ / ₈	5/8	23.0	18.00
PBL-4212	41 ⁹ / ₁₆	10 ⁷ / ₈	5/8	8.9	7.60
PBL-4215	41 ⁹ / ₁₆	13 ⁷ / ₈	5/8	11.2	8.20
PBL-4218	41 ⁹ / ₁₆	16 ⁷ / ₈	5/8	13.4	10.80
PBL-4224	41 ⁹ / ₁₆	22 ⁷ / ₈	5/8	17.8	14.20
PBL-4230	41 ⁹ / ₁₆	28 ⁷ / ₈	5/8	23.0	16.70
PBL-4236	41 ⁹ / ₁₆	34 ⁷ / ₈	5/8	27.0	20.00
PBL-4812	47 ⁹ / ₁₆	10 ⁷ / ₈	5/8	10.2	8.10
PBL-4815	47 ⁹ / ₁₆	13 ⁷ / ₈	5/8	12.7	10.00
PBL-4818	47 ⁹ / ₁₆	16 ⁷ / ₈	5/8	15.2	12.00
PBL-4824	47 ⁹ / ₁₆	22 ⁷ / ₈	5/8	20.0	14.70
PBL-4830	47 ⁹ / ₁₆	28 ⁷ / ₈	5/8	25.0	19.90
PBL-4836	47 ⁹ / ₁₆	34 ⁷ / ₈	5/8	31.0	22.00



Look for the red diamond!

THIN SHELF SUPPORTS



Two required per shelf.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
14 GAUGE						
TS-2414	30	24	—	3/4	1.0	5.00
TS-3014♦	30	30	—	3/4	1.3	5.00
TS-3614♦	30	36	—	3/4	1.6	5.00

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
11 GAUGE						
TS-3611♦	30	36	—	3/4	2.5	7.50
TS-4211♦	30	42	—	3/4	2.9	8.70
TS-4811♦	30	48	—	3/4	3.3	9.80

THIN SHELF REINFORCEMENTS



Use with TS-wwgg shelf supports.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
TR-09	144	15/16	9	5/8	.3	1.70
TR-10	144	15/16	10	5/8	.4	1.70
TR-12♦	144	15/16	12	5/8	.5	1.70
TR-13	144	15/16	13	5/8	.5	2.10
TR-15♦	144	15/16	15	5/8	.6	2.10
TR-16	144	15/16	16	5/8	.7	2.40

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
TR-18♦	72	15/16	18	5/8	.7	2.40
TR-20	72	15/16	20	5/8	1.0	3.40
TR-24♦	72	15/16	24	5/8	1.0	3.40
TR-26	72	15/16	26	5/8	1.1	4.20
TR-30♦	72	15/16	30	5/8	1.3	4.20
TR-32	72	15/16	32	5/8	1.3	4.30

THIN SHELF SUPPORTS (for single entry use only)



An economical option for use with single-entry units only. TSC-ww14 shelf supports will not accept shelf reinforcements, and thus should not be used on units with depths greater than 15". Two supports required per shelf.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
14 GAUGE						
TSC-3614	30	36	—	3/4	1.5	5.50
TSC-4214	30	42	—	3/4	1.9	6.30
TSC-4814	30	48	—	3/4	2.2	7.40

HEAVY SHELF SUPPORTS



Two required per shelf.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
14 GAUGE						
HS-3014♦	30	30	—	1 1/8	1.3	5.20
HS-3614♦	30	36	—	1 1/8	1.8	5.20
HS-4214♦	30	42	—	1 1/8	2.0	6.00
HS-4814♦	30	48	—	1 1/8	2.2	6.80

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
11 GAUGE						
HS-3611♦	30	36	—	1 1/8	2.6	8.80
HS-4211♦	30	42	—	1 1/8	3.1	9.50
HS-4811♦	30	48	—	1 1/8	3.6	10.60

HEAVY SHELF REINFORCEMENTS



Use with HS-wwgg shelf supports.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
HR-12♦	96	15/16	12	5/8	.7	2.40
HR-13	96	15/16	13	5/8	.8	2.90
HR-15♦	96	15/16	15	5/8	.9	2.90
HR-16	96	15/16	16	5/8	1.1	3.40
HR-18♦	48	15/16	18	5/8	1.1	3.40

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
HR-20	48	15/16	20	5/8	1.5	4.60
HR-24♦	48	15/16	24	5/8	1.5	4.60
HR-26	48	15/16	26	5/8	1.6	5.60
HR-30♦	48	15/16	30	5/8	1.9	5.60
HR-32	48	15/16	32	5/8	2.3	6.90
HR-36♦	36	15/16	36	5/8	2.3	6.90

SINGLE RIVET BOTTOM SHELF SUPPORTS



Two supports required per shelf. Use HR-dd reinforcements for 18" & deeper shelves. Use only with bottom shelf, to permit shelf to fit flush with floor or for attachment to mobile bases.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
SHS-2414	30	24	—	1 3/8	2.0	7.50
SHS-3014♦	30	30	—	1 3/8	2.0	7.50
SHS-3614♦	30	36	—	1 3/8	2.0	7.50
SHS-4214♦	30	42	—	1 3/8	2.4	8.20
SHS-4814♦	30	48	—	1 3/8	2.7	9.20

PARTICLEBOARD SHELF SUPPORTS



3/4" profile gives more clearance than HS supports. Two supports required per shelf.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
PBS-3611♦	30	36	—	3/4	2.4	10.70
PBS-4211♦	30	42	—	3/4	2.9	11.80
PBS-4811♦	30	48	—	3/4	3.4	12.30

HANG-ROD ASSEMBLIES



Hang rod assembly consists of two hanging brackets, one hang bar and four galvanized clips to attach. Provides one hanging position.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
HANGING BRACKETS						
HRSB-12	1	1	12	2 1/8	1.2	14.10
HRSB-15	1	1	15	2 1/8	1.5	15.00
HRSB-18	1	1	18	2 1/8	1.9	11.30
HRSB-24	1	1	24	2 1/8	2.5	13.00
HRSB-30	1	1	30	2 1/8	3.2	17.50

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
HANG BAR						
LTTB-30	1	30	1/2	1 1/2	2.1	12.90
LTTB-36	1	36	1/2	1 1/2	2.1	14.00
LTTB-42	1	42	1/2	1 1/2	2.4	15.00
LTTB-48	1	48	1/2	1 1/2	2.7	17.00
HANG BAR CLIPS						
MC-1P	1	Painted			.1	.32

L&T COMPONENTS & ACCESSORIES

Backs, Reference Shelf, Periodical Shelf

Look for the red diamond!



BACKS - ONE PIECE

CAT. NO.	W	D	H	WT.	PRICE
30" WIDE					
B-3040	30	—	40 ¹ / ₄	7.6	44.00*
B-3064	30	—	64 ¹ / ₄	12.0	62.00*
B-3076	30	—	76 ¹ / ₄	14.0	72.00*
B-3085	30	—	85 ¹ / ₄	16.0	79.00¥
B-3088	30	—	88 ¹ / ₄	16.0	81.00¥
36" WIDE					
B-3640	36	—	40 ¹ / ₄	15.0	44.00*
B-3664	36	—	64 ¹ / ₄	14.0	62.00*
B-3676	36	—	76 ¹ / ₄	23.0	72.00*
B-3685	36	—	85 ¹ / ₄	28.0	79.00¥
B-3688	36	—	88 ¹ / ₄	26.0	81.00¥

CAT. NO.	W	D	H	WT.	PRICE
42" WIDE					
B-4240	42	—	40 ¹ / ₄	11.0	50.00*
B-4264	42	—	64 ¹ / ₄	17.0	72.00¥
B-4276	42	—	76 ¹ / ₄	32.0	82.00¥
B-4285	42	—	85 ¹ / ₄	22.0	91.00¥
B-4288	42	—	88 ¹ / ₄	36.0	94.00¥
48" WIDE					
B-4840	48	—	40 ¹ / ₄	12.0	56.00*
B-4864	48	—	64 ¹ / ₄	19.0	81.00¥
B-4876	48	—	76 ¹ / ₄	37.0	93.00¥
B-4885	48	—	85 ¹ / ₄	25.0	103.00¥
B-4888	48	—	88 ¹ / ₄	42.0	106.00¥

Packed up to 5 pieces per carton. Top and bottom stiffeners included.



BACKS - TWO PIECES

CAT. NO.	W	D	H	WT.	PRICE
30" WIDE					
LTBP-3064-2	30	—	64 ³ / ₁₆	13.0	84.00
LTBP-3076-2♦	30	—	76 ³ / ₁₆	15.4	93.00
LTBP-3085-2	30	—	85 ³ / ₁₆	17.2	101.00
LTBP-3088-2	30	—	88 ³ / ₁₆	17.8	104.00
LTBP-3097-2	30	—	97 ³ / ₁₆	19.9	110.00
LTBP-30121-2	30	—	121 ³ / ₁₆	25.0	126.00
36" WIDE					
LTBP-3664-2	36	—	64 ³ / ₁₆	15.6	96.00
LTBP-3676-2	36	—	76 ³ / ₁₆	18.6	101.00
LTBP-3685-2	36	—	85 ³ / ₁₆	21.0	109.00
LTBP-3688-2♦	36	—	88 ³ / ₁₆	21.0	111.00
LTBP-3697-2	36	—	97 ³ / ₁₆	24.0	124.00
LTBP-36121-2	36	—	121 ³ / ₁₆	30.0	143.00

CAT. NO.	W	D	H	WT.	PRICE
42" WIDE					
LTBP-4264-2	42	—	64 ³ / ₁₆	18.3	106.00
LTBP-4276-2♦	42	—	76 ³ / ₁₆	22.0	120.00
LTBP-4285-2	42	—	85 ³ / ₁₆	24.0	126.00
LTBP-4288-2♦	42	—	88 ³ / ₁₆	25.0	129.00
LTBP-4297-2	42	—	97 ³ / ₁₆	28.0	141.00
LTBP-42121-2	42	—	121 ³ / ₁₆	35.0	159.00
48" WIDE					
LTBP-4864-2	48	—	64 ³ / ₁₆	21.0	116.00
LTBP-4876-2♦	48	—	76 ³ / ₁₆	25.0	129.00
LTBP-4885-2	48	—	85 ³ / ₁₆	28.0	138.00
LTBP-4888-2	48	—	88 ³ / ₁₆	29.0	144.00
LTBP-4897-2	48	—	97 ³ / ₁₆	32.0	153.00
LTBP-48121-2	48	—	121 ³ / ₁₆	40.0	177.00

Packed 3 pieces per carton. Top and bottom stiffeners included.



SEISMIC BACKS

CAT. NO.	W	D	H	WT.	PRICE
30" WIDE					
CFB-3076	30	—	76 ¹ / ₄	25.0	107.00
CFB-3085	30	—	85 ¹ / ₄	27.0	117.00
CFB-3088	30	—	88 ¹ / ₄	28.0	120.00
CFB-3097	30	—	97 ¹ / ₄	36.0	130.00
36" WIDE					
CFB-3676	36	—	76 ¹ / ₄	29.0	107.00
CFB-3685	36	—	85 ¹ / ₄	32.0	117.00
CFB-3688	36	—	88 ¹ / ₄	33.0	120.00
CFB-3697	36	—	97 ¹ / ₄	36.0	130.00

CAT. NO.	W	D	H	WT.	PRICE
42" WIDE					
CFB-4276	42	—	76 ¹ / ₄	33.0	121.00
CFB-4285	42	—	85 ¹ / ₄	37.0	132.00
CFB-4288	42	—	88 ¹ / ₄	39.0	136.00
CFB-4297	42	—	97 ¹ / ₄	42.0	148.00
48" WIDE					
CFB-4876	48	—	76 ¹ / ₄	38.0	122.00
CFB-4885	48	—	85 ¹ / ₄	43.0	148.00
CFB-4888	48	—	88 ¹ / ₄	44.0	152.00
CFB-4897	48	—	97 ¹ / ₄	49.0	165.00

Packed as ordered. Helps reinforce shelving units in seismic zones.



REFERENCE SHELF KITS

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
Used on 36", 42" or 48" wide units						
RSMB-12♦	2	30	12	5 ⁵ / ₈	9.3	50.00
RSMB-15♦	2	30	15	5 ⁵ / ₈	9.7	51.00
RSMB-18♦	2	30	18	5 ⁵ / ₈	10.0	52.00
RSMB-24♦	2	30	24	5 ⁵ / ₈	10.8	55.00
RSMB-30♦	2	30	30	5 ⁵ / ₈	11.6	57.00
RSMB-36♦	2	30	36	5 ⁵ / ₈	12.4	60.00
30" WIDE EXTRA SHELF (FOR DOUBLE ENTRY UNITS)						
RS-3012♦	2	30	11 ⁷ / ₈	5 ⁵ / ₈	7.2	42.00

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
Used on 30" wide units						
RSMB-12-24	2	24	12	5 ⁵ / ₈	7.9	59.00
RSMB-15-24	2	24	15	5 ⁵ / ₈	8.3	60.00
RSMB-18-24	2	24	18	5 ⁵ / ₈	8.6	61.00
RSMB-24-24	2	24	24	5 ⁵ / ₈	9.4	63.00
RSMB-30-24	2	24	30	5 ⁵ / ₈	10.2	66.00
RSMB-36-24	2	24	36	5 ⁵ / ₈	11.0	69.00
24" WIDE EXTRA SHELF (FOR DOUBLE ENTRY UNITS)						
RS-2412	2	24	11 ⁷ / ₈	5 ⁵ / ₈	5.8	58.00

Shelf is 11⁷/₈" deep. Reduces filing space by 1". Kit comes with mounting brackets and one shelf. Brackets and shelves packed separately. For double entry units, order extra shelf.



PERIODICAL SHELVES

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
LTPD-30	8	30	14	1 ⁵ / ₁₆	8.7	46.00
LTPD-36	8	36	14	1 ⁵ / ₁₆	10.1	46.00
LTPD-42	8	42	14	1 ⁵ / ₁₆	11.7	51.00
LTPD-48	8	48	14	1 ⁵ / ₁₆	13.2	55.00

For quantities less than 25 pieces, add \$300/list setup charge.

Used for displaying media such as magazines, journals, etc.





Look for the red diamond!

LOCKING DOOR KITS (for HIPAA compliance)



SD-4276-1

Sliding Door for Single Units —
Extends 4 1/8" from front of unit; door
frame causes no loss of filing space.



SD-3688-2

Sliding Door for Double Units —
Extends 4 1/8" from front of unit; door
frame causes no loss of filing space.



LTHD-4276RHD

Hinged Door for Single Units —
Extends 1 3/4" from front of unit; door
frame uses 1/2" vertical filing space.

All doors come standard with lock, in compliance with Health Insurance Portability and Accountability Act of 1996 (HIPAA) regulations.

RETRACTABLE DOORS WITH LOCK



Inside dimensions of unit are 1" smaller
than outside dimensions; to file a
15" deep file folder requires a
16" flipper door and shelving unit, etc.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
LTRD-3615	1	36	15	12	14.0	154.00
LTRD-3616	1	36	16	12	14.5	155.00
LTRD-3618	1	36	18	12	15.3	157.00
LTRD-3624	1	36	24	12	17.8	165.00
LTRD-3630	1	36	30	12	14.5	149.00
LTRD-3632	1	36	32	12	15.0	150.00
LTRD-3636	1	36	36	12	15.8	147.00

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
SLIDING DOOR KIT — Fits Single Units						
SD-3676-1 ♦	1	36	4 1/8	76	103	907.00
SD-4276-1	1	42	4 1/8	76	121	933.00
SD-4876-1 ♦	1	48	4 1/8	76	138	955.00
SD-3688-1 ♦	1	36	4 1/8	88	120	922.00
SD-4288-1	1	42	4 1/8	88	139	949.00
SD-4888-1 ♦	1	48	4 1/8	88	160	971.00
SLIDING DOOR KIT — Fits Two Adjacent Units						
SD-3664-2	—	72	4 1/8	64	119	1,299.00
SD-3676-2 ♦	—	72	4 1/8	76	138	1,141.00
SD-3688-2 ♦	—	72	4 1/8	88	159	1,178.00
HINGED DOOR KIT — Fits Single Units						
LTHD-3640RH	—	36	1 1/4	40	30	488.00
LTHD-3676RH ♦	—	36	1 1/4	76	56	382.00
LTHD-4276RH	—	42	1 1/4	76	64	429.00
LTHD-4876RH	—	48	1 1/4	76	81	534.00
LTHD-3688RH ♦	—	36	1 1/4	88	63	395.00
LTHD-4288RH	—	42	1 1/4	88	74	532.00
LTHD-4888RH	—	48	1 1/4	88	84	586.00
EXTENDED HINGED DOOR KIT* — Fits Single Units**						
LTHD-3640RHD	—	36	2 1/4	40	33	589.00
LTHD-3676RHD	—	36	2 1/4	76	60	423.00
LTHD-4276RHD	—	42	2 1/4	76	68	518.00
LTHD-4876RHD	—	48	2 1/4	76	86	638.00
LTHD-3688RHD	—	36	2 1/4	88	68	422.00
LTHD-4288RHD	—	42	2 1/4	88	79	557.00
LTHD-4888RHD	—	48	2 1/4	88	89	606.00

*Provides additional clearance for filing with end tab file folders.

**Extends 2 3/4" from front of unit;

Door frame uses 1/2" vertical filing space.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
LTRD-4215	1	42	15	12	17.5	159.00
LTRD-4216	1	42	16	12	18.0	160.00
LTRD-4218	1	42	18	12	19.3	162.00
LTRD-4224	1	42	24	12	21.3	169.00
LTRD-4230	1	42	30	12	18.0	154.00
LTRD-4232	1	42	32	12	18.5	155.00
LTRD-4236	1	42	36	12	19.3	151.00
LTRD-4815	1	48	15	12	21.0	160.00
LTRD-4816	1	48	16	12	21.5	161.00
LTRD-4818	1	48	18	12	22.3	163.00
LTRD-4824	1	48	24	12	24.8	170.00
LTRD-4830	1	48	30	12	21.5	154.00
LTRD-4832	1	48	32	12	22.0	155.00
LTRD-4836	1	48	36	12	22.8	152.00

ADJUSTABLE, COMPRESSION AND WIRE DIVIDERS



FD-1108

PD-1108



*Use FD-0808 with TQ2-xx09
& TQD2-xx18 only.

**Includes Tennsco imprint.



AD-0907

†Use with CBS-ww or CCS-ww



TWD-1

Packed as ordered.



WDBS-42

Use with TWD-1 or TWD-2 (Sliding Wire Dividers)
Can only be used with single entry units.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
ADJUSTABLE FILE DIVIDER (STEEL)*						
FD-0808	40	—	8	8	.5	2.80
FD-1108** ♦	50	—	11	8	.8	2.50
FDP-1108 ♦	50	—	11	8	.8	2.50
ADJUSTABLE X-RAY FILE DIVIDER (STEEL)						
FD-1612 ♦	20	—	15 7/8	12	2.2	8.30
ADJUSTABLE FILE DIVIDER (PLASTIC)						
PD-1108 ♦	25	—	11	8	.4	2.20
ADJUSTABLE DIVIDER (COMPRESSION)†						
AD-0907	50	—	9	7	.6	4.80
AD-1107	50	—	11	7	1.0	5.40
SLIDING WIRE DIVIDER						
TWD-1	—	—	8	6	.5	11.10
TWD-2	—	—	10	6	.5	10.30
WIRE DIVIDER BACKSTOPS						
WDBS-36	40	36	—	2	1.4	6.60
WDBS-42	40	42	—	2	1.6	7.30
WDBS-48	40	48	—	2	1.8	8.20

L&T COMPONENTS & ACCESSORIES

Back Stops, Center Stops, Nylon Feet

Look for the red diamond!



BIN DIVIDERS, BACK STOPS AND FRONTS

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
BIN DIVIDER*						
LTBD-1206	30	—	12	6	.7	4.10
LTBD-1209	30	—	12	9	1.1	5.10
LTBD-1212	30	—	12	12	1.4	7.70
LTBD-1215	30	—	12	15	1.7	7.30
LTBD-1506	30	—	15	6	.9	5.00
LTBD-1509	30	—	15	9	1.3	6.30
LTBD-1512	30	—	15	12	1.7	7.60
LTBD-1515	30	—	15	15	2.1	8.70
LTBD-1806	30	—	18	6	1.1	6.20
LTBD-1809	30	—	18	9	1.6	7.10
LTBD-1812	30	—	18	12	2.0	8.50
LTBD-1815	30	—	18	15	2.5	10.30
X-RAY BIN DIVIDER*						
LTBD-1516.5	30	—	15	16½	2.3	9.30
LTBD-1518	30	—	15	18	2.5	10.00
LTBD-1816.5♦	30	—	18	16½	2.7	10.50
LTBD-1818♦	30	—	18	18	3.0	12.60

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
BIN DIVIDER BACK STOP**						
BDBS-30	30	30	—	3	1.7	13.80
BDBS-36♦	30	36	—	3	1.7	13.80
BDBS-42♦	30	42	—	3	2.0	15.30
BDBS-48♦	30	48	—	3	2.3	17.10
BIN FRONT						
BF-30	20	30	—	3	1.2	7.80
BF-36	30	36	—	3	1.4	7.80
BF-42	30	42	—	3	1.7	8.60
BF-48	30	48	—	3	1.9	9.30


*Use with HP-wwdd or HPD-wwdd shelves only.
**Use with bin dividers on single entry units only.



BDBS-30



LTBD-1215



BF-30

SLOTTED AND ADJUSTABLE BACK STOPS

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
SLOTTED BACK STOPS						
BS-30♦	40	30	—	2	1.2	5.40
BS-36♦	40	36	—	2	1.3	5.40
BS-42♦	40	42	—	2	1.6	6.30
BS-48♦	40	48	—	2	1.8	7.00
ADJUSTABLE BACK STOPS (COMPRESSION)						
CBS-36	18	36	¾	2	1.6	16.00
CBS-42	18	42	¾	2	1.9	17.00
CBS-48	18	48	¾	2	2.1	18.00



SLOTTED BACK STOPS
Use with FD-0808, FD-1108,
FDP-1108, FD-1612, PD-1108



ADJUSTABLE BACK STOPS (COMPRESSION)
Use with AD-0907 OR AD-1107

SLOTTED CENTER STOPS

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
SLOTTED CENTER STOP*						
CS-30♦	20	30	—	4	1.9	8.10
CS-36♦	20	36	—	4	2.2	8.10
CS-42♦	20	42	—	4	2.6	9.30
CS-48♦	20	48	—	4	3.0	10.50

* Use with double entry thin slotted shelves only.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
X-RAY SLOTTED CENTER STOP†						
XCS-30	20	30	—	7	3.2	15.70
XCS-36♦	20	36	—	7	3.8	15.70
XCS-42♦	20	42	—	7	4.5	18.10
XCS-48♦	20	48	—	7	5.1	20.00

† Use with double entry slotted X-ray shelves only.



ADJUSTABLE CENTER STOPS (COMPRESSION)

Use with AD-0907 or
AD-1107 (Adjustable Dividers)



UNSLOTTED CENTER DIVIDERS

Use with double entry units without file
dividers to divide shelves into equal halves.



NYLON FEET

CAT. NO.	DESCRIPTION	PRICE
LTFN-L	Fits "L" Uprights	1.10
LTFN-T	Fits "T" Uprights	1.10

Black nylon foot shaped to fit each type of
L&T upright. May also be used as an upright
top cap. Two required per upright.



Foot For "T" Uprights



Foot For "L" Uprights



Look for the red diamond!

SEISMIC FULL HEIGHT CENTER STOPS



Used to help reinforce shelving units in seismic zones.

For quantities less than 100 pieces, add \$500/list setup charge.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
FOR X-RAY FILING						
XFHCS-3616.5	6	36	—	16½	10.5	54.00
XFHCS-3618	6	36	—	18	11.3	57.00
XFHCS-4216.5	6	42	—	16½	12.2	58.00
XFHCS-4218	6	42	—	18	13.1	60.00
XFHCS-4816.5	6	48	—	16½	13.9	65.00
XFHCS-4818	6	48	—	18	14.9	65.00

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
FOR LETTER AND LEGAL FILING						
FHCS-3010.5	8	30	—	10½	6.2	46.00
FHCS-3012	8	30	—	12	6.9	48.00
FHCS-3013.5	8	30	—	13½	7.3	50.00
FHCS-3015	8	30	—	15	8.2	52.00
FHCS-3610.5	8	36	—	10½	7.4	46.00
FHCS-3612	8	36	—	12	8.2	48.00
FHCS-3613.5	8	36	—	13½	9.0	50.00
FHCS-3615	8	36	—	15	9.7	52.00
FHCS-4210.5	8	42	—	10½	8.6	49.00
FHCS-4212	8	42	—	12	9.5	52.00
FHCS-4213.5	8	42	—	13½	10.4	54.00
FHCS-4215	8	42	—	15	11.3	57.00
FHCS-4810.5	8	48	—	10½	9.7	53.00
FHCS-4812	8	48	—	12	10.8	56.00
FHCS-4813.5	8	48	—	13½	11.8	58.00
FHCS-4815	8	48	—	15	12.8	61.00

FRONT BASES



Acts as a kickplate and provides a flush, finished appearance.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
FB-3002♦	50	30	—	2 5/16	.7	3.70
FB-3602♦	50	36	—	2 5/16	1.0	3.70
FB-4202♦	50	42	—	2 5/16	1.1	4.20
FB-4802♦	50	48	—	2 5/16	1.3	4.90

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
FB-3004♦	50	30	—	3 5/16	1.1	5.30
FB-3604♦	50	36	—	3 5/16	1.6	5.30
FB-4204♦	50	42	—	3 5/16	1.8	6.20
FB-4804♦	50	48	—	3 5/16	2.0	7.00

AISLE TIES



Use to tie units together across aisle for extra stabilization in tall units. Other lengths available upon request; consult factory for pricing.

CAT. NO.	PCS/CTN	W	D	H	WT.	PRICE
LTAT-36	10	36	—	2 3/4	3.0	22.00
LTAT-42	10	42	—	2 3/4	3.4	23.00
LTAT-48	10	48	—	2 3/4	3.9	24.00

BOOK SUPPORTS



Non-skid base included; packed as ordered.

CAT. NO.	W	D	H	WT.	PRICE
BSN6	4 5/8	1 3/4	6	.6	5.90
BSN9	4 5/8	1 3/4	9	1.1	7.20

MISCELLANEOUS L&T PARTS



LTCP-1



LTPF-1



LTPS-1



LTWT-1



LTUC-1



LTSP-1



LTSI-36



LTUP-1



LTSPL-1



SCH-P

CAT. NO.	DESCRIPTION	PRICE
LTCP-1	Ties posts back-to-back	1.50
LTPF-1	For protection of carpeting	.29
LTPS-1	Shim to help adjust for uneven floor	.71
LTWT-1♦	Attaches post to wall for added security	1.90
LTUC-1	Ties posts back-to-back	.84
LTSP-1	Prevents shelf support from slipping	.41
LTSI-36	Provides extra stability for seismic standards	7.10
LTUP-1	To touch up scrapes and scratches	8.50
LTSPL-1	Splice for extending existing posts	2.50
SCH-P	Holds 3x5" cards for shelf labeling	3.00

LEVELING FEET

For hard floors



For carpeting



CAT. NO.	DESCRIPTION	SIZE	PRICE
SMALL LEVELER (FOR USE ON CONCRETE/TILE FLOOR)			
LPLI-S	Fits "L" Uprights	1/4"-20 x 9/16"	1.10
TPLI-S	Fits "T" Uprights	1/4"-20 x 9/16"	1.10
LARGE LEVELER (FOR USE ON CARPET)			
LPLI-L	Fits "L" Uprights	1/4"-20 x 1 3/8"	2.00
TPLI-L	Fits "T" Uprights	1/4"-20 x 1 3/8"	1.10