



Documentation Knowledge Learning

1.0.0

OAS 3.1

Site E-learning de formation dans de multiple domaine

Servers

/



Authorize



Cart



GET

/api/carts Retrieves the collection of Cart resources.



Retrieves the collection of Cart resources.

Parameters

Try it out

Name Description

page The collection page number
integer
(query)

Responses

Code Description

Links

200 Cart collection

No links


Media type

application/ld+json



Controls Accept header.

Example Value | Schema

{
 "member": [
 {



```
        "@type": "string",
        "id_cart": 0,
        "createdAt": "2024-12-11T15:20:54.843Z",
        "user": "https://example.com/",
        "cursus": "https://example.com/",
        "lesson": "https://example.com/",
        "idCart": 0
    }
],
"totalItems": 0,
"view": {
    "@id": "string",
    "type": "string",
    "first": "string",
    "last": "string",
    "previous": "string",
    "next": "string"
},
"search": {
    "@type": "string",
    "template": "string",
    "variableRepresentation": "string",
    "mapping": [

```

POST**/api/carts** Creates a Cart resource.

Creates a Cart resource.

Parameters

Try it out

No parameters

Request body **required**

application/ld+json

The new Cart resource

Example Value | **Schema**

```
{
    "createdAt": "2024-12-11T15:20:54.847Z",
    "user": "https://example.com/",
    "cursus": "https://example.com/",
    "lesson": "https://example.com/"
}
```


Responses

Code**Description****Links**

201

Cart resource created

Media type





Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
    "@context": "string",  
    "@id": "string",  
    "@type": "string",  
    "id_cart": 0,  
    "createdAt": "2024-12-11T15:20:54.848Z",  
    "user": "https://example.com/",  
    "cursus": "https://example.com/",  
    "lesson": "https://example.com/",  
    "idCart": 0  
}
```

400	Invalid input	No links
422	Unprocessable entity	No links

GET

/api/carts/{id_cart} Retrieves a Cart resource.



Retrieves a Cart resource.

Parameters

[Try it out](#)

Name	Description
------	-------------

id_cart * required Cart identifier

string
(path)

id_cart

Responses

Code	Description	Links
------	-------------	-------

200 Cart resource

Media type

application/json



Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
    "@context": "string",  
    "@id": "string",  
    "@type": "string",  
    "id_cart": 0,  
    "createdAt": "2024-12-11T15:20:54.851Z",  
    "user": "https://example.com/",  
    "cursus": "https://example.com/",  
    "lesson": "https://example.com/",  
    "idCart": 0  
}
```



```
"lesson": "https://example.com/",  
"idCart": 0  
}
```

404

Resource not found

No links

DELETE**/api/carts/{id_cart}** Removes the Cart resource.

Removes the Cart resource.

Parameters

Try it out

Name	Description
------	-------------

id_cart * required Cart identifierstring
(path)

id_cart

Responses

Code	Description	Links
------	-------------	-------

204 Cart resource deleted No links

404 Resource not found No links

Certification

GET**/api/certifications** Retrieves the collection of Certification resources.

Retrieves the collection of Certification resources.

Parameters

Try it out



page integer (query)	The collection page number <i>Default value : 1</i>
	<input type="text" value="1"/>

Responses

Code	Description	Links
200	Certification collection	No links

Media type

application/ld+json



Controls Accept header.

Example Value | Schema

```
{
  "member": [
    {
      "@context": "string",
      "@id": "string",
      "@type": "string",
      "id_certification": 0,
      "user": "https://example.com/",
      "obtainedAt": "2024-12-11T15:20:54.857Z",
      "lesson": "https://example.com/",
      "idCertification": 0
    }
  ],
  "totalItems": 0,
  "view": {
    "@id": "string",
    "type": "string",
    "first": "string",
    "last": "string",
    "previous": "string",
    "next": "string"
  },
  "search": {
    "@type": "string",
    "template": "string",
    "variableRepresentation": "string",
    "mapping": [
      {
        "id": "string"
      }
    ]
  }
}
```

POST

/api/certifications Creates a Certification resource.

Creates a Certification resource.

Parameters

No parameters

Try it out





The new Certification resource

Example Value | Schema

```
{  
  "user": "https://example.com/",  
  "obtainedAt": "2024-12-11T15:20:54.860Z",  
  "lesson": "https://example.com/"  
}
```

Responses

Code	Description	Links
201	Certification resource created Media type <div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">application/ld+json</div> ▾ Controls Accept header.	
400	Invalid input	No links
422	Unprocessable entity	No links

GET


/api/certifications/{id_certification} Retrieves a Certification resource. ^

Retrieves a Certification resource.

Parameters

Try it out

Name	Description
------	-------------

| **id_certification** * required | Certification identifier |
| string (path) | |




Code	Description	Links
200	Certification resource Media type application/ld+json ▾ Controls Accept header. Example Value Schema	No links
404	Resource not found	No links

Cursus



GET

/api/cursuses Retrieves the collection of Cursus resources.



Retrieves the collection of Cursus resources.


Parameters

Try it out

Name	Description
page integer (query)	The collection page number Default value : 1 1

Responses

Code	Description	Links
200	Cursus collection Media type	No links





Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
  "member": [  
    {  
      "@context": "string",  
      "@id": "string",  
      "@type": "string",  
      "id_cursus": 0,  
      "Name_cursus": "string",  
      "Price": 0,  
      "createdAt": "2024-12-11T15:20:54.867Z",  
      "updatedAt": "2024-12-11T15:20:54.867Z",  
      "theme": "https://example.com/",  
      "lesson": [  
        "https://example.com/"  
      ],  
      "images": "string",  
      "description": "string",  
      "idCursus": 0,  
      "nameCursus": "string",  
      "price": 0  
    }  
  ],  
  "totalItems": 0,  
  "view": {  
    "@id": "string",  
    "type": "string",  
    "first": "string",  
    "last": "string",  
  },  
}
```

POST

[/api/cursuses](#) Creates a Cursus resource.



Creates a Cursus resource.

Parameters

[Try it out](#)

No parameters

Request body required


application/ld+json



The new Cursus resource

[Example Value](#) | [Schema](#)

```
{  
  "Name_cursus": "string",  
  "Price": 0,  
  "createdAt": "2024-12-11T15:20:54.871Z",  
  "updatedAt": "2024-12-11T15:20:54.871Z",  
  "theme": "https://example.com/",  
  "lesson": [  
    "https://example.com/"  
  ],  
  "images": "string",  
  "description": "string",  
  "nameCursus": "string",  
}
```





Responses

Code	Description	Links
201	Cursus resource created Media type <div style="border: 2px solid #00AEEF; padding: 2px; display: inline-block;">application/ld+json</div> ▼ Controls Accept header.	
	Example Value Schema	
	<pre>{ "@context": "string", "@id": "string", "@type": "string", "id_cursus": 0, "Name_cursus": "string", "Price": 0, "createdAt": "2024-12-11T15:20:54.872Z", "updatedAt": "2024-12-11T15:20:54.872Z", "theme": "https://example.com/", "lesson": ["https://example.com/"], "images": "string", "description": "string", "idCursus": 0, "nameCursus": "string", "price": 0 }</pre>	
400	Invalid input	No links
422	Unprocessable entity	No links


GET**/api/courses/{id_cursus}** Retrieves a Cursus resource.

Retrieves a Cursus resource.

Parameters

Try it out

Name	Description
id_cursus * required	Cursus identifier <input type="text" value="id_cursus"/> <small>(path)</small>





Cursus resource

200

Cursus resource

No links

Media type

application/ld+json



Controls Accept header.

Example Value | Schema

```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_cursus": 0,
  "Name_cursus": "string",
  "Price": 0,
  "createdAt": "2024-12-11T15:20:54.875Z",
  "updatedAt": "2024-12-11T15:20:54.875Z",
  "theme": "https://example.com/",
  "lesson": [
    "https://example.com/"
  ],
  "images": "string",
  "description": "string",
  "idCursus": 0,
  "nameCursus": "string",
  "price": 0
}
```

404

Resource not found

No links

DELETE**/api/cursuses/{id_cursus}** Removes the Cursus resource.

Removes the Cursus resource.

Parameters**Try it out****Name****Description****id_cursus** * required

Cursus identifier

string
(path)


id_cursus

Responses**Code****Description****Links**

204

Cursus resource deleted

No links





PATCH

/api/cursuses/{id_cursus} Updates the Cursus resource.



Updates the Cursus resource.

Parameters

[Try it out](#)

Name	Description
------	-------------

id_cursus * required Cursus identifier

string
(path)
id_cursus

Request body required

application/merge-patch+json ▾

The updated Cursus resource

[Example Value](#) | [Schema](#)

```
{  
  "Name_cursus": "string",  
  "Price": 0,  
  "createdAt": "2024-12-11T15:20:54.883Z",  
  "updatedAt": "2024-12-11T15:20:54.883Z",  
  "theme": "https://example.com/",  
  "lesson": [  
    "https://example.com/"  
  ],  
  "images": "string",  
  "description": "string",  
  "nameCursus": "string",  
  "price": 0  
}
```

Responses

Code	Description	Links
------	-------------	-------

200 Cursus resource updated

Media type

application/ld+json ▾

Controls Accept header.

[Example Value](#) | [Schema](#)





```
        "context": "string",
        "@id": "string",
        "@type": "string",
        "id_cursus": 0,
        "Name_cursus": "string",
        "Price": 0,
        "createdAt": "2024-12-11T15:20:54.885Z",
        "updatedAt": "2024-12-11T15:20:54.885Z",
        "theme": "https://example.com/",
        "lesson": [
            "https://example.com/"
        ],
        "images": "string",
        "description": "string",
        "idCursus": 0,
        "nameCursus": "string",
        "price": 0
    }
```

400	Invalid input	No links
404	Resource not found	No links
422	Unprocessable entity	No links

Lesson

**GET****/api/lessons** Retrieves the collection of Lesson resources.

Retrieves the collection of Lesson resources.

Parameters

Try it out

Name	Description
------	-------------

page integer (query)	The collection page number <i>Default value : 1</i>
	<input type="text" value="1"/>

Responses


Code	Description	Links
------	-------------	-------

200	Lesson collection	No links
-----	-------------------	----------

Media type

application/ld+json

Controls Accept header.





```
{  
    "member": [  
        {  
            "@context": "string",  
            "@id": "string",  
            "@type": "string",  
            "id_lesson": 0,  
            "name_lesson": "string",  
            "Price": 0,  
            "content": "string",  
            "video_url": "string",  
            "createdAt": "2024-12-11T15:20:54.889Z",  
            "updatedAt": "2024-12-11T15:20:54.889Z",  
            "cursus": "https://example.com/",  
            "description": "string",  
            "certificationImage": "string",  
            "idLesson": 0,  
            "nameLesson": "string",  
            "price": 0,  
            "videoUrl": "string"  
        }  
    ],  
    "totalItems": 0,  
    "view": {  
        "@id": "string",  
        "type": "string",  
        "first": "string",  
        "last": "string",  
    }  
}
```

POST

/api/lessons Creates a Lesson resource.



Creates a Lesson resource.

Parameters

Try it out

No parameters

Request body required

application/ld+json

The new Lesson resource

[Example Value](#) | [Schema](#)

```
{  
    "name_lesson": "string",  
    "Price": 0,  
    "content": "string",  
    "video_url": "string",  
    "createdAt": "2024-12-11T15:20:54.892Z",  
    "updatedAt": "2024-12-11T15:20:54.892Z",  
    "cursus": "https://example.com/",  
    "description": "string",  
    "certificationImage": "string",  
    "nameLesson": "string",  
    "price": 0,  
    "videoUrl": "string"  
}
```





Code	Description	Links
201	Lesson resource created	
	Media type	
	application/ld+json	▼
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "@context": "string", "@id": "string", "@type": "string", "id_lesson": 0, "name_lesson": "string", "Price": 0, "content": "string", "video_url": "string", "createdAt": "2024-12-11T15:20:54.893Z", "updatedAt": "2024-12-11T15:20:54.893Z", "cursus": "https://example.com/", "description": "string", "certificationImage": "string", "idLesson": 0, "nameLesson": "string", "price": 0, "videoUrl": "string" }</pre>	
400	Invalid input	No links
422	Unprocessable entity	No links

GET[**/api/lessons/{id_lesson}**](#) Retrieves a Lesson resource.

Retrieves a Lesson resource.

Parameters


[Try it out](#)

Name	Description
------	-------------

id_lesson * required	Lesson identifier
-----------------------------	-------------------

string (path)	<input type="text" value="id_lesson"/>
-------------------------	--

Responses





200

Lesson resource

No links

Media type

application/ld+json



Controls Accept header.

Example Value | Schema

```
{
  "@context": "string",
  "@id": "string",
  "@type": "string",
  "id_lesson": 0,
  "name_lesson": "string",
  "Price": 0,
  "content": "string",
  "video_url": "string",
  "createdAt": "2024-12-11T15:20:54.897Z",
  "updatedAt": "2024-12-11T15:20:54.897Z",
  "cursus": "https://example.com/",
  "description": "string",
  "certificationImage": "string",
  "idLesson": 0,
  "nameLesson": "string",
  "price": 0,
  "videoUrl": "string"
}
```

404

Resource not found

No links

DELETE**/api/lessons/{id_lesson}** Removes the Lesson resource.

Removes the Lesson resource.

Parameters

Try it out

Name

Description

id_lesson * required

Lesson identifier

string
(path)

id_lesson

Responses

Code

Description

Links

204

Lesson resource deleted

No links

404

Resource not found

No links





Updates the Lesson resource.

Parameters

[Try it out](#)

Name	Description
------	-------------

id_lesson * required Lesson identifier

string
(path)

Request body required

[application/merge-patch+json](#) ▾

The updated Lesson resource

[Example Value](#) | [Schema](#)

```
{  
    "name_lesson": "string",  
    "Price": 0,  
    "content": "string",  
    "video_url": "string",  
    "createdAt": "2024-12-11T15:20:54.902Z",  
    "updatedAt": "2024-12-11T15:20:54.902Z",  
    "cursus": "https://example.com/",  
    "description": "string",  
    "certificationImage": "string",  
    "nameLesson": "string",  
    "price": 0,  
    "videoUrl": "string"  
}
```

Responses

Code Description

Links

200 Lesson resource updated

Media type

[application/ld+json](#) ▾

Controls Accept header.

[Example Value](#) | [Schema](#)

```
{  
    "@context": "string",  
    "@id": "string",  
    "@type": "string",  
    "id_lesson": 0,  
    "name_lesson": "string",  
    "Price": 0,  
    "content": "string",  
    "video_url": "string",  
    "createdAt": "2024-12-11T15:20:54.902Z",  
    "updatedAt": "2024-12-11T15:20:54.902Z",  
    "cursus": "https://example.com/",  
    "description": "string",  
    "certificationImage": "string",  
    "nameLesson": "string",  
    "price": 0,  
    "videoUrl": "string"  
}
```



```
"updatedAt": "2024-12-11T15:20:54.903Z",
"cursus": "https://example.com/",
"description": "string",
"certificationImage": "string",
"idLesson": 0,
"nameLesson": "string",
"price": 0,
"videoUrl": "string"
}
```

400	Invalid input	No links
404	Resource not found	No links
422	Unprocessable entity	No links

Purchase

**GET****/api/purchases** Retrieves the collection of Purchase resources.

Retrieves the collection of Purchase resources.

Parameters

Try it out


Name	Description
page integer (query)	The collection page number <i>Default value : 1</i> <input type="text" value="1"/>

Responses

Code	Description	Links
200	Purchase collection Media type application/ld+json ▼ Controls Accept header.	No links

Example Value | Schema

```
{
  "member": [
    {
      "@context": "string",
      "@id": "string",
      "@type": "string",
      "label": "string"
    }
  ]
}
```





```
"cursus": "https://example.com/",
"lesson": "https://example.com/",
"purchaseAt": "2024-12-11T15:20:54.907Z",
"idPurchase": 0
},
],
"totalItems": 0,
"view": {
"@id": "string",
"type": "string",
"first": "string",
"last": "string",
"previous": "string",
"next": "string"
},
"search": {
"@type": "string",
"template": "string",
"variableRepresentation": "string",
"mapping": [

```

GET

/api/purchases/{id_purchase} Retrieves a Purchase resource.



Retrieves a Purchase resource.

Parameters

[Try it out](#)

Name	Description
------	-------------

id_purchase * required Purchase identifier

string
(path)

Responses

Code	Description	Links
------	-------------	-------

200 Purchase resource [No links](#)

Media type


application/ld+json



Controls Accept header.

[Example Value](#) | [Schema](#)

```
{
"@context": "string",
"@id": "string",
"@type": "string",
"id_purchase": 0,
"user": "https://example.com/",
"cursus": "https://example.com/",
"lesson": "https://example.com/",
```





}

404

Resource not found

No links

ResetPasswordRequest

POST**/api/reset_password_requests** Creates a ResetPasswordRequest resource.

Creates a ResetPasswordRequest resource.

Parameters

Try it out

No parameters

Request body **required**

application/ld+json

The new ResetPasswordRequest resource

Example Value | Schema

```
{  
  "user": "https://example.com/",  
  "hashedToken": "string",  
  "expiresAt": "2024-12-11T15:20:54.913Z"  
}
```

Responses

Code**Description****Links**

201

ResetPasswordRequest resource created


Media type

application/ld+json

Controls Accept header.

Example Value | Schema

```
{  
  "@context": "string",  
  "@id": "string",  
  "@type": "string",  
  "id": 0,  
  "user": "https://example.com/",  
  "hashedToken": "string",  
  "requestedAt": "2024-12-11T15:20:54.913Z",  
  "expiresAt": "2024-12-11T15:20:54.913Z",  
}
```





400	Invalid input	No links
422	Unprocessable entity	No links

Theme

**GET****/api/themes** Retrieves the collection of Theme resources.

Retrieves the collection of Theme resources.

Parameters

Try it out

Name	Description
page integer (query)	The collection page number <i>Default value : 1</i> <input type="text" value="1"/>


Responses

Code	Description	Links
200	Theme collection Media type application/ld+json Controls Accept header.	No links

Example Value

| Schema

```
{
  "member": [
    {
      "@context": "string",
      "@id": "string",
      "@type": "string",
      "id_theme": 0,
      "name_theme": "string",
      "curses": [
        "https://example.com/"
      ],
      "idTheme": 0,
      "nameTheme": "string"
    }
  ],
  "totalItems": 0,
  "view": {
    "list": [
      {
        "id": 0,
        "name": "string"
      }
    ]
  }
}
```





```
        "first": "string",
        "last": "string",
        "previous": "string",
        "next": "string"
    },
    "search": {
        "@type": "string",
        "template": "string",
        "query": "string"
    }
}
```

POST**/api/themes** Creates a Theme resource.

Creates a Theme resource.

Parameters

Try it out

No parameters

Request body required

application/ld+json

The new Theme resource

Example Value | Schema

```
{
    "name_theme": "string",
    "curses": [
        "https://example.com/"
    ],
    "nameTheme": "string"
}
```

Responses

Code**Description****Links**

201

Theme resource created


Media type

application/ld+json

Controls Accept header.

Example Value | Schema

```
{
    "@context": "string",
    "@id": "string",
    "@type": "string",
    "id_theme": 0,
    "name_theme": "string",
    "curses": [
        "https://example.com/"
    ]
}
```





```
        "nameTheme": "string"
    }
```

400 Invalid input *No links*

422 Unprocessable entity *No links*

GET**/api/themes/{id_theme}** Retrieves a Theme resource.

Retrieves a Theme resource.

Parameters

Try it out

Name	Description
id_theme <small>* required</small>	Theme identifier <small>string (path)</small> id_theme

Responses

Code	Description	Links
200	Theme resource	<i>No links</i>

Media type

application/ld+json

Controls Accept header.

Example Value | Schema

```
{
    "@context": "string",
    "@id": "string",
    "@type": "string",
    "id_theme": 0,
    "name_theme": "string",
    "curses": [
        "https://example.com/"
    ],
    "idTheme": 0,
    "nameTheme": "string"
}
```

404 Resource not found *No links*

DELETE**/api/themes/{id_theme}** Removes the Theme resource.



Parameters

[Try it out](#)

Name	Description
id_theme * required string (path)	Theme identifier <input type="text" value="id_theme"/>

Responses

Code	Description	Links
204	Theme resource deleted	No links
404	Resource not found	No links

PATCH [/api/themes/{id_theme}](#) Updates the Theme resource. [^](#)

Updates the Theme resource.

Parameters

[Try it out](#)

Name	Description
id_theme * required string (path)	Theme identifier <input type="text" value="id_theme"/>


Request body required

[application/merge-patch+json](#) [^](#)

The updated Theme resource

[Example Value](#) | [Schema](#)

```
{  
  "name_theme": "string",  
  "curseses": [  
    "https://example.com/"  
  ],  
  "nameTheme": "string"  
}
```





Code	Description	Links
200	Theme resource updated	
	Media type	
	application/ld+json	
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "@context": "string", "@id": "string", "@type": "string", "id_theme": 0, "name_theme": "string", "curses": ["https://example.com/"], "idTheme": 0, "nameTheme": "string" }</pre>	
400	Invalid input	No links
404	Resource not found	No links
422	Unprocessable entity	No links

User

**GET****/api/users** Retrieves the collection of User resources.


Retrieves the collection of User resources.

Parameters

[Try it out](#)

Name	Description
page integer (query)	The collection page number <i>Default value : 1</i>

Responses





200

User collection

No links

Media type

application/ld+json



Controls Accept header.

Example Value | Schema

```
{
  "member": [
    {
      "@context": "string",
      "@id": "string",
      "@type": "string",
      "email": "string",
      "roles": [
        "string"
      ],
      "password": "string",
      "username": "string",
      "createdAt": "2024-12-11T15:20:54.931Z",
      "updatedAt": "2024-12-11T15:20:54.931Z",
      "isVerified": true,
      "purchases": [
        "https://example.com/"
      ],
      "certifications": [
        "https://example.com/"
      ],
      "id": 0,
      "userIdentifier": "string",
      "verified": true
    }
  ],
  "totalItems": 0,
  "view": {
```

POST

/api/users Creates a User resource.



Creates a User resource.

Parameters

Try it out

No parameters

Request body required


application/ld+json



The new User resource

Example Value | Schema

```
{
  "email": "string",
  "roles": [
    "string"
  ],
  "password": "string",
  "username": "string",
  "createdAt": "2024-12-11T15:20:54.935Z",
```





```
"https://example.com/"  
],  
"verified": true  
}
```


Responses

Code	Description	Links
201	User resource created	
	Media type	
	<code>application/ld+json</code>	
	Controls Accept header.	
	Example Value Schema	
	<pre>{ "@context": "string", "@id": "string", "@type": "string", "email": "string", "roles": ["string"], "password": "string", "username": "string", "createdAt": "2024-12-11T15:20:54.936Z", "updatedAt": "2024-12-11T15:20:54.936Z", "isVerified": true, "purchases": ["https://example.com/"], "certifications": ["https://example.com/"], "id": 0, "userIdentifier": "string", "verified": true }</pre>	
400	Invalid input	<i>No links</i>
422	Unprocessable entity	<i>No links</i>

GET**/api/users/{id}** Retrieves a User resource.

Retrieves a User resource.

Parameters

Try it out



id * required User identifier

string
(path)

id

Responses

Code	Description	Links
200	User resource	No links
	<p>Media type</p> <p>application/ld+json ▾</p> <p>Controls Accept header.</p> <p>Example Value Schema</p> <pre>{ "@context": "string", "@id": "string", "@type": "string", "email": "string", "roles": ["string"], "password": "string", "username": "string", "createdAt": "2024-12-11T15:20:54.939Z", "updatedAt": "2024-12-11T15:20:54.939Z", "isVerified": true, "purchases": ["https://example.com/"], "certifications": ["https://example.com/"], "id": 0, "userIdentifier": "string", "verified": true }</pre>	

404

Resource not found

No links


Schemas



Cart.jsonId > Expand all object

Certification.jsonId > Expand all object

Cursus > Expand all object





Lesson > Expand all [object](#)

Lesson.jsonId > Expand all [object](#)

Purchase.jsonId > Expand all [object](#)

ResetPasswordRequest.jsonId > Expand all [object](#)

Theme > Expand all [object](#)

Theme.jsonId > Expand all [object](#)

User.jsonId > Expand all [object](#)

Available formats: [jsonld](#) [jsonopenapi](#) [html](#) [yamlopenapi](#)

Other API docs: [ReDoc](#) [GraphQL](#)

