

```

import { useState, useEffect, useRef } from "react";

/* ——— FONTS ——— */
const FONT = `@import url('https://fonts.googleapis.com/css2?family=Playfair+Disp

/* ——— GLOBAL CSS ——— */
const CSS = `
*{box-sizing:border-box;margin:0;padding:0;-webkit-tap-highlight-color:transparen
html,body{font-family:'DM Sans',sans-serif;background:#1A0E08;color:#FAF6F0;overs
:root{
  --terra:#C4622D;--terra2:#E8845A;--terra3:#8B3A1A;
  --gold:#D4A427;--gold2:#F0C84A;
  --green:#2D6A4F;--green2:#40916C;
  --cream:#FAF6F0;--cream2:#F0E8DC;--cream3:#E0D0C0;
  --bark:#1A0E08;--bark2:#2A1810;--bark3:#3D2014;--bark4:#5C3825;
  --muted:#9B7B6A;--white:#FFFCF8;
  --danger:#B5341A;--safe:#2D6A4F;
  --r:16px;--r2:12px;--r3:20px;
}

/* ——— APP SHELL ——— */
.shell{
  width:100%;max-width:430px;margin:0 auto;
  min-height:100dvh;display:flex;flex-direction:column;
  position:relative;overflow:hidden;background:var(--bark);
}

/* ——— BOTTOM NAV ——— */
.bnav{
  position:fixed;bottom:0;left:50%;transform:translateX(-50%);
  width:100%;max-width:430px;
  background:rgba(26,14,8,0.96);backdrop-filter:blur(16px);
  border-top:1px solid rgba(255,255,255,0.07);
  display:flex;padding:8px 4px 20px;z-index:900;
  padding-bottom:max(20px,env(safe-area-inset-bottom));
}
.bni{
  flex:1;display:flex;flex-direction:column;align-items:center;gap:3px;
  padding:6px 0;border:none;background:none;cursor:pointer;
  transition:all .18s;position:relative;
}
.bni-ico{font-size:22px;line-height:1;transition:transform .2s cubic-bezier(.34,1
.bni-lbl{font-size:9px;letter-spacing:.6px;text-transform:uppercase;color:var(--m
.bni.active .bni-ico{transform:scale(1.15) translateY(-2px);}

```

```

.bni.active .bni-lbl{color:var(--terra2);}
.bni-dot{
  position:absolute;top:4px;right:calc(50% - 14px);
  width:7px;height:7px;border-radius:50%;background:var(--gold);
  border:2px solid var(--bark);
}

/* — PAGE TRANSITIONS — */
.page{
  position:absolute;inset:0;bottom:72px;
  overflow-y:auto;overflow-x:hidden;
  -webkit-overflow-scrolling:touch;
  transform:translateX(100%);opacity:0;
  transition:transform .38s cubic-bezier(.4,0,.2,1), opacity .28s ease;
  pointer-events:none;
  scrollbar-width:none;
}
.page::-webkit-scrollbar{display:none;}
.page.active{transform:translateX(0);opacity:1;pointer-events:all;}
.page.prev{transform:translateX(-40%);opacity:0;}

/* — HERO HEADERS — */
.hero{
  padding:52px 20px 28px;
  position:relative;overflow:hidden;
}
.hero-title{font-family:'Playfair Display',serif;font-size:32px;font-weight:900;1
.hero-sub{font-size:13px;color:var(--muted);margin-top:6px;font-weight:400;}
.hero-badge{
  display:inline-flex;align-items:center;gap:6px;
  background:rgba(255,255,255,0.07);border:1px solid rgba(255,255,255,0.1);
  border-radius:20px;padding:5px 12px;font-size:11px;color:var(--cream2);
  margin-bottom:12px;font-weight:500;letter-spacing:.3px;
}
.hero-bg{
  position:absolute;right:-30px;top:-30px;width:180px;height:180px;
  border-radius:50%;opacity:.06;
}

/* — CARDS — */
.card{
  background:var(--bark3);border-radius:var(--r);
  border:1px solid rgba(255,255,255,0.06);
  overflow:hidden;
}
.card-dark{background:var(--bark2);}
.card-p{padding:18px;}

```

```

.card-hd{
  padding:16px 18px 14px;
  display:flex;align-items:center;justify-content:space-between;
  border-bottom:1px solid rgba(255,255,255,0.05);
}
.card-title{font-family:'Playfair Display',serif;font-size:16px;font-weight:700;c

/* — STAT PILLS — */
.stat-row{display:grid;grid-template-columns:1fr 1fr;gap:10px;padding:0 16px;marg
.stat-pill{
  background:var(--bark3);border-radius:var(--r2);padding:14px 16px;
  border:1px solid rgba(255,255,255,0.06);
}
.stat-pill-lbl{font-size:10px;text-transform:uppercase;letter-spacing:1.2px;color
.stat-pill-val{font-family:'Playfair Display',serif;font-size:26px;font-weight:70
.stat-pill-sub{font-size:11px;color:var(--muted);margin-top:3px;}

/* — FLOCK CARDS — */
.flock-card{
  margin:0 16px 12px;
  background:var(--bark3);border-radius:var(--r);
  border:1px solid rgba(255,255,255,0.07);
  overflow:hidden;
  transition:transform .15s;
  cursor:pointer;
  active:scale(.98);
}
.flock-card-top{
  padding:18px 18px 14px;
  display:flex;justify-content:space-between;align-items:flex-start;
}
.flock-card-body{padding:0 18px 16px;}
.flock-name{font-family:'Playfair Display',serif;font-size:18px;font-weight:700;c
.flock-id{font-size:11px;color:var(--muted);margin-top:2px;}

/* — BADGE — */
.badge{display:inline-flex;align-items:center;gap:4px;padding:4px 10px;border-rad
.b-meat{background:rgba(196,98,45,.2);color:var(--terra2);border:1px solid rgba(1
.b-egg{background:rgba(212,164,39,.2);color:var(--gold2);border:1px solid rgba(21
.b-ok{background:rgba(45,106,79,.2);color:#6EE7B7;border:1px solid rgba(45,106,79
.b-warn{background:rgba(181,52,26,.2);color:#FCA5A5;border:1px solid rgba(181,52,
.b-paid{background:rgba(45,106,79,.2);color:#6EE7B7;border:1px solid rgba(45,106,
.b-pend{background:rgba(212,164,39,.2);color:var(--gold2);border:1px solid rgba(2

/* — BUTTONS — */
.btn{
  display:inline-flex;align-items:center;justify-content:center;gap:7px;

```

```

    border:none;cursor:pointer;font-family:'DM Sans',sans-serif;font-weight:600;
    border-radius:var(--r2);transition:all .15s;
}
.btn-full{width:100%;}
.btn-primary{background:var(--terra);color:white;padding:14px 20px;font-size:15px}
.btn-primary:active{background:var(--terra3);transform:scale(.98);}
.btn-sm{padding:7px 14px;font-size:12px;border-radius:8px;background:rgba(255,255,255,.14);}
.btn-sm:active{background:rgba(255,255,255,.14);}
.btn-gold{background:var(--gold);color:var(--bark);}
.btn-gold:active{background:var(--gold2);}
.btn-green{background:var(--green);color:white;}
.btn-danger{background:var(--danger);color:white;}
.btn-ghost{background:rgba(255,255,255,.06);color:var(--cream2);border:1px solid #ccc;}

/* — PROGRESS — */
.prog{height:5px;background:rgba(255,255,255,.08);border-radius:3px;overflow:hidden}
.prog-fill{height:100%;border-radius:3px;transition:width .7s cubic-bezier(.34,1.03,.68,.9)}

/* — LIST ROWS — */
.list-row{
    display:flex;align-items:center;gap:12px;
    padding:14px 18px;border-bottom:1px solid rgba(255,255,255,.05);
}
.list-row:last-child{border-bottom:none;}
.list-icon{
    width:40px;height:40px;border-radius:12px;
    display:flex;align-items:center;justify-content:center;font-size:20px;
    flex-shrink:0;
}
.li-terra{background:rgba(196,98,45,.15);}
.li-gold{background:rgba(212,164,39,.15);}
.li-green{background:rgba(45,106,79,.15);}
.li-red{background:rgba(181,52,26,.15);}
.list-main{flex:1;min-width:0;}
.list-title{font-size:14px;font-weight:600;color:var(--cream);white-space:nowrap;}
.list-sub{font-size:12px;color:var(--muted);margin-top:2px;}
.list-right{text-align:right;flex-shrink:0;}
.list-val{font-size:14px;font-weight:700;color:var(--cream);}
.list-val2{font-size:11px;color:var(--muted);margin-top:2px;}

/* — ALERT — */
.alert{
    margin:0 16px 10px;padding:12px 14px;border-radius:var(--r2);
    font-size:13px;display:flex;gap:10px;align-items:center;
    border-left:3px solid #ccc;
}
.alert-warn{background:rgba(212,164,39,.1);border-color:var(--gold);color:var(--g

```

```

.alert-danger{background:rgba(181,52,26,.1);border-color:var(--danger);color:#FCA
.alert-ok{background:rgba(45,106,79,.1);border-color:var(--green);color:#6EE7B7;}

/* — MODAL / SHEET — */
.sheet-overlay{
  position:fixed;inset:0;background:rgba(0,0,0,.7);
  z-index:990;backdrop-filter:blur(4px);
  display:flex;align-items:flex-end;justify-content:center;
}
.sheet{
  width:100%;max-width:430px;
  background:var(--bark2);
  border-radius:24px 24px 0 0;
  max-height:92dvh;overflow-y:auto;
  padding-bottom:max(24px,env(safe-area-inset-bottom));
  animation:sheetUp .3s cubic-bezier(.34,1.56,.64,1);
}
@keyframes sheetUp{from{transform:translateY(100%);}to{transform:translateY(0);}}
.sheet-handle{width:40px;height:4px;background:rgba(255,255,255,.15);border-radiu
.sheet-title{font-family:'Playfair Display',serif;font-size:22px;font-weight:700;
.sheet-body{padding:8px 20px 16px;}
.form-group{margin-bottom:14px;}
.form-label{display:block;font-size:12px;font-weight:600;color:var(--muted);text-
.form-input{
  width:100%;padding:13px 14px;border-radius:var(--r2);
  background:rgba(255,255,255,.06);border:1.5px solid rgba(255,255,255,.1);
  color:var(--cream);font-family:'DM Sans',sans-serif;font-size:15px;outline:none
  transition:border .15s;
}
.form-input:focus{border-color:var(--terra);}
.form-input option{background:var(--bark2);color:var(--cream);}
.form-row{display:grid;grid-template-columns:1fr 1fr;gap:10px;}

/* — CHARTS — */
.bar-chart{display:flex;align-items:flex-end;gap:6px;height:90px;}
.bar-col{flex:1;display:flex;flex-direction:column;align-items:center;gap:3px;}
.bar-fill{width:100%;border-radius:4px 4px 0 0;transition:height .6s cubic-bezier
.bar-lbl{font-size:9px;color:var(--muted);}

/* — SECTION PADDING — */
.sec{padding:12px 16px;}
.sec-title{font-size:11px;text-transform:uppercase;letter-spacing:1.5px;color:var
.gap8{display:flex;flex-direction:column;gap:8px;}
.mb12{margin-bottom:12px;}
.mb20{margin-bottom:20px;}
.pb72{padding-bottom:72px;}

```

```

/* — TOAST — */
.toast{
  position:fixed;bottom:88px;left:50%;transform:translateX(-50%);
  background:var(--green2);color:white;
  padding:12px 20px;border-radius:12px;font-size:14px;font-weight:600;
  z-index:999;white-space:nowrap;
  animation:toastIn .3s cubic-bezier(.34,1.56,.64,1);
  box-shadow:0 8px 32px rgba(0,0,0,.4);
}
@keyframes toastIn{from{transform:translateX(-50%) translateY(20px);opacity:0;}to

/* — DETAIL PANEL — */
.detail-hero{
  padding:48px 20px 24px;
  background:linear-gradient(180deg,var(--terra3) 0%,var(--bark) 100%);
}
.back-btn{
  display:inline-flex;align-items:center;gap:6px;
  background:rgba(255,255,255,.1);border:none;color:var(--cream2);
  padding:7px 12px;border-radius:10px;font-size:13px;font-weight:600;
  cursor:pointer;margin-bottom:16px;font-family:'DM Sans',sans-serif;
}
.kv-grid{display:grid;grid-template-columns:1fr 1fr;gap:10px;}
.kv{background:rgba(255,255,255,.06);border-radius:var(--r2);padding:12px 14px;}
.kv-label{font-size:10px;text-transform:uppercase;letter-spacing:1px;color:var(--
.kv-val{font-size:18px;font-weight:700;color:var(--cream);margin-top:2px;}

/* — PROFIT BLOCK — */
.profit-block{
  background:linear-gradient(135deg,var(--terra3),var(--bark3));
  border-radius:var(--r);border:1px solid rgba(196,98,45,.3);
  padding:20px;
}
.profit-big{font-family:'Playfair Display',serif;font-size:40px;font-weight:900;c

/* — VACCINE ROW — */
.vax-row{
  display:flex;align-items:center;gap:12px;
  padding:13px 18px;border-bottom:1px solid rgba(255,255,255,.05);
}
.vax-row:last-child{border-bottom:none;}
.vax-dot{width:10px;height:10px;border-radius:50%;flex-shrink:0;}
.vax-dot.done{background:var(--green2);}
.vax-dot.due{background:var(--gold);animation:pulse 1.5s infinite;}
@keyframes pulse{0%,100%{opacity:1;}50%{opacity:.4;}}

/* — SCROLLBAR — */

```

```

*::-webkit-scrollbar{width:0;height:0;}

/* ——— RESPONSIVE TWEAKS ——— */
@media(max-width:360px){
    .hero-title{font-size:26px;}
    .stat-pill-val{font-size:22px;}
}
`;

/* ——— SEED DATA ————— */
const FLOCKS0 = [
    { id:"F001",name:"Sunrise Broilers",type:"meat",count:450,healthy:442,sick:8,br
    { id:"F002",name:"Golden Layers",type:"eggs",count:300,healthy:295,sick:5,breed
    { id:"F003",name:"Valley Broilers",type:"meat",count:200,healthy:200,sick:0,bre
    { id:"F004",name:"Harare Layers",type:"eggs",count:180,healthy:178,sick:2,breed
];
const SALES0 = [
    { id:"S001",date:"2026-05-30",customer:"OK Zimbabwe",type:"meat",qty:120,unit:"
    { id:"S002",date:"2026-05-28",customer:"TM Pick n Pay",type:"eggs",qty:600,unit
    { id:"S003",date:"2026-05-25",customer:"Local Market Mbare",type:"eggs",qty:200
    { id:"S004",date:"2026-05-20",customer:"Spar Borrowdale",type:"meat",qty:80,uni
    { id:"S005",date:"2026-06-01",customer:"Chicken Inn Suppliers",type:"meat",qty:
];
const EXPENSES0 = [
    { id:"E001",date:"2026-05-28",category:"Feed",desc:"Starter mash 50kg × 20",amo
    { id:"E002",date:"2026-05-25",category:"Veterinary",desc:"Newcastle Disease vac
    { id:"E003",date:"2026-05-22",category:"Labour",desc:"4 staff × 2 weeks",amount
    { id:"E004",date:"2026-05-20",category:"Utilities",desc:"Electricity + borehole
    { id:"E005",date:"2026-05-15",category:"Chicks",desc:"200 day-old broiler chick
    { id:"E006",date:"2026-05-10",category:"Feed",desc:"Grower pellets 50kg × 30",a
];
const VACCINES0 = [
    { id:"V001",flock:"F001",vaccine:"Gumboro (IBD)",date:"2026-05-08",due:"2026-06
    { id:"V002",flock:"F001",vaccine:"Newcastle Disease",date:"2026-05-10",due:"202
    { id:"V003",flock:"F002",vaccine:"Marek's Disease",date:"2025-11-15",due:"—",st
    { id:"V004",flock:"F003",vaccine:"Gumboro (IBD)",date:"—",due:"2026-06-04",stat
    { id:"V005",flock:"F004",vaccine:"Newcastle Disease",date:"2026-05-01",due:"202
];
const EGG_LOG = [
    {d:"M26",v:371},{d:"M27",v:360},{d:"M28",v:376},{d:"M29",v:382},{d:"M30",v:368}
];
const FEED_LOG = [
    {d:"M26",v:9},{d:"M27",v:7},{d:"M28",v:8},{d:"M29",v:10},{d:"M30",v:8},{d:"M31"
];

/* ——— MINI COMPONENTS ————— */
function Toast({ msg, onDone }) {

```

```

    useEffect(() => { const t = setTimeout(onDone, 2600); return () => clearTimeout
    return <div className="toast">✅ {msg}</div>;
  }
}

function Sheet({ title, onClose, children }) {
  return (
    <div className="sheet-overlay" onClick={onClose}>
      <div className="sheet" onClick={e => e.stopPropagation()}>
        <div className="sheet-handle" />
        <div className="sheet-title">{title}</div>
        <div className="sheet-body">{children}</div>
      </div>
    </div>
  );
}

function BarChart({ data, color }) {
  const max = Math.max(...data.map(d => d.v));
  return (
    <div className="bar-chart">
      {data.map((d, i) => (
        <div className="bar-col" key={i}>
          <div className="bar-fill" style={{ height: `${(d.v / max) * 72}px`, bac
          <div className="bar-lbl">{d.d}</div>
        </div>
      ))}
    </div>
  );
}

function StatRow({ items }) {
  return (
    <div className="stat-row">
      {items.map(({ label, value, sub }, i) => (
        <div className="stat-pill" key={i}>
          <div className="stat-pill-lbl">{label}</div>
          <div className="stat-pill-val">{value}</div>
          {sub && <div className="stat-pill-sub">{sub}</div>}
        </div>
      ))}
    </div>
  );
}

/* — DASHBOARD — */
function Dashboard({ flocks, sales, expenses }) {
  const totalBirds = flocks.reduce((a, f) => a + f.count, 0);

```



```

const revenue = sales.filter(s => s.status === "paid").reduce((a, s) => a + s.q
const totalExp = expenses.reduce((a, e) => a + e.amount, 0);
const profit = revenue - totalExp;
const eggsToday = flocks.filter(f => f.type === "eggs").reduce((a, f) => a + (f
const sickBirds = flocks.reduce((a, f) => a + f.sick, 0);

return (
  <div className="pb72">
    {/* Hero */}
    <div className="hero" style={{ background: "linear-gradient(160deg, var(--b
      <div className="hero-badge">🐔 Vue Chicken · Zimbabwe</div>
      <div className="hero-title">Good morning,<br />Farmer 🙌</div>
      <div className="hero-sub">Monday, 1 June 2026</div>
      <div className="hero-bg" style={{ background: "var(--terra)" }} />
    </div>

    {/* Alerts */}
    {sickBirds > 0 && <div className="alert alert-danger">🚨 {sickBirds} sick b
    {sales.filter(s => s.status === "pending").length > 0 && (
      <div className="alert alert-warn">⌚ {sales.filter(s => s.status === "pen
    )}

    {/* Stats */}
    <StatRow items={[{ label: "Total Birds", value: totalBirds.toLocaleString()
    <StatRow items={[{ label: "Revenue MTD", value: `$$${revenue.toFixed(0)}`, s

    {/* Egg chart */}
    <div className="sec mb12">
      <div className="sec-title">Daily Egg Collection</div>
      <div className="card card-p">
        <BarChart data={EGG_LOG} color="var(--gold)" />
      </div>
    </div>

    {/* Feed chart */}
    <div className="sec mb12">
      <div className="sec-title">Feed Bags / Day (50kg)</div>
      <div className="card card-p">
        <BarChart data={FEED_LOG} color="var(--terra)" />
      </div>
    </div>

    {/* Flock quick view */}
    <div className="sec mb12">
      <div className="sec-title">Flock Status</div>
      <div className="card">
        {flocks.map((f, i) => (

```

```

    <div className="list-row" key={f.id}>
      <div className={`list-icon ${f.type === "meat" ? "li-terra" : "li-g"}>
        <div className="list-main">
          <div className="list-title">{f.name}</div>
          <div className="list-sub">{f.count} birds · {f.type === "eggs" ?
        </div>
          <span className={`badge ${f.sick > 0 ? "b-warn" : "b-ok"}`}>{f.sick
        </div>
      </div>
    </div>
  </div>
</div>
);
}

```

```

/* — FLOCKS ————— */
function Flocks({ flocks, setFlocks, showToast }) {
  const [sheet, setSheet] = useState(false);
  const [detail, setDetail] = useState(null);
  const [form, setForm] = useState({ name: "", type: "meat", count: "", breed: ""

  const save = () => {
    if (!form.name || !form.count) return;
    const n = { ...form, id: `F${String(flocks.length + 1).padStart(3, "0")}`, co
    setFlocks([...flocks, n]);
    setSheet(false);
    showToast(`${form.name} added`);
    setForm({ name: "", type: "meat", count: "", breed: "", pen: "", acquired: ""
  };

  if (detail) return (
    <div className="pb72">
      <div className="detail-hero">
        <button className="back-btn" onClick={() => setDetail(null)}>← Back</butt
        <div style={{ display: "flex", justifyContent: "space-between", alignItem
          <div>
            <div style={{ fontFamily: "'Playfair Display', serif", fontSize: 26, f
              <div style={{ fontSize: 13, color: "var(--muted)", marginTop: 4 }}>{d
            </div>
            <span className={`badge ${detail.type === "meat" ? "b-meat" : "b-egg"}`}
          </div>
            <span className={`badge ${detail.sick > 0 ? "b-warn" : "b-ok"}`}>{detail.
          </div>
        <div className="sec">
          <div className="kv-grid">
            [[["Total Birds", detail.count], ["Healthy", detail.healthy], ["Sick",
              <div className="kv" key={i}>

```

```

    <div className="kv-label">{k}</div>
    <div className="kv-val">{v}</div>
  </div>
))}
</div>
</div>
{detail.type === "eggs" && (
  <div className="sec">
    <div className="sec-title">Production Rate</div>
    <div className="card card-p">
      <div style={{ display: "flex", justifyContent: "space-between", margin: 0 10px }}>
        <span style={{ fontSize: 13, color: "var(--muted)" }}>Lay rate</span>
        <span style={{ fontSize: 13, fontWeight: 700, color: "var(--gold2)" }}>{detail.prog}</span>
      </div>
      <div className="prog"><div className="prog-fill" style={{ width: `${detail.prog}%` }}></div></div>
    </div>
  )}
</div>
);

return (
  <div className="pb72">
    <div className="hero" style={{ background: "linear-gradient(160deg,#3D2014 1%,#D9C9A9 1%,#D9C9A9 49%,#3D2014 49%,#3D2014 51%,#D9C9A9 51%,#D9C9A9 99%,#3D2014 99%)" }}>
      <div className="hero-badge">🐔 {flocks.length} Active Flocks</div>
      <div className="hero-title">My Flocks</div>
      <div className="hero-sub">{flocks.reduce((a, f) => a + f.count, 0).toLocaleString()}</div>
    </div>

    {flocks.map(f => (
      <div className="flock-card" key={f.id} onClick={() => setDetail(f)}>
        <div className="flock-card-top">
          <div>
            <div className="flock-name">{f.name}</div>
            <div className="flock-id">{f.id} · {f.breed} · Pen {f.pen}</div>
          </div>
          <span className={`badge ${f.type === "meat" ? "b-meat" : "b-egg"} `}>{f.type}</span>
        </div>
        <div className="flock-card-body">
          <div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr", gap: 10px }}>
            {[["Birds", f.count], ["Healthy", f.healthy], f.type === "eggs" ? ["Eggs", f.eggs] : []].map(([label, value]) => (
              <div key={i} style={{ background: "rgba(255,255,255,.05)", border: "1px solid #ccc", padding: 5px, text-align: center }}>
                <div style={{ fontSize: 10, color: "var(--muted)", textTransform: "uppercase" }}>{label}</div>
                <div style={{ fontSize: 16, fontWeight: 700, marginTop: 2 }}>{value}</div>
              </div>
            ))}
          </div>
        </div>
      )})
    </div>
  )
)

```

```

    <div className="prog">
      <div className="prog-fill" style={{ width: `${f.type === "eggs" ? f
</div>
    <div style={{ display: "flex", justifyContent: "space-between", margi
      <span style={{ fontSize: 11, color: "var(--muted)" }}>{f.sick > 0 ?
      <span style={{ fontSize: 11, color: "var(--muted)" }}>{f.type === "
    </div>
  </div>
</div>
  )})

<div className="sec">
  <button className="btn btn-primary btn-full" onClick={() => setSheet(true
</div>

{sheet && (
  <Sheet title="New Flock" onClose={() => setSheet(false)}>
    <div className="form-group">
      <label className="form-label">Flock Name</label>
      <input className="form-input" value={form.name} onChange={e => setFor
    </div>
    <div className="form-row">
      <div className="form-group">
        <label className="form-label">Type</label>
        <select className="form-input" value={form.type} onChange={e => set
          <option value="meat">🍖 Meat</option>
          <option value="eggs">🥚 Eggs</option>
        </select>
      </div>
      <div className="form-group">
        <label className="form-label">Bird Count</label>
        <input className="form-input" type="number" value={form.count} onCh
      </div>
    </div>
    <div className="form-row">
      <div className="form-group">
        <label className="form-label">Breed</label>
        <input className="form-input" value={form.breed} onChange={e => set
      </div>
      <div className="form-group">
        <label className="form-label">Pen / House</label>
        <input className="form-input" value={form.pen} onChange={e => setFo
      </div>
    </div>
    <div className="form-row">
      <div className="form-group">
        <label className="form-label">Acquired</label>

```

```

        <input className="form-input" type="date" value={form.acquired} onC
      </div>
      <div className="form-group">
        <label className="form-label">Age (wks)</label>
        <input className="form-input" type="number" value={form.ageWeeks} o
      </div>
    </div>
    <button className="btn btn-primary btn-full" style={{ marginTop: 8 }} o
  </Sheet>
)}
</div>
);
}

```

```

/* — SALES ————— */
function Sales({ sales, setSales, flocks, showToast }) {
  const [sheet, setSheet] = useState(false);
  const [filter, setFilter] = useState("all");
  const [form, setForm] = useState({ date: "", customer: "", type: "meat", qty: ""

  const filtered = filter === "all" ? sales : sales.filter(s => s.status === filt
  const revenue = sales.filter(s => s.status === "paid").reduce((a, s) => a + s.q
  const pending = sales.filter(s => s.status === "pending").reduce((a, s) => a +

  const save = () => {
    if (!form.customer || !form.qty || !form.unitPrice) return;
    setSales([
      ...form, id: `S${String(sales.length + 1).padStart(3, "0")}`, qty
    ], setSheet(false);
    showToast("Sale recorded");
    setForm({ date: "", customer: "", type: "meat", qty: "", unitPrice: "", flock
  };

  return (
    <div className="pb72">
      <div className="hero" style={{ background: "linear-gradient(160deg,#1a3d2a"
        <div className="hero-badge">📊 Sales Tracker</div>
        <div className="hero-title">Sales</div>
        <div className="hero-sub">{sales.length} transactions recorded</div>
      </div>

      <StatRow items={[
        { label: "Paid Revenue", value: `${revenue.toFixed(0)}`,

      /* Filter pills */
      <div style={{ display: "flex", gap: 8, padding: "0 16px", marginBottom: 12
        ["all", "paid", "pending"].map(f => (
          <button key={f} onClick={() => setFilter(f)} style={{
            padding: "7px 16px", borderRadius: 20, border: "none", cursor: "point

```

```

        background: filter === f ? "var(--terra)" : "rgba(255,255,255,.07)",
        color: filter === f ? "white" : "var(--muted)",
        fontSize: 13, fontWeight: 600, fontFamily: "'DM Sans', sans-serif"
    }}>{f.charAt(0).toUpperCase() + f.slice(1)}</button>
  )}}
</div>

<div className="sec" style={{ paddingTop: 0 }}>
  <div className="card">
    {filtered.map(s => (
      <div className="list-row" key={s.id}>
        <div className={`list-icon ${s.type === "meat" ? "li-terra" : "li-g"}>
          <div className="list-main">
            <div className="list-title">{s.customer}</div>
            <div className="list-sub">{s.qty} {s.unit} · {s.date}</div>
          </div>
          <div className="list-right">
            <div className="list-val" style={{ color: "var(--gold2)" }}>${(s.
              <span className={`badge ${s.status === "paid" ? "b-paid" : "b-pen"}>
            </div>
          </div>
        </div>
      )}}
    </div>
  </div>

  <div className="sec">
    <button className="btn btn-primary btn-full" onClick={() => setSheet(true)}>
  </div>

  {sheet && (
    <Sheet title="Record Sale" onClose={() => setSheet(false)}>
      <div className="form-row">
        <div className="form-group">
          <label className="form-label">Date</label>
          <input className="form-input" type="date" value={form.date} onChange={e => setForm({ ...form, date: e.target.value })}>
        </div>
        <div className="form-group">
          <label className="form-label">Type</label>
          <select className="form-input" value={form.type} onChange={e => setForm({ ...form, type: e.target.value })}>
            <option value="meat">🥩 Meat</option>
            <option value="eggs">🥚 Eggs</option>
          </select>
        </div>
      </div>
      <div className="form-group">
        <label className="form-label">Customer</label>
        <input className="form-input" value={form.customer} onChange={e => setForm({ ...form, customer: e.target.value })}>
      </div>
    </Sheet>
  )}

```

```

    </div>
    <div className="form-group">
      <label className="form-label">Flock</label>
      <select className="form-input" value={form.flock} onChange={e => setF
        <option value="">Select...</option>
        {flocks.map(f => <option key={f.id} value={f.id}>{f.name}</option>)
      </select>
    </div>
    <div className="form-row">
      <div className="form-group">
        <label className="form-label">Qty ({form.type === "eggs" ? "trays"
        <input className="form-input" type="number" value={form.qty} onChan
      </div>
      <div className="form-group">
        <label className="form-label">Unit Price $</label>
        <input className="form-input" type="number" step="0.01" value={form
      </div>
    </div>
    {form.qty && form.unitPrice && (
      <div className="alert alert-ok" style={{ margin: "0 0 12px" }}>💰 Tot
    )}
    <button className="btn btn-primary btn-full" onClick={save}>Save Sale</
  </Sheet>
  )}
</div>
);
}

```

```

/* ——— EXPENSES ——— */
function Expenses({ expenses, setExpenses, showToast }) {
  const [sheet, setSheet] = useState(false);
  const [form, setForm] = useState({ date: "", category: "Feed", desc: "", amount
  const CATS = ["Feed", "Veterinary", "Labour", "Utilities", "Chicks", "Equipment
  const CAT_ICONS = { Feed: "🌾", Veterinary: "🩺", Labour: "👷", Utilities: "⚡

  const save = () => {
    if (!form.desc || !form.amount) return;
    setExpenses([...form, id: `E${String(expenses.length + 1).padStart(3, "0")}]
    setSheet(false);
    showToast("Expense recorded");
    setForm({ date: "", category: "Feed", desc: "", amount: "" });
  };

  const total = expenses.reduce((a, e) => a + e.amount, 0);
  const byCat = CATS.map(c => ({ c, v: expenses.filter(e => e.category === c).red

  return (

```

```

<div className="pb72">
  <div className="hero" style={{ background: "linear-gradient(160deg,#2a0e08"
    <div className="hero-badge"> Cost Tracking</div>
    <div className="hero-title">Expenses</div>
    <div className="hero-sub">Total: <strong style={{ color: "var(--terra2)"
  </div>

  {/* Category breakdown */}
  <div className="sec mb12">
    <div className="sec-title">By Category</div>
    <div className="card">
      {byCat.map(({ c, v }) => (
        <div key={c} style={{ padding: "12px 18px", borderBottom: "1px solid
          <div style={{ display: "flex", justifyContent: "space-between", mar
            <span style={{ fontSize: 14, fontWeight: 600 }}>{CAT_ICONS[c]} {c
            <span style={{ fontSize: 14, fontWeight: 700, color: "var(--terra
          </div>
          <div className="prog">
            <div className="prog-fill" style={{ width: `${(v / total) * 100}%
          </div>
        </div>
      )})
    <div style={{ padding: "14px 18px", display: "flex", justifyContent: "s
      <span style={{ color: "var(--muted)" }}>TOTAL</span>
      <span style={{ color: "var(--terra2)", fontSize: 18, fontFamily: "'Pl
    </div>
  </div>
</div>

  {/* Recent */}
  <div className="sec mb12">
    <div className="sec-title">Recent</div>
    <div className="card">
      {expenses.map(e => (
        <div className="list-row" key={e.id}>
          <div className="list-icon li-terra">{CAT_ICONS[e.category]} || ""
          <div className="list-main">
            <div className="list-title">{e.category}</div>
            <div className="list-sub">{e.desc}</div>
          </div>
          <div className="list-right">
            <div className="list-val" style={{ color: "var(--terra2)" }}>-${e
              <div className="list-val2">{e.date}</div>
            </div>
          </div>
        </div>
      )})
    </div>
  </div>

```



```

</div>

<div className="sec">
  <button className="btn btn-primary btn-full" onClick={() => setSheet(true)}>
</div>

{sheet && (
  <Sheet title="Add Expense" onClose={() => setSheet(false)}>
    <div className="form-row">
      <div className="form-group">
        <label className="form-label">Date</label>
        <input className="form-input" type="date" value={form.date} onChange={
        </div>
      <div className="form-group">
        <label className="form-label">Category</label>
        <select className="form-input" value={form.category} onChange={e =>
          {CATS.map(c => <option key={c}>{c}</option>)}
        </select>
      </div>
    </div>
    <div className="form-group">
      <label className="form-label">Description</label>
      <input className="form-input" value={form.desc} onChange={e => setForm(e)}>
    </div>
    <div className="form-group">
      <label className="form-label">Amount (USD)</label>
      <input className="form-input" type="number" step="0.01" value={form.amount}>
    </div>
    <button className="btn btn-primary btn-full" style={{ marginTop: 8 }}>Save</button>
  </Sheet>
)}
</div>
);
}

/* — HEALTH ————— */
function Health({ vaccines, setVaccines, flocks, showToast }) {
  const [sheet, setSheet] = useState(false);
  const [form, setForm] = useState({ flock: "", vaccine: "", date: "", due: "", route: "" });
  const due = vaccines.filter(v => v.status === "due");

  const save = () => {
    if (!form.flock || !form.vaccine) return;
    setVaccines([...vaccines, { ...form, id: `V${String(vaccines.length + 1).padStart(2, '0')}` }]);
    setSheet(false);
    showToast("Vaccination recorded");
    setForm({ flock: "", vaccine: "", date: "", due: "", route: "Drinking water" });
  };
}

```

```
};
```

```
const GUIDE = [  
  { day: "Day 1", vac: "Marek's Disease", route: "Injection" },  
  { day: "Day 7", vac: "Gumboro (IBD) 1st", route: "Drinking water" },  
  { day: "Day 10", vac: "Newcastle Disease 1st", route: "Eye drop" },  
  { day: "Day 14", vac: "Gumboro (IBD) 2nd", route: "Drinking water" },  
  { day: "Day 21", vac: "Newcastle Disease 2nd", route: "Drinking water" },  
  { day: "Day 28", vac: "Infectious Bronchitis", route: "Drinking water" },  
];
```

```
return (  
  <div className="pb72">  
    <div className="hero" style={{ background: "linear-gradient(160deg,#1a2d1a  
      <div className="hero-badge">🩺 Health Management</div>  
      <div className="hero-title">Health & <br />Vaccines</div>  
      <div className="hero-sub">{due.length > 0 ? `⚠️ ${due.length} vaccination(  
    </div>  
  
    {due.map(v => (  
      <div key={v.id} className="alert alert-warn">  
        ⚠️ <strong>{v.vaccine}</strong> due for {flocks.find(f => f.id === v.fl  
      </div>  
    )})  
  
    { /* Flock health */ }  
    <div className="sec mb12">  
      <div className="sec-title">Flock Health</div>  
      <div className="card">  
        {flocks.map(f => (  
          <div key={f.id} style={{ padding: "14px 18px", borderBottom: "1px sol  
            <div style={{ display: "flex", justifyContent: "space-between", ali  
              <span style={{ fontSize: 15, fontWeight: 700 }}>{f.name}</span>  
              <span className={`badge ${f.sick === 0 ? "b-ok" : "b-warn"}}`}>{f.  
            </div>  
            <div style={{ display: "grid", gridTemplateColumns: "repeat(3,1fr)"  
              [[ "Total", f.count], [ "Healthy", f.healthy], [ "Deaths", f.mortal  
                <div key={i} style={{ background: "rgba(255,255,255,.05)", bord  
                  <div style={{ fontSize: 10, color: "var(--muted)", textTransf  
                    <div style={{ fontSize: 16, fontWeight: 700 }}>{v}</div>  
                  </div>  
                </div>  
              </div>  
            </div>  
          </div>  
        )})  
      </div>  
    </div>  
  </div>  
)
```

```

    { /* Vaccine log */ }
    <div className="sec mb12">
      <div className="sec-title">Vaccination Log</div>
      <div className="card">
        {vaccines.map(v => (
          <div className="vax-row" key={v.id}>
            <div className={`vax-dot ${v.status}`} />
            <div style={{ flex: 1, minWidth: 0 }}>
              <div style={{ fontSize: 14, fontWeight: 600, color: "var(--cream)">
                <div style={{ fontSize: 12, color: "var(--muted)" }}>{flocks.find
              </div>
            </div>
            <div style={{ textAlign: "right" }}>
              <span className={`badge ${v.status === "done" ? "b-ok" : "b-warn"}`>
                <div style={{ fontSize: 11, color: "var(--muted)", marginTop: 3 }>
              </div>
            </div>
          ) ) }
        </div>
      </div>

    { /* Zimbabwe guide */ }
    <div className="sec mb12">
      <div className="sec-title">Zimbabwe Broiler Programme</div>
      <div className="card">
        {GUIDE.map((g, i) => (
          <div key={i} style={{ display: "flex", gap: 14, padding: "12px 18px",
            <div style={{ background: "rgba(196,98,45,.15)", borderRadius: 8, p
              <div style={{ fontSize: 10, color: "var(--terra2)", fontWeight: 7
            </div>
          </div>
            <div>
              <div style={{ fontSize: 13, fontWeight: 600, color: "var(--cream)">
                <div style={{ fontSize: 12, color: "var(--muted)" }}>{g.route}</d
              </div>
            </div>
          ) ) }
        </div>
      </div>

    <div className="sec">
      <button className="btn btn-primary btn-full" onClick={() => setSheet(true)
    </div>

    {sheet && (
      <Sheet title="Record Vaccination" onClose={() => setSheet(false)}>
        <div className="form-group">
          <label className="form-label">Flock</label>

```

```

        <select className="form-input" value={form.flock} onChange={e => setF
          <option value="">Select...</option>
          {flocks.map(f => <option key={f.id} value={f.id}>{f.name}</option>)}
        </select>
      </div>
      <div className="form-group">
        <label className="form-label">Vaccine</label>
        <input className="form-input" value={form.vaccine} onChange={e => set
      </div>
      <div className="form-row">
        <div className="form-group">
          <label className="form-label">Date Given</label>
          <input className="form-input" type="date" value={form.date} onChange
        </div>
        <div className="form-group">
          <label className="form-label">Next Due</label>
          <input className="form-input" type="date" value={form.due} onChange
        </div>
      </div>
      <div className="form-group">
        <label className="form-label">Route</label>
        <select className="form-input" value={form.route} onChange={e => setF
          [{"Drinking water", "Eye drop", "Injection", "Spray", "Wing web"].m
        </select>
      </div>
      <button className="btn btn-primary btn-full" style={{ marginTop: 8 }} o
    </Sheet>
  )}
</div>
);
}

```

```

/* ——— REPORTS ——— */
function Reports({ sales, expenses, flocks }) {
  const revenue = sales.filter(s => s.status === "paid").reduce((a, s) => a + s.q
  const totalExp = expenses.reduce((a, e) => a + e.amount, 0);
  const profit = revenue - totalExp;
  const margin = revenue > 0 ? Math.round((profit / revenue) * 100) : 0;
  const meatRev = sales.filter(s => s.status === "paid" && s.type === "meat").red
  const eggRev = sales.filter(s => s.status === "paid" && s.type === "eggs").redu

  return (
    <div className="pb72">
      <div className="hero" style={{ background: "linear-gradient(160deg,#1a2a1a
        <div className="hero-badge">📈 Analytics</div>
        <div className="hero-title">Reports</div>
        <div className="hero-sub">Month-to-date performance</div>

```

```

</div>

{/* Big profit */}
<div className="sec mb12">
  <div className="profit-block">
    <div style={{ fontSize: 12, color: "var(--muted)", textTransform: "uppercase" }}>
      <div className="profit-big">${profit.toFixed(2)}</div>
      <div style={{ fontSize: 13, color: profit >= 0 ? "var(--green2)" : "var(--red2)",
        {profit >= 0 ? "✓ Profitable" : "⚠ Loss"} · {margin}% margin }}>
    </div>
    <div className="prog" style={{ marginTop: 12 }}>
      <div className="prog-fill" style={{ width: `${Math.max(0, margin)}%` }}>
    </div>
  </div>
</div>

<StatRow items={[{ label: "Revenue", value: `$$${revenue.toFixed(0)}`, sub: "Revenue" }]}>

{/* Revenue split */}
<div className="sec mb12">
  <div className="sec-title">Revenue Split</div>
  <div className="card">
    {[["🍗 Meat Birds", meatRev, "var(--terra)"], ["🥚 Eggs", eggRev, "var(--yellow)"]}
    <div key={i} style={{ padding: "14px 18px", borderBottom: i === 0 ? "1px solid #ccc" : "none" }}>
      <div style={{ display: "flex", justifyContent: "space-between", margin-bottom: 10px }}>
        <span style={{ fontSize: 14, fontWeight: 600 }}>{label}</span>
        <span style={{ fontSize: 15, fontWeight: 700, color: c }}>${val.toFixed(2)}</span>
      </div>
      <div className="prog">
        <div className="prog-fill" style={{ width: `${revenue > 0 ? (val / revenue) * 100 : 0}%` }}>
      </div>
      <div style={{ fontSize: 11, color: "var(--muted)", marginTop: 5 }}>
    </div>
  </div>
</div>

{/* P&L */}
<div className="sec mb12">
  <div className="sec-title">Profit & Loss</div>
  <div className="card">
    {[["Revenue (Paid)", `$$${revenue.toFixed(2)}`, "var(--green2)"], ["Penalty", `$$${penalty.toFixed(2)}`, "var(--red2)"]]}
    <div key={i} style={{ padding: "14px 18px", borderBottom: i === 0 ? "1px solid #ccc" : "none" }}>
      <div style={{ display: "flex", justifyContent: "space-between", margin-bottom: 10px }}>
        <span style={{ fontSize: 14, color: "var(--muted)" }}>{k}</span>
        <span style={{ fontSize: 16, fontWeight: 700, color: c }}>{v}</span>
      </div>
    </div>
  </div>
</div>

```

```

    </div>
  </div>

  { /* Per-flock */ }
  <div className="sec mb12">
    <div className="sec-title">Per-Flock Revenue</div>
    <div className="card">
      {flocks.map(f => {
        const rev = sales.filter(s => s.status === "paid" && s.flock === f.id)
        return (
          <div key={f.id} style={{ padding: "14px 18px", borderBottom: "1px s
            <div style={{ display: "flex", justifyContent: "space-between", m
              <div>
                <div style={{ fontSize: 14, fontWeight: 700 }}>{f.name}</div>
                <span className={`badge ${f.type === "meat" ? "b-meat" : "b-e
              </div>
              <div style={{ textAlign: "right" }}>
                <div style={{ fontSize: 18, fontWeight: 700, color: "var(--go
                <div style={{ fontSize: 11, color: "var(--muted)", marginTop:
              </div>
            </div>
            <div className="prog">
              <div className="prog-fill" style={{ width: `${revenue > 0 ? (re
            </div>
          </div>
        )
      )}
    </div>
  </div>
  </div>
  );
}

/* ——— ROOT APP ——— */
const TABS = [
  { id: "home", label: "Home", icon: "🏠" },
  { id: "flocks", label: "Flocks", icon: "🐔" },
  { id: "sales", label: "Sales", icon: "💰" },
  { id: "expenses", label: "Costs", icon: "📊" },
  { id: "health", label: "Health", icon: "🩺" },
  { id: "reports", label: "Reports", icon: "📈" },
];

export default function App() {
  const [active, setActive] = useState("home");
  const [prev, setPrev] = useState(null);
  const [flocks, setFlocks] = useState(FLOCKS0);

```

```

const [sales, setSales] = useState(SALES0);
const [expenses, setExpenses] = useState(EXPENSES0);
const [vaccines, setVaccines] = useState(VACCINES0);
const [toast, setToast] = useState(null);

const showToast = msg => setToast(msg);

const go = id => {
  if (id === active) return;
  setPrev(active);
  setActive(id);
  setTimeout(() => setPrev(null), 420);
};

const vacDue = vaccines.filter(v => v.status === "due").length;
const pendSale = sales.filter(s => s.status === "pending").length;

return (
  <>
    <style>{FONT}{CSS}</style>
    <div className="shell">

      {/* Pages */}
      {TABS.map(t => (
        <div key={t.id} className={`page ${active === t.id ? "active" : prev ===
          {t.id === "home"    && <Dashboard  flocks={flocks} sales={sales} exp
          {t.id === "flocks"   && <Flocks    flocks={flocks} setFlocks={setFlo
          {t.id === "sales"    && <Sales      sales={sales}   setSales={setSale
          {t.id === "expenses" && <Expenses  expenses={expenses} setExpenses={
          {t.id === "health"   && <Health    vaccines={vaccines} setVaccines={
          {t.id === "reports"  && <Reports   sales={sales}   expenses={expense
        </div>
      )}}

      {/* Bottom Nav */}
      <nav className="bnav">
        {TABS.map(t => (
          <button key={t.id} className={`bni ${active === t.id ? "active" : ""}
            <span className="bni-ico">{t.icon}</span>
            <span className="bni-lbl">{t.label}</span>
            {t.id === "health"    && vacDue    > 0 && <span className="bni-dot" /
            {t.id === "sales"     && pendSale  > 0 && <span className="bni-dot"
          </button>
        )}}
      </nav>

      {toast && <Toast msg={toast} onDone={() => setToast(null)} />}

```

```
        </div>
    </>
);
}
```