

Ephemeris

API and SDK Documentation

Version: 1.0.0

No description provided (generated by Swagger Codegen <https://github.com/swagger-api/swagger-codegen>)

RendezVous

connectPost

Se connecter à l'application

POST

/connect

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X POST\  
-H "Accept: application/json\  
-H "Content-Type: application/json\  
"localhost:3000/connect"
```

Parameters

Body parameters

Name	Description
body	<div>▼ { []</div> <div>Required: name,password</div> <div>name: string</div> <div>example: toto</div> <div>password: string</div> <div>example: totodu70</div> <div>}</div>

Responses

Status: 200 -

Schema

```
▼ { []  
  user: string  
    example: toto  
  token: string  
    example: eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ  
  actions: ▼ [ []  
    ▼ { []  
      link: string  
        example: /.../  
      method: string  
        example: post  
    }  
  ]  
}
```

eventCreatePost

Cr  e un nouveau RendezVous

POST

/event/create

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\  
-H "Accept: application/json\  
-H "Content-Type: application/json\  
"localhost:3000/event/create"
```

Parameters

Body parameters

Name	Description
body *	<div><div>▼ { []</div><div>Required: date,title</div><div>title: string</div><div>example: une choucroute chez m��m��</div><div>startDate: string</div><div>example: 2022-10-25T11:30:00Z</div><div>endDate: string</div><div>example: 2022-10-25T17:00:00Z</div><div>place: string</div><div>example: 28 rue du ch��ne, 88000 Vosges</div><div>description: string</div><div>example: choucroute pour l'anniversaire de m��m�� (ne pas oublier le cadeau)</div><div>}</div></div>

Responses

Status: 200 - un objet RendezVous et les actions possibles

Schema

▼ { []

rdv:

▼ { []

title: string

example: title

startDate: string

example: 2022-12-25T00:30:00Z

endDate: string

example: 2022-12-26T01:00:00Z

place: string

example: there

description: string

example: this is a wonderful description

owner: string

example: 635149330eac27517446494c

```
      _id:      string
              example: 63767163c1d5d7f8d523d2c1
      __v:      integer
    }
    actions: ▾ [ []
      ▾ { []
        link:    string
                example: /.../...
        method:  string
                example: post
      }
    ]
  }
}
```

Status: 400 - format des données invalide

Schema

```
▾ { []
  message: string
          example: Bad request
  err:     ▾ { []
            }
}
```

eventDeleteIdDelete

Supprimer un événement

DELETE

```
/event/delete/{id}
```

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X DELETE\
-H "Accept: application/json"\
"http://localhost:3000/event/delete/{id}"
```

Parameters

Path parameters

Name	Description
id*	String ID de l'événement à supprimer Required

Responses

Status: 200 - Un événement a été trouvé et supprimé

Schema

```
▾ { []
```

```
actions: ▾ [ []  
  ▾ { []  
    link: string  
    example: /event/create/  
    method: string  
    example: post  
  }  
]  
}
```

Status: 400 - Format de l'id invalide

Schema

```
▾ { []  
  message: string  
  example: Bad request  
  err: ▾ { []  
  }  
}
```

Status: 401 - Il faut être connecté pour utiliser cette fonctionnalité

Schema

```
▾ { []  
  message: string  
  example: Unauthorized  
  err: ▾ { []  
  }  
}
```

Status: 404 - Aucun événement possédant cet id trouvé

Schema

```
▾ { []  
  message: string  
  example: Ressource not found  
  err: ▾ { []  
  }  
}
```

eventEditIdPost

Modifier un événement

Le corps de la requête peut être composé de tous les champs présent dans un RendezVous

POST

```
/event/edit/{id}
```

Usage and SDK Samples

Curl

Java

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

```
curl -X POST\  
-H "Accept: application/json\  
-H "Content-Type: application/json\  
"localhost:3000/event/edit/{id}"
```

Parameters

Path parameters

Name	Description
id*	Integer <i>ID de l'événement à modifier</i> Required

Body parameters

Name	Description
body	<div>▾ { []</div> <div>title: string example: modification title</div> <div>description: string example: a better description</div> <div>}</div>

Responses

Status: 200 - un objet RendezVous et les actions possibles

Schema

▾ { []

rdv: ▾ { []

title: string
example: title

startDate: string
example: 2022-12-25T00:30:00Z

endDate: string
example: 2022-12-26T01:00:00Z

place: string
example: there

description: string
example: this is a wonderful description

owner: string
example: 635149330eac27517446494c

_id: string
example: 63767163c1d5d7f8d523d2c1

--v: integer

}

actions: ▾ [[]

▾ { []

link: string
example: /.../...

method: string
example: post

}

]

}

Status: 400 - Format de l'id invalide

Schema

```
▼ { []
  message: string
    example: Bad request
  err:      ▼ { []
            }
}
```

Status: 401 - Il faut être connecté pour utiliser cette fonctionnalité

Schema

```
▼ { []
  message: string
    example: Unauthorized
  err:      ▼ { []
            }
}
```

Status: 404 - Aucun événement possédant cet id trouvé

Schema

```
▼ { []
  message: string
    example: Ressource not found
  err:      ▼ { []
            }
}
```

eventGetDayYearMonthDayGet

Trouver tous les événements pour un jour d'une semaine et d'une année donnée

GET

```
/event/get-day/{year}/{month}/{day}
```

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X GET\
-H "Accept: application/json"\
"http://localhost:3000/event/get-day/{year}/{month}/{day}"
```

Parameters

Path parameters

Name	Description
year*	Integer Année de l'événement à trouver Required

month*	Integer <i>Mois de l'événement à trouver</i> Required
day*	Integer <i>Jour de l'événement à trouver</i> Required

Responses

Status: 200 - des objets événements

Schema

```

  ▾ { []
    rdvs: ▾ [ []
      ▾ { []
        title: string
              example: title

        startDate: string
                   example: 2022-12-25T00:30:00Z

        endDate: string
                 example: 2022-12-26T01:00:00Z

        place: string
               example: there

        description: string
                    example: this is a wonderful description

        owner: string
               example: 635149330eac27517446494c

        _id: string
            example: 63767163c1d5d7f8d523d2c1

        __v: integer
      }
    ]
    actions: ▾ { []
      link: string
            example: /.../...

      method: string
              example: post
    }
  }

```

Status: 400 - Format du jour, du mois ou de l'année invalides

Schema

```

  ▾ { []
    message: string
            example: Bad request

    err: ▾ { []
      }
  }

```

eventGetIdGet

Trouver un événement

```
/event/get/{id}
```

Usage and SDK Samples

[Curl](#) [Java](#) [Android](#) [Obj-C](#) [JavaScript](#) [C#](#) [PHP](#) [Perl](#) [Python](#)

```
curl -X GET\  
-H "Accept: application/json\  
"localhost:3000/event/get/{id}"
```

Parameters

Path parameters

Name	Description
id*	String <i>ID de l'événement à trouver</i> Required

Responses

Status: 200 - Un événement a été trouvé

Schema

```
▼ { []  
  rdv: ▼ { []  
    title: string  
          example: title  
  
    startDate: string  
              example: 2022-12-25T00:30:00Z  
  
    endDate: string  
            example: 2022-12-26T01:00:00Z  
  
    place: string  
          example: there  
  
    description: string  
               example: this is a wonderful description  
  
    owner: string  
          example: 635149330eac27517446494c  
  
    _id: string  
        example: 63767163c1d5d7f8d523d2c1  
  
    __v: integer  
  }  
  actions: ▼ [ []  
    ▼ { []  
      link: string  
            example: /.../  
  
      method: string  
              example: post  
    }  
  ]  
}
```

Status: 400 - Format de l'id invalide

Schema

```
▼ { []  
  message: string  
            example: Bad request  
  
  err: ▼ { []  
        }
```



```
}

```

Status: 404 - Aucun événement possédant cet id trouvé

Schema

▼ { []

message: string
example: Ressource not found

err: ▼ { []
 }

}

eventGetMonthYearMonthGet

Trouver tous les événements pour un mois d'une année donnée

GET

```
/event/get-month/{year}/{month}

```

Usage and SDK Samples

CurlJavaAndroidObj-CJavaScriptC#PHPPerlPython

```
curl -X GET\  
-H "Accept: application/json"\  
"localhost:3000/event/get-month/{year}/{month}"

```

Parameters

Path parameters

Name	Description
year*	Integer Année de l'événement à trouver Required
month*	Integer Mois de l'événement à trouver Required

Responses

Status: 200 - des objet événement

Schema

▼ { []

rdvs: ▼ [[]
 ▼ { []
 title: string
 example: title

 startDate: string
 example: 2022-12-25T00:30:00Z

 endDate: string
 example: 2022-12-26T01:00:00Z

 place: string
 example: there

```
      description: string
        example: this is a wonderful description
      owner:
        string
        example: 635149330eac27517446494c
      _id:
        string
        example: 63767163c1d5d7f8d523d2c1
      __v:
        integer
    }
  ]
  actions: ▾ [ []
    ▾ { []
      link: string
        example: /.../...
      method: string
        example: post
    }
  ]
}
```

Status: 400 - Format de l'année ou du mois invalides

Schema

```
▾ { []
  message: string
    example: Bad request
  err:
    ▾ { []
    }
}
```

eventGetWeekYearWeekGet

Trouver tous les événements pour une semaine d'une année donnée

GET

```
/event/get-week/{year}/{week}
```

Usage and SDK Samples

CurlJavaAndroidObj-CJavaScriptC#PHPPerlPython

```
curl -X GET\
-H "Accept: application/json"\
"localhost:3000/event/get-week/{year}/{week}"
```

Parameters

Path parameters

Name	Description
year*	Integer Année de l'événement à trouver Required
week*	Integer Semaine de l'événement à trouver Required

Responses

Status: 200 - des objets événements

Schema

```
▼ { []
  rdvs: ▼ [ []
    ▼ { []
      title: string
            example: title
      startDate: string
                  example: 2022-12-25T00:30:00Z
      endDate: string
                example: 2022-12-26T01:00:00Z
      place: string
             example: there
      description: string
                  example: this is a wonderful description
      owner: string
              example: 635149330eac27517446494c
      _id: string
           example: 63767163c1d5d7f8d523d2c1
      __v: integer
    }
  ]
  actions: ▼ { []
    link: string
           example: /.../...
    method: string
             example: post
  }
}
```

Status: 400 - Format de l'année ou du mois invalides

Schema

```
▼ { []
  message: string
            example: Bad request
  err: ▼ { []
        }
}
```

Suggestions, contact, support and error reporting;

Information URL: <https://helloverb.com> (<https://helloverb.com>)

Contact Info: hello@helloverb.com (hello@helloverb.com)

All rights reserved

<http://apache.org/licenses/LICENSE-2.0.html>