

Enzo Gabriel Nicolosi Croquer RM 553213

Samuel Guilherme Monte RM 554154

a.1

The screenshot shows a GitHub repository page for 'GS-Governanca'. The repository is public and has 1 branch and 0 tags. There are 2 commits from 'SamuelGMonte' and 1 file named 'README.md'. The README contains the text 'GS-Governanca', 'Enzo Gabriel Nicolosi Croquer RM 553213', and 'Samuel Guilherme Monte RM 554154'. The repository has 0 stars, 0 forks, and no releases or packages.

a.2

```
D:\GS>git clone https://github.com/SamuelGMonte/GS-Governanca.git projeto
Cloning into 'projeto'...
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (6/6), done.
```

a.3

```
D:\GS\projeto>git flow init

Which branch should be used for bringing forth production releases?
  - main
Branch name for production releases: [main]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [D:/GS/projeto/.git/hooks]
```

c.1

```
D:\GS\projeto>git flow feature start v1.0
D      Arquitetura de Sistema.pdf
Switched to a new branch 'feature/v1.0'

Summary of actions:
- A new branch 'feature/v1.0' was created, based on 'develop'
- You are now on branch 'feature/v1.0'

Now, start committing on your feature. When done, use:

    git flow feature finish v1.0
```

```
D:\GS\projeto>git add "Arquitetura de Sistema.archimate" "Arquitetura de sistema.pdf"

D:\GS\projeto>git commit -m "Adicionando arquivos"
[feature/v1.0 2e78c08] Adicionando arquivos
Committer: Laboratório FIAP <labsfiap@fiap.com.br>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

3 files changed, 201 insertions(+)
create mode 100644 Arquitetura de Sistema.archimate
delete mode 100644 Arquitetura de Sistema.pdf
create mode 100644 Arquitetura de sistema.pdf
```

```
D:\GS\projeto>git flow feature finish v1.0
Switched to branch 'develop'
Updating 4229985..2e78c08
Fast-forward
  Arquitetura de Sistema.archimate | 201 ++++++
  Arquitetura de Sistema.pdf       | Bin 456558 -> 0 bytes
  Arquitetura de sistema.pdf      | Bin 0 -> 584433 bytes
3 files changed, 201 insertions(+)
create mode 100644 Arquitetura de Sistema.archimate
delete mode 100644 Arquitetura de Sistema.pdf
create mode 100644 Arquitetura de sistema.pdf
Deleted branch feature/v1.0 (was 2e78c08).

Summary of actions:
- The feature branch 'feature/v1.0' was merged into 'develop'
- Feature branch 'feature/v1.0' has been locally deleted
- You are now on branch 'develop'
```

c.2

```
D:\GS\projeto>git flow release start projeto
Switched to a new branch 'release/projeto'

Summary of actions:
- A new branch 'release/projeto' was created, based on 'develop'
- You are now on branch 'release/projeto'

Follow-up actions:
- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish 'projeto'

D:\GS\projeto>git flow release finish projeto
Branches 'main' and 'origin/main' have diverged.
And local branch 'main' is ahead of 'origin/main'.
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 2 commits.
  (use "git push" to publish your local commits)
Merge made by the 'ort' strategy.
Arquitetura de Sistema.archimate | 201 ++++++=====
Arquitetura de Sistema.pdf      | Bin 456558 -> 0 bytes
Arquitetura de sistema.pdf     | Bin 0 -> 584433 bytes
3 files changed, 201 insertions(+)
create mode 100644 Arquitetura de Sistema.archimate
delete mode 100644 Arquitetura de Sistema.pdf
create mode 100644 Arquitetura de sistema.pdf
Already on 'main'
Your branch is ahead of 'origin/main' by 4 commits.
  (use "git push" to publish your local commits)
Switched to branch 'develop'
Merge made by the 'ort' strategy.
```

c.3

```
D:\GS\projeto>git push origin develop
warning: ----- SECURITY WARNING -----
warning: | TLS certificate verification has been disabled! |
warning: -----
warning: HTTPS connections may not be secure. See https://aka.ms/gcm/tlsverify
info: please complete authentication in your browser...
warning: ----- SECURITY WARNING -----
warning: | TLS certificate verification has been disabled! |
warning: -----
warning: HTTPS connections may not be secure. See https://aka.ms/gcm/tlsverify
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 8 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (10/10), 1023.46 KiB | 2.75 MiB/s, done.
Total 10 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), done.
To https://github.com/SamuelGMonte/GS-Governanca.git
  b96d1e4..0853b3b  develop -> develop

D:\GS\projeto>git push origin main
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/SamuelGMonte/GS-Governanca.git
  b96d1e4..ecf14c9  main -> main

D:\GS\projeto>git flow feature start v1.0
Switched to a new branch 'feature/v1.0'

Summary of actions:
- A new branch 'feature/v1.0' was created, based on 'develop'
- You are now on branch 'feature/v1.0'

Now, start committing on your feature. When done, use:
```

Repositório: <https://github.com/SamuelGMonte/GS-Governanca/tree/main>