No evidence for paternal age effects on sons or daughters, when accounting for paternal sperm storage

Abstract

- 1. The age at which a father reproduces is predicted to affect not only his own fertility but also the fitness of his offspring. Specifically, offspring born to old fathers are assumed to be of a lower quality than those conceived by young fathers. However, when fathers have low mating rates, paternal age might be confounded with the duration for which mature sperm are stored in fathers prior to ejaculation.
 - 2. Studies that disentangle the confounding effects of paternal sperm storage duration from those of paternal age, on offspring, are lacking. We use *Drosophila melanogaster* to test the separate and interactive effects of paternal age and sperm storage duration (sexual rest) on the survival and lifetime reproduction of offspring.
 - 3. As expected, old fathers produce fewer offspring than young fathers. But surprisingly, paternal age does not influence the survival or lifetime reproductive success of either sons or daughters. Instead, sons conceived by fathers with long durations of sexual rest have lower reproductive success than sons conceived by fathers with short durations of sexual rest.
 - 4. We further discover that daughters of low reproductive quality selectively disappear with age, but sons do not, highlighting that demographic processes need to be accounted for when studying paternal age effects.
- 5. Overall, our study suggests that paternal age effects might not be as pervasive as previously assumed. We emphasize that a more nuanced understanding of the mechanisms causing paternal age effects is required, so that studies do not misattribute effects of paternal sperm storage to age.
- Keywords: abstinence, parental effects, post-meiotic sperm ageing, senescence, sexspecific, trade-offs

Introduction

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

The influence of parental environments is not limited to the reproductive success of parents themselves. Parental environments and phenotypes can influence offspring phenotypes (Badyaev and Uller, 2009; Liu and Chen, 2018) via genetic (e.g. mutation accumulation in gametes) or epigenetic mechanisms (Bauch et al, 2019; Chen et al, 2016; Heidinger et al, 2016; Perez and Lehner, 2019; Rando, 2016; Rodgers et al, 2015; Sharma, 2019; Yoshizaki et al, 2021), as well as differential resource allocation by parents (Uller, 2008). One parental effect that has received considerable attention is the 'paternal age effect'. Paternal age effects are caused when the age at which a father conceives offspring affects the offspring's phenotype (Monaghan and Metcalfe, 2019). These effects have broad implications for healthspan (Chan and Robaire, 2022), life-history evolution, and population dynamics (Evans, et al, 2019). Paternal age has been hypothesized to be more potent in influencing offspring phenotypes than maternal age (de Manuel et al, 2022; Gao et al, 2019). This rationale stems from sperm producing more reactive oxygen species, but have poorer DNA repair machinery than eggs, and male germlines accumulating more mutations with advancing age than female germlines (Crow, 2000; Ellegren, 2007; Girard et al, 2016; Reinhardt and Turnell, 2000; Venn et al, 2014). Evidence for deleterious paternal age effects includes old fathers producing offspring with poorer development (e.g. Janecka et al, 2017; Preston et al, 2015), lower juvenile survival (e.g. Fay et al, 2016), reduced adult lifespans (e.g. Crow, 2003; Noguera et al, 2018; Priest et al, 2002; Sharma et al, 2015; Wylde et al, 2019; Xie et al, 2018), and lower reproductive output (e.g. Arslan, 2017; Schroeder et al, 2015; Vuarin et al, 2021), compared to offspring conceived by young fathers.

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

In some cases, the effects of paternal age can be confounded by the duration for which sperm are stored post-meiosis and prior to ejaculation in males (Pizzari et al, 2008; Reinhardt, 2007; Siva-Jothy, 2000). These confounding effects typically arise in studies where fathers are kept virgins for long durations (reviewed in Sanghvi et al, 2024), have low rates of sperm loss or resorption, and have life-long spermatogenesis (e.g. most vertebrates and some insects: Bjork et al, 2007; Demarco et al, 2014; Reinhardt et al, 2011; Santos et al, 2023; Sepil et al, 2020). In such cases, old, virgin males not only have a more senescent germline, but also store sperm for longer durations compared to young virgin males, due to longer periods of sexual rest (Pizzari et al, 2008). Differences in durations of sperm storage between old and young fathers can also arise when fathers of different ages differ in their mating rates (Aich et al, 2022). In natural settings for instance, old males might be mating less often, thus storing sperm for longer durations on average, than young males. Sperm storage post-meiosis and before ejaculation can affect sperm quality, thus the fertility of a male, as well as his offspring's fitness, independent of the male's age (Pizzari et al, 2008, Reinhardt, 2007). Prolonged storage of sperm in males or females can deteriorate sperm quality (Brindle et al, 2023; Cattelan and Gasparini, 2021; Comar et al, 2017; Gasparini et al, 2014, 2019; Hettyey et al, 2012; Levitas et al, 2005; Radhakrishnan and Fedorka, 2011), increase the number of mutations in sperm (Agarwal et al, 2016; Rinehart, 1969), and reduce male fertilisation success (Gasparini et al, 2018; Reinhardt and Siva-Jothy, 2005). Sperm storage independently can also negatively affect the development (Dharmarajan, 1950; Lodge et al, 1971; Pineaux et al, 2019; White et al, 2008), quality (Tarin, 2000; Wagner et al, 2004; White et al, 2008), and fertility (Gasparini et al, 2017) of resultant offspring. This deterioration of stored sperm mainly occurs because sperm accumulate DNA and oxidative damage over prolonged periods of sexual rest (Barbagallo et al, 2022; Sorensen et al, 2023; Wetzker et al, 2024).

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

When the effects of male age and sexual rest cannot be disentangled, it remains unclear how these processes independently influence male reproductive output. Studies that disentangle these effects report contrasting results to each other (Gasparini et al, 2019; Vega-Trejo et al, 2019). Furthermore, no study has yet tested the separate effects of paternal age and sexual rest on the reproductive output of the conceived offspring. Previous studies that measure offspring phenotypes focus mainly on offspring survival (Meunier et al, 2022), which might not be informative of offspring fitness when offspring survival and reproduction co-vary negatively. Testing the separate effects of paternal age and sperm storage duration is necessary to ensure that studies are not incorrectly attributing the effects of paternal sexual rest to paternal age. Paternal age and sperm storage duration might also interact (Pizzari et al, 2008), for example, if old fathers are worse at repairing damage in stored sperm, than young fathers (Gorbunova et al, 2007; Selvaratnam et al, 2015; Weirich-Schwaiger et al, 1994). Studies that manipulate both, paternal sperm storage duration/sexual rest and paternal age, and simultaneously measuring offspring and paternal fitness components, are lacking, leaving such hypotheses untested. Here, we experimentally test the independent and interactive effects of paternal age at conception and paternal duration of sexual rest (henceforth, sperm storage duration), on paternal fertility, and the age-dependent survival and lifetime reproduction of their sons and daughters. We use the fruit fly, *Drosophila melanogaster*, a model organism for investigating parental age effects (Aguilar et al, 2023; Hercus and Hoffmann, 2000; Mossman et al, 2019; Nystrand and Dowling, 2014; Price and Hansen, 1998; Sanghvi, Pizzari et al, 2024; Sepil et al, 2020; Tan et al, 2013), owing to their short generation time and absence of parental care. Fruit flies show life-long spermatogenesis (e.g. Bjork et al, 2007; Sepil et al, 2020) and low rates of sperm loss (Demarco et al, 2014; Santos et al, 2023), leading to age-dependent accumulation of mature sperm in unmated males (Pisano et al, 1993; Sepil et al. 2020). In

fruit flies, sperm storage reduces the viability of sperm by 50% over 8 days (Radhakrishnan and Fedorka, 2011), increases oxidative stress by 10% (Wetzker et al, 2024), leads to sperm ejection by females (Snook and Hosken, 2004), and lowers offspring viability (Tan et al, 2013).

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

We test predictions of five hypotheses (H1-H5). First, paternal sperm storage could interact with paternal age, to influence the reproductive output of fathers, and the phenotypes of their offspring. If previous studies that do not separate these effects, are misattributing the effects of paternal sperm storage to paternal age, we predict that separating these effects will reveal no significant evidence for reproductive senescence in fathers, or for paternal age effects on offspring. Second, old males might be worse at repairing cellular damage than young males (Gorbunova et al, 2007; Weirich-Schwaiger et al, 1994; Witt et al, 2023), causing deleterious effects of sperm storage to be exacerbated in old than young fathers (Zubkova and Robaire, 2006). We thus predict offspring of old fathers with long durations of sexual rest will have lower fitness than offspring of young fathers or of fathers with short sperm storage durations (H2). Third, offspring of old fathers might inherit a higher mutation load than offspring of young fathers (Chen et al, 2023; de Manuel et al, 2022; Girard et al, 2016; Jonsson et al, 2017; Kong et al, 2012; Wang et al, 2020). If paternally inherited mutations are exacerbated as offspring grow older (Bregdahl et al, 2020, 2023; Monaghan et al, 2020; Moorad and Promislow, 2008; Shindyapina et al, 2020), we predict that the effects of old paternal age might be more deleterious when offspring are old than young (H3). Fourth, paternal age effects might be sex-specific (e.g. Aich et al, 2022; Angell et al, 2022; Gasparini et al, 2017; Krishna et al, 2012; Sparks et al, 2022). For instance, advancing paternal age might deteriorate the Y chromosome (Byrne et al, 2003; Carothers et al, 1978) or imprinted genes (Denomme et al, 2020; Paczkowski et al, 2015). Similarly, telomeres or epigenetic markers (which are affected by paternal age) might be sex-specifically inherited

(Bouwhuis et al, 2015; Olsson et al, 2011; Schroeder et al, 2015). In line with these hypotheses, we predict that paternal age and paternal sperm storage duration will have a larger impact on sons compared to daughters fitness (H4). Lastly, fathers might trade-off investment in sperm production versus repair/maintenance of sperm quality (e.g. Koppik et al, 2023). This trade-off between investment in sperm production versus sperm repair might manifest as trade-offs between offspring quantity and quality, therefore modulate paternal age effects (Fischer et al, 2011; Ratikainen et al, 2018; Johnson et al, 2018). In line with these hypotheses, we predict that fathers who produce more offspring would produce poorer quality offspring (H5).

Replication statement

Scale of inference	Scale at which factor of	Number of replicates at	
	interest is applied	the appropriate scale	
Species	Individuals within blocks	60 fathers per treatment	
		across 4 blocks. 3 sons and 3	
		daughters per father	
		measured	

Methods

Stock and experimental individuals

We used *Dahomey* wild-type *Drosophila melanogaster* flies maintained at a 12:12hr light cycle, at a constant temperature of 25°C, and fed with Lewis medium (Lewis, 1960) supplemented with *ad libitum* live yeast (following Sepil et al, 2020). The stock from which these flies were taken have been reared in the lab since the 1970s. Under these conditions, flies have an egg-to-adult development of ~10 days, and virgin adult males have median and maximum lifespans of ~45 and 90 days, respectively (Sepil et al, 2020; also see Fig S1). Our experiment consisted of two parts: first, fathers were generated and assigned across four treatments (old or young paternal age, with long or short sperm storage duration) in a fully

balanced design (henceforth "F0 assays"). Then, sons and daughters (F1 individuals) from fathers in each paternal treatment were collected, and their survival and lifetime reproduction measured (henceforth "F1 assays). Our experiment (Figure 1) was conducted using a total of 60 fathers per treatment (our independent sample size), spread across four replicates (see Table S1 for sample sizes).

Experimental design

F0 assays

Paternal treatments

We first reared experimental flies using a standard larval density method by placing ~200 eggs obtained from our stock population cage, on 50 mL of food in 250-mL bottles (Clancy and Kennington, 2001). We then collected virgin "F0 males" using ice anaesthesia within 7 hours of eclosion from across ~15 of these bottles. F0 males were kept in groups of 10 and haphazardly assigned to one of four paternal treatments. These four paternal treatments were: old fathers with sperm stored for long durations (OO), old fathers with sperm stored for short durations (OY), young fathers with sperm stored for long durations (YO), and young fathers with sperm stored for short durations (YY). To generate fathers with sperm of known storage durations, we manipulated the duration of sexual rest. For this, we "stripped" (i.e. depleted stored ejaculates) virgin young and old F0 males of their stored ejaculates (see "F0 stripping assay" below), and then allowed F0 males to replenish their ejaculates for a known duration, until they were mated to a single young virgin experimental female to obtain offspring (see F0 mating assay below). Specifically, F0 males assigned to the OO treatment were stripped when 37 days old and mated at 45 days old, OY males were stripped when 3 days old and mated at 11 days old,

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

while YY males were stripped when 9 days old and mated at 11 days old (Figure 1). This design gave us F0 males who were young (11 days old) or old (45 days old), and with ejaculates stored for short (2 days) or long (8 days) durations. F0 stripping assay To deplete ("strip") experimental F0 males of their stored ejaculate reserves and create the four paternal treatments, we placed single old or young F0 males with 10 virgin young (3-4 days old) females (henceforth, "stripping females"), and allowed males to mate ad-libitum with these stripping females for 24 hours. Mating with 10 females over 24 hours is sufficient to deplete D. melanogaster males of their ejaculate reserves (Douglas et al, 2020; Hopkins et al, 2019; Linklater et al, 2007; Loyau et al, 2010; Macartney et al, 2021; also see Appendix 1). After 24 hours of being with the 10 stripping females, F0 males were separated, sexually rested for two or eight days depending on their treatment, and used subsequently for the "F0" mating assay". Finally, we measured whether the F0 males used in the stripping assay produced offspring with the stripping females, to ensure the stripping assay's effectiveness (see Appendix 1 for details). F0 mating assay After being with the 10 stripping females for 24 hours, all F0 males were transferred to new vials and kept individually. Only F0 males that produced offspring in the "F0 stripping assay", were used in the "F0 mating assay" (see Appendix 1 for details). Next, old and young F0 males assigned to the short sperm storage treatment (OY and YY respectively) were mated once with a young virgin (3-4 days old) experimental female two days after the F0 stripping assay. Old and young F0 males in the long sperm storage treatment (OO and YO

respectively) were mated once with a young virgin (3-4 days old) experimental female 8 days after the stripping assay. All experimental females (mothers) were obtained from standard stock cages using the standard larval density method described above. F0 males from all four treatments (henceforth called "fathers") were presented with an experimental female on the same day, given a maximum of 5 hours to mate only once. Each mating event was observed, and mating latency and copulation duration recorded. Following mating, experimental females were left singly in the mating vial for 24h to enable oviposition. The resultant offspring ("F1") produced by experimental females (mothers) and fathers, over 24 hours of eggs laying in mating vials, were used in the F1 assays (see below).

F1 assays

The vials with eggs laid from experimental parents in the four treatments were checked every day for eclosing offspring (F1). Within seven hours of eclosion, three male (henceforth "sons") and three female (henceforth "daughters") offspring were haphazardly collected from each vial, into individual vials with a unique ID. These six offspring from each parental pair were then used for subsequent "F1 assays" (see below). The remaining eclosed offspring in each parental vial were frozen four days later and counted, to compare the reproductive output of fathers from the four treatments. Overall, we conducted F1 assays on 3 sons and 3 daughters from ~60 fathers in each treatment.

Once every two weeks, surviving sons and daughters were moved to a new vial with a virgin young mate (3-4 days old) of the opposite sex for 24 hours and the resultant offspring ("F2") were counted. This gave us data on the reproductive ageing patterns of both sons and daughters, from fathers in all four paternal treatments. We checked offspring survival every one to three days. Using an aspirator, sons were transferred to new food vials once a week,

while daughters were transferred to new vials twice a week to reduce female mortality caused

by larvae softening the food medium.




Figure 1: Experimental design to test how paternal age (Y: young, O: old) and paternal sperm storage duration/sexual rest (Y: short, O: long) affect lifetime reproduction and survival of sons and daughters. We first depleted old and young males of their ejaculates by keeping them with 10 females for 24 hours, then allowed them to replenish their ejaculate reserves for either two days (short sexual rest) or eight days (long sexual rest), and subsequently mated them to a single female. Three sons and three daughters produced from this mating (F1) were chosen haphazardly, and used for the F1 assays. Here, each experimental F1 offspring was mated to an individual of the opposite sex from the stock population once every two weeks, until death, and offspring reproductive output (number of eclosed F2 individuals) from eggs laid over 24 hours were counted. In total, each paternal treatment had 60 fathers. Images from PhyloPics by Thomas Hegna and Ramiro Morales Hojas (PD1.0 and CC01.0 licence).

Data analysis

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

General modelling approach We used linear mixed-effects models (LMM) and generalised linear mixed-effects models (GLMM) to understand how paternal age and paternal sperm storage duration affected the reproductive output of fathers and their offspring (Table 1). We included an optimizer ("BFGS") whenever GLMM models did not converge. We used Cox mixed-effects proportional-hazards models (coxme) to understand how paternal age and paternal sperm storage duration affected the age-dependent mortality of offspring. All analyses were done in R v3.5.2 (R Core team, 2012), using the packages stats (R Core team, 2012), lme4 (Bates et al, 2015), glmmTMB (Brooks et al, 2017), and coxme (Therneau, 2015). All LMMs were checked for normality and homoscedasticity of residuals using the stats package, and GLMMs were checked for overdispersion whenever appropriate, using the DHARMa package (Hartig and Hartig, 2017). We analysed data on sons and daughters separately. Marginal variance (R_{marginal}^2) explained by fixed effects in our models, was calculated using the sjPlot (Ludecke, 2023) and CoxR2 (You and Xu, 2020) packages. Post-hoc pairwise comparisons whenever conducted, were done using Hedges' g in the *effectsize* (R Core team, 2012) package ($\alpha = 0.05$ for significance tests of effect size). Model comparisons were done using AIC function in the stats package. Unless mentioned otherwise, we started with a "full model" that included two-way interactions between paternal sperm storage duration and paternal age. For models on reproductive ageing in offspring, our full model additionally included offspring age in a three-way interaction with paternal age and sperm storage. These full models were used to interpret the highest order interactions only. To then interpret lower order interactions or main-effects whenever higher order-interactions were non-significant, we fitted models with

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

the highest level of interaction removed (following Engqvist, 2005). Main effects indicated independent effects of variables when averaged across the effects of other variables. F0 assays We analysed how paternal age and sperm storage duration affected the reproductive output of fathers. We modelled the number of offspring produced by fathers as our dependent variable, with zero-inflated negative binomial error distribution, because this distribution fit data better than Poisson (\triangle AIC = 6624, \triangle DF = 2) or zero-inflated Poisson (\triangle AIC = 1283, \triangle DF = 1) error distributions. We modelled paternal age, sperm storage duration, their interaction, copulation duration, and replicate as fixed effects. Copulation duration was included to account for males who copulate for longer durations transferring more sperm to females, thus producing more offspring. F1 assays Reproductive ageing (Table 1) To understand the effects of paternal treatment on age-dependent reproductive output of daughters, we built a GLMM with zero-inflated negative binomial error distribution. This model was a better fit to the data than one with Poisson (\triangle AIC = 20967, \triangle DF = 3) or zeroinflated Poisson ($\triangle AIC = 3151$, $\triangle DF = 1$) error distribution. We modelled the number of offspring produced over 24 hours by daughters, measured once every two weeks from birth to death, as the dependent variable. We included paternal age, paternal sperm storage duration, the age of daughters, their three-way interaction, and replicate as fixed effects. In the same model, we included a quadratic term for daughter's age (which significantly improved model

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

fit compared to only a linear term, P < 0.001), because reproductive ageing patterns are often curvilinear (Jones et al, 2014; Sanghvi et al, 2024). Effects of paternal age on offspring lifetime reproduction might be biased, if demographic processes such as selective disappearance cause non-random death of offspring over time. In our model, we thus additionally included the lifespan of daughters as a fixed effect, to account for selective disappearance (Bouwhuis et al, 2009; Sanghvi et al, 2022). We further included the number of offspring that fathers produced as a fixed effect, to investigate whether fathers compensate for lower quality offspring by producing more offspring. We modelled daughter ID nested within paternal ID as random effects. To understand the effects of paternal treatment on age-dependent reproductive output of sons, we built a GLMM with a negative binomial error distribution. This model was a better fit to the data than one with Poisson (\triangle AIC = 13177, \triangle DF = 1) or zero inflated Poisson $(\Delta AIC = 4211, \Delta DF = 0)$ error distributions. The fixed and random effects in the model for reproductive output of sons were identical to those in our model for reproductive output of daughters (as described above), except for one difference. Specifically, for sons, we modelled only a linear term for the age at reproduction of sons, because a quadratic term did not improve model fit ($\Delta AIC = 2$, $\Delta DF = 1$, P = 0.766 with L.R.T. under a Chi-sq. distribution). Actuarial ageing (Table 1) We used Cox- mixed-effects proportional hazards models to investigate the age-dependent mortality risk to sons and daughters separately. However, our models for both sons and daughters were identically structured. We modelled the lifespan of offspring as the dependent variable. Paternal age, paternal sperm storage duration, their two-way interaction, and replicate were included as fixed effects. The number of offspring sired by fathers was

modelled as a fixed effect, to test whether fathers compensate for low survival of offspring by producing more offspring. We modelled paternal ID as a random effect.

Table 1: Detailed model structure for each statistical model in our study. Model aim, dependent variables, fixed and random effects, and model type for the best-fitting model (determined using AIC comparisons) are reported. Proportion of variance in data explained by fixed effects reported as marginal R².

Generatio n	Model	Dependent variable	Fixed effects	Random effects	Model type	R ² _{marginal}
F0 (fathers)	Reproductive output	Number of offspring produced	Age*sperm storage + copulation duration + replicate		Zero- inflated negative binomial	3.3%
F1 (offspring)	Reproductive ageing (daughters)	Number of offspring produced in a day of egg laying	Paternal age*paternal sperm storage*age + age^2 + lifespan + paternal fecundity + replicate	1 Paternal ID/daughte r ID	Zero- inflated negative binomial	38.8%
	Reproductive ageing (sons)	Number of offspring produced in a day of egg laying	Paternal age*paternal sperm storage*age + lifespan + paternal fecundity + replicate	1 Paternal ID/son ID	Negative binomial	2.6%
	Actuarial ageing (daughters)	Lifespan	Paternal age*paternal sperm storage + paternal fecundity + replicate	1 Paternal ID	Cox- proportio nal hazards	6.5%
	Actuarial ageing (sons)	Lifespan	Paternal age*paternal sperm storage + paternal fecundity + replicate	1 Paternal ID	Cox- proportio nal hazards	4.8%

Results

F0 assays

We found no interaction between paternal age and sperm storage duration influencing the number of offspring produced by fathers (z=0.343, P=0.731, Figure 2B, Table S2). However, paternal age (z=2.130, P=0.033), but not sperm storage duration (z=0.810, P=0.419, Figure 2B), independently affected the number of offspring fathers produced, with young fathers producing more offspring than old fathers.




Figure 2: Effects of age and sperm storage treatment, on the number of offspring sired by fathers across the four paternal treatments: old age, long sperm storage (OO); old age, short sperm storage (OY); young age, long sperm storage (YO); young age, short sperm storage (YY). Means and SE shown along with the raw data points.

333

334

335

336

337

338

339

340

341

342

343

344

345

346

347

348

349

350

351

352

353

354

355

F1 (offspring) assays Reproductive ageing The three- or two- way interaction of paternal age, paternal sperm storage duration, and the age of daughters, had no significant effect on the number of offspring produced by daughters (Figure 3, Table S3). Furthermore, paternal age (z = -1.14, P = 0.254) or paternal sperm storage duration (z = 1.43, P = 0.153) did not significantly influence the reproductive output of daughters (Table S3). However, daughters produced fewer offspring when old than when young (daughter age as quadratic: z = -3.410, P = 0.001; as linear: z = -6.050, P < 0.001). Daughters that lived longer also produced more offspring at a given age, than daughters that lived shorter lives (daughter's lifespan: z = 2.710, P = 0.007, Figure 4A), a result consistent with selective disappearance. Paternal reproductive output did not influence the reproductive output of daughters (z = -0.020, P = 0.984, Figure S3A). We found no significant effect of three-way or two-way interactions between paternal age, paternal sperm storage duration, and the age of sons, to affect the number of offspring produced by sons (Figure S4, Table S4). Similarly, paternal age did not have a significant effect (z = 0.160, P = 0.875). However, we found a marginally significant effect of paternal sperm storage duration (z = 2.030, P = 0.043, Figure 5A) on the number of offspring produced by sons. Overall, sons born to fathers who stored sperm for eight days (i.e. long sperm storage) had a 4.2% lower reproductive output than sons born to fathers who stored sperm for two days. Post-hoc tests revealed that the magnitude of this difference was greatest in the early life of sons (Hedge's g at 4 days old: -0.22, 6.5% difference; Figure 5A, 5B). The number of offspring sired by fathers was positively correlated with the number of offspring sired by their sons (z = 2.930, P = 0.003, Figure S5). However, unlike in daughters, we did

not find significant evidence for selective disappearance in sons (son's lifespan: z = 1.660, P

= 0.097; Figure 4B). When averaged across other variables, sons produced fewer offspring with advancing age (z = -4.43, P < 0.001).

Actuarial ageing

Paternal age, paternal sperm storage duration, or their two-way interaction, did not significantly influence age-dependent mortality risk of daughters (Figure 6A, Table S5) or sons (Table S6). However, the number of offspring sired by fathers was significantly correlated with the mortality risk of their sons (z = -2.260, P = 0.024, Figure S5), but not daughters (z = 0.500, P = 0.610, Figure S5). Specifically, fathers who produced more offspring conceived sons that had higher rates of survival.




Figure 3: No effect of paternal age or paternal sperm storage duration on the number of offspring produced by daughters. OO: Old paternal age, long paternal sperm storage; OY: Old paternal age, short paternal sperm storage; YO: young paternal age, long paternal sperm storage; YY: young paternal age, short paternal sperm storage. Means and SE shown along with raw data. Each light dot represents measurements on a single daughter for a given age.




Figure 4: A- Daughters who lived longer consistently produced more offspring throughout life, than daughters who lived shorter lives, suggesting selective disappearance. B- We found no significant evidence for selective disappearance in sons. Data binned within 5 lifespan ranges. Curves plotted as glm-poisson. Shaded areas represent 95% C.I.




Figure 5: A- Effect of paternal sperm storage duration on the number of offspring produced by sons, when averaged across effects of other variables. Means and SE shown along with raw data. O: long paternal sperm storage, Y: short paternal sperm storage. Each light dot represents measurements on a single son at a given age. B- Effect of paternal sperm storage duration on reproductive success of sons is significant when sons are 4 days old. Effect sizes (Hedges; g) used for comparisons, and significance tests based on whether the 95% C.I. overlaps with zero or not. Negative effect sizes indicate that sons from fathers with long sperm storage duration, have lower reproductive output than sons from fathers with short sperm storage. Means and C.I. shown.




Figure 6: No significant effect of paternal age or paternal sperm storage duration on the age-dependent survival probability of A- daughters, or B- sons. Dotted lines show age at median survival probability. OO: old paternal age, long paternal sperm storage; OY: old paternal age, short paternal sperm storage; YO: young paternal age, long paternal sperm storage; YY: young paternal age, short paternal sperm storage. "+" shows censoring (lost, accidentally killed, or mislabelled).

Discussion

Paternal age effects can have far-reaching ramifications for organismal evolution. However, determining the causal effect of paternal age on offspring phenotype and fitness requires experimental control of potential confounds, which is challenging. We investigated how paternal age and paternal sperm storage duration affect the reproductive output of fathers, and the reproductive and actuarial ageing of their offspring. We found older fathers to have lower reproductive output, suggesting reproductive senescence, but found no significant evidence for paternal age effects on offspring (H1). Additionally, we did not find evidence for paternal sperm storage duration interacting with paternal age, to influence offspring phenotypes (H2). Instead, we found weak evidence for an independent effect of paternal sperm storage duration on the reproductive output of sons. Furthermore, the lack of paternal age effects was

consistently observed irrespective of offspring age (H3). We also found no evidence for paternal age to affect sons more than daughters, but observed this pattern for paternal sperm storage duration (H4). Lastly, there were no trade-offs between offspring quantity versus quality produced by fathers. Instead, fathers that produced more offspring also produced higher quality sons (H5).

391

392

393

394

395

396

397

398

399

400

401

402

403

404

405

406

407

408

409

410

411

412

413

414

415

We found no significant effect of paternal age on offspring, when separated from effects of paternal sperm storage duration (H1). Paternal age effects have been widely reported across taxa (e.g. Crow, 2003; Monaghan et al, 2020; Schroeder et al, 2015; Vuarin et al, 2019), including in humans (Chang and Robaire, 2022), with offspring from old fathers having lower fitness than offspring from young fathers (reviewed in Monaghan and Metcalfe, 2019). However, most studies on paternal age effects do not control for duration of sperm storage. The lack of an effect in our study might suggest some of the previous reports misattributing deleterious effects of paternal sperm storage to paternal age (reviewed in Pizzari et al, 2008, Sanghyi et al, 2024). In fruit flies for example, experimental males are often unmated until they are used to sire progeny (e.g. Aguilar et al, 2023; Mossman et al, 2019; Nystrand and Dowling, 2014; Price and Hansen, 1998; Priest et al, 2002). Male fruit flies are characterised by spermatogenesis throughout their adult life (Bjork et al, 2007; Sepil et al, 2020) and low rates of sperm loss (Demarco et al, 2014; Santos et al, 2023). These might lead to the accumulation of deteriorating sperm within the male reproductive tract, such that old virgin fathers have more deteriorated sperm than young virgin fathers. Only few studies have attempted to separate paternal age versus sperm storage effects, albeit in other species. For example, Gasparini et al (2019) report independent effects of both, paternal age and sperm storage duration, on paternal fertility in guppies; Jones et al (2004) show interactive effects between paternal age and sperm storage duration on paternal fertilisation success, in hide beetles; Vega-Trejo et al (2019) show no effect of paternal age or sperm

417

418

419

420

421

422

423

424

425

426

427

428

429

430

431

432

433

434

435

436

437

438

439

440

storage duration on paternal sperm traits, in mosquitofish; while Meunier et al (2022) show effects of paternal age but not of sperm storage duration on sperm traits and offspring survival, in bustards. None of these studies however, measured offspring lifetime reproductive success (the key metric of evolutionary fitness), as we were able to do in the present study. The lack of a paternal age effect could also reflect deleterious effects being balanced by beneficial effects of having old fathers (Sanghyi, Pizzari et al, 2024). For instance, fathers who have survived to older ages might represent a biased subset of fathers with alleles that confer longer lifespans (due to viability selection: Brooks and Kemp, 2001; Hansen and Price, 1995; Johnson and Gemmell, 2012; Kokko, 1998; Sanghvi, Pizzari et al, 2024). Similarly, fathers of poor reproductive value could selectively disappear with age (Bouwhuis et al, 2009; Hamalainen et al, 2014; Sanghvi et al, 2022), leading to old surviving fathers having alleles for higher reproductive output. These processes (selective disappearance and viability selection) might have underestimated paternal age effects in our study, due to fathers being sampled-cross sectionally rather than the same fathers being sampled longitudinally. The lack of a paternal age effect in our study could also occur due to female-driven processes. For example, female fruit flies might bias fertilisation toward good quality sperm via cryptic female choice (e.g Hadlow et al, 2023; reviewed in Firman et al, 2017; Sanghvi et al, 2024; Vuarin et al, 2019). We did not find evidence that old fathers who stored sperm for long durations, produce lower quality offspring than other treatments (H2). Old males are hypothesized to have poorer DNA repair machinery than young males (Chen et al, 2023; Gorbunova et al, 2007; Selvaratnam et al, 2015; Weirich-Schwaiger et al, 1994), which could lead to old fathers being worse at repairing sperm damage than young fathers (Pizzari et al, 2008). The lack of an interaction between paternal age and sperm storage duration in our study could be

due to sperm storage for eight days not being sufficient to increase mutation load in paternal sperm, or old fathers being able to repair DNA damage in mature sperm, well enough to ameliorate deleterious effects of sperm storage.

441

442

443

444

445

446

447

448

449

450

451

452

453

454

455

456

457

458

459

460

461

462

463

464

465

We found weak evidence for deleterious effects of paternal sperm storage duration on the early-life reproductive output of sons. Several studies have demonstrated that storage of mature spermatozoa can deteriorate sperm quality (Agarwal et al, 2016; Brindle et al, 2023; Cattelan and Gasparini, 2021; Comar et al, 2017; Gasparini et al, 2014, 2019; Hettyey et al, 2012; Levitas et al, 2005; Radhakrishnan and Fedorka, 2011), and lead to offspring having lower fitness (Gasparini et al, 2017; Wagner et al, 2004; White et al, 2008). The likely mechanism causing such deleterious effects is sperm storage increasing oxidative stress in sperm and causing increased sperm DNA fragmentation (Barbagallo et al, 2022; Wetzker et al, 2024). Other studies however, have not obtained evidence for such deleterious effects (Firman et al, 2015; Hotzy et al, 2020; Meunier et al, 2022; Vega-Trejo et al, 2019). There are several explanations for only a weak effect of paternal sperm storage duration on offspring being recorded in our study. First, sperm could be continuously re-absorbed or lost in fathers, leading to low levels of sperm damage despite long durations of sexual rest (Pizzari et al, 2008; Reinhardt and Siva-Jothy, 2005; Reinhardt, 2007). Second, a weak effect could indicate sperm not being stratified in males (Reinhardt, 2007), causing fresh and stored sperm to be mixed in paternal ejaculates. Third, it is possible that not all the sperm stored in male reserves were ejaculated by F0 males in our stripping assay (Sanghvi, Shandilya et al, 2024), leading to less effective sperm storage treatments. Fourth, if sperm haploid genomes are expressed in fruit flies, selection on sperm haplotypes could lead to the death of poorquality sperm in fathers who stored sperm for long durations (Alavioon et al, 2017; Immler, 2019; Otto et al, 2015). This selective death could buffer deleterious effects of paternal sperm storage duration on offspring. Fifth, females could be actively ejecting sperm stored for

467

468

469

470

471

472

473

474

475

476

477

478

479

480

481

482

483

484

485

486

487

488

489

490

longer durations in males, thus buffering the effects of sperm storage (Reinhardt and Siva-Jothy, 2005; Snook and Hosken, 2004). In our study, the effect of sperm storage on the reproductive output of sons was significant, despite its magnitude being small. This statistical significance could thus be an artefact of having a large sample size (of ~180 sons per treatment) rather than a true biological pattern. We only manipulated sperm storage duration in fathers, but future studies can investigate whether sperm storage in mothers (reviewed in Orr and Brennan, 2015) also influence offspring phenotypes. We predicted (H3) that deleterious effects of old paternal age would be more severe for old than young offspring (Brengdahl et al, 2023; Moorad and Promislow, 2008; reviewed in Monaghan et al, 2020). Such an interaction could occur if senescence in offspring exacerbated effects of a higher mutation load inherited from old parents (Chen et al, 2023; Girard et al, 2016; Kong et al, 2012; Yatsenko and Turek, 2018). Studies on fruit flies show that male germlines accumulate mutations with age (Garcia et al, 2010; Wang et al, 2022), that age-specific mutation accumulation can lead to accelerated senescence (Brengdahl et al, 2020; Yampolsky et al, 2000), and that old fathers have a higher germline mutation load than young fathers (Witt et al, 2023). A lack of support for the predicted interactive effect in our study might indicate that inherited mutations in fruit flies are mostly selectively neutral (reviewed in de Jong et al, 2023) in their fitness effects. Selective disappearance could have also masked such an interactive effect in daughters, where daughters of worse reproductive quality selectively died with age. Overall, we encourage future studies to not only quantify age-dependent mutation rates and epigenetic changes in old paternal sperm (e.g. Oakes et a, 2003; Suvorov et al, 2020), but also investigate their inter-generational phenotypic effects. We did not find paternal age to have sex-specific effects on offspring (H4), likely due to an overall absence of paternal age effects in our study. This lack of evidence also suggests that mechanisms of inheritance causing sex-specific paternal age effects, might be absent in

fruit flies. Lastly, we did not find evidence that fathers who produced more offspring also produced offspring of poorer quality due to a trade-off between these traits (H5). Instead, paternal fecundity co-varied positively with the survival and reproductive output of their sons. These results might be explained by heterogeneity in paternal condition, such that fathers who can acquire more resources are able to invest in both, offspring production (e.g. via higher ejaculate production) and offspring quality (e.g. via sperm repair) without trade-offs (Reznick et al, 2000; Roff and Fairbairn, 2007). Due to these covariances being apparent only in sons but not in daughters, these results might alternatively be explained by sexspecific heritability of fitness-components (Calsbeek et al, 2015; Connallon, 2012; Weiss et al, 2006) in fruit flies.

Conclusions

Our study challenges the commonly held prediction that older fathers produce lower quality offspring, and we find no evidence for deleterious paternal age effects. The absence of a paternal age effect persists irrespective of the age of sons and daughters, or the duration of paternal sperm storage. These results call for a re-evaluation of the causes and consequences of paternal age effects, under a framework that incorporates selective disappearance, condition dependence, life-history trade-offs, and variable paternal mating rates. We emphasize that post-meiotic sperm damage during sperm storage/sexual rest might be an under-appreciated modulator of offspring phenotypic variation, especially in species where low male mating rates and long-term female sperm storage are commonplace. The interactive influence of male age and sexual rest on male reproductive output and his offspring's phenotypes, might be crucial in modulating female sperm ejection (Wagner et al, 2004), mate choice (Johnson and Gemmell, 2012), polyandry, and last-male sperm precedence (Snook

B)

and Hosken, 2014). Overall, we highlight the importance of simultaneously understanding various mechanisms by which advancing organismal age might influence offspring directly (e.g. sex-specific inheritance, mutation accumulation) or indirectly (e.g. sperm storage, selective disappearance, trade-offs, condition dependence). **Supplementary information statement** Supplementary information is provided along with this manuscript Data availability statement Data and associated code for this study are available at OSF under an anonymous folder: https://osf.io/gq9j2/?view_only=362a13e2bd6f4b958e5fba66e7c75a2e

54References

- 54Agarwal, A., Gupta, S., Du Plessis, S., Sharma, R., Esteves, S.C., Cirenza, C., Eliwa, J., Al-Najjar, W., Kumaresan, D., Haroun, N.,
- 547 Philby, S., Sabanegh, E., 2016. Abstinence Time and Its Impact on Basic and Advanced Semen Parameters. Urology 94,
- 548 102–110. https://doi.org/10.1016/j.urology.2016.03.059
- 54∄guilar, P., Dag, B., Carazo, P., Sultanova, Z., 2023. Sex□ specific paternal age effects on offspring quality in *Drosophila*
- 550 melanogaster. J of Evolutionary Biology jeb.14167. https://doi.org/10.1111/jeb.14167
- 554 ich, U., Chowdhury, S., Jennions, M.D., 2022. Separating the effects of paternal age and mating history: Evidence for
- sex sex specific paternal effect in eastern mosquitofish. Evolution 76, 1565–1577. https://doi.org/10.1111/evo.14498
- 55 Alavioon, G., Hotzy, C., Nakhro, K., Rudolf, S., Scofield, D.G., Zajitschek, S., Maklakov, A.A., Immler, S., 2017. Haploid
- selection within a single ejaculate increases offspring fitness. Proc. Natl. Acad. Sci. U.S.A. 114, 8053–8058.
- 555 https://doi.org/10.1073/pnas.1705601114
- 55\(angell, C.S., Janacek, R., Rundle, H.D., 2022. Maternal and Paternal Age Effects on Male Antler Flies: A Field Experiment. The
- 557 American Naturalist 199, 436–442. https://doi.org/10.1086/718236
- 55&rslan, R.C., Willführ, K.P., Frans, E.M., Verweij, K.J.H., Bürkner, P.-C., Myrskylä, M., Voland, E., Almqvist, C., Zietsch, B.P.,
- Penke, L., 2017. Older fathers' children have lower evolutionary fitness across four centuries and in four populations. Proc.
- 560 R. Soc. B. 284, 20171562. https://doi.org/10.1098/rspb.2017.1562
- 56Badyaev, A.V., Uller, T., 2009. Parental effects in ecology and evolution: mechanisms, processes and implications. Phil. Trans. R.
- Soc. B 364, 1169–1177. https://doi.org/10.1098/rstb.2008.0302
- 56Bates, D., Kliegl, R., Vasishth, S., Baayen, H., 2015. Parsimonious Mixed Models. https://doi.org/10.48550/ARXIV.1506.04967
- 564 auch, C., Boonekamp, J.J., Korsten, P., Mulder, E., Verhulst, S., 2019. Epigenetic inheritance of telomere length in wild birds.
- PLoS Genet 15, e1007827. https://doi.org/10.1371/journal.pgen.1007827
- 568 arbagallo, F., Cannarella, R., Crafa, A., Manna, C., La Vignera, S., Condorelli, R.A., Calogero, A.E., 2022. The Impact of a Very
- 567 Short Abstinence Period on Conventional Sperm Parameters and Sperm DNA Fragmentation: A Systematic Review and
- 568 Meta-Analysis. JCM 11, 7303. https://doi.org/10.3390/jcm11247303
- 56Bjork, A., Dallai, R., Pitnick, S., 2007. Adaptive modulation of sperm production rate in *Drosophila bifurca*, a species with giant
- 570 sperm. Biol. Lett. 3, 517–519. https://doi.org/10.1098/rsbl.2007.0219
- 57B ouwhuis, S., Sheldon, B.C., Verhulst, S., Charmantier, A., 2009. Great tits growing old: selective disappearance and the
- partitioning of senescence to stages within the breeding cycle. Proc. R. Soc. B. 276, 2769–2777.
- 573 https://doi.org/10.1098/rspb.2009.0457
- 578 ouwhuis, S., Vedder, O., Becker, P.H., 2015. Sex-specific pathways of parental age effects on offspring lifetime reproductive
- 575 success in a long-lived seabird: SEX-SPECIFIC PARENTAL EFFECTS ON OFFSPRING FITNESS. Evolution 69, 1760-
- 576 1771. https://doi.org/10.1111/evo.12692
- 57 Brengdahl, M.I., Kimber, C.M., Elias, P., Thompson, J., Friberg, U., 2020. Deleterious mutations show increasing negative effects
- with age in Drosophila melanogaster. BMC Biol 18, 128. https://doi.org/10.1186/s12915-020-00858-5
- 57Brengdahl, M.I., Kimber, C.M., Shenoi, V.N., Dumea, M., Mital, A., Friberg, U., 2023. Age-specific effects of deletions:
- implications for aging theories. Evolution 77, 254–263. https://doi.org/10.1093/evolut/qpac027
- 58 Brindle, M., Ferguson-Gow, H., Williamson, J., Thomsen, R., Sommer, V., 2023. The evolution of masturbation is associated with
- postcopulatory selection and pathogen avoidance in primates. Proc. R. Soc. B. 290, 20230061.
- 583 https://doi.org/10.1098/rspb.2023.0061
- 584 rooks, M.E., Kristensen, K., van Benthem, K.J., Magnusson, A., Berg, C.W., Nielsen, A., Skaug, H.J., Mächler, M., Bolker,
- 585 B.M., 2017. Modeling zero-inflated count data with glmmTMB (preprint). Ecology. https://doi.org/10.1101/132753
- 58Brooks, R., Kemp, D.J., 2001. Can older males deliver the good genes? Trends in Ecology & Evolution 16, 308–313.
- 587 <u>https://doi.org/10.1016/S0169-5347(01)02147-4</u>
- 58Byrne, M., Agerbo, E., Ewald, H., Eaton, W.W., Mortensen, P.B., 2003. Parental Age and Risk of Schizophrenia: A Case-control
- 589 Study. Arch Gen Psychiatry 60, 673. https://doi.org/10.1001/archpsyc.60.7.673
- 590alsbeek, R., Duryea, M.C., Goedert, D., Bergeron, P., Cox, R.M., 2015. Intralocus sexual conflict, adaptive sex allocation, and the
- heritability of fitness. J of Evolutionary Biology 28, 1975–1985. https://doi.org/10.1111/jeb.12713
- 592 arnes, B.A., Riesch, R., Schlupp, I., 2012. The Delayed Impact of Parental Age on Offspring Mortality in Mice. The Journals of
- 593 Gerontology Series A: Biological Sciences and Medical Sciences 67A, 351–357. https://doi.org/10.1093/gerona/glr116

- 59**¢** arothers, A.D., Collyer, S., Mey, R., Frackiewicz, A., 1978. Parental age and birth order in the aetiology of some sex chromosome aneuploidies. Ann Human Genet 41, 277–287. https://doi.org/10.1111/j.1469-1809.1978.tb01895.x
- 596attelan, S., Gasparini, C., 2021. Male sperm storage impairs sperm quality in the zebrafish. Sci Rep 11, 16689. https://doi.org/10.1038/s41598-021-94976-x
- _______
- 598 han, P.T.K., Robaire, B., 2022. Advanced Paternal Age and Future Generations. Front. Endocrinol. 13, 897101.
- 599 <u>https://doi.org/10.3389/fendo.2022.897101</u>
- 600hen, H., Krieg, T., Mautz, B., Jolly, C., Scofield, D., Maklakov, A.A., Immler, S., 2023. Germline mutation rate is elevated in young and old parents in *Caenorhabditis remanei*. Evolution Letters grad052. https://doi.org/10.1093/evlett/grad052
- 602 hen, Q., Yan, W., Duan, E., 2016. Epigenetic inheritance of acquired traits through sperm RNAs and sperm RNA modifications.

 Nat Rev Genet 17, 733–743. https://doi.org/10.1038/nrg.2016.106
- 60¢ lancy, Kennington, 2001. A simple method to achieve consistent larval density in bottle cultures. Dros. Inf. Serv. 84.
- 605 omar, V.A., Petersen, C.G., Mauri, A.L., Mattila, M., Vagnini, L.D., Renzi, A., Petersen, B., Nicoletti, A., Dieamant, F., Oliveira,
- J.B.A., Baruffi, R.L.R., Franco Jr, J.G., 2017. Influence of the abstinence period on human sperm quality: analysis of 2,458
- semen samples. JBRA Assisted Reproduction. https://doi.org/10.5935/1518-0557.20170052
- 608 onnallon, T., 2010. Genic Capture, Sex Linkage, and the Heritability of Fitness. The American Naturalist 175, 564-576.
- 609 https://doi.org/10.1086/651590
- 610 riscuolo, F., Zahn, S., Bize, P., 2017. Offspring telomere length in the long lived Alpine swift is negatively related to the age of
- their biological father and foster mother. Biol. Lett. 13, 20170188. https://doi.org/10.1098/rsbl.2017.0188
- 612 row, J.F., 2003. There's Something Curious About Paternal-Age Effects. Science 301, 606-607.
- 613 <u>https://doi.org/10.1126/science.1088552</u>
- 614 row, J.F., 2000. The origins, patterns and implications of human spontaneous mutation. Nat Rev Genet 1, 40-47.
- 615 https://doi.org/10.1038/35049558
- 616e Jong, M.J., Van Oosterhout, C., Hoelzel, A.R., Janke, A., 2023. Moderating the neutralist-selectionist debate: exactly which
- propositions are we debating, and which arguments are valid? Biological Reviews brv.13010.
- 618 https://doi.org/10.1111/brv.13010
- 618e Manuel, M., Wu, F.L., Przeworski, M., 2022. A paternal bias in germline mutation is widespread in amniotes and can arise
- independently of cell division numbers. eLife 11, e80008. https://doi.org/10.7554/eLife.80008
- 62 Demarco, R.S., Eikenes, Å.H., Haglund, K., Jones, D.L., 2014. Investigating spermatogenesis in Drosophila melanogaster.
- 622 Methods 68, 218–227. https://doi.org/10.1016/j.ymeth.2014.04.020
- 62Benomme, M.M., Parks, J.C., McCallie, B.R., McCubbin, N.I., Schoolcraft, W.B., Katz-Jaffe, M.G., 2020. Advanced paternal age
- directly impacts mouse embryonic placental imprinting. PLoS ONE 15, e0229904.
- 625 https://doi.org/10.1371/journal.pone.0229904
- 625 harmarajan, M., 1950. Effect on the Embryo of Staleness of the Sperm at the Time of Fertilization in the Domestic Hen. Nature
- 527 165, 398–398. https://doi.org/10.1038/165398a0
- 62Bouglas, T., Anderson, R., Saltz, J.B., 2020. Limits to male reproductive potential across mating bouts in Drosophila melanogaster.
- Animal Behaviour 160, 25–33. https://doi.org/10.1016/j.anbehav.2019.11.009
- 63D llegren, H., 2007. Characteristics, causes and evolutionary consequences of male-biased mutation. Proc. R. Soc. B. 274, 1–10.
- https://doi.org/10.1098/rspb.2006.3720
- 632 ngqvist, L., 2005. The mistreatment of covariate interaction terms in linear model analyses of behavioural and evolutionary
- 633 ecology studies. Animal Behaviour 70, 967–971. https://doi.org/10.1016/j.anbehav.2005.01.016
- 634 vans, J.P., Wilson, A.J., Pilastro, A., Garcia-Gonzalez, F., 2019. Ejaculate-mediated paternal effects: evidence, mechanisms and evolutionary implications. Reproduction 157, R109–R126. https://doi.org/10.1530/REP-18-0524
- 636ay, R., Barbraud, C., Delord, K., Weimerskirch, H., 2016. Paternal but not maternal age influences early-life performance of offspring in a long-lived seabird. Proc. R. Soc. B. 283, 20152318. https://doi.org/10.1098/rspb.2015.2318
- 63Birman, R.C., Gasparini, C., Manier, M.K., Pizzari, T., 2017. Postmating Female Control: 20 Years of Cryptic Female Choice.
- Trends Ecol Evol 32, 368–382. https://doi.org/10.1016/j.tree.2017.02.010
- 64Birman, R.C., Young, F.J., Rowe, D.C., Duong, H.T., Gasparini, C., 2015. Sexual rest and post-meiotic sperm ageing in house
- mice. J. Evol. Biol. 28, 1373–1382. https://doi.org/10.1111/jeb.12661

- 642 ischer, B., Taborsky, B., Kokko, H., 2011. How to balance the offspring quality-quantity tradeoff when environmental cues are
- unreliable. Oikos 120, 258–270. https://doi.org/10.1111/j.1600-0706.2010.18642.x
- 644ao, Z., Moorjani, P., Sasani, T.A., Pedersen, B.S., Quinlan, A.R., Jorde, L.B., Amster, G., Przeworski, M., 2019. Overlooked
- roles of DNA damage and maternal age in generating human germline mutations. Proc. Natl. Acad. Sci. U.S.A. 116, 9491–
- 646 9500. https://doi.org/10.1073/pnas.1901259116
- 64 Garcia, A.M., Calder, R.B., Dollé, M.E.T., Lundell, M., Kapahi, P., Vijg, J., 2010. Age- and Temperature-Dependent Somatic
- Mutation Accumulation in Drosophila melanogaster. PLoS Genet 6, e1000950.
- 649 https://doi.org/10.1371/journal.pgen.1000950
- 650 asparini, C., Daymond, E., Evans, J.P., 2018. Extreme fertilization bias towards freshly inseminated sperm in a species exhibiting
- prolonged female sperm storage. R. Soc. open sci. 5, 172195. https://doi.org/10.1098/rsos.172195
- 65@ asparini, C., Devigili, A., Pilastro, A., 2019. Sexual selection and ageing: interplay between pre- and post-copulatory traits
- 653 senescence in the guppy. Proc. R. Soc. B. 286, 20182873. https://doi.org/10.1098/rspb.2018.2873
- 65G asparini, C., Dosselli, R., Evans, J.P., 2017. Sperm storage by males causes changes in sperm phenotype and influences the
- reproductive fitness of males and their sons. Evol Lett 1, 16–25. https://doi.org/10.1002/evl3.2
- 656 asparini, C., Kelley, J.L., Evans, J.P., 2014. Male sperm storage compromises sperm motility in guppies. Biol Lett 10, 20140681.
- 657 https://doi.org/10.1098/rsbl.2014.0681
- 65&irard, S.L., Bourassa, C.V., Lemieux Perreault, L.-P., Legault, M.-A., Barhdadi, A., Ambalavanan, A., Brendgen, M., Vitaro, F.,
- Noreau, A., Dionne, G., Tremblay, R.E., Dion, P.A., Boivin, M., Dubé, M.-P., Rouleau, G.A., 2016. Paternal Age Explains a
- Major Portion of De Novo Germline Mutation Rate Variability in Healthy Individuals. PLoS ONE 11, e0164212.
- https://doi.org/10.1371/journal.pone.0164212
- 66@ orbunova, V., Seluanov, A., Mao, Z., Hine, C., 2007. Changes in DNA repair during aging. Nucleic Acids Res 35, 7466-7474.
- 663 <u>https://doi.org/10.1093/nar/gkm756</u>
- 664 adlow, J.H., Lymbery, R.A., Evans, J.P., 2023. Paternal environment effects are driven by female reproductive fluid but not
- sperm age in an external fertilizer. Biol. Lett. 19, 20230368. https://doi.org/10.1098/rsbl.2023.0368
- 66 Hämäläinen, A., Dammhahn, M., Aujard, F., Eberle, M., Hardy, I., Kappeler, P.M., Perret, M., Schliehe-Diecks, S., Kraus, C.,
- 667 2014. Senescence or selective disappearance? Age trajectories of body mass in wild and captive populations of a small-
- bodied primate. Proc. R. Soc. B. 281, 20140830. https://doi.org/10.1098/rspb.2014.0830
- 66 Annsen, T.F., Price, D.K., 1995. Good genes and old age: Do old mates provide superior genes? J Evolution Biol 8, 759–778.
- 670 <u>https://doi.org/10.1046/j.1420-9101.1995.8060759.x</u>
- 67 Hartig, F., Hartig, M.F., 2017. Package 'DHARMa'. R package. https://cran.r-hub.io/web/packages/DHARMa/DHARMa.pdf
- 672Heidinger, B.J., Herborn, K.A., Granroth□ Wilding, H.M.V., Boner, W., Burthe, S., Newell, M., Wanless, S., Daunt, F.,
- Monaghan, P., 2016. Parental age influences offspring telomere loss. Funct Ecol 30, 1531–1538.
- 674 <u>https://doi.org/10.1111/1365-2435.12630</u>
- 67 Hercus, M.J., Hoffmann, A.A., 2000. Maternal and grandmaternal age influence offspring fitness in Drosophila. Proc. R. Soc.
- 676 Lond. B 267, 2105–2110. https://doi.org/10.1098/rspb.2000.1256
- 677dettyey, A., Vági, B., Penn, D.J., Hoi, H., Wagner, R.H., 2012. Post-Meiotic Intra-Testicular Sperm Senescence in a Wild
- Vertebrate. PLoS ONE 7, e50820. https://doi.org/10.1371/journal.pone.0050820
- 67 Appkins, B.R., Sepil, I., Thézénas, M.-L., Craig, J.F., Miller, T., Charles, P.D., Fischer, R., Kessler, B.M., Bretman, A., Pizzari, T.,
- Wigby, S., 2019. Divergent allocation of sperm and the seminal proteome along a competition gradient in *Drosophila*
- 681 melanogaster. Proc. Natl. Acad. Sci. U.S.A. 116, 17925–17933. https://doi.org/10.1073/pnas.1906149116
- 68⊉otzy, C., Xuhui, B., Larva, T., Immler, S., 2020. Intrinsic post□ejaculation sperm ageing does not affect offspring fitness in
- Atlantic salmon. J Evol Biol 33, 576–583. https://doi.org/10.1111/jeb.13590
- 684 mmler, S., 2019. Haploid Selection in "Diploid" Organisms. Annu. Rev. Ecol. Evol. Syst. 50, 219–236.
- 685 https://doi.org/10.1146/annurev-ecolsys-110218-024709
- 686anecka, M., Mill, J., Basson, M.A., Goriely, A., Spiers, H., Reichenberg, A., Schalkwyk, L., Fernandes, C., 2017. Advanced
- paternal age effects in neurodevelopmental disorders—review of potential underlying mechanisms. Transl Psychiatry 7,
- 688 e1019–e1019. <u>https://doi.org/10.1038/tp.2016.294</u>
- 68 hnson, S.L., Gemmell, N.J., 2012. Are old males still good males and can females tell the difference?: Do hidden advantages of
- mating with old males off-set costs related to fertility, or are we missing something else? Bioessays 34, 609–619.
- 691 https://doi.org/10.1002/bies.201100157

- 692bhnson, S.L., Zellhuber-McMillan, S., Gillum, J., Dunleavy, J., Evans, J.P., Nakagawa, S., Gemmell, N.J., 2018. Evidence that
- fertility trades off with early offspring fitness as males age. Proc. R. Soc. B. 285, 20172174.
- 694 https://doi.org/10.1098/rspb.2017.2174
- 69 Jones, O.R., Scheuerlein, A., Salguero-Gómez, R., Camarda, C.G., Schaible, R., Casper, B.B., Dahlgren, J.P., Ehrlén, J., García,
- M.B., Menges, E.S., Quintana-Ascencio, P.F., Caswell, H., Baudisch, A., Vaupel, J.W., 2014. Diversity of ageing across the
- tree of life. Nature 505, 169–173. https://doi.org/10.1038/nature12789
- 698 bnes, T.M., Elgar, M.A., 2004. The role of male age, sperm age and mating history on fecundity and fertilization success in the hide beetle. Proc. R. Soc. Lond. B 271, 1311–1318. https://doi.org/10.1098/rspb.2004.2723
- 700 insson, H., Sulem, P., Kehr, B., Kristmundsdottir, S., Zink, F., Hjartarson, E., Hardarson, M.T., Hjorleifsson, K.E., Eggertsson,
- 701 H.P., Gudjonsson, S.A., Ward, L.D., Arnadottir, G.A., Helgason, E.A., Helgason, H., Gylfason, A., Jonasdottir, Adalbjorg,
- Jonasdottir, Aslaug, Rafnar, T., Frigge, M., Stacey, S.N., Th. Magnusson, O., Thorsteinsdottir, U., Masson, G., Kong, A.,
- Halldorsson, B.V., Helgason, A., Gudbjartsson, D.F., Stefansson, K., 2017. Parental influence on human germline de novo
- 704 mutations in 1,548 trios from Iceland. Nature 549, 519–522. https://doi.org/10.1038/nature24018
- 70Kokko, H., 1998. Good genes, old age and life-history trade-offs. Evolutionary Ecology 12, 739–750.
- 706 https://doi.org/10.1023/A:1006541701002
- 70 Koppik, M., Baur, J., Berger, D., 2023. Increased male investment in sperm competition results in reduced maintenance of gametes.
- 708 PLoS Biol 21, e3002049. https://doi.org/10.1371/journal.pbio.3002049
- 70 Rong, A., Frigge, M.L., Masson, G., Besenbacher, S., Sulem, P., Magnusson, G., Gudjonsson, S.A., Sigurdsson, A., Jonasdottir,
- Aslaug, Jonasdottir, Adalbjorg, Wong, W.S.W., Sigurdsson, G., Walters, G.B., Steinberg, S., Helgason, H., Thorleifsson, G.,
- 711 Gudbjartsson, D.F., Helgason, A., Magnusson, O.Th., Thorsteinsdottir, U., Stefansson, K., 2012. Rate of de novo mutations
- and the importance of father's age to disease risk. Nature 488, 471–475. https://doi.org/10.1038/nature11396
- 71\(\text{Rrishna}, M.S., Santhosh, H.T., Hegde, S., 2012. Offspring of Older Males Are Superior in Drosophila Bipectinata. Zoological Studies 51.
- 715evitas, E., Lunenfeld, E., Weiss, N., Friger, M., Har-Vardi, I., Koifman, A., Potashnik, G., 2005. Relationship between the
- duration of sexual abstinence and semen quality: analysis of 9,489 semen samples. Fertility and Sterility 83, 1680–1686.
- 717 https://doi.org/10.1016/j.fertnstert.2004.12.045
- 718inklater, J.R., Wertheim, B., Wigby, S., Chapman, T., 2007. EJACULATE DEPLETION PATTERNS EVOLVE IN RESPONSE
- 719 TO EXPERIMENTAL MANIPULATION OF SEX RATIO IN DROSOPHILA MELANOGASTER. Evolution 61, 2027–
- 720 2034. https://doi.org/10.1111/j.1558-5646.2007.00157.x
- 72Liu, Y., Chen, Q., 2018. 150 years of Darwin's theory of intercellular flow of hereditary information. Nat Rev Mol Cell Biol 19,
- 722 749–750. https://doi.org/10.1038/s41580-018-0072-4
- 72Bodge, J.R., Fechheimer, N.S., Jaap, R.G., 1971. The Relationship of in Vivo Sperm Storage Interval to Fertility and Embryonic
- 724 Survival in the Chicken 1. Biology of Reproduction 5, 252–257. https://doi.org/10.1093/biolreprod/5.3.252
- 72Бoyau, A., Blanchet, S., Van Laere, P., Clobert, J., Danchin, E., 2012. When not to copy: female fruit flies use sophisticated public information to avoid mated males. Sci Rep 2, 768. https://doi.org/10.1038/srep00768
- 72 Zudecke, D., 2023. sjPlot: Data Visualization for Statistics in Social Science.
- 728 Macartney, E.L., Zeender, V., Meena, A., De Nardo, A.N., Bonduriansky, R., Lüpold, S., 2021. Sperm depletion in relation to
- developmental nutrition and genotype in Drosophila melanogaster. Evolution 75, 2830–2841.
- 730 https://doi.org/10.1111/evo.14373
- 73 Meunier, L., Sorci, G., Abi Hussein, H., Hingrat, Y., Rehspringer, N., Saint-Jalme, M., Lesobre, L., Torres Carreira, J., 2022. Pre-
- 732 but not post-meiotic senescence affects sperm quality and reproductive success in the North African houbara bustard. Front.
- 733 Ecol. Evol. 10, 977184. https://doi.org/10.3389/fevo.2022.977184
- 734 Onaghan, P., Maklakov, A.A., Metcalfe, N.B., 2020. Intergenerational Transfer of Ageing: Parental Age and Offspring Lifespan.
- 735 Trends in Ecology & Evolution 35, 927–937. https://doi.org/10.1016/j.tree.2020.07.005
- 736 Ionaghan, P., Metcalfe, N.B., 2019. The deteriorating soma and the indispensable germline: gamete senescence and offspring
- 737 fitness. Proc. R. Soc. B. 286, 20192187. https://doi.org/10.1098/rspb.2019.2187
- 73 Moorad, J.A., Promislow, D.E.L., 2008. A Theory of Age-Dependent Mutation and Senescence. Genetics 179, 2061–2073.
- 739 <u>https://doi.org/10.1534/genetics.108.088526</u>
- 74 Dossman, Jim A, Mabeza, R.M.S., Blake, E., Mehta, N., Rand, D.M., 2019a. Age of Both Parents Influences Reproduction and
- T41 Egg Dumping Behavior in Drosophila melanogaster. Journal of Heredity 110, 300–309.
- 742 <u>https://doi.org/10.1093/jhered/esz009</u>

- 74 Soguera, J.C., Metcalfe, N.B., Monaghan, P., 2018. Experimental demonstration that offspring fathered by old males have shorter telomeres and reduced lifespans. Proc. R. Soc. B. 285, 20180268. https://doi.org/10.1098/rspb.2018.0268
- 745 ystrand, M., Dowling, D.K., 2014. Transgenerational interactions involving parental age and immune status affect female reproductive success in Drosophila melanogaster. Proc. R. Soc. B. 281, 20141242. https://doi.org/10.1098/rspb.2014.1242
- 74@akes, C.C., Smiraglia, D.J., Plass, C., Trasler, J.M., Robaire, B., 2003. Aging results in hypermethylation of ribosomal DNA in sperm and liver of male rats. Proc. Natl. Acad. Sci. U.S.A. 100, 1775-1780. https://doi.org/10.1073/pnas.0437971100
- 740 Isson, M., Pauliny, A., Wapstra, E., Uller, T., Schwartz, T., Blomqvist, D., 2011. Sex Differences in Sand Lizard Telomere Inheritance: Paternal Epigenetic Effects Increases Telomere Heritability and Offspring Survival. PLoS ONE 6, e17473.
- 751 https://doi.org/10.1371/journal.pone.0017473
- 750rr, T.J., Brennan, P.L.R., 2015. Sperm storage: distinguishing selective processes and evaluating criteria. Trends in Ecology & Evolution 30, 261–272. https://doi.org/10.1016/j.tree.2015.03.006
- 750tto, S.P., Scott, M.F., Immler, S., 2015. Evolution of haploid selection in predominantly diploid organisms. Proc. Natl. Acad. Sci. U.S.A. 112, 15952–15957. https://doi.org/10.1073/pnas.1512004112
- 75 Baczkowski, M., Schoolcraft, W.B., Krisher, R.L., 2015. Dysregulation of methylation and expression of imprinted genes in 757 oocytes and reproductive tissues in mice of advanced maternal age. J Assist Reprod Genet 32, 713-723.
- 758 https://doi.org/10.1007/s10815-015-0463-9
- 75 Perez, M.F., Lehner, B., 2019. Intergenerational and transgenerational epigenetic inheritance in animals. Nat Cell Biol 21, 143-151. https://doi.org/10.1038/s41556-018-0242-9
- 76thineaux, M., Blanchard, P., Danchin, É., Hatch, S.A., Helfenstein, F., Mulard, H., White, J., Leclaire, S., Wagner, R.H., 2019.
- 762 Behavioural avoidance of sperm ageing depends on genetic similarity of mates in a monogamous seabird. Biological Journal
- 763 of the Linnean Society 128, 170-180. https://doi.org/10.1093/biolinnean/blz079
- 764 isano, C., Bonaccorsi, S., Gatti, M., 1993. The kl-3 loop of the Y chromosome of Drosophila melanogaster binds a tektin-like protein. Genetics 133, 569-579. https://doi.org/10.1093/genetics/133.3.569
- 76Bizzari, T., Dean, R., Pacey, A., Moore, H., Bonsall, M.B., 2008. The evolutionary ecology of pre- and post-meiotic sperm 767 senescence. Trends in Ecology & Evolution 23, 131-140. https://doi.org/10.1016/j.tree.2007.12.003
- 76Breston, B.T., Saint Jalme, M., Hingrat, Y., Lacroix, F., Sorci, G., 2015. The sperm of aging male bustards retards their offspring's development. Nat Commun 6, 6146. https://doi.org/10.1038/ncomms7146
- 77Brice, D.K., Hansen, T.F., 1998. How Does Offspring Quality Change with Age in Male Drosophila Melanogaster? Behavior Genetics 28, 395–402. https://doi.org/10.1023/A:1021677804038
- 772 riest, N.K., Mackowiak, B., Promislow, D.E.L., 2002. sch. Evolution 56, 927–935. https://doi.org/10.1111/j.0014-3820.2002.tb01405.x
- 774 adhakrishnan, P., Fedorka, K.M., 2011. Influence of female age, sperm senescence and multiple mating on sperm viability in female Drosophila melanogaster. Journal of Insect Physiology 57, 778-783. https://doi.org/10.1016/j.jinsphys.2011.02.017
- 778 ando, O.J., 2016. Intergenerational Transfer of Epigenetic Information in Sperm. Cold Spring Harb Perspect Med 6, a022988. https://doi.org/10.1101/cshperspect.a022988
- 778 atikainen, I.I., Haaland, T.R., Wright, J., 2018. Differential allocation of parental investment and the trade-off between size and number of offspring. Proc. R. Soc. B. 285, 20181074. https://doi.org/10.1098/rspb.2018.1074
- 78\(einhardt, K., 2007. Evolutionary Consequences of Sperm Cell Aging. The Quarterly Review of Biology 82, 375–393. 781 https://doi.org/10.1086/522811
- 78Reinhardt, K., Naylor, R., Siva-Jothy, M.T., 2011. Male Mating Rate Is Constrained by Seminal Fluid Availability in Bedbugs, Cimex lectularius. PLoS ONE 6, e22082. https://doi.org/10.1371/journal.pone.0022082
- 784einhardt, K., Siva Jothy, M.T., 2005. An Advantage for Young Sperm in the House Cricket Acheta domesticus. The American Naturalist 165, 718-723. https://doi.org/10.1086/430010
- 786einhardt, K., Turnell, B., 2019. Sperm ageing: A complex business. Funct Ecol 33, 1188–1189. https://doi.org/10.1111/1365-787 2435.13350
- 78\(\text{Reznick}, D., \text{Nunney}, L., \text{Tessier}, A., 2000. Big houses, big cars, superfleas and the costs of reproduction. Trends in Ecology & Evolution 15, 421–425. https://doi.org/10.1016/S0169-5347(00)01941-8
- 79@inehart, R.R., 1969. Spontaneous sex-linked recessive lethal frequencies from aged and non-aged spermatozoa of Drosophila
- 791 melanogaster. Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis 7, 417-423.
- 792 https://doi.org/10.1016/0027-5107(69)90112-2

- 798 odgers, A.B., Morgan, C.P., Leu, N.A., Bale, T.L., 2015. Transgenerational epigenetic programming via sperm microRNA
- recapitulates effects of paternal stress. Proc. Natl. Acad. Sci. U.S.A. 112, 13699–13704.
- 795 https://doi.org/10.1073/pnas.1508347112
- 79**\\$**off, D.A., Fairbairn, D.J., 2007. The evolution of trade □ offs: where are we? J of Evolutionary Biology 20, 433–447.
- 797 https://doi.org/10.1111/j.1420-9101.2006.01255.x
- 798 Core Team, 2012. R: A language and environment for statistical computing. R foundation for statistical computing, Vienna,
- 799 Austra. https://www.r-project.org/
- 80\\$anghvi, K., Iglesias □ Carrasco, M., Zajitschek, F., Kruuk, L.E.B., Head, M.L., 2022. Effects of developmental and adult
- 801 environments on ageing. Evolution 76, 1868–1882. https://doi.org/10.1111/evo.14567
- 802anghvi, K., Vega-Trejo, R., Nakagawa, S., Gascoigne, S.J.L., Johnson, S.L., Salguero-Gómez, R., Pizzari, T., Sepil, I., 2024.
- Meta-analysis shows no consistent evidence for senescence in ejaculate traits across animals. Nat Commun 15, 558.
- 804 https://doi.org/10.1038/s41467-024-44768-4
- 805anghvi, K., Pizzari, T., Sepil, I., 2024. What doesn't kill you makes you stronger? Effects of paternal age at conception on fathers
- and sons. Evolution qpae097. https://doi.org/10.1093/evolut/qpae097
- 80\(\overline{S}\)anghvi, K., Shandilya, S., Brown, A., Todorova, B., Jahn, M., Gascoigne, S.J.L., Camilleri, T.-L., Pizzari, T., Sepil, I., 2024.
- Reproductive output of old polygynous males is limited by seminal fluid, not sperm number.
- 809 <u>https://doi.org/10.1101/2024.07.02.601670</u>
- 81Santos, I.B., Wainman, A., Garrido-Maraver, J., Pires, V., Riparbelli, M.G., Kovács, L., Callaini, G., Glover, D.M., Tavares, Á.A.,
- 811 2023. Mob4 is essential for spermatogenesis in *Drosophila melanogaster* (preprint). Developmental Biology.
- 812 https://doi.org/10.1101/2023.02.05.527206
- 813chroeder, J., Nakagawa, S., Rees, M., Mannarelli, M.-E., Burke, T., 2015. Reduced fitness in progeny from old parents in a
- natural population. Proc. Natl. Acad. Sci. U.S.A. 112, 4021–4025. https://doi.org/10.1073/pnas.1422715112
- 815elvaratnam, J., Paul, C., Robaire, B., 2015. Male Rat Germ Cells Display Age-Dependent and Cell-Specific Susceptibility in
- Response to Oxidative Stress Challenges 1. Biology of Reproduction 93. https://doi.org/10.1095/biolreprod.115.131318
- 81 gepil, I., Hopkins, B.R., Dean, R., Bath, E., Friedman, S., Swanson, B., Ostridge, H.J., Harper, L., Buehner, N.A., Wolfner, M.F.,
- Konietzny, R., Thézénas, M.-L., Sandham, E., Charles, P.D., Fischer, R., Steinhauer, J., Kessler, B.M., Wigby, S., 2020.
- Male reproductive aging arises via multifaceted mating-dependent sperm and seminal proteome declines, but is postponable
- 820 in *Drosophila*. Proc. Natl. Acad. Sci. U.S.A. 117, 17094–17103. https://doi.org/10.1073/pnas.2009053117
- 82\$harma, R., Agarwal, A., Rohra, V.K., Assidi, M., Abu-Elmagd, M., Turki, R.F., 2015. Effects of increased paternal age on sperm
- 822 quality, reproductive outcome and associated epigenetic risks to offspring. Reprod Biol Endocrinol 13, 35.
- 823 https://doi.org/10.1186/s12958-015-0028-x
- 824harma, U., 2019. Paternal Contributions to Offspring Health: Role of Sperm Small RNAs in Intergenerational Transmission of
- Epigenetic Information. Front. Cell Dev. Biol. 7, 215. https://doi.org/10.3389/fcell.2019.00215
- 826 hindyapina, A.V., Zenin, A.A., Tarkhov, A.E., Santesmasses, D., Fedichev, P.O., Gladyshev, V.N., 2020. Germline burden of rare
- damaging variants negatively affects human healthspan and lifespan. eLife 9, e53449. https://doi.org/10.7554/eLife.53449
- 828 irot, L.K., Buehner, N.A., Fiumera, A.C., Wolfner, M.F., 2009. Seminal fluid protein depletion and replenishment in the fruit fly,
- Drosophila melanogaster: an ELISA-based method for tracking individual ejaculates. Behav Ecol Sociobiol 63, 1505–1513.
- 830 <u>https://doi.org/10.1007/s00265-009-0806-6</u>
- 83\(\text{siva-Jothy}\), 2000. The young sperm gambit. Ecol Letters 3, 172–174. https://doi.org/10.1046/j.1461-0248.2000.00146.x
- 832nook, R.R., Hosken, D.J., 2004. Sperm death and dumping in Drosophila. Nature 428, 939–941.
- 833 <u>https://doi.org/10.1038/nature02455</u>
- 834ørensen, F., Melsen, L.M., Fedder, J., Soltanizadeh, S., 2023. The Influence of Male Ejaculatory Abstinence Time on Pregnancy
- Rate, Live Birth Rate and DNA Fragmentation: A Systematic Review. JCM 12, 2219. https://doi.org/10.3390/jcm12062219
- 83**s**parks, A.M., Hammers, M., Komdeur, J., Burke, T., Richardson, D.S., Dugdale, H.L., 2022. Sex □dependent effects of parental age on offspring fitness in a cooperatively breeding bird. Evolution Letters evl3.300. https://doi.org/10.1002/evl3.300
- 838uvorov, A., Pilsner, J.R., Naumov, V., Shtratnikova, V., Zheludkevich, A., Gerasimov, E., Logacheva, M., Sergeyev, O., 2020.
- Aging Induces Profound Changes in sncRNA in Rat Sperm and These Changes Are Modified by Perinatal Exposure to
- Environmental Flame Retardant. Int J Mol Sci 21, 8252. https://doi.org/10.3390/ijms21218252
- 841an, C.K.W., Pizzari, T., Wigby, S., 2013. PARENTAL AGE, GAMETIC AGE, AND INBREEDING INTERACT TO
- 842 MODULATE OFFSPRING VIABILITY IN *DROSOPHILA MELANOGASTER*: BRIEF COMMUNICATION. Evolution
- 843 n/a-n/a. https://doi.org/10.1111/evo.12131

- 844arin, J.J., 2000. Consequences on offspring of abnormal function in ageing gametes. Human Reproduction Update 6, 532–549.
- 845 https://doi.org/10.1093/humupd/6.6.532
- 846 herneau, T., 2105. Mixed effects Cox models. CRAN Repository.
- 84 Veller, T., 2008. Developmental plasticity and the evolution of parental effects. Trends in Ecology & Evolution 23, 432–438.
- 848 https://doi.org/10.1016/j.tree.2008.04.005
- 850 mating history on ejaculate senescence. Funct Ecol 33, 1267–1279. https://doi.org/10.1111/1365-2435.13305
- 85¥ega□Trejo, R., Kruuk, L.E.B., Jennions, M.D., Head, M.L., 2018. What happens to offspring when parents are inbred, old or had
- a poor start in life? Evidence for sex □ specific parental effects. J of Evolutionary Biology 31, 1138–1151.
- 853 https://doi.org/10.1111/jeb.13292
- 854enn, O., Turner, I., Mathieson, I., De Groot, N., Bontrop, R., McVean, G., 2014. Strong male bias drives germline mutation in
- chimpanzees. Science 344, 1272–1275. https://doi.org/10.1126/science.344.6189.1272
- 856 uarin, P., Bouchard, A., Lesobre, L., Levêque, G., Chalah, T., Jalme, M.S., Lacroix, F., Hingrat, Y., Sorci, G., 2019. Post-
- 857 copulatory sexual selection allows females to alleviate the fitness costs incurred when mating with senescing males. Proc. R.
- 858 Soc. B. 286, 20191675. https://doi.org/10.1098/rspb.2019.1675
- 859 uarin, P., Lesobre, L., Levêque, G., Saint Jalme, M., Lacroix, F., Hingrat, Y., Sorci, G., 2021. Paternal age negatively affects
- sperm production of the progeny. Ecology Letters 24, 719–727. https://doi.org/10.1111/ele.13696
- 86 Wagner, R.H., Helfenstein, F., Danchin, E., 2004. Female choice of young sperm in a genetically monogamous bird. Proc Biol Sci
- 271 Suppl 4, S134-137. https://doi.org/10.1098/rsbl.2003.0142
- 86 Wang, R.J., Thomas, G.W.C., Raveendran, M., Harris, R.A., Doddapaneni, H., Muzny, D.M., Capitanio, J.P., Radivojac, P.,
- Rogers, J., Hahn, M.W., 2020. Paternal age in rhesus macaques is positively associated with germline mutation
- accumulation but not with measures of offspring sociability. Genome Res. 30, 826–834.
- 866 https://doi.org/10.1101/gr.255174.119
- 86 Wang, Y., McNeil, P., Abdulazeez, R., Pascual, M., Johnston, S.E., Keightley, P.D., Obbard, D.J., 2022. Variation in mutation,
- recombination, and transposition rates in *Drosophila melanogaster* and *Drosophila simulans* (preprint). Evolutionary
- 869 Biology. https://doi.org/10.1101/2022.09.12.507595
- 87% eirich-Schwaiger, H., Weirich, H.G., Gruber, B., Schweiger, M., Hirsch-Kauffman, M., 1994. Correlation between senescence
- and DNA repair in cells from young and old individuals and in premature aging syndromes. Mutation Research/DNAging
- 872 316, 37–48. https://doi.org/10.1016/0921-8734(94)90006-X
- 87\$Weiss, L.A., Pan, L., Abney, M., Ober, C., 2006. The sex-specific genetic architecture of quantitative traits in humans. Nat Genet
- 874 38, 218–222. https://doi.org/10.1038/ng1726
- 87 Wetzker, C., Froschauer, C., Massino, C., Reinhardt, K., 2024. Drosophila melanogaster sperm turn more oxidative in the female.
- Journal of Experimental Biology 227, jeb247775. https://doi.org/10.1242/jeb.247775
- 87White, J., Wagner, R.H., Helfenstein, F., Hatch, S.A., Mulard, H., Naves, L.C., Danchin, E., 2008. Multiple deleterious effects of
- experimentally aged sperm in a monogamous bird. Proc Natl Acad Sci U S A 105, 13947–13952.
- 879 https://doi.org/10.1073/pnas.0803067105
- 88 Witt, E., Langer, C.B., Svetec, N., Zhao, L., 2023. Transcriptional and mutational signatures of the Drosophila ageing germline.
- Nat Ecol Evol. https://doi.org/10.1038/s41559-022-01958-x
- 88 Wylde, Z., Spagopoulou, F., Hooper, A.K., Maklakov, A.A., Bonduriansky, R., 2019. Parental breeding age effects on
- descendants' longevity interact over 2 generations in matrilines and patrilines. PLoS Biol 17, e3000556.
- 884 <u>https://doi.org/10.1371/journal.pbio.3000556</u>
- 88 Tie, K., Ryan, D.P., Pearson, B.L., Henzel, K.S., Neff, F., Vidal, R.O., Hennion, M., Lehmann, I., Schleif, M., Schröder, S., Adler,
- 886 T., Rathkolb, B., Rozman, J., Schütz, A.-L., Prehn, C., Mickael, M.E., Weiergräber, M., Adamski, J., Busch, D.H., Ehninger,
- 887 G., Matynia, A., Jackson, W.S., Wolf, E., Fuchs, H., Gailus-Durner, V., Bonn, S., Hrabě de Angelis, M., Ehninger, D., 2018.
- 888 Epigenetic alterations in longevity regulators, reduced life span, and exacerbated aging-related pathology in old father
- offspring mice. Proc. Natl. Acad. Sci. U.S.A. 115. https://doi.org/10.1073/pnas.1707337115
- 89@ampolsky, L.Yu., Pearse, L.E., Promislow, D.E.L., 2000. Age-specific Effects of Novel Mutations in Drosophila Melanogaster I.
- 891 Mortality. Genetica 110, 11–29. https://doi.org/10.1023/A:1017582625191
- 89 Yoshizaki, K., Kimura, R., Kobayashi, H., Oki, S., Kikkawa, T., Mai, L., Koike, K., Mochizuki, K., Inada, H., Matsui, Y., Kono,
- 893 T., Osumi, N., 2021. Paternal age affects offspring via an epigenetic mechanism involving REST/NRSF. EMBO Rep 22.
- 894 https://doi.org/10.15252/embr.202051524

895 ou, H., Xu, R., 2020. R-Squared Measure Based on Partial LR Statistic, for the Cox PH Regression Model. CRAN Repository.

89@Zubkova, E.V., Robaire, B., 2006. Effects of ageing on spermatozoal chromatin and its sensitivity to in vivo and in vitro oxidative challenge in the Brown Norway rat. Human Reproduction 21, 2901–2910. https://doi.org/10.1093/humrep/del193