FACULTY OF ECONOMICS UNIVERSITY OF CAMBRIDGE

Lent 2020

Theory and Practice of Econometrics: II Supervision Sheet 5

Question 1

A standard model for estimating the effects of job training or other programs on subsequent wages may be written as

$$\log(wage_{it}) = \mathbf{x}'_{it}\gamma + \delta prog_{it} + \varepsilon_{it},\tag{1}$$

where i = 1, ..., N indexes individual and t, ..., T indexes time periods. $wage_{it}$ denotes a measure of wages and $prog_{it}$ is a binary indicator for participation in a job training program. x_{it} is a set of observable characteristics that affect wages and may also be correlated with program participation.

The composite error term is given by $\varepsilon_{it} = \theta_t + c_i + u_{it}$. θ_t and c_i denote, respectively, unobserved time and individual effects. u_{it} represents unobserved factors that vary over i and t.

- 1. In evaluating the impact of the training program data is collected at two points in time and no information on x_{it} is available. At t = 1 $prog_{i1} = 0$ for all i. A subgroup is then chosen to participate in the program and wages are observed for the control and treatment groups in t = 2.
 - (a) Write down an expression for $\hat{\gamma}$.
 - (b) Using your findings from (a) or otherwise, show that for T=2 the first difference and fixed effects estimators are numerically identical.
- 2. An analyst estimates the parameters of (1) using the fixed effects estimator. Information on x_{it} is now available.
 - (a) Write down the necessary assumptions for a consistent estimator of δ .
 - (b) Explain what is meant by the strict exogeneity assumption and why this might be violated in this particular case?
 - (c) Should you be concerned about the stationarity properties of wages?
- 3. Interpret the quantity $\omega = \sigma_c^2/\sigma_c^2 + \sigma_\varepsilon^2$. For your sample you find that $\widehat{\omega} = 0.1$. In what sense is this statistic informative as to the choice of estimator

Question 2

A one-way error components (random effects) model has the following structure

$$y_{it} = \lambda + \mathbf{x}'_{it}\boldsymbol{\beta} + \alpha_i + \varepsilon_{it}, \quad i = 1, ..., N, \quad t = 1, ..., T$$
(2)

Let $w_{it} = \alpha_i + \varepsilon_{it}$ represent the sum of the individual specific random component and an idiosyncratic error varying over both dimensions. The distributional assumptions, in matrix form, are given by, $\alpha \sim (\mathbf{0}, \sigma_{\alpha}^2 \mathbf{I}_N)$, $\varepsilon \sim (\mathbf{0}, \sigma_{\varepsilon}^2 \mathbf{I}_{NT})$, and α , ε independent.

- 1. Write down the covariance matrix for $\mathbf{w}_i = \alpha_i \mathbf{i}_T + \boldsymbol{\varepsilon}_i$, where \mathbf{w}_i and $\boldsymbol{\varepsilon}_i$ are $T \times 1$ vectors, and \mathbf{i}_T is a $T \times 1$ unit vector.
- 2. In what sense is the Random Effects (RE) estimator a Generalised Least Squares estimator?
- 3. Discuss how both the OLS and FE estimators may be considered as (different) limiting cases of the RE estimator.

Question 3

Consider the following linear regression for panel data including a fixed effect, η_i , with N individuals and T time periods:

$$y_{it} = \alpha y_{it-1} + \beta_0 x_{it} + \beta_1 x_{it-1} + \eta_i + v_{it} \quad (i = 1, \dots, N; t = 2, \dots, T)$$

Discuss the identification and estimation of the parameters of a model of this type when T is small and N is large, given

$$E(v_{it}|x_{i1},...,x_{iT},\eta_i)=0$$

You are also told that the errors are serially correlated.

Question 4

Let z_1 be a vector of variables, let z_2 be a continuous variable and let d_1 be a dummy variable.

a. In the model

$$Pr(y = 1 | \boldsymbol{z}_1, z_2) = \boldsymbol{\Phi}(\boldsymbol{z}_1 \boldsymbol{\delta}_1 + \gamma_1 z_2 + \gamma_2 z_2^2),$$

find the partial effect of z_2 on the response probability. How would you estimate this partial effect?

b. In the model

$$Pr(y = 1|z_1, z_2) = \Phi(z_1\delta_1 + \gamma_1z_2 + \gamma_2d_1 + \gamma_3z_2d_1),$$

find the partial effect of z_2 . How would you measure the effect of d_1 on the response probability? How would you estimate these effects?

M. Weeks

Lent 2020