Key:

= 100mm BauderPIR FA-TE Flatboard - NO Baselayer

= 60mm BauderPIR FA-TE Flatboard - NO Baselayer

= Suitable Insulation Infill

= Tapered Insulation


= Valleys to be cut on site


NOTE:
ALL roof dimensions, rooflights and outlet positions to be checked BEFORE the Tapered scheme is ordered


O = Outlet

= Direction of Falls in Tapered Insulation

Drainage/Outlet Locations TBC
Roof Extents TBC








Material: BauderPIR FA G16

Multi Layered Tapered Build Up Section - 1 in 60
(Not To Scale)




NOTE REGARDING U-VALUES


The individual roof areas achieve the 'U' Values stated in the table. These U-Values are calculated according to BS EN ISO 6946:2017(E) Annex 'E' and do not take into account materials below the deck, significant point thermal bridges or linear transmittance unless specifed otherwise. Refer to separate Bauder U-Value Calculation and Condensation Risk analysis where available for the complete system build-up and achieved U-Value.

Roof Name Area:	Deck Type	Minimum U Value	Effective U Value	Approximate Net Roof Area (m²)	Approximate Area of Insulation to be Bonded (m²)	Total Insulation Required Inc Waste (m²)
NB2 Roof A (Gutter)	Bauder - Concrete	0.35 W/m² K	0.14 W/m² K	105.16	123.65	137.52
NB1 Roof A (Gutter)	Bauder - Concrete	0.21 W/m² K	0.14 W/m² K	97.57	110.87	125.28
NB2 Staircore Roof	Bauder - Concrete	0.21 W/m² K	0.11 W/m² K	05.98	12.30	17.28
NB1 Staircore Roof	Bauder - Concrete	0.21 W/m² K	0.12 W/m² K	13.34	21.33	25.20
NB2 Roof B	Bauder - Concrete	0.21 W/m² K	0.11 W/m² K	411.42	650.31	699.84
NB1 Roof B	Bauder - Concrete	0.21 W/m² K	0.11 W/m² K	141.61	232.80	248.40

**PRELIMINARY DESIGN - SUBJECT TO CHANGE
TO BE USED FOR LAYOUT, INSULATION DEPTHS
AND PRELIMINARY QUOTE INFORMATION ONLY.
FINAL DESIGN TO BE CONFIRMED BY THE CLIENT PRIOR TO ORDER.
Should this project be ordered, any amendments necessary that have additional cost implications may be subject to further costs**

**Important Notice:
This scheme is of a MULTI-LAYER Design and as such extra Insulation Adhesive will be Required to Adhere the Taper Boards to the Base Layer/Overlay Layer.**


Ridge situation


Valley situation

IMPORTANT NOTE:
The Bauder Upstand Insulation in accordance with the Bauder Specification and is to be ordered separately. This is Not included within the taper scheme and associated quotation.

INSTALLATION NOTES:

1. This drawing assumes a level deck unless otherwise stated. BAUDER tapered systems are designed for installation on level decks.

2. BAUDER LTD recommend that this scheme should be installed starting from the thickest boards, so that in the event of discrepancies in roof size, the flatboard areas can be modified accordingly.

3. Boards to be close butted and staggered. Upstands to perimeters, rooflights, tank houses etc, to be raised where necessary to incorporate the thickness of the insulation.

4. Mitre Boards are available in all falls. They are denoted on this plan by an "R" or a "V" to signify Ridge and Valley. The corner of the board marked "R" or "V" is where the high point of the board should be located.

5. Please note that all offcuts of tapered insulation boards should be used within the scheme. These are not deemed as waste boards by Bauder.

NOTES:

Although this tapered insulation scheme is designed to help shed water from the roof, we cannot guarantee that ponding will be totally eliminated.

Please note that ponding water may occur around the flatboard gutter area due to a lack of cross falls. However this is not detrimental to the Bauder system

All Dimensions, positions of Rooflights and Outlets are to be checked on site BEFORE the tapered scheme is ordered.

Rev	Date	Notes	By
B	09/10/26	Updated To New Issue Plan	MM
A	12/05/26	200mm Flat Board Removed	BR
-	08/05/26	Drawing Issued For Approval & Comment	BR

UK OFFICE
Bauder Limited
70 Landseer Road, Ipswich,
Suffolk IP3 0DH,
England.
Tel: +44 (0)1473 257671
Fax: +44 (0)1473 230761
Email: technical@bauder.co.uk
bauder.co.uk

IRELAND OFFICE
Bauder Limited
O'Duffy Centre, Cross Lane,
Carrickmacross, Co. Monaghan,
Ireland.
Tel: +353 (0)42 9692 333
Fax: +353 (0)42 9692 839
Email: technical@bauder.ie
bauder.ie

This scheme design should be checked against all project related drawings and site requirements. Bauder Ltd should be notified immediately of any discrepancies.

The placement of an order for this scheme design confirms that you are not aware of any design changes to the roof area(s) concerned and approve the scheme as designed. Following this approval, should any amendments be necessary or the installation deviates from the designed scheme, such changes may be subject to further costs and time for replacements.

Contract Name:
St Clere's School

MULTI-LAYER BauderPIR FA G16 TAPER SCHEME

Contract No:	B260681		
Drawing No:	LTF-001	Ref No:	D.S - 00074_26.01
Designed to Drawing No:	SRF1411-08A-02-RF-D-A-2108 198RoofGAPlan-NB2_P02 - WIP SRF1411-08A-02-RF-D-A-2109 Roof GA Plan- NB1_P02 - WIP SRF1411-08A-02-RF-D-A-2107 198RoofGAPlan-NB1_P02 - WIP SRF1411-08A-02-RF-D-A-2107 198RoofGAPlan-NB2_P02 - WIP		
Scale	1:500 @ ISO A3		
Drawn By:	MM	Date:	09/10/2026