Samuel's Imajinary Theorym

by : Samuel Hasiholan Omega Purba, S. Tr. T.

Teknik Elektro

Prodi Teknik Robotika dan Kecerdasan buatan

Politeknik Negeri Batam

$$Omega = (\{6 \times (4 - \pi)\} - \pi)$$

$$Omega = \left(\left\{6 \times \left(\frac{(28 - 22)}{7}\right)\right\} - \pi\right)$$

$$Omega = \left(\left\{6 \times \left(\frac{6}{7}\right)\right\} - \pi\right)$$

$$Omega = (-2)$$

$$2 = (-Omega)$$

$$\sqrt{(-1)} = \left(\left\{-\left(\frac{2}{2}\right)\right\}^{\left(\frac{1}{2}\right)}\right)$$

$$\sqrt{(-1)} = \left(\left(\frac{Omega}{(-Omega)}\right)^{\left(\frac{1}{(-O)}\right)}\right)$$

$$\sqrt{(-1)} = \left(\begin{matrix} (-1) \\ \square \end{matrix} \left(\frac{f(Omega)}{f(-Omega)} \right)^{(f(-Om \quad))} \right)$$

$$f(-Omega) = \left\{ \left(\left((-Omega) \right) + \pi \right) - \pi \right\}$$

$$f(Omega) = \left\{ \left(\left((Omega) \right) + \pi \right) - \pi \right\}$$

$$\sqrt{(-1)} = e$$

$$e = \left(\begin{matrix} (-1) \\ \square \end{matrix} \left(\frac{f(Omega)}{f(-Omega)} \right)^{(f(-Omeg \quad))} \right)$$

$$\sqrt{(-1)} = \left(\begin{matrix} (-1) \\ \square \end{matrix} \left(\frac{f(Omega)}{f(-Omega)} \right)^{(f(-Omega))} \right)$$

Conclution :

“ Imaginary’s Variable values positive (Omega Fuction) divided by negative (Omega Fuction), exponent negative (Omega Fuction), terration negative (Omega Fuction) ”

~ Samuel Hasiholan Omega Purba, S. Tr. T. ~

Bachelor of Robotic's Technology and Artificial's Intelligent

[" Politeknik Negeri Batam for International Future "]