

Results

Samuel Suárez

September 11, 2026

Contents






1	SCM Fit (03b)	1
2	Section 1: Gap in Predicted Error	6
3	Section 2: In-Space Placebo Computation	10
4	Section 3: RMSPE Histograms	10
5	Section 4: P-Values	14
6	Section 5: Placebo Overlay — All Units	14
7	Section 6: Placebo Overlay — Excluding Outliers	19
8	Section 7: SCM Weights Composition	23

This report collects the synthetic-control exhibits produced by `03b_PWT_SCM_implementation.do` and `04_b_PWT_SCM_graphs.do` (in `HondurasExcercises/do/`): the fitted synthetic-control graphs, the Honduras-vs-synthetic prediction-error gap, the in-space placebo distribution and its RMSPE histograms and p-values, the placebo overlay graphs (with and without poor-fitting outliers), and the donor-weight composition tables. Every model x sample combination is reported for all four donor pools: World, Latin America, South America, and Central America & the Caribbean. Treatment year is 2009 (the coup); the pre-treatment fit window is 1993–2008 and the plotted window 1993–2019.

1 SCM Fit (03b)






The fitted synthetic control for Honduras against each donor pool, one figure per model (`synth_<sample>_<model>.gph`, converted to PDF/PNG for this report – Cunningham Texas script's `graph save Graph ..., replace` step).

World



factors_yrs






Latin America



factors_gdp






factors_yrs

South America



factors_yrs

Central America & the Caribbean







factors_yrs

2 Section 1: Gap in Predicted Error






Honduras minus synthetic Honduras, over time, per model x sample (Texas script's `gap48` plot). A gap near zero pre-2009 and diverging after signals a credible fit.

World



factors_yrs






Latin America



factors_gdp






factors_yrs

South America



factors_yrs

Central America & the Caribbean



factors_yrs





3 Section 2: In-Space Placebo Computation

For every sample x model, 04_b sec. 2 reruns `synth` once per non-Honduras pool member as if that unit were treated (donor pool = the rest of the pool, Honduras included as a donor), recording each unit's pre- and post-2009 RMSPE. This step produces no figures or tables of its own – it is the data source for the RMSPE histograms (Section 3), the p-values (Section 4), and the placebo overlays (Sections 5–6) below.

4 Section 3: RMSPE Histograms


Distribution of the post/pre RMSPE ratio across Honduras and every placebo unit, per model x sample (Texas script's `histogram ratio, bin(20) frequency`).

World







factors

factors_gdp




factors_yrs

Latin America






factors

factors_gdp




factors_yrs


South America



factors




factors_gdp




factors_yrs


Central America & the Caribbean




naive




naive_yrs



factors



factors_gdp



factors_ysr

5 Section 4: P-Values

In-space placebo p-value ($p = \text{rank}/(J+1)$ of Honduras' post/pre RMSPE ratio within its placebo distribution) for every model x sample. Unlike the other sections, this is a single table – samples are columns, not separate exhibits.


Table 1: In-space placebo p-values (rank / (J+1))


Model	World	Latin America	South America	Central America & the Caribbean
naive	0.271	0.870	0.091	1.000
naive_yrs	0.479	0.348	0.455	0.583
factors	0.215	0.696	0.636	0.750
factors_gdp	0.257	0.522	0.182	0.500
factors_yrs	0.319	0.826	0.273	0.583

6 Section 5: Placebo Overlay — All Units





Every pool member's gap (thin gray) against Honduras' own gap (thick cranberry), per model x sample.


World










Latin America










South America





Central America & the Caribbean










7 Section 6: Placebo Overlay — Excluding Outliers



Same as Section 5, dropping pool members whose pre-treatment RMSPE exceeds 2x Honduras' own (poor pre-treatment fit makes their post-period gap uninformative – standard robustness check, Abadie et al.).

World





factors_yrs

Latin America




naive

naive_yrs





factors

factors_gdp





factors_yrs

South America




naive

naive_yrs





factors

factors_gdp





factors_yrs

Central America & the Caribbean




naive

naive_ys



factors

factors_gdp



factors_ys

8 Section 7: SCM Weights Composition

Donor weight given to each country by each model, zero-weight cells excluded. One table per sample (unlike Section 4, these are not combined).

World

Table 2: SCM donor weights (>0) – World

Country	naive	naive_yrs	factors	factors_gdp	factors_yrs
AGO	0.003	0.002	0.003	0.002	–
ALB	0.003	0.002	0.003	0.004	–
ARG	0.002	0.002	0.002	0.002	–
ARM	0.003	0.001	0.002	0.005	0.069
AUS	0.001	0.001	0.001	0.001	–
AUT	0.001	0.001	0.001	0.001	–
BDI	0.001	0.081	0.011	0.005	–
BEL	0.001	0.001	0.001	0.001	–
BEN	0.004	0.002	0.008	0.003	–
BFA	0.003	0.003	0.012	0.003	0.044
BGD	0.004	0.004	0.011	0.009	–
BGR	0.002	0.001	0.058	0.002	–
BHR	0.001	0.001	0.001	0.001	–
BLZ	0.002	0.002	0.003	0.002	–
BOL	0.004	0.003	0.003	0.007	–
BRA	0.002	0.002	0.002	0.002	–
BRB	0.002	0.002	0.002	0.001	–
BRN	0.001	–	0.001	–	–
BWA	0.002	0.002	0.004	0.002	–
CAF	0.003	0.002	0.004	0.005	–
CAN	0.001	0.001	0.001	0.001	–
CHE	0.001	0.001	0.001	0.001	–
CHL	0.002	0.002	0.003	0.002	–
CHN	0.004	0.003	0.005	0.008	0.104
CIV	0.004	0.003	0.006	0.003	–
CMR	0.004	0.003	0.007	0.004	–
COD	0.004	–	0.013	0.004	–
COG	0.003	0.002	0.003	0.003	–
COL	0.002	0.002	0.003	0.002	–
CRI	0.002	0.002	0.003	0.002	–
CYP	0.002	0.002	0.001	0.001	–
CZE	0.001	0.001	0.001	0.001	–
DEU	0.001	0.001	0.001	0.001	–
DNK	0.001	0.001	0.001	0.001	–
DOM	0.003	0.002	0.002	0.002	–
DZA	0.002	0.001	0.002	0.001	–
ECU	0.002	0.001	0.002	0.002	–
EGY	0.004	0.004	0.004	0.004	–
ESP	0.001	0.001	0.001	0.001	–
EST	0.002	0.001	0.001	0.001	–
ETH	0.671	0.083	0.014	0.002	–
FIN	0.001	0.001	0.001	0.001	–

FJI	0.002	0.002	0.004	0.002	—
FRA	0.001	0.001	0.001	0.001	—
GAB	0.002	0.001	0.002	0.001	—
GBR	0.001	0.001	0.001	0.001	—
GHA	0.003	0.002	0.004	0.003	—
GMB	0.004	0.002	0.011	0.002	—
GRC	0.002	0.001	0.001	0.001	—
GTM	0.003	0.002	0.002	0.002	—
HKG	0.001	0.001	0.001	0.001	—
HRV	0.002	0.001	0.001	0.001	—
HTI	0.004	0.003	0.002	0.003	—
HUN	0.002	0.001	0.001	0.001	—
IDN	0.003	0.004	0.003	0.004	0.102
IND	0.004	0.003	0.007	0.006	—
IRL	0.001	0.001	0.001	0.001	—
IRN	0.002	0.001	0.002	0.001	—
IRQ	0.002	0.001	0.002	0.002	—
ISL	0.001	0.001	0.001	0.001	—
ISR	0.001	0.001	0.002	0.001	—
ITA	0.001	0.001	0.001	0.001	—
JAM	0.002	0.002	0.002	0.002	—
JOR	0.003	0.002	0.002	0.002	—
JPN	0.001	0.001	0.001	0.001	—
KAZ	0.002	0.001	0.001	0.002	—
KEN	0.004	0.003	0.006	0.004	—
KGZ	0.003	0.002	0.002	0.030	—
KHM	0.004	0.003	0.008	0.008	—
KOR	0.002	0.004	0.002	0.001	—
KWT	0.001	—	0.001	—	—
LAO	0.004	0.003	0.008	0.007	—
LBR	0.004	0.020	0.292	0.100	0.283
LKA	0.003	0.002	0.004	0.005	—
LSO	0.004	0.004	—	0.181	—
LTU	0.002	0.001	0.001	0.001	—
LUX	0.001	0.001	0.001	0.001	—
LVA	0.002	0.001	0.001	0.001	—
MAC	0.001	0.001	0.001	0.001	—
MAR	0.003	0.003	0.004	0.002	—
MDA	0.003	0.002	0.002	0.010	—
MDG	0.004	0.002	0.006	0.006	—
MDV	0.002	0.001	0.003	0.002	—
MEX	0.002	0.001	0.002	0.001	—
MLI	—	0.006	0.040	0.199	—
MLT	0.002	0.002	0.002	0.001	—
MMR	0.002	0.004	0.021	0.018	—
MNG	0.003	0.002	0.002	0.008	—
MOZ	—	0.001	0.015	—	0.183
MRT	0.003	0.002	0.002	0.002	—
MUS	0.002	0.002	0.003	0.001	0.215
MWI	0.003	0.003	0.023	0.023	—
MYS	0.002	0.002	0.002	0.001	—
NAM	0.002	0.002	0.003	0.002	—
NER	0.004	0.001	0.004	0.003	—
NGA	0.004	0.002	0.002	0.003	—

NIC	0.002	0.002	0.003	0.002	—
NLD	0.001	0.001	0.001	0.001	—
NOR	0.001	0.001	0.001	0.001	—
NPL	0.003	0.017	0.011	0.006	—
NZL	0.001	0.001	0.002	0.001	—
PAK	0.004	0.003	0.010	0.003	—
PAN	0.002	0.002	0.003	0.002	—
PER	0.003	0.002	0.003	0.003	—
PHL	0.003	0.003	0.004	0.005	—
POL	0.002	0.001	0.002	0.001	—
PRT	0.002	0.001	0.001	0.001	—
PRY	0.003	0.002	0.003	0.002	—
QAT	0.001	—	0.001	—	—
ROU	0.002	0.002	0.002	0.002	—
RUS	0.002	0.001	0.001	0.001	—
RWA	0.002	0.001	0.016	0.007	—
SAU	0.001	0.001	0.001	0.001	—
SDN	0.004	0.003	0.004	0.003	—
SEN	0.004	0.003	0.005	0.002	—
SGP	0.001	0.001	0.001	0.001	—
SLE	0.004	0.479	0.014	0.005	—
SLV	0.003	0.002	0.003	0.003	—
SRB	0.002	0.001	0.002	0.002	—
SVK	0.001	0.001	0.001	0.001	—
SVN	0.001	0.001	0.001	0.001	—
SWE	0.001	0.001	0.001	0.001	—
SWZ	0.002	0.002	0.003	0.002	—
SYR	0.003	0.002	0.098	0.005	—
TGO	0.004	0.003	0.006	0.005	—
THA	0.003	0.006	0.003	0.002	—
TJK	0.003	0.003	0.001	0.010	—
TTO	0.002	0.001	0.002	0.001	—
TUN	0.002	0.002	0.003	0.002	—
TUR	0.002	0.002	0.003	0.001	—
TWN	0.001	0.002	0.002	0.001	—
TZA	0.004	0.002	0.009	0.007	—
UGA	0.002	0.005	0.015	0.099	—
UKR	0.002	0.001	0.001	0.002	—
URY	0.002	0.002	0.002	0.001	—
USA	0.001	0.001	0.001	0.001	—
VEN	0.002	0.001	0.012	0.001	—
VNM	0.004	0.003	0.005	0.017	—
YEM	0.004	0.002	0.001	0.002	—
ZAF	0.002	0.001	0.002	0.001	—
ZMB	0.004	0.002	0.003	0.010	—
ZWE	0.003	0.071	0.005	0.003	—

Latin America

Table 3: SCM donor weights (>0) – Latin America

Country	naive	naive_yrs	factors	factors_gdp	factors_yrs
---------	-------	-----------	---------	-------------	-------------

ARG	0.010	—	—	—	—
BLZ	0.010	0.016	—	—	0.176
BOL	0.048	0.919	—	—	—
BRA	0.012	—	—	—	—
BRB	0.002	0.009	—	—	—
CHL	0.009	—	—	—	—
COL	0.011	—	—	—	—
CRI	0.009	—	—	—	—
DOM	0.013	—	—	—	—
ECU	0.010	—	—	—	—
GTM	0.016	—	—	—	0.680
HTI	0.744	—	0.103	0.065	0.144
JAM	0.012	—	—	—	—
MEX	0.005	—	—	—	—
NIC	0.013	0.056	0.473	—	—
PAN	0.011	—	—	—	—
PER	0.015	—	—	—	—
PRY	0.014	—	—	—	—
SLV	0.018	—	—	0.935	—
TTO	0.002	—	—	—	—
URY	0.007	—	—	—	—
VEN	0.007	—	0.423	—	—

South America

Table 4: SCM donor weights (>0) – South America

Country	naive	naive_yrs	factors	factors_gdp	factors_yrs
ARG	0.014	—	—	—	—
BOL	0.855	0.932	—	0.703	—
BRA	0.021	—	0.296	0.297	—
CHL	0.008	—	—	—	—
COL	0.016	0.068	—	—	—
ECU	0.012	—	—	—	—
PER	0.036	—	—	—	—
PRY	0.033	—	—	—	1.000
URY	0.003	—	—	—	—
VEN	0.003	—	0.704	—	—

Central America & the Caribbean

Table 5: SCM donor weights (>0) – Central America & the Caribbean

Country	naive	naive_yrs	factors	factors_gdp	factors_yrs
BLZ	0.023	0.176	0.060	—	0.122

BRB	0.004	—	—	—	—
CRI	0.020	—	—	—	—
DOM	0.031	—	—	—	0.133
GTM	0.039	—	—	—	0.745
HTI	0.750	0.824	—	—	—
JAM	0.027	—	—	—	—
NIC	0.030	—	0.449	0.077	—
PAN	0.025	—	—	—	—
SLV	0.047	—	0.491	0.923	—
TTO	0.004	—	—	—	—
