

Results (Modified Variables)

Samuel Suárez

September 21, 2026

Contents

1	SCM Fit (03b)	1
2	Section 1: Gap in Predicted Error	6
3	Section 2: In-Space Placebo Computation	11
4	Section 3: RMSPE Histograms	11
5	Section 5: Placebo Overlay — All Units	16
6	Section 6: Placebo Overlay — Excluding Outliers	21









This report collects the synthetic-control exhibits for the log-transform and first-difference models (03b_PWT_SCM_implementation.do's `models_log/models_diff`), companion to the main **Results** report, which covers the level models. Same recipe throughout: the fitted synthetic-control graphs, the Honduras-vs-synthetic prediction-error gap, the in-space placebo distribution and its RMSPE histograms, and the placebo overlay graphs (with and without poor-fitting outliers). Every model x sample combination is reported for all four donor pools: World, Latin America, South America, and Central America & the Caribbean. Treatment year is 2009 (the coup); the pre-treatment fit window is 1993–2008 and the plotted window 1993–2019. `models_diff` has no `_yrs` variant (a single-year first-difference predictor risks being missing for donors whose series doesn't extend a year before 1993, which would abort `synth` outright) – eight models appear here per sample instead of the main report's five.

The in-space placebo p-values and donor-weight tables (the main report's Sections 4 and 7) already tabulate every model – level, log, and first-difference – side by side for comparison, so they are not repeated in this report; see `results.tex`.

1 SCM Fit (03b)

The fitted synthetic control for Honduras against each donor pool, one figure per model (`synth_<sample>_<model>.gph`, exported to PDF/PNG for this report).









World



factors_diff

factors_gdp_diff









Latin America



factors_diff








factors_gdp_diff

South America



factors_gdp_diff

Central America & the Caribbean









factors_diff

factors_gdp_diff

2 Section 1: Gap in Predicted Error


Honduras minus synthetic Honduras, over time, per model x sample. A gap near zero pre-2009 and diverging after signals a credible fit.

World




factors_yrs_log

naive_diff




factors_diff




factors_gdp_diff


Latin America




naive_log




naive_yrs_log




factors_log




factors_gdp_log




factors_yrs_log



naive_diff




factors_diff



factors_gdp_diff


South America




naive_log




naive_yrs_log



factors_log




factors_gdp_log




factors_yrs_log



naive_diff




factors_diff



factors_gdp_diff


Central America & the Caribbean




naive_log




naive_yrs_log




factors_log





factors_gdp_log



factors_yrs_log



naive_diff




3 Section 2: In-Space Placebo Computation


For every sample x model, 04_b sec. 2 reruns `synth` once per non-Honduras pool member as if that unit were treated (donor pool = the rest of the pool, Honduras included as a donor), recording each unit's pre- and post-2009 RMSPE. This step produces no figures or tables of its own – it is the data source for the RMSPE histograms (Section 3) and the placebo overlays (Sections 5–6) below.

4 Section 3: RMSPE Histograms


Distribution of the post/pre RMSPE ratio across Honduras and every placebo unit, per model x sample.

World






factors_diff




factors_gdp_diff


Latin America




naive_log




naive_yrs_log




factors_log




factors_gdp_log




factors_yrs_log



naive_diff




factors_diff





factors_gdp_diff


South America




naive_log




factors_log




factors_gdp_log




factors_yrs_log



naive_diff




factors_diff




factors_gdp_diff


Central America & the Caribbean




naive_log




naive_yrs_log




factors_log




factors_gdp_log




factors_yrs_log



naive_diff



factors_diff









factors_gdp_diff

5 Section 5: Placebo Overlay — All Units


Every pool member's gap (thin gray) against Honduras' own gap (thick cranberry), per model x sample.

World



factors_yrs_log

naive_diff









factors_diff




factors_gdp_diff

Latin America




factors_yrs_log

naive_diff




factors_diff




factors_gdp_diff


South America




naive_log




naive_yrs_log




factors_log




factors_gdp_log




factors_yrs_log



naive_diff




factors_diff




factors_gdp_diff


Central America & the Caribbean




naive_log




naive_yrs_log




factors_log





factors_gdp_log



factors_yrs_log




naive_diff




6 Section 6: Placebo Overlay — Excluding Outliers


Same as Section 5, dropping pool members whose pre-treatment RMSPE exceeds 2x Honduras' own (poor pre-treatment fit makes their post-period gap uninformative – standard robustness check, Abadie et al.).

World






factors_diff




factors_gdp_diff


Latin America




naive_log




naive_yrs_log




factors_log




factors_gdp_log




factors_yrs_log



naive_diff




factors_diff




factors_gdp_diff


South America




naive_log




naive_yrs_log




factors_log




factors_gdp_log




factors_yrs_log



naive_diff




factors_diff




factors_gdp_diff


Central America & the Caribbean




naive_log




naive_yrs_log




factors_log



factors_gdp_log



factors_yrs_log



naive_diff

