


CCTV MONITORING MANAGEMENT WEBSITE

User manual – Samuel BORIOS on 11/07/2025

Login page :


You must have a functioning account to access the website



The login page features a light blue header with the text "SOICT-HUST CCTV Monitoring". Below this, there are two input fields: "Email" with the value "samuelborios@gmail.com" and "Password". A blue "Log in" button is positioned at the bottom of the form.


Home page:

Here you see the cameras you previously accessed via this website, they are stored in the websites database . You can also scan for new cameras in your current Wi-Fi network by clicking the “Scan cameras” button (1) after inputting the cameras credentials.



The dashboard home page has a navigation bar with "HOME", "WEBSITE USERS", and "SIGN OUT". The main heading is "Dashboard". Under the "Cameras" section, there are two entries, each with a status "Previously connected". The first entry shows details: "Port: 80 Model: IPC-EW541-AS Manufacturer: Dahua Firmware: 2.800.0000000.45.R, Build Date 2024-06-12 Serial: 9F05C37PAG6A72E". The second entry is partially visible. At the bottom, there is a "Scan active cameras" section with a "Username" field containing "admin", a "Password" field, and a "Scan cameras" button. A yellow box with the number "1" is next to the "Scan cameras" button.

After the scan is successfully done, you can access the camera dashboard you want by clicking on the “Go to” button (2).




Camera dashboard page :

There you will have access to the *live stream* of the selected camera, and a few other functionalities.

If you never watched this camera before you will need to add it to the streaming server list via the first button (3) on this page.

After this you will need to restart the streaming server by clicking the button (4), this one can also be used if you find that the video player is not up yet.

Then you can access the settings page of this camera by clicking on the “Settings” button (5).



Settings page :

Here you can find the users of the camera, first you need to input the camera credentials then click on the “Refresh list” button (6).

You can choose to delete one by using the “Delete user” button (7).

The screenshot shows the 'Camera settings' page with a navigation bar at the top containing 'HOME', 'WEBSITE USERS', and 'SIGN OUT'. Below the navigation bar is a light blue header with the text 'Camera settings'. Underneath, there is a section titled 'For any change in the settings :' followed by input fields for 'Username' (containing 'admin') and 'Password' (containing '*****'). Below this is a section titled 'Existing users of camera : 192.168.50.99'. It lists two users: 'admin' (expanded) and 'testwebuser' (collapsed). The 'admin' user entry shows 'Group: admin' and 'Memo: admin's account', with buttons for 'Change password' (labeled 8) and 'Delete user' (labeled 7). The 'testwebuser' entry is collapsed. At the bottom right, there is a 'Refresh list' button (labeled 6).


Then you can change their password by clicking on the “Change password” button (8), this interface then pops up and you can input the new and old passwords.

The screenshot shows a 'Change Password' modal dialog box. It has a title bar with a close button (x). Inside, there are two input fields: 'Old Password' and 'New Password'. To the right of these fields is a blue button labeled 'Change Password'. Below the modal, the background shows the 'admin' user entry with 'Group: admin' and 'Memo: test user', and buttons for 'Change password' and 'Delete user'.

After this comes the option to add another user, you can input anything from the Group (permissions), the memo, their username and password, then validate by clicking the “Add user” button (9).

The screenshot shows a form titled 'Would you like to add another user ?'. It contains four input fields: 'Group' (a dropdown menu with 'user' selected), 'Memo (optional)' (a text field), 'Username' (a text field), and 'Password' (a text field). To the right of these fields is a blue button labeled 'Add user' (labeled 9).

Also, you can access and modify the video configuration of the stream at will and save your modifications by clicking the “Save Video Settings” button (10). Finally, you can reboot the camera by clicking the “Reboot” button (11).



Other settings :

Video Config

Bitrate (Kbps)

Compression

FPS

Resolution


Save Video Settings (10)

Reboot (11)

Next is the page about the management of the website users that is accessible via the navigation tab in the top of the page always. Note that this tab is only accessible to ‘admin’ users in the website user database.

Website users page :

Here you can choose to add another user by inputting its credentials and then clicking the “Add user” button (12).



HOME WEBSITE USERS SIGN OUT

Manage website users

Currently connected as **samuelborios@gmail.com**

Would you like to add another user ?

Group Email Password

Add user