# Geomatic Techniques to Support Phytosanitary Products Tests whithin the EPPO Standard Framework

#### Samuele Bumbaca

University of Turin

August 28, 2025








## The Traditional Approach to Agricultural Trials

Reference Product



R

### ANOVA Model:

$$y_{ij} = \mu + \alpha_i + \beta_j + \varepsilon_{ij}$$

#### Where:

- $y_{ij} = \text{response}$
- $\bullet$   $\mu = \text{overall mean}$
- $\bullet$   $\alpha_i = \text{treatment effect}$
- $\beta_i = \text{block effect}$
- $\varepsilon_{ij} = \text{random error}$

#### Note:

 $\alpha_i \times \beta_i$ 

This is the **additive model**. Modern approaches may include interaction terms:

## Key Assumptions of Traditional ANOVA

## Statistical Assumptions:


- Randomization: Treatments randomly assigned within blocks
- Replication: Each treatment appears in each block
- Independence: Observations are independent given the design
- Homoscedasticity: Equal variances across treatments
- Normality: Residuals follow normal distribution

#### Consequences of Assumption Violations:

 Invalid conclusions of parametric tests: Need for non-parametric tests leading to reduced statistical power

Based on R. A. Fisher, Statistical Methods for Research Workers, in S. Kotz & N. L. Johnson (eds.), Breakthroughs in Statistics: Methodology and Distribution, pp. 66–70, Springer, New York, 1992.

# Variability



### Success of Blocking Strategy:


R

• Within-block homogeneity: Treatments compared under similar conditions

Reference Product

Between-block heterogeneity: Environmental gradient captured by block effects

## The Wrong Blocking: Assumption Violation



- **C** Control
- T Tested Product
- R Reference Product

#### Heteroscedasticity Assumption Violation Problem:

- Blocks fail to capture environmental variability: Treatments compared under different conditions
  - Invalid parametric test: Residual variance differs across treatments

# Current Limitations in Statistics for Agricultural Trials


#### Traditional Approach Issues:

- **Human-dependent blocking**: Environmental variability assessment relies on experimenter experience
- A priori identification: Must identify variance sources BEFORE data collection

#### The Challenge:

How can we capture environmental variability mathematically rather than through human judgment?

# Geostatistical Approach: Spatial Linear Mixed Models



C/T/R Control/Tested/Reference
Georeferenced observations

#### Spatial LMM:

$$y(s_i) = \mu + \alpha_j + f(s_i) + \varepsilon_i$$

#### Where:

- $y(s_i) = \text{response at } s_i$
- $\bullet$   $\mu = \text{overall mean}$
- $\alpha_i$  = treatment effect
- $\alpha_j$  = treatment effect •  $f(s_i)$  = spatial random field
- $\varepsilon_i = \text{error}$
- $s_i = (x_i, y_i) = \text{coordinates}$

#### Benefits:

- No blocking: Spatial correlation captures variability
- Post-hoc: No a priori variance identification
- Homoscedasticity: Assumption satisfied in more cases in respect blocking

## The Missing Link: Spatial Coordinates

# Geostatistical Methods Advantages:

- Mathematical modeling of environmental variability
- ✓ Post-hoc analysis no need for prior knowledge of the environment variables and of their distribution
- ✓ Superior performance in handling spatial heterogeneity
- √ EPPO recognized approach

#### Current Barrier:


- Requires spatially referenced observations
- Traditional manual assessments lack coordinates
- Implementation gap in practical field trials

## Central Research Question

Can geomatics technologies provide spatially referenced observations that enable geostatistical analysis within EPPO-compliant Plant Protection Product trials?

## Specific Objectives:

- Establish which geomatics technologies can be used to collect spatially referenced observations
- ② Demonstrate the feasibility of collect spatially referenced observations in compliant with EPPO standards
- Validate performance against traditional methods
- Provide practical implementation guidelines



# Georeferencing EPPO Standard Assessments

Table: Different modes of observation and types of variables

Type of Variable	Measurement	Ranking	Scoring
Binary			X
Nominal			Χ
Ordinal		Χ	X
Discrete	X		
Continuous limited	X		
Continuous not limited	X		

Summary from EPPO PP 1/152: Design and analysis of efficacy evaluation trials

## Current State of Georeferencing in Agricultural Trials:

EPPO's continuous, unbounded measurements are typically tool-collected and easily georeferenced (e.g., yield harvesters), whereas other regulated variables depend on experimenters' visual assessments, complicating spatial integration.