```
Selecionar C:\Windows\py.exe                                                          —   □   ×

Server On
Recive ||| Hello, Server! ||| from ('127.0.0.1', 62083)
Recive ||| lower Hello, Server! ||| from ('127.0.0.1', 62083)
Recive ||| upper Hello, Server! ||| from ('127.0.0.1', 62083)
Recive ||| Hello, Server! ||| from ('127.0.0.1', 62084)
Recive ||| lower Hello, Server! ||| from ('127.0.0.1', 62084)
Recive ||| upper Hello, Server! ||| from ('127.0.0.1', 62084)
Recive ||| Hello, Server! ||| from ('127.0.0.1', 62085)
Recive ||| lower Hello, Server! ||| from ('127.0.0.1', 62085)
Recive ||| upper Hello, Server! ||| from ('127.0.0.1', 62085)
Recive ||| secret code 12210 ||| from ('127.0.0.1', 62085)
Recive ||| Oi oi oi ||| from ('127.0.0.1', 62084)
Recive ||| upperMensagem pra ficar em upper case ||| from ('127.0.0.1', 62083)
_
```

```
C:\Windows\py.exe                                                          —   □   ×

Sending message:
Hello, Server!
Server ans:
Hello, Client

Sending message:
lower Hello, Server!
Server ans:
 hello, server!

Sending message:
upper Hello, Server!
Server ans:
 HELLO, SERVER!

>>secret code 12210
Server ans:
Hello! This is a super secret message: \(^w^)/

>>_
```

```
Sending message:
Hello, Server!
Server ans:
Hello, Client

Sending message:
lower Hello, Server!
Server ans:
 hello, server!

Sending message:
upper Hello, Server!
Server ans:
 HELLO, SERVER!

>>upperMensagem pra ficar em upper case
Server ans:
MENSAGEM PRA FICAR EM UPPER CASE

>>_
```

```
Sending message:
Hello, Server!
Server ans:
Hello, Client

Sending message:
lower Hello, Server!
Server ans:
 hello, server!

Sending message:
upper Hello, Server!
Server ans:
 HELLO, SERVER!

>>Oi oi oi
Server ans:
Hello, Client

>>_
```