Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file index.html

Checker Input
Show source outline omage report Options
Check by file upload ➤ Escolher arquivo Nenhum arquivo escolhido
Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.
Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering 3 messages hidden by filtering

```
1. Error No space between attributes.

At line 42, column 75

y button-decor"" data-bs-togg1
```

```
    2. Error Saw " when expecting an attribute name. Probable cause: = missing immediately before.
    At line 42, column 75
    y button-decor" data-bs-togg1
```

```
3. Warning Attribute "is not serializable as XML 1.0.

From line 42, column 17; to line 42, column 132

<center><button type="button" class="btn btn-primary button-decor"" data-bs-toggle="modal" data-bs-target="#staticBackdrop">Fatore
```

https://validator.w3.org/nu/#file 1/3

6.

7.

8.

```
Showing results for uploaded file index.html - Nu Html Checker
   <u>formmethod</u> — Variant to use for <u>form submission</u>
   <u>formnovalidate</u> — Bypass form control validation for <u>form submission</u>
   <u>formtarget</u> — <u>Navigable</u> for <u>form submission</u>
   <u>name</u> — Name of the element to use for <u>form submission</u> and in the <u>form.elements</u> API
   popovertarget — Targets a popover element to toggle, show, or hide
   popovertargetaction — Indicates whether a targeted popover element is to be toggled,
   shown, or hidden
   type — Type of button
   value — Value to be used for form submission
Error Saw | " | when expecting an attribute name. Probable cause: | = | missing
immediately before.
At line 55, column 29
             <h2 " id="a1">Seden
Warning Attribute " is not serializable as XML 1.0.
From line 55, column 25; to line 55, column 38
           <h2 " id="a1">Sedent
Error Attribute | not allowed on element | h2 | at this point.
From line 55, column 25; to line 55, column 38
            <h2 " id="a1">Sedent
Error Saw < when expecting an attribute name. Probable cause: Missing >
immediately before.
At line 62, column 25
                  <button class="
Error Duplicate attribute class.
At line 62, column 38
   <button class="button">Anter
```

```
9.
```

Warning Attribute <button is not serializable as XML 1.0. 10. From line 61, column 21; to line 62, column 47 <div class="modal-footer"↔ <button class="button">Anteri

```
[Error] Attribute | <button | not allowed on element | div | at this point.
11.
     From line 61, column 21; to line 62, column 47
                 <div class="modal-footer"↔
                                                                         <button
     class="button">Anteri
```

https://validator.w3.org/nu/#file 2/3 Attributes for element <u>div</u>: Global attributes

12. Error Stray end tag button.

From line 62, column 56; to line 62, column 64

">Anterior</button>↔

13. Error End tag for body seen, but there were unclosed elements.

From line 68, column 1; to line 68, column 7

</div>⇔</body>↩</htm

14. Error Unclosed element div.

From line 46, column 13; to line 46, column 60

<div class="modal-dialog modal-dialog-centered">←

15. Error Unclosed element div.

From line 45, column 9; to line 45, column 174

backdrop="static" data-bs-keyboard="false" tabindex="-1" aria-

labelledby="staticBackdropLabel" aria-hidden="true">↔

Document checking completed.

Used the HTML parser.

Total execution time 6 milliseconds.

About this checker • Report an issue • Version: 24.9.28

https://validator.w3.org/nu/#file 3/3