# Cucumber Report

**Start : Feb 01, 10:26:51.040 am**

**End : Feb 01, 10:26:54.117 am**

**Duration : 3.077 s**

| Features | Scenarios | Steps |
|---|---|---|
| PASSED - 0 | PASSED - 0 | PASSED - 0 |
| FAILED - 1 | FAILED - 1 | FAILED - 0 |
| SKIPPED - 0 | SKIPPED - 0 | SKIPPED - 8 |

| Feature | | Scenario | | | | Step | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Name | Duration | T | P | F | S | T | P | F | S |
| *Test StartHealth webpage using cucumber* | 3.077 s | 1 | 0 | 1 | 0 | 8 | 0 | 0 | 8 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Test StartHealth webpage using cucumber | 1 | 0 | 1 | 0 | 3.077 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Test StartHealth webpage using cucumber | Validate the Star Health Buy Now flow | 8 | 0 | 0 | 8 | 3.034 s |

## Test StartHealth webpage using cucumber

| FAILED | DURATION - 3.077 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Steps<br>Total - 8<br>Pass - 0<br>Fail - 0<br>Skip - 8 | 8 |
| --- | --- | --- | --- | --- | --- |
| | / 10:26:51.040 am // 10:26:54.117 am / | | | | |

## Validate the Star Health Buy Now flow

| FAILED | DURATION - 3.034 s | | Steps<br>Total - 8<br>Pass - 0<br>Fail - 0<br>Skip - 8 | 8 |
| --- | --- | --- | --- | --- |
| | / 10:26:51.083 am // 10:26:54.117 am / | | | |
| | Test StartHealth webpage using cucumber | | | |

| # | Step / Hook Details | Status | Duration |
| --- | --- | --- | --- |
| | BEFORE - steps.BaseTest.initialization() | FAILED | 2.901 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure.  Host info: host: 'DESKTOP-R4LTDL4', ip: '192.168.0.103'<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:536)<br>    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232)<br>    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:159)<br>    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108)<br>    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88)<br>    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83)<br>    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51)<br>    at steps.BaseTest.initialization(BaseTest.java:15)<br>Caused by: org.openqa.selenium.WebDriverException: Driver server process died prematurely. Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.1' Driver info: driver.version: ChromeDriver<br>    at org.openqa.selenium.remote.service.DriverService.start(DriverService.java:237)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:119)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:232) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:159) | | |
| | at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:108) | | |
| | at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:88) | | |
| | at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:83) | | |
| | at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:51) | | |
| | at steps.BaseTest.initialization(BaseTest.java:15) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:580) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) | | |
| | at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) | | |
| | at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:57) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:78) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambda$run$0(PickleRunners.java:151) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) | | |
| | at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) | | |
| | at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) | | |
| | at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) | | |
| | at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) | | |
| | at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) | | |
| | at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) | | |
| | at org.junit.runners.ParentRunner.run(ParentRunner.java:309) | | |
| | at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) | | |
| | at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) | | |
| | at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238) | | |
| | at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63) | | |
| | at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236) | | |
| | at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53) | | |
| | at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229) | | |
| | at io.cucumber.junit.Cucumber$RunBeforeAllHooks.evaluate(Cucumber.java:266) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|  | at io.cucumber.junit.Cucumber$RunAfterAllHooks.evaluate(Cucumber.java:281)<br>at io.cucumber.junit.Cucumber$StartTestRun.evaluate(Cucumber.java:233)<br>at io.cucumber.junit.Cucumber$FinishTestRun.evaluate(Cucumber.java:248)<br>at org.junit.runners.ParentRunner.run(ParentRunner.java:309)<br>at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)<br>at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)<br>at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) |  |  |
| 1 | Given User launches the Star Health application with 'https://www.starhealth.in/' | SKIPPED | 0.008 s |
| 2 | Then User waits for the Welcome to Star Health pop-up and closes it | SKIPPED | 0.006 s |
| 3 | And User get home page title and Validates it | SKIPPED | 0.002 s |
| 4 | And User clicks on the Buy Now button | SKIPPED | 0.003 s |
| 5 | Then User Enters data for  'sonal','9090890987','sonal@gmail.com','122020' | SKIPPED | 0.002 s |
| 6 | And User click on getstarted button | SKIPPED | 0.004 s |
| 7 | Then User select the checkbox for myself | SKIPPED | 0.001 s |
| 8 | Then user navigates to the HomePage with 'https://www.starhealth.in/' | SKIPPED | 0.005 s |
|  | AFTER - steps.BaseTest.closeBrowser() | FAILED | 0.003 s |
|  | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "steps.BaseTest.driver" is null<br>    at steps.BaseTest.closeBrowser(BaseTest.java:23) |  |  |