# Informatics 225 Computer Science 221

#### **Information Retrieval**

#### Lecture 3

Duplication of course material for any commercial purpose without the explicit written permission of the professor is prohibited.

These course materials borrow, with permission, from those of Prof. Cristina Videira Lopes, Prof. Alberto Krone-Martins, Addison Wesley 2008, Chris Manning, Pandu Nayak, Hinrich Schütze, Heike Adel, Sascha Rothe, Jerome H. Friedman, Robert Tibshirani, and Trevor Hastie. Powerpoint theme by Prof. André van der Hoek.

#### **Announcements**

- Remember to complete the Course Policies 'quiz'
  - 1 bonus point for doing this in due time!

# Information Retrieval and Web Search

Introduction to Information Retrieval

# **Classic IR Assumptions**

- Corpus: fixed document collection
- Goal: retrieve information content relevant to the information need

#### **Classic IR Goal**

- "Relevance"
  - For each query Q, and stored document D, there exists a relevance score R(Q, D)
  - Maximize R(Q, D)
    - Context is ignored
    - User is ignored
    - Corpus is static

#### Web IR

- The Web is huge (cannot store in any centralized memory!)
  - Corpus is not centralized!
- The Web changes all the time ( needs to update constantly! )
  - Corpus is not static!
- There is information to avoid (adversarial IR!)
  - Context cannot be ignored!
- One interface for hugely divergent needs :
  - User cannot be ignored!


# **Web Search Engines**

- Practical and useful applications of IR
- Must crawl tera to peta bytes of web pages and provide subsecond response to queries (but indexing can take "a bit" longer!)
- Big Issues in the design, additionally to IR issues:
  - Performance
    - Response time
    - Query throughput
    - Indexing speed
  - Speed in discovery and integration of new documents
  - Coverage
  - Freshness
  - Spam

# **Search Engineers**


- Develop and maintain search engines
- Design or optimize content for search engines

#### Growth in demand for engineers, by specialty




https://spectrum.ieee.org/view-from-the-valley/at-work/tech-careers/software-engineering-salaries-


#### Growth in demand for engineers, by specialty





https://spectrum.ieee.org/view-from-the-valley/at-work/tech-careers/software-engineering-salaries-

Source: Hired
















# **Text Acquisition**

- Crawler
- Feeds
- Data dumps
- Text conversion (e.g. PDF -> text)
- Document Store



#### **Text Transformation**


- Parser = Tokenizer + Structure
- Stopping: removing words "the", "of", etc.
- Stemming: grouping similar words together (e.g. fishes -> fish)
- Link extraction and analysis: how popular is a certain link
- Information Extraction (text structure)
- Classifier (topic, non-content, spam, etc.)




#### **Index Creation**

- Corpus statistics
- Term weighting: how important is a word in documents
- Index inversion: doc → term → term → doc
- Index distribution: essential for large indexes


Preprocessing Steps






#### **User Interaction**

- Query input: keywords, operators (e.g. AND), etc.
- Query transformation
  - Spell checking
  - Query suggestion and expansion
- Results output
  - Summaries of the pages
  - Highlighting important words




# Ranking


- Relevance Scoring: how well each doc matches the query
- Performance optimization : decrease response time
- Distribution
  - Query broker : allocate queries to different processors



#### **Evaluation**

- Logging
  - Improves the search engine in the long run
- Ranking analysis
  - Considering the user behavior, the search engine analyzes if the ranking heuristics work well for its public
- Performance analysis
  - Humans expect fast answers, so the search engine is monitored to improve the performance in the long run





# **Assignment 1: Tokenizer from scratch**

#### You should write the tokenizer in Python

(3.6+; but preferably 3.6 because this is what you will have in the openlab.ics.uci.edu machines).

This will help you with your next two assignments!

# **Assignment 1: Tokenizer from scratch**

Very important: At certain points, the assignment may seem underspecified – this is by design.

In those cases, make your own choices and assumptions and be prepared to defend them.

# **Assignment 1: Tokenizer from scratch**

Your program must run!

It must be executable from the command line.

You should get the file names from command line arguments.

### Reminder!

- Remember to sign the Course Policies 'quiz'
  - 1 bonus point for doing this in due time!