
CS344: Operating Systems Lab

Lab # 08 (1 Questions, 127 Points)

Held on 17-Oct-2023

Lab Timings: 09:00 to 12:00 Hours Pages: 2

Submission: 12:00 Hrs, 17-Oct-2023

Instructor Dr. V. Vijaya saradhi

Head TAs Adithya Moorthy & Laxita Agrawal

Department of CSE, IIT Guwahati

- a. This assignment is based on chapter 5, Process Synchronization in the book Operating System Principles, Abraham Silberschatz, Peter Baer Galvin, and Greg Gagne.
- b. In order to perform this assignment, understanding of system calls `ftok()`, `semget()`, `semop()`, `semctl()`, `fork()`, `shmget()`, `shmat()`, `shmctl()`, `shmdt()`, `shmctl()` are essential.
- c. Read the attached resource for a understanding about system V semaphore implementation and system V shared memory implementation
- d. Read chapter 5 on process synchronization. In particular readers-writers problem.
- e. Carefully read the manual pages for the above system calls.
- f. Read the system architecture given in the question which helps develop the solution.

Question 1: (127 points)

Readers-writers problem - Version control system implementation: Write C program as described below

- a. (5 marks) Implement `sem_wait` function which will initialize `sembuf` structure with appropriate values and performs `semop`.
- b. (5 marks) Implement `sem_signal` function which will initialize `sembuf` structure with appropriate values and performs `semop`.
- c. (10 marks) Write a program `repository` to create a shared memory segment of required size. Initialize the shared memory with `Hello world!` program. That is a C program which prints `Hello world!`. Keep this program alive in sleep mode till the last three tasks are performed.
- d. (38 marks) A writer should perform the following tasks
 - (2 marks) Obtain a key
 - (5 marks) Get the shared memory object
 - (2 marks) Attach the shared memory object
 - (2 marks) obtain another key
 - (5 marks) Declare appropriate semaphores.
 - (5 marks) Initialize the semaphores.

- (5 marks) Perform appropriate semaphore operations
 - (5 marks) To the **Hello World!** program, residing in the shared memory, add one more output line "Hello written by pid: <number>" and write into the shared memory.
 - (5 marks) Perform appropriate semaphore operations
 - (2 marks) Detach the shared memory.
- e. (49 marks) A reader program that should perform the following tasks:
- (2 marks) Obtain a key
 - (5 marks) Declare appropriate semaphores.
 - (5 marks) Initialize the semaphores.
 - (2 marks) Obtain another key
 - (5 marks) Get the shared memory object
 - (5 marks) Attach the shared memory object
 - i. (5 marks) Performing appropriate semaphore operations
 - ii. (5 marks) Count number of readers
 - iii. (5 marks) Print the program in the shared memory
 - iv. (5 marks) Performing appropriate semaphore operations
 - (5 marks) Remove the semaphore
 - (5 marks) Detaches the shared memory object
- f. (5 marks) Demonstrate that while a write is writing, no other writer should be allowed to write code.
- g. (5 marks) Demonstrate that while a writer is writing, no reader should be allowed to access to read the code
- h. (5 marks) Demonstrate that while a reader is reading, other readers can be able to read the code
- i. For the three tasks above, write a help file **README.txt** file describing how you achieve task (f), (g) and (h) respectively.