Experiment - 5

Student Name: Sanampreet Singh
UID: 23BCS13053
Branch: BE-CSE
Section/Group: KRG-2B
Semester: 5th
Date of Performance: 24/9/25
Subject Name: Project Based Learning in Java
Subject Code: 23CSH-304

Aim: Create a menu-based Java application with the following options. 1.Add an Employee 2. Display All 3. Exit If option 1 is selected, the application should gather details of the employee like employee name, employee id, designation and salary and store it in a file. If option 2 is selected, the application should display all the employee details. If option 3 is selected the application should exit.

Objective: To combine object-oriented programming, file handling, and menu-driven console interaction. **Procedure:**

1. Present a menu:
a) Add Employee
b) Display All
c) Exit

2. On choosing Add, take input for:
a) Employee Name
b) Employee ID
c) Designation
d) Salary

3. Write this data to a file.
4. On choosing Display, read and display all employee data from the file.
5. Exit on selection of option 3.

Sample Output -

Menu:
1. Add Employee
2. Display All

3. Exit
Enter choice: 1
Name: John
ID: 1001
Designation: Manager
Salary: 75000
Employee added successfully!

Enter choice: 2
Employee List:
John | 1001 | Manager | 75000

Code -

```
package intro_day1;
import java.io.*;
import java.util.*;

class Employee { private
String name; private String
id; private String
designation; private double
salary;

public Employee(String name, String id, String designation, double salary) {
this.name = name; this.id = id;
this.designation = designation;
this.salary = salary;
}

public String toFileString() {
return name + "|" + id + "|" + designation + "|" + salary;
}

public static Employee fromFileString(String line) { String[] parts =
line.split("\\|"); return new Employee(parts[0], parts[1], parts[2],
Double.parseDouble(parts[3]));
}

public String toString() {
return name + " | " + id + " | " + designation + " | " + salary;
}
}
```

```
public class practice { private static final String
FILE_NAME = "employees.txt"; private static Scanner sc =
new Scanner(System.in);

public static void main(String[] args) {
while (true) {
System.out.println("\nMenu:");
System.out.println("1. Add Employee");
System.out.println("2. Display All");
System.out.println("3. Exit");
System.out.print("\nEnter choice: ");
int choice = sc.nextInt();
sc.nextLine();

switch (choice) {
case 1:
addEmployee();
break; case 2:
displayAll();
break; case
3:
System.out.println("Exiting...");
System.exit(0); default:
System.out.println("Invalid choice! Try again.");
}
}
}

private static void addEmployee() {
System.out.print("Name: ");
String name = sc.nextLine();
System.out.print("ID: ");
String id = sc.nextLine();
System.out.print("Designation: ");
String designation = sc.nextLine();
System.out.print("Salary: ");
double salary = sc.nextDouble();
sc.nextLine();

Employee emp = new Employee(name, id, designation, salary);

try (BufferedWriter bw = new BufferedWriter(new FileWriter(FILE_NAME, true))) {
bw.write(emp.toFileString());
bw.newLine();
System.out.println("Employee added successfully!");
} catch (IOException e) {
System.out.println("Error writing to file.");
}
```

```
}

private static void displayAll() {
System.out.println("\nEmployee List:");
try (BufferedReader br = new BufferedReader(new FileReader(FILE_NAME))) {
String line; while ((line = br.readLine()) != null) { Employee emp =
Employee.fromFileString(line);
System.out.println(emp);
}
} catch (FileNotFoundException e) {
System.out.println("No employees found.");
} catch (IOException e) {
System.out.println("Error reading file.");
}
}
}
```

```
Menu:
1. Add Employee
2. Display All
3. Exit

Enter choice: 1
Name: Sanampreet
ID: 10854
Designation: Engineer
Salary: 1000000
Employee added successfully!

Menu:
1. Add Employee
2. Display All
3. Exit

Enter choice: 2

Employee List:
Sanampreet | 10854 | Engineer | 1000000.0
```