

Questions

Convert names to uppercase["alice", "bob", "charlie"] → ["ALICE", "BOB", "CHARLIE"]

Get names of people older than 18

```
const users = [  
  { name: "John", age: 25 },  
  { name: "Jane", age: 17 },  
  { name: "Alex", age: 32 },  
  { name: "Mia", age: 15 }];  
→ ["John", "Alex"]
```

Calculate total price of products in cart

```
const cart = [  
  { name: "Laptop", price: 1200 },  
  { name: "Mouse", price: 25 },  
  { name: "Keyboard", price: 80 }];  
→ 1305
```

Get full names

```
const people = [  
  { first: "John", last: "Doe" },  
  { first: "Anna", last: "Smith" }];  
→ ["John Doe", "Anna Smith"]
```

Get expensive in-stock products names (price > 1000 and inStock)

```
const products = [  
  { name: "iPhone 14", price: 1200, inStock: true },  
  { name: "MacBook", price: 1800, inStock: false },  
  { name: "AirPods", price: 250, inStock: true },  
  { name: "iPad Pro", price: 1100, inStock: true }];  
→ ["iPhone 14", "iPad Pro"]
```

Get names of students who scored above 80 and calculate their average score

```
const students = [
  { name: "Riya", score: 92 },
  { name: "Aman", score: 78 },
  { name: "Sneha", score: 88 },
  { name: "Karan", score: 65 },
  { name: "Priya", score: 95 }]; → ["Riya", "Sneha", "Priya"] and average = 91.67
```

Calculate total cost after applying 20% discount on all items that cost more than 1500

```
const items = [
  { name: "Smartphone", price: 32000 },
  { name: "Charger", price: 1200 },
  { name: "Headphones", price: 4500 },
  { name: "Power Bank", price: 1800 }
];
```

→ totalAfterDiscount = 30640

Get full product names with brand and calculate total stock value (price × quantity)

```
const products = [
  { brand: "Samsung", model: "S23", price: 72000, quantity: 5 },
  { brand: "Apple", model: "iPhone 14", price: 89000, quantity: 2 },
  { brand: "OnePlus", model: "Nord 3", price: 32000, quantity: 8 }
];
```

→ ["Samsung S23", "Apple iPhone 14", "OnePlus Nord 3"] and totalValue = 794000

Get names of employees who work in "Engineering" department and have salary > 1200000, then find total salary

```
const employees = [
  { name: "Vikram", department: "Engineering", salary: 1800000 },
  { name: "Neha", department: "Marketing", salary: 950000 },
  { name: "Arjun", department: "Engineering", salary: 1350000 },
  { name: "Pooja", department: "Engineering", salary: 980000 }
];
```

→ ["Vikram", "Arjun"] and totalSalary = 3150000

Get titles of completed high-priority tasks and create one comma-separated string

```
const tasks = [
  { title: "Database Migration", priority: "high", completed: true },
  { title: "UI Redesign", priority: "medium", completed: true },
  { title: "API Testing", priority: "high", completed: false },
  { title: "Security Audit", priority: "high", completed: true }
];
```

→ "Database Migration, Security Audit"

Filter products that are in stock, apply 15% discount, then calculate final cart total

```
const cart = [
  { name: "Monitor", price: 14500, inStock: true },
  { name: "Keyboard", price: 3200, inStock: false },
  { name: "Mouse", price: 1800, inStock: true },
  { name: "Webcam", price: 4200, inStock: true }
];
```

→ totalAfterDiscount = 19240

Get names (in uppercase) of users who are active and above 21 years old, then count them

```
const users = [
  { name: "rahul", age: 19, active: true },
  { name: "simran", age: 24, active: true },
  { name: "aditya", age: 32, active: false },
  { name: "kavya", age: 22, active: true }
];
```

→ ["SIMRAN", "KAVYA"] and count = 2

Get names of winning players (score > 150) with their score in format "Name (score)", and calculate total winning score

```
const players = [
  { name: "Rohit", score: 168 },
  { name: "Virat", score: 142 },
  { name: "Shubman", score: 185 },
  { name: "Ishan", score: 134 }
];
```

→ ["Rohit (168)", "Shubman (185)"] and totalWinningScore = 353

