Lab 5: Static Code Analysis


NAME : SANAND KUMAR SHETTY SRN:PES2UG24CS438

GITLINK:

https://github.com/Sanandkumarshetty/L5_04_fitness_booking.git

BEFORE:

Pylint output



Lab 5: Static Code Analysis

NAME : SANAND KUMAR SHETTY SRN:PES2UG24CS438


Bandit output:

```
--------------------------------------------------

Code scanned:
    Total lines of code: 47
    Total lines skipped (#nosec): 0
    Total potential issues skipped due to specifically being disabled (

Run metrics:
    Total issues (by severity):
        Undefined: 0
        Low: 0
        Medium: 0
        High: 1
    Total issues (by confidence):
        Undefined: 0
        Low: 0
        Medium: 0
        High: 1
Files skipped (0):
```

Before flake output;




Lab 5: Static Code Analysis

NAME : SANAND KUMAR SHETTY SRN:PES2UG24CS438

AFTER:

Pylint output



Lab 5: Static Code Analysis

NAME : SANAND KUMAR SHETTY SRN:PES2UG24CS438

Bandit output:


```
er_bandit_report.txt
Run started:2026-10-14 06:58:53.434775+00:00

Test results:
    No issues identified.

Code scanned:
    Total lines of code: 92
    Total lines skipped (#nosec): 0
    Total potential issues skipped due to specifically being disabled (

Run metrics:
    Total issues (by severity):
        Undefined: 0
        Low: 0
        Medium: 0
        High: 0
    Total issues (by confidence):
        Undefined: 0
        Low: 0
        Medium: 0
        High: 0
Files skipped (0):
```

flake output;



Lab 5: Static Code Analysis

NAME : SANAND KUMAR SHETTY SRN:PES2UG24CS438

Issue Type	Line(s)	Description	Fix Approach
Missing Module Docstring	1	Missing documentation for the Python module.	Add a module-level docstring at the beginning of the file.
Missing Function Docstrings	8, 18, 24, 27, 31, 35, 38, 42	Functions lack descriptions of their purpose.	Add docstrings to all functions.
Dangerous Default Value	8	An empty list [] is used as a default argument.	Use None as the default and initialize the list inside the function.
String Formatting	15	Regular string formatting could be improved.	Use the appropriate string formatting method, such as an f-string.
Bare Exception	21	A bare except catches all exception types.	Catch specific exceptions, such as ValueError or FileNotFoundError.
Naming Convention	27	addMembers does not follow Python naming conventions.	Rename the function to add_members.
File Encoding	32	The open() function does not explicitly specify an encoding.	Specify encoding="utf-8" when opening the file.
Resource Management	32	The file is opened without a context manager.	Use with open(...) as file: to close the file automatically.
Dictionary Iteration	39	Dictionary iteration may be unnecessarily complex.	Use .items() to access keys and values together.
Blank Line Formatting	8, 18, 24, 27, 31, 35, 38, 42, 58	The code does not follow PEP 8 blank-line spacing rules.	Add the required blank lines between functions and after top-level definitions.