





ITEM	DESCRIPTION	QTY	MATERIAL	REMARK
1.	Bearing Bar	47	SS304 FB	
2.	Cross Bar	48	SS304 FB	
3.	Side Frame	2	SS304 FB	
4.	End Frame	2	SS304 FB	
5.	Weld Filler	AC	ER308L	

GENERAL INSTRUCTIONS

1. ALL DIMENSION ARE IN MM UNLESS SPECIFIED OTHERWISE.
2. ALL BUTT WELD SHALL BE 100% DP TESTED.
3. FLANGE FACING FINISH SHALL BE 125-250 AARH.
4. INSIDE SURFACE & WELDED SURFACE OF THE VENTURI WILL BE SMOOTHLY CLEAN BY VENDOR.
5. DEGREE 37°30' SHALL BE PROVIDED FOR FULL PENETRATION WELD JOINTS.
6. SURFACE FINISH: INSIDE AND OUTSIDE – ACID CLEANED.
7. TRANSPORT: BLANK THE FLANGE OPENING WITH WOODEN SHEET / METAL SHEET.
8. TOLERANCE AS PER STANDARD UNLESS OTHERWISE SPECIFIED.
9. DO NOT SCALE THE DRAWING.
10. REMOVE ALL SHARP CORNERS.
11. MATERIAL DESCRIPTION SIZE PER ASTM/ASME AS APPLICABLE.

REFERENCE STANDARDS

- ASME Section VIII Div. 1 - Rules for fabrication of pressure vessels
- ASME B31.3 - Process Piping Code
- ASME Section IX - Welding Procedure & Welder Qualification
- ASME Section II Part A - Ferrous Material Specifications
- ASTM A240 - Stainless Steel Plate, Sheet & Strip
- ASTM A312 - Stainless Steel Seamless/Welded Pipe
- ASTM A182 - Forged Stainless Steel Flanges
- ASME B16.5 - Pipe Flanges and Flanged Fittings
- ASME B16.25 - Butt-Welding Ends
- ASME B46.1 - Surface Texture Requirements

UNNIC LNG SOLUTIONS

Cryogenic Engineering |
LNG Consultancy |
Maritime & Energy Solutions

Office No. 150, 1st Floor,
A Wing, Balaji Bhavan,
Plot No. 42A, Sector 11,
CBD Belapur, Navi Mumbai –
400614

M : +91 75066 77660
E : info@unniclcs.com
W : www.unnicgroup.com

REV.	DESC.	BY	DATE
0	FINAL DRAFT	SS	

DRAWN BY	SS	
CHECKED BY	MC	
APPROVED BY	MC	

TOLERANCES
(Unless Specified)

X	±1.0 mm
X.X	±0.5 mm
X.XX	±0.2 mm
ANGULAR	±1°

FABRICATION:
ASME STANDARD

TITLE: GRATING PLATFORM

DRAWING NO: LNG-BS-GP-007 **REV.**0

SHEET	SCALE	UNITS	FORMAT
1 OF 1	1:1	mm	A3