NAME : ch.sathvika
ENROLL NO : 2403A53026
BATCH NO: 24BTCAICYB01

**Assignment Number: 2.1**(Present assignment number)/24(Total number of assignments)

Q.No.	Question	Expected
		Time
		to
		complete
1	<ul> <li>Lab 2: Exploring Additional AI Coding Tools – Gemini (Colab) and Cursor AI</li> <li>Lab Objectives: <ul> <li>To explore and evaluate the functionality of Google Gemini for AI-assisted coding within Google Colab.</li> <li>To understand and use Cursor AI for code generation, explanation, and refactoring.</li> <li>To compare outputs and usability between Gemini, GitHub Copilot, and Cursor AI.</li> <li>To perform code optimization and documentation using AI tools.</li> </ul> </li> <li>Lab Outcomes (LOs): <ul> <li>Generate Python code using Google Gemini in Google Colab.</li> <li>Analyze the effectiveness of code explanations and suggestions by Gemini.</li> <li>Set up and use Cursor AI for AI-powered coding assistance.</li> <li>Evaluate and refactor code using Cursor AI features.</li> <li>Compare AI tool behavior and code quality across different platforms.</li> </ul> </li> </ul>	Week1 - Monday
	Task Description #1	
	Use Google Gemini in Colab to write a Python function that reads     list of numbers and coloulates the many principles and	
	a list of numbers and calculates the mean, minimum, and	
	maximum values.	
	Expected Output #1	
	<ul> <li>Functional code with correct output and screenshot.</li> </ul>	

```
def calculate stats(numbers):
 if not numbers:
   return None, None, None
 mean = sum(numbers) / len(numbers)
 minimum = min(numbers)
 maximum = max(numbers)
 return mean, minimum, maximum
my_list = [10, 20, 30, 40, 50]
mean value, min value, max value = calculate stats(my list)
print(f"List: {my_list}")
print(f"Mean: {mean_value}")
print(f"Minimum: {min_value}")
print(f"Maximum: {max_value}")
empty list = []
mean_empty, min_empty, max_empty = calculate_stats(empty_list)
print(f"\nList: {empty_list}")
print(f"Mean: {mean_empty}")
print(f"Minimum: {min_empty}")
print(f"Maximum: {max_empty}")
List: [10, 20, 30, 40, 50]
Mean: 30.0
Minimum: 10
Maximum: 50
List: []
Mean: None
Minimum: None
Maximum: None
```

## Task Description #2

• Compare Gemini and Copilot outputs for a Python function that checks whether a number is an Armstrong number. Document the steps, prompts, and outputs.

## Expected Output #2

• Side-by-side comparison table with observations and screenshots.

```
def is_armstrong_number(number):
  num_str = str(number)
   num_digits = len(num_str)
  sum_of_powers = 0
  for digit in num_str:
    sum_of_powers += int(digit) ** num_digits
  return sum_of_powers == number
 num1 = 153
 num2 = 9474
 num3 = 123
 print(f"{num1} is an Armstrong number: {is_armstrong_number(num1)}")
 print(f"{num2} is an Armstrong number: {is_armstrong_number(num2)}")
print(f"{num3} is an Armstrong number: {is_armstrong_number(num3)}")

    153 is an Armstrong number: True
```

9474 is an Armstrong number: True 123 is an Armstrong number: False

#### Task Description #3

- Ask Gemini to explain a Python function (e.g., is\_prime(n) or is\_palindrome(s)) line by line.
- Choose either a prime-checking or palindrome-checking function and document the explanation provided by Gemini.

## Expected Output #3

Detailed explanation with the code snippet and Gemini's response.

```
def is_prime(n):
  if n <= 1:
    return False
  for i in range(2, int(n**0.5) + 1):
    if n % i == 0:
      return False
  return True
print(f"7 is prime: {is prime(7)}")
print(f"10 is prime: {is_prime(10)}")
print(f"1 is prime: {is_prime(1)}")
7 is prime: True
10 is prime: False
1 is prime: False
```

## Task Description #4

Install and configure Cursor AI. Use it to generate a Python function (e.g., sum of the first N natural numbers) and test its output.

• Optionally, compare Cursor AI's generated code with Gemini's output.

#### Expected Output #4

• Screenshots of Cursor AI setup, prompts used, and generated code with output.

```
def sum_first_n(n: int) -> int:
    """
    Return the sum of the first n natural numbers (1 + 2 + ... + n)
    Raises ValueError if n is negative.
    """
    if n < 0:
        raise ValueError("n must be non-negative")
    return n * (n + 1) // 2

# Example
if __name__ == "__main__":
    print(sum_first_n(10)) # 55</pre>
```

### Task Description #5

- Students need to write a Python program to calculate the sum of odd numbers and even numbers in a given tuple.
- Refactor the code to improve logic and readability.

## Expected Output #5

• Student-written refactored code with explanations and output screenshots.

```
def sum odd even(numbers):
 odd sum = 0
  even sum = 0
  for number in numbers:
   if number % 2 == 0:
      even_sum += number
    else:
      odd_sum += number
 return odd_sum, even_sum
my_tuple = (1, 2, 3, 4, 5, 6, 7, 8, 9, 10)
odd_sum, even_sum = sum_odd_even(my_tuple)
print(f"Tuple: {my_tuple}")
print(f"Sum of odd numbers: {odd_sum}")
print(f"Sum of even numbers: {even_sum}")
empty_tuple = ()
odd_sum_empty, even_sum_empty = sum_odd_even(empty_tuple)
print(f"\nTuple: {empty_tuple}")
print(f"Sum of odd numbers: {odd_sum_empty}")
print(f"Sum of even numbers: {even_sum_empty}")
```

•

```
Tuple: (1, 2, 3, 4, 5, 6, 7, 8, 9, 10)
Sum of odd numbers: 25
Sum of even numbers: 30

Tuple: ()
Sum of odd numbers: 0
Sum of even numbers: 0
```

## **Note:**

- Students must submit a single Word document including:
  - o Prompts used for AI tools
  - o Copilot/Gemini/Cursor outputs
  - o Code explanations
  - o Screenshots of outputs and environments

# **Evaluation Criteria:**

Criteria	Max Marks
Successful Use of Gemini in Colab (Task#1 & #2)	1.0
Code Explanation Accuracy (Gemini) (Task#3)	0.5
Cursor AI Setup and Usage (Task#4)	0.5
Refactoring and Improvement Analysis (Task#5)	0.5
Total	2.5 Marks