```
1 # Replace the average pooling with max-pooling.
2 # Replace the softmax layer with ReLU.
```

```
1   import torch
2   !pip install d2l==1.0.0a0
```

```
Requirement already satisfied: kiwisolver>=1.0.1 in /usr/local/lib/python3.8/dist-packages (from matplotlib->d2l==1.0.0a0) (1.4.4)
Requirement already satisfied: python-dateutil>=2.1 in /usr/local/lib/python3.8/dist-packages (from matplotlib->d2l==1.0.0a0) (2.8.
Requirement already satisfied: pytz>=2017.3 in /usr/local/lib/python3.8/dist-packages (from pandas->d2l==1.0.0a0) (2022.7.1)
Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.8/dist-packages (from requests->d2l==1.0.0a0) (2022.12.
Requirement already satisfied: idna<3,>=2.5 in /usr/local/lib/python3.8/dist-packages (from requests->d2l==1.0.0a0) (2.10)
Requirement already satisfied: chardet<5,>=3.0.2 in /usr/local/lib/python3.8/dist-packages (from requests->d2l==1.0.0a0) (4.0.0)
Requirement already satisfied: urllib3<1.27,>=1.21.1 in /usr/local/lib/python3.8/dist-packages (from requests->d2l==1.0.0a0) (1.24.
Requirement already satisfied: zipp>=0.5 in /usr/local/lib/python3.8/dist-packages (from importlib-metadata>=4.8.0->gym->d2l==1.0.0
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.8/dist-packages (from python-dateutil>=2.1->matplotlib->d2l==1.0.
Requirement already satisfied: ipython>=5.0.0 in /usr/local/lib/python3.8/dist-packages (from ipykernel->jupyter->d2l==1.0.0a0) (7.
Requirement already satisfied: jupyter-client in /usr/local/lib/python3.8/dist-packages (from ipykernel->jupyter->d2l==1.0.0a0) (6.
Requirement already satisfied: tornado>=4.2 in /usr/local/lib/python3.8/dist-packages (from ipykernel->jupyter->d2l==1.0.0a0) (6.
Requirement already satisfied: traitlets>=4.1.0 in /usr/local/lib/python3.8/dist-packages (from ipykernel->jupyter->d2l==1.0.0a0) (
Requirement already satisfied: jupyterlab-widgets>=1.0.0 in /usr/local/lib/python3.8/dist-packages (from ipywidgets->jupyter->d2l==
Requirement already satisfied: ipython-genutils~=0.2.0 in /usr/local/lib/python3.8/dist-packages (from ipywidgets->jupyter->d2l==1.
Requirement already satisfied: widgetsnbextension~=3.6.0 in /usr/local/lib/python3.8/dist-packages (from ipywidgets->jupyter->d2l==
Requirement already satisfied: prompt-toolkit!=3.0.0,!=3.0.1,<3.1.0,>=2.0.0 in /usr/local/lib/python3.8/dist-packages (from jupyter
Requirement already satisfied: pygments in /usr/local/lib/python3.8/dist-packages (from jupyter-console->d2l==1.0.0a0) (2.
Requirement already satisfied: jupyter-core in /usr/local/lib/python3.8/dist-packages (from nbconvert->jupyter->d2l==1.0.0a0) (5.2.
Requirement already satisfied: pandocfilters>=1.4.1 in /usr/local/lib/python3.8/dist-packages (from nbconvert->jupyter->d2l==1.0.0a
Requirement already satisfied: nbformat>=4.4 in /usr/local/lib/python3.8/dist-packages (from nbconvert->jupyter->d2l==1.0.0a0) (5.7
Requirement already satisfied: mistune<2,>=0.8.1 in /usr/local/lib/python3.8/dist-packages (from nbconvert->jupyter->d2l==1.0.0a0)
Requirement already satisfied: defusedxml in /usr/local/lib/python3.8/dist-packages (from nbconvert->jupyter->d2l==1.0.0a0) (0.7.1)
Requirement already satisfied: testpath in /usr/local/lib/python3.8/dist-packages (from nbconvert->jupyter->d2l==1.0.0a0) (0.6.0)
Requirement already satisfied: entrypoints>=0.2.2 in /usr/local/lib/python3.8/dist-packages (from nbconvert->jupyter->d2l==1.0.0a0)
Requirement already satisfied: jinja2>=2.4 in /usr/local/lib/python3.8/dist-packages (from nbconvert->jupyter->d2l==1.0.0a0) (2.11.
Requirement already satisfied: bleach in /usr/local/lib/python3.8/dist-packages (from nbconvert->jupyter->d2l==1.0.0a0) (6.0.0)
Requirement already satisfied: terminado>=0.8.1 in /usr/local/lib/python3.8/dist-packages (from notebook->jupyter->d2l==1.0.0a0) (0
Requirement already satisfied: prometheus-client in /usr/local/lib/python3.8/dist-packages (from notebook->jupyter->d2l==1.0.0a0) (
Requirement already satisfied: Send2Trash in /usr/local/lib/python3.8/dist-packages (from notebook->jupyter->d2l==1.0.0a0) (1.8.0)
Requirement already satisfied: pyzmq>=17 in /usr/local/lib/python3.8/dist-packages (from notebook->jupyter->d2l==1.0.0a0) (23.2.1)
Collecting qtpy>=2.0.1
  Downloading QtPy-2.3.0-py3-none-any.whl (83 kB)
     ──────────────────────────────────────── 83.6/83.6 KB 5.8 MB/s eta 0:00:00
Requirement already satisfied: pexpect in /usr/local/lib/python3.8/dist-packages (from ipython>=5.0.0->ipykernel->jupyter->d2l==1.0
Requirement already satisfied: decorator in /usr/local/lib/python3.8/dist-packages (from ipython>=5.0.0->ipykernel->jupyter->d2l==1
Collecting jedi>=0.10
  Downloading jedi-0.18.2-py2.py3-none-any.whl (1.6 MB)
     ──────────────────────────────────────── 1.6/1.6 MB 30.0 MB/s eta 0:00:00
Requirement already satisfied: pickleshare in /usr/local/lib/python3.8/dist-packages (from ipython>=5.0.0->ipykernel->jupyter->d2l=
Requirement already satisfied: setuptools>=18.5 in /usr/local/lib/python3.8/dist-packages (from ipython>=5.0.0->ipykernel->jupyter-
Requirement already satisfied: backcall in /usr/local/lib/python3.8/dist-packages (from ipython>=5.0.0->ipykernel->jupyter->d2l==1.
Requirement already satisfied: MarkupSafe>=0.23 in /usr/local/lib/python3.8/dist-packages (from jinja2>=2.4->nbconvert->jupyter->d2
Requirement already satisfied: platformdirs>=2.5 in /usr/local/lib/python3.8/dist-packages (from jupyter-core->nbconvert->jupyter->
Requirement already satisfied: jsonschema>=2.6 in /usr/local/lib/python3.8/dist-packages (from nbformat>=4.4->nbconvert->jupyter->d
Requirement already satisfied: fastjsonschema in /usr/local/lib/python3.8/dist-packages (from nbformat>=4.4->nbconvert->jupyter->d2
Requirement already satisfied: wcwidth in /usr/local/lib/python3.8/dist-packages (from prompt-toolkit!=3.0.0,!=3.0.1,<3.1.0,>=2.0.0
Requirement already satisfied: packaging in /usr/local/lib/python3.8/dist-packages (from qtpy>=2.0.1->qtconsole->jupyter->d2l==1.0.
Requirement already satisfied: ptyprocess in /usr/local/lib/python3.8/dist-packages (from terminado>=0.8.1->notebook->jupyter->d2l=
Requirement already satisfied: webencodings in /usr/local/lib/python3.8/dist-packages (from bleach->nbconvert->jupyter->d2l==1.0.0a
Requirement already satisfied: parso<0.9.0,>=0.8.0 in /usr/local/lib/python3.8/dist-packages (from jedi>=0.10->ipython>=5.0.0->ipyk
Requirement already satisfied: attrs>=17.4.0 in /usr/local/lib/python3.8/dist-packages (from jsonschema>=2.6->nbformat>=4.4->nbconv
Requirement already satisfied: pyrsistent!=0.17.0,!=0.17.1,!=0.17.2,>=0.14.0 in /usr/local/lib/python3.8/dist-packages (from jsonsc
Requirement already satisfied: importlib-resources>=1.4.0 in /usr/local/lib/python3.8/dist-packages (from jsonschema>=2.6->nbformat
Installing collected packages: qtpy, jedi, qtconsole, jupyter, d2l
Successfully installed d2l-1.0.0a0 jedi-0.18.2 jupyter-1.0.0 qtconsole-5.4.0 qtpy-2.3.0
```

```
1 !pip install matplotlib
2 %matplotlib inline
3 !pip install matplotlib-inline
4 import sys
5 !{sys.executable} -m pip install matplotlib
```

```
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab-wheels/public/simple/
Requirement already satisfied: matplotlib in /usr/local/lib/python3.8/dist-packages (3.2.2)
Requirement already satisfied: kiwisolver>=1.0.1 in /usr/local/lib/python3.8/dist-packages (from matplotlib) (1.4.4)
Requirement already satisfied: pyparsing!=2.0.4,!=2.1.2,!=2.1.6,>=2.0.1 in /usr/local/lib/python3.8/dist-packages (from matplotlib) (3.0
Requirement already satisfied: python-dateutil>=2.1 in /usr/local/lib/python3.8/dist-packages (from matplotlib) (2.8.2)
Requirement already satisfied: numpy>=1.11 in /usr/local/lib/python3.8/dist-packages (from matplotlib) (1.21.6)
Requirement already satisfied: cycler>=0.10 in /usr/local/lib/python3.8/dist-packages (from matplotlib) (0.11.0)
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.8/dist-packages (from python-dateutil>=2.1->matplotlib) (1.15.0)
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab-wheels/public/simple/
```

```
Collecting matplotlib-inline
  Downloading matplotlib_inline-0.1.6-py3-none-any.whl (9.4 kB)
Requirement already satisfied: traitlets in /usr/local/lib/python3.8/dist-packages (from matplotlib-inline) (5.7.1)
Installing collected packages: matplotlib-inline
Successfully installed matplotlib-inline-0.1.6
Looking in indexes: https://pypi.org/simple, https://us-python.pkg.dev/colab-wheels/public/simple/
Requirement already satisfied: matplotlib in /usr/local/lib/python3.8/dist-packages (3.2.2)
Requirement already satisfied: kiwisolver>=1.0.1 in /usr/local/lib/python3.8/dist-packages (from matplotlib) (1.4.4)
Requirement already satisfied: numpy>=1.11 in /usr/local/lib/python3.8/dist-packages (from matplotlib) (1.21.6)
Requirement already satisfied: cycler>=0.10 in /usr/local/lib/python3.8/dist-packages (from matplotlib) (0.11.0)
Requirement already satisfied: python-dateutil>=2.1 in /usr/local/lib/python3.8/dist-packages (from matplotlib) (2.8.2)
Requirement already satisfied: pyparsing!=2.0.4,!=2.1.2,!=2.1.6,>=2.0.1 in /usr/local/lib/python3.8/dist-packages (from matplotlib) (3.6
Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.8/dist-packages (from python-dateutil>=2.1->matplotlib) (1.15.0)
```

```python
1   import time
2   import numpy as np
3   import torch
4   import torchvision
5   from torchvision import transforms
6   from torch import nn
7   from d2l import torch as d2l
8   from torch.optim import lr_scheduler
```

```python
1   def LeNet(num_classes=10):
2       net = nn.Sequential(nn.LazyConv2d(6, kernel_size=5, padding=2),
3               nn.ReLU(),
4               nn.MaxPool2d(kernel_size=2, stride=2),
5               nn.LazyConv2d(16, kernel_size=5),
6               nn.ReLU(),
7               nn.MaxPool2d(kernel_size=2, stride=2),
8               nn.Flatten(),
9               nn.Linear(400, 120),
10              nn.ReLU(),
11              nn.Linear(120, 84),
12              nn.ReLU(),
13              nn.Linear(84, num_classes))
14      return net
```

```python
1   def train(model, train_loader, test_loader, num_epochs, loss_fn, trainer):
2
3       animator = d2l.Animator(xlabel='epoch', xlim=[0, num_epochs], legend=['train loss', 'train accuracy', 'test accuracy'])
4       for epoch in range(num_epochs):
5           metric = d2l.Accumulator(3)
6           for i, (X, y) in enumerate(train_loader):
7               net.train()
8               trainer.zero_grad()
9               y_hat = net(X)
10              l = loss_fn(y_hat, y)
11              l.backward()
12              trainer.step()
13              with torch.no_grad():
14                  metric.add(l * X.shape[0], d2l.accuracy(y_hat, y), X.shape[0])
15              train_loss = metric[0] / metric[2]
16              train_acc = metric[1] / metric[2]
17              if (i + 1) % 50 == 0:
18                  animator.add(epoch + i / len(train_loader),
19                          (train_loss, train_acc, None))
20
21          test_acc = d2l.evaluate_accuracy_gpu(model, test_loader)
22          animator.add(epoch+1, (None, None, test_acc))
23
24      print(f'train loss {train_loss:.3f}, train accuracy {train_acc:.3f}, 'f'test accuracy {test_acc:.3f}')
```

```python
1 loss = nn.CrossEntropyLoss()
2 batch_size = 256
3 num_epochs = 10
4 lr=0.01
```

```python
1 train_loader, test_loader = d2l.load_data_fashion_mnist(batch_size=batch_size)
2 net= LeNet(num_classes=10)
3 trainer = torch.optim.Adam(net.parameters(), lr=lr)
```

```
Downloading http://fashion-mnist.s3-website.eu-central-1.amazonaws.com/train-images-idx3
Downloading http://fashion-mnist.s3-website.eu-central-1.amazonaws.com/train-images-idx3
100%                                    26421880/26421880 [00:01<00:00, 24440283.63it/s]
Extracting ../data/FashionMNIST/raw/train-images-idx3-ubyte.gz to ../data/FashionMNIST/r

Downloading http://fashion-mnist.s3-website.eu-central-1.amazonaws.com/train-labels-idx1
Downloading http://fashion-mnist.s3-website.eu-central-1.amazonaws.com/train-labels-idx1
100%                                    29515/29515 [00:00<00:00, 254897.68it/s]
Extracting ../data/FashionMNIST/raw/train-labels-idx1-ubyte.gz to ../data/FashionMNIST/r

Downloading http://fashion-mnist.s3-website.eu-central-1.amazonaws.com/t10k-images-idx3-
Downloading http://fashion-mnist.s3-website.eu-central-1.amazonaws.com/t10k-images-idx3-
100%                                    4422102/4422102 [00:00<00:00, 8564095.23it/s]
Extracting ../data/FashionMNIST/raw/t10k-images-idx3-ubyte.gz to ../data/FashionMNIST/ra

Downloading http://fashion-mnist.s3-website.eu-central-1.amazonaws.com/t10k-labels-idx1-
Downloading http://fashion-mnist.s3-website.eu-central-1.amazonaws.com/t10k-labels-idx1-
100%                                    5148/5148 [00:00<00:00, 103888.94it/s]
Extracting ../data/FashionMNIST/raw/t10k-labels-idx1-ubyte.gz to ../data/FashionMNIST/ra

/usr/local/lib/python3.8/dist-packages/torch/utils/data/dataloader.py:554: UserWarning:
  warnings.warn(_create_warning_msg(
/usr/local/lib/python3.8/dist-packages/torch/nn/modules/lazy.py:180: UserWarning: Lazy m
  warnings.warn('Lazy modules are a new feature under heavy development '
```

```
1   train(net, train_loader, test_loader, num_epochs, loss, trainer)
```

train loss 0.230, train accuracy 0.915, test accuracy 0.889