Samee & Sandu

Google Sheets Real-Time Order Sync — Setup & Verification Guide

Version: 1.0 (Production)
System: Node.js Backend & Google Apps Script

This document provides the complete guide to connecting all incoming customer orders (WhatsApp, Email, Bank Transfer) directly into your Google Sheet in real-time.

✨ **Fully Automated & Non-Blocking:** Every order placed on your store is captured instantly in Google Sheets without delaying the customer's checkout process or database storage.

1. 5-Minute Quick Setup Guide

1 Create a New Google Sheet

Go to **sheets.new** in your browser and name the spreadsheet (e.g. `Samee & Sandu - Store Orders`).

2 Open Google Apps Script

In the top menu bar of your Google Sheet, click **Extensions** > **Apps Script**. Delete any default code in the editor.

3 Paste the Webhook Script

Copy and paste the Google Apps Script code provided in **Section 2** of this document into the editor, then press `Ctrl + S` to save.

4 Deploy as a Web App (Critical Permission Setting)

At the top right, click **Deploy** > **New deployment**.
• Click the gear icon (⚙️) next to *Select type* and pick: **Web app**
• Description: `Order Webhook`
• Execute as: **Me**
• Who has access: **Anyone** *(Must be "Anyone" so your website backend can push orders)*
Click **Deploy**, authorize access with your Google account, and copy the generated **Web app URL**.

5 Add Webhook URL to Backend .env

Open `Korean-Ecommerce-Backend/.env` and paste your Web App URL:

```
GOOGLE_SHEET_WEBHOOK_URL="https://script.google.com/macros/s/AKfycb.../exec"
```

⚠️ **Crucial Troubleshooting Note (Error 403 Forbidden):**
If running a test returns *Request failed with status code 403*, your deployment permission was left on "*Only myself*". To fix it in 20 seconds: In Google Apps Script, click **Deploy** > **Manage deployments** > click the **pencil (Edit 🖍️)** icon > change **Who has access** to **Anyone** > click Deploy!

2. Google Apps Script Webhook Code

Copy and paste this script into **Extensions > Apps Script**:

```
function doPost(e) {
  try {
    var sheet = SpreadsheetApp.getActiveSpreadsheet().getActiveSheet();
    var data = JSON.parse(e.postData.contents);

    // Auto-create header row if sheet is brand new / empty
    if (sheet.getLastRow() === 0) {
      sheet.appendRow([
        "Date & Time",
        "Order ID",
        "Customer Name",
        "Phone Number",
        "Secondary Phone",
        "Email",
        "Country",
        "City",
        "Postal Code",
        "Full Address",
        "Items Ordered",
        "Subtotal (LKR)",
        "Delivery Fee (LKR)",
        "Grand Total (LKR)",
        "Payment Method",
        "Order Status"
      ]);
      sheet.getRange(1, 1, 1, 16).setFontWeight("bold").setBackground("#f3f4f6");
      sheet.setFrozenRows(1);
    }

    // ─── ACTION: Status Update (Find row by Order ID and update Status column) ───
    if (data.action === "updateStatus") {
      var orderId = data.orderId;
      var newStatus = data.status;
      var lastRow = sheet.getLastRow();

      if (lastRow > 1 && orderId) {
        var orderIdValues = sheet.getRange(2, 2, lastRow - 1, 1).getValues(); // Column 2 = Order ID
        for (var i = 0; i < orderIdValues.length; i++) {
          if (String(orderIdValues[i][0]).trim() === String(orderId).trim()) {
            var rowIndex = i + 2;
            sheet.getRange(rowIndex, 16).setValue(newStatus); // Column 16 = Order Status
            return ContentService.createTextOutput(JSON.stringify({
              status: "success",
              action: "updated",
              orderId: orderId,
              newStatus: newStatus,
              row: rowIndex
            })).setMimeType(ContentService.MimeType.JSON);
          }
        }
      }
      return ContentService.createTextOutput(JSON.stringify({ status: "not_found", orderId: orderId }))
        .setMimeType(ContentService.MimeType.JSON);
    }

    // ─── ACTION: New Order (Append new row) ───
    sheet.appendRow([
      data.dateTime || new Date().toLocaleString(),
      data.orderId || "",
      data.customerName || "",
      data.phone || "",
      data.secondaryPhone || "N/A",
      data.email || "",
      data.country || "",
      data.city || "",
```

```
      data.postalCode || "N/A",
      data.address || "",
      data.items || "",
      data.subtotal || 0,
      data.deliveryFee || 0,
      data.grandTotal || 0,
      data.paymentMethod || "Bank Transfer",
      data.status || "Pending"
    ]);

    return ContentService.createTextOutput(JSON.stringify({ status: "success", action: "created" }))
      .setMimeType(ContentService.MimeType.JSON);
  } catch (err) {
    return ContentService.createTextOutput(JSON.stringify({ status: "error", message: err.toString() }))
      .setMimeType(ContentService.MimeType.JSON);
  }
}
```

3. How to Test & Verify Immediately

Method 1: Instant Terminal Verification Test (Recommended)

Open your command line in `Korean-Ecommerce-Backend` and run:

```
node scripts/test-google-sheet.js
```

The script sends a mock order (`TEST-XXXXXX`) using the URL in your `.env` file. When it succeeds, it prints `status: 'success'` and the new row immediately appears in your Google Sheet!

Method 2: Live Store Checkout Test

Place an order on your live website (via WhatsApp, Email, or Bank Transfer). Within 1 to 2 seconds, the customer's details and ordered items will automatically populate in your Google Sheet.

4. Google Sheet Columns Reference

The automated script creates and formats these 16 columns for every order:

Col	Header Name	Example Data	Description
A	Date & Time	`Oct 19, 2026, 11:35 AM`	Sri Lanka local timestamp
B	Order ID	`ORD-1729318590`	Unique website tracking ID
C	Customer Name	Kasun Perera	Full customer name
D	Phone Number	0771234567	Primary contact phone
E	Secondary Phone	0719876543 / N/A	Optional backup phone
F	Email	kasun@example.com	Customer email address
G	Country	Sri Lanka / Australia	Delivery destination
H	City	Colombo	City or town
I	Postal Code	00500 / N/A	Postal / ZIP code (for international)
J	Full Address	No 45, Galle Road, Apt 3B	Street, apartment, and house details
K	Items Ordered	Medicube Ampoule x1, Anua Toner x2	Clean summary of items and counts
L	Subtotal (LKR)	15,000	Product total before delivery
M	Delivery Fee (LKR)	400 (or 0 for Free)	Calculated delivery cost
N	Grand Total (LKR)	15,400	Final payable amount
O	Payment Method	Bank Transfer / Online	Customer selected payment
P	Order Status	pending	Initial order fulfillment status

5. How to View Logs & Execution History

Google Apps Script records every incoming order attempt in its execution dashboard:

- In your Google Sheet, click **Extensions** > **Apps Script**.
- On the left sidebar, click **Executions** ⏱ (clock with an arrow).
- You will see a list of every POST request received, its arrival timestamp, and execution status (**Completed** or **Failed**).

Samee & Sandu E-Commerce Platform • Engineering Documentation • All Rights Reserved