

Question 1:

Write a program that calculates and prints the value according to the given formula:

$Q = \text{Square root of } [(2 * C * D)/H]$

Following are the fixed values of C and H:

C is 50. H is 30.

D is the variable whose values should be input to your program in a comma-separated sequence.

Example

Let us assume the following comma separated input sequence is given to the program:

100,150,180

The output of the program should be:

18,22,24

Question 2:

Write a program which takes 2 digits, X,Y as input and generates a 2-dimensional array. The element value in the i-th row and j-th column of the array should be $i*j$.

Note: $i=0,1,.., X-1$; $j=0,1,..,Y-1$.

Example

Suppose the following inputs are given to the program:

3,5

Then, the output of the program should be:

[[0, 0, 0, 0, 0], [0, 1, 2, 3, 4], [0, 2, 4, 6, 8]]

Question 3:

Write a program that accepts a comma separated sequence of words as input and prints the words in a comma-separated sequence after sorting them alphabetically.

Suppose the following input is supplied to the program:

without,hello,bag,world

Then, the output should be:

bag,hello,without,world

Question 4:

Write a program that accepts a sequence of whitespace separated words as input and prints the words after removing all duplicate words and sorting them alphanumerically.

Suppose the following input is supplied to the program:

hello world and practice makes perfect and hello world again

Then, the output should be:

again and hello makes perfect practice world

Question 5:

Write a program that accepts a sentence and calculate the number of letters and digits.

Suppose the following input is supplied to the program:

hello world! 123

Then, the output should be:

LETTERS 10

DIGITS 3

Question 6:

A website requires the users to input username and password to register. Write a program to check the validity of password input by users.

Following are the criteria for checking the password:

1. At least 1 letter between [a-z]
2. At least 1 number between [0-9]
1. At least 1 letter between [A-Z]
3. At least 1 character from [\$#@]
4. Minimum length of transaction password: 6
5. Maximum length of transaction password: 12

Your program should accept a sequence of comma separated passwords and will check them according to the above criteria. Passwords that match the criteria are to be printed, each separated by a comma.

Example

If the following passwords are given as input to the program:

ABd1234@1,a F1#,2w3E*,2We3345

Then, the output of the program should be:

ABd1234@1