

■■ SECURITY INCIDENT REPORT

Your CompanyTest Corp | Generated: May 13, 2026 at 03:10 PM

Report ID: 19312d9a-b25 | File: ssh_heavy.log

Executive Summary

Total Log Entries	71	Risk Score	100/100 (CRITICAL)
Unique IP Addresses	7	Threats Detected	11
Failed Logins	56	Successful Logins	3
Log Format	auth.log	Time Range	May 13 01:00:01 - May 13 08:15:00

AI Analysis

Security Analysis Summary

Analyzed 71 log entries from 7 unique IP addresses.

■■ 11 security threats detected (Risk Score: 100/100)

- ■ 1 CRITICAL threats require immediate attention - ■ 5 HIGH severity threats found - 56 failed login attempts detected

Key Findings: - Brute Force from 185.220.101.10: Brute-force attack detected from 185.220.101.10. 24 failed login attempts targeting user(s): pi, root, ubuntu, admin. This is a clear attempt to guess - Brute Force from 91.108.4.50: Brute-force attack detected from 91.108.4.50. 12 failed login attempts targeting user(s): root. This is a clear attempt to guess passwords through aut - Brute Force from 171.25.193.20: Brute-force attack detected from 171.25.193.20. 6 failed login attempts targeting user(s): ftpadmin, webmaster, db_user, jenkins, oracle. This is a cl - Brute Force from 45.142.212.20: Brute-force attack detected from 45.142.212.20. 8 failed login attempts targeting user(s): root. This is a clear attempt to guess passwords through au - Brute Force from 103.15.28.100: Brute-force attack detected from 103.15.28.100. 6 failed login attempts targeting user(s): root. This is a clear attempt to guess passwords through au

> Note: AI-powered analysis requires Ollama to be running. Start Ollama with `ollama serve` and pull a model with `ollama pull llama3.2` for enhanced AI analysis.

Detected Threats

#	Type	Severity	Source IP	Count	Description
1	Brute Force	CRITICAL	185.220.101.10	24	Brute-force attack detected from 185.220.101.10. 24 failed login attempts targeting user(s): pi, root, ubuntu, admin.
2	Brute Force	HIGH	91.108.4.50	12	Brute-force attack detected from 91.108.4.50. 12 failed login attempts targeting user(s): root.
3	Brute Force	HIGH	171.25.193.20	6	Brute-force attack detected from 171.25.193.20. 6 failed login attempts targeting user(s): root.
4	Brute Force	HIGH	45.142.212.20	8	Brute-force attack detected from 45.142.212.20. 8 failed login attempts targeting user(s): root.
5	Brute Force	HIGH	103.15.28.100	6	Brute-force attack detected from 103.15.28.100. 6 failed login attempts targeting user(s): root.
6	User Enumeration	HIGH	171.25.193.20	6	User enumeration attack from 171.25.193.20. Attempted to login with 6 non-existent usernames.
7	Unusual Hour Access	MEDIUM	185.220.101.10	18	Suspicious login activity from 185.220.101.10 during unusual hours (0:00 - 5:00).
8	Unusual Hour Access	MEDIUM	91.108.4.50	12	Suspicious login activity from 91.108.4.50 during unusual hours (0:00 - 5:00).
9	Unusual Hour Access	MEDIUM	171.25.193.20	6	Suspicious login activity from 171.25.193.20 during unusual hours (0:00 - 5:00).
10	Unusual Hour Access	MEDIUM	45.142.212.20	8	Suspicious login activity from 45.142.212.20 during unusual hours (0:00 - 5:00).
11	Unusual Hour Access	MEDIUM	103.15.28.100	6	Suspicious login activity from 103.15.28.100 during unusual hours (0:00 - 5:00).

Detailed Findings

Finding #1: Brute Force [CRITICAL]

Brute-force attack detected from 185.220.101.10. 24 failed login attempts targeting user(s): pi, root, ubuntu, admin. This is a clear attempt to guess passwords through automated trial.

Recommended Actions:

- Block this IP immediately: `sudo ufw deny from 185.220.101.10`
- Check if any login was successful from this IP
- Change passwords for targeted accounts: pi, root, ubuntu
- Consider implementing fail2ban for automatic blocking
- Enable two-factor authentication (2FA) on SSH

Evidence (sample log entries):

```
May 13 01:00:01 prodserver sshd[20001]: Failed password for root from 185.220.101.10 port 41000 ssh2
May 13 01:00:03 prodserver sshd[20001]: Failed password for root from 185.220.101.10 port 41001 ssh2
May 13 01:00:05 prodserver sshd[20001]: Failed password for root from 185.220.101.10 port 41002 ssh2
```

Finding #2: Brute Force [HIGH]

Brute-force attack detected from 91.108.4.50. 12 failed login attempts targeting user(s): root. This is a clear attempt to guess passwords through automated trial.

Recommended Actions:

1. Block this IP immediately: `sudo ufw deny from 91.108.4.50`
2. Check if any login was successful from this IP
3. Change passwords for targeted accounts: root
4. Consider implementing fail2ban for automatic blocking
5. Enable two-factor authentication (2FA) on SSH

Evidence (sample log entries):

May 13 01:05:00 prodserver sshd[20010]: Failed password for root from 91.108.4.50 port 42000 ssh2

May 13 01:05:02 prodserver sshd[20010]: Failed password for root from 91.108.4.50 port 42001 ssh2

May 13 01:05:04 prodserver sshd[20010]: Failed password for root from 91.108.4.50 port 42002 ssh2

Finding #3: Brute Force [HIGH]

Brute-force attack detected from 171.25.193.20. 6 failed login attempts targeting user(s): ftpadmin, webmaster, db_user, jenkins, oracle. This is a clear attempt to guess passwords through automated trial.

Recommended Actions:

1. Block this IP immediately: `sudo ufw deny from 171.25.193.20`
2. Check if any login was successful from this IP
3. Change passwords for targeted accounts: ftpadmin, webmaster, db_user
4. Consider implementing fail2ban for automatic blocking
5. Enable two-factor authentication (2FA) on SSH

Evidence (sample log entries):

May 13 02:00:02 prodserver sshd[20020]: Failed password for invalid user ftpadmin from 171.25.193.20 port 43000 ssh2

May 13 02:00:06 prodserver sshd[20021]: Failed password for invalid user webmaster from 171.25.193.20 port 43003 ssh2

May 13 02:00:10 prodserver sshd[20022]: Failed password for invalid user db_user from 171.25.193.20 port 43006 ssh2

Finding #4: Brute Force [HIGH]

Brute-force attack detected from 45.142.212.20. 8 failed login attempts targeting user(s): root. This is a clear attempt to guess passwords through automated trial.

Recommended Actions:

1. Block this IP immediately: `sudo ufw deny from 45.142.212.20`
2. Check if any login was successful from this IP
3. Change passwords for targeted accounts: root
4. Consider implementing fail2ban for automatic blocking

5. Enable two-factor authentication (2FA) on SSH

Evidence (sample log entries):

May 13 03:00:00 prodserver sshd[20030]: Failed password for root from 45.142.212.20 port 44000 ssh2

May 13 03:00:02 prodserver sshd[20030]: Failed password for root from 45.142.212.20 port 44001 ssh2

May 13 03:00:04 prodserver sshd[20030]: Failed password for root from 45.142.212.20 port 44002 ssh2

Finding #5: Brute Force [HIGH]

Brute-force attack detected from 103.15.28.100. 6 failed login attempts targeting user(s): root. This is a clear attempt to guess passwords through automated trial.

Recommended Actions:

1. Block this IP immediately: `sudo ufw deny from 103.15.28.100`
2. Check if any login was successful from this IP
3. Change passwords for targeted accounts: root
4. Consider implementing fail2ban for automatic blocking
5. Enable two-factor authentication (2FA) on SSH

Evidence (sample log entries):

May 13 04:00:00 prodserver sshd[20040]: Failed password for root from 103.15.28.100 port 45000 ssh2

May 13 04:00:02 prodserver sshd[20040]: Failed password for root from 103.15.28.100 port 45001 ssh2

May 13 04:00:04 prodserver sshd[20040]: Failed password for root from 103.15.28.100 port 45002 ssh2

Finding #6: User Enumeration [HIGH]

User enumeration attack from 171.25.193.20. Attempted to login with 6 non-existent usernames: ftpadmin, webmaster, db_user, jenkins, oracle. The attacker is probing for valid accounts on your system.

Recommended Actions:

1. Block this IP: `sudo ufw deny from 171.25.193.20`
2. Disable password authentication, use SSH keys only
3. Hide username existence in SSH responses
4. Monitor for follow-up brute-force attacks

Evidence (sample log entries):

May 13 02:00:00 prodserver sshd[20020]: Invalid user ftpadmin from 171.25.193.20 port 43000 ssh2

May 13 02:00:04 prodserver sshd[20021]: Invalid user webmaster from 171.25.193.20 port 43003 ssh2

May 13 02:00:08 prodserver sshd[20022]: Invalid user db_user from 171.25.193.20 port 43006 ssh2

Finding #7: Unusual Hour Access [MEDIUM]

Suspicious login activity from 185.220.101.10 during unusual hours (0:00 - 5:00). 18 login attempts detected. This may indicate automated attacks or unauthorized access from a different timezone.

Recommended Actions:

1. Verify if this access is legitimate with your team
2. Consider restricting SSH access to business hours
3. Enable geographic access restrictions if applicable
4. Set up alerts for after-hours access attempts

Evidence (sample log entries):

```
May 13 01:00:01 prodserver sshd[20001]: Failed password for root from 185.220.101.10 port 41000 ssh2
```

```
May 13 01:00:03 prodserver sshd[20001]: Failed password for root from 185.220.101.10 port 41001 ssh2
```

```
May 13 01:00:05 prodserver sshd[20001]: Failed password for root from 185.220.101.10 port 41002 ssh2
```

Finding #8: Unusual Hour Access [MEDIUM]

Suspicious login activity from 91.108.4.50 during unusual hours (0:00 - 5:00). 12 login attempts detected. This may indicate automated attacks or unauthorized access from a different timezone.

Recommended Actions:

1. Verify if this access is legitimate with your team
2. Consider restricting SSH access to business hours
3. Enable geographic access restrictions if applicable
4. Set up alerts for after-hours access attempts

Evidence (sample log entries):

```
May 13 01:05:00 prodserver sshd[20010]: Failed password for root from 91.108.4.50 port 42000 ssh2
```

```
May 13 01:05:02 prodserver sshd[20010]: Failed password for root from 91.108.4.50 port 42001 ssh2
```

```
May 13 01:05:04 prodserver sshd[20010]: Failed password for root from 91.108.4.50 port 42002 ssh2
```

Finding #9: Unusual Hour Access [MEDIUM]

Suspicious login activity from 171.25.193.20 during unusual hours (0:00 - 5:00). 6 login attempts detected. This may indicate automated attacks or unauthorized access from a different timezone.

Recommended Actions:

1. Verify if this access is legitimate with your team
2. Consider restricting SSH access to business hours
3. Enable geographic access restrictions if applicable

4. Set up alerts for after-hours access attempts

Evidence (sample log entries):

```
May 13 02:00:02 prodserver sshd[20020]: Failed password for invalid user ftpadmin from 171.25.193.20 port 43000 ssh2
May 13 02:00:06 prodserver sshd[20021]: Failed password for invalid user webmaster from 171.25.193.20 port 43003 ssh2
May 13 02:00:10 prodserver sshd[20022]: Failed password for invalid user db_user from 171.25.193.20 port 43006 ssh2
```

Finding #10: Unusual Hour Access [MEDIUM]

Suspicious login activity from 45.142.212.20 during unusual hours (0:00 - 5:00). 8 login attempts detected. This may indicate automated attacks or unauthorized access from a different timezone.

Recommended Actions:

1. Verify if this access is legitimate with your team
2. Consider restricting SSH access to business hours
3. Enable geographic access restrictions if applicable
4. Set up alerts for after-hours access attempts

Evidence (sample log entries):

```
May 13 03:00:00 prodserver sshd[20030]: Failed password for root from 45.142.212.20 port 44000 ssh2
May 13 03:00:02 prodserver sshd[20030]: Failed password for root from 45.142.212.20 port 44001 ssh2
May 13 03:00:04 prodserver sshd[20030]: Failed password for root from 45.142.212.20 port 44002 ssh2
```

Finding #11: Unusual Hour Access [MEDIUM]

Suspicious login activity from 103.15.28.100 during unusual hours (0:00 - 5:00). 6 login attempts detected. This may indicate automated attacks or unauthorized access from a different timezone.

Recommended Actions:

1. Verify if this access is legitimate with your team
2. Consider restricting SSH access to business hours
3. Enable geographic access restrictions if applicable
4. Set up alerts for after-hours access attempts

Evidence (sample log entries):

```
May 13 04:00:00 prodserver sshd[20040]: Failed password for root from 103.15.28.100 port 45000 ssh2
May 13 04:00:02 prodserver sshd[20040]: Failed password for root from 103.15.28.100 port 45001 ssh2
May 13 04:00:04 prodserver sshd[20040]: Failed password for root from 103.15.28.100 port 45002 ssh2
```

Recommendations

- ■ URGENT: Install and configure fail2ban to automatically block brute-force attackers
- Enable SSH key-based authentication and disable password login
- Block malicious IPs immediately: 103.15.28.100, 185.220.101.10, 45.142.212.20, 171.25.193.20, 91.108.4.50
- Ensure all software and services are updated to the latest versions
- Set up regular log monitoring and automated security alerts
- Create regular backups and test your disaster recovery plan