

A Project Report On
HOSPITAL MANAGEMENT
SYSTEM

Submitted in partial fulfillment of the
BACHELOR OF COMPUTER
APPLICATION

By
SUBHODEEP ROY
AJU/190854

Under the esteemed guidance of
MS SWETA KUMARI BARNWAL



DEPARTMENT OF COMPUTER SCIENCE & INFORMATION
TECHNOLOGY

ARKA JAIN UNIVERSITY, JHARKHAND

JAMSHEDPUR

2019-2022

A PROJECT REPORT ON
HOSPITAL MANAGEMENT SYSTEM
BY

SUBHODEEPROY AJU/190854

UNDER THE ESTEEMED GUIDANCE OF

MS SWETA KUMARI BARNWAL



DEPARTMENT OF COMPUTER
SCIENCE & IT
ARKA JAIN UNIVERSITY ,
JHARKHAND JAMSHEDPUR
2019-2022

HOSPITAL MANAGEMENT SYSTEM

ARKA JAIN UNIVERSITY, JHARKHAND

JAMSHEDPUR

DEPARTMENT OF ENGINEERING & INFORMATION TECHNOLOGY



CERTIFICATE

This is to certify that the project entitled, "**Hospital Management System**", is bonafied work of **SUBHODEEP ROY** bearing **Enroll No:AJU/190854** submitted in partial fulfillment of the requirements for the award of degree of BACHELOR OF COMPUTER APPLICATION from ARKA JAIN University, JHARKHAND.

MS SWETA BARNWAL
Internal Guide

DR. ARVIND KR. PANDEY
Coordinator

Date: 21/5/22

External Examiner



ULTRAINFO TECHNOLOGIES
ENGINEERS

Ref. No: ITD-PI-0522-005

Date: 07-05-2022

PROJECT INTERNSHIP LETTER

TO WHOM IT MAY CONCERN

This is to certify that Mr. **Subhodeep Roy**, a student of ARKA JAIN University, Jharkhand, Jamshedpur has successfully completed his Project Internship/Training (Virtual) with our organization as a **Full Stack Web Developer** during the period of March 2022 to April 2022.

The topic of the project was:

“Hospital Management System”

The Frontend and backend used for project development was HTML, CSS, JavaScript, ASP.Net, SQL Server.

During this period of internship/training, he was found to be honest, creative & able to perform all his duties perfectly on the project.

We wish him all the best in all his future accomplishments.

For ULTRAINFO TECHNOLOGIES



(Authorized Signatory)

Address: Rourkela, Odisha, India

Website: itdeveloper.in

E-mail: info@itdeveloper.in

ABSTRACT

OBJECTIVE:

Hospitals currently use a manual system for the management and maintenance of critical information. The current system requires numerous paper forms, with data stores spread throughout the hospital management infrastructure. Often information (on forms) is incomplete, or does not follow management standards. Forms are often lost in transit between departments requiring a comprehensive auditing process to ensure that no vital information is lost. Multiple copies of the same information exist in the hospital and may lead to inconsistencies in data in various data stores. A significant part of the operation of any hospital involves the acquisition, management and timely retrieval of great volumes of information. This information typically involves; patient personal information and medical history, staff information, room and ward scheduling, staff scheduling, operating theater scheduling and various facilities waiting lists. All of this information must be managed in an efficient and cost wise fashion so that an institution's resources may be effectively utilized HMS will automate the management of the hospital making it more efficient and error free. It aims at standardizing data, consolidating data ensuring data integrity and reducing inconsistencies.

PROJECT OVERVIEW:

The Hospital Management System (HMS) is designed for Any Hospital to replace their existing manual, paper based system. The new system is to control the following information; patient information, room availability, staff and operating room schedules, and patient invoices. These services are to be provided in an efficient, cost effective manner, with the goal of reducing the time and resources currently required for such tasks. A significant part of the operation of any hospital involves the acquisition, management and timely retrieval of great volumes of information. This information typically involves; patient personal information and medical history, staff information, room and ward scheduling, staff scheduling, operating theater scheduling and various facilities waiting lists. All of this information must be managed in an efficient and cost wise fashion so that an institution's resources may be effectively utilized HMS will automate the management of the hospital making it more efficient and error free. It aims at standardizing data, consolidating data ensuring data integrity and reducing inconsistencies.

ACKNOWLEDGEMENTS

I would like to express my sincere gratitude to several individuals and organization for supporting me throughout the completion of my project.

First, I wish to express my sincere gratitude to my mentor **Ms. Sweta kumari barnwal** for her enthusiasm patience, insightful comments, helpful information, practical advices and unceasing ideas that have helped me tremendously at all times in my Project and writing of this thesis. Her immense knowledge, profound experience and professional expertise in Backend has enabled me to complete this project successfully. Without his/her support and guidance, this project would not have been possible.

I am also thankful to our respected H.O.D **Dr. Arvind Kumar Pandey** and all faculty members for loving inspiration and timely guidance. I also wish to express my sincere thanks to the Department of Computer science & Information technology of ARKA JAIN UNIVERSITY for accepting this project.

Thanks for all your encouragement!

DECLARATION

I hereby declare that the project entitled, "**HOSPITAL MANAGEMENT SYSTEM**" done at **Arka Jain University**, has not been in any case duplicated to submit to any other university for the award of any degree.

To the best of my knowledge other than me, no one has submitted to any other university.

The project is done in partial fulfillment of the requirements for the award of degree of **BACHELOR OF COMPUTER APPLICATION** to be submitted as final semester project as part of our curriculum.

Subhodeep Roy

Subhodeep Roy

Name and Signature of the student

TABLE OF CONTENT

Chapter 1: INTRODUCTION

- 1.1 Introduction
- 1.2 Objective
- 1.3 Purpose
- 1.4 Scope

Chapter 2: SURVEY OF TECHNOLOGIES

Chapter 3: REQUIREMENTS AND ANALYSIS

- 3.1 Problem Definition
- 3.2 Project planning and scheduling
- 3.3 Project Management Life Cycle
- 3.4 Project Plan
- 3.5 Schedule Representation
- 3.6 Hardware & Software Requirement .
- 3.7 Preliminary Investigation

Chapter 4: SYSTEM DESIGN

- 4.1 UML Diagram
- 4.2 Data Flow Diagram
- 4.3 E-R Diagram

Chapter 5: IMPLEMENTATION AND TESTING

- 5.1 System Implementation
- 5.2 Coding
- 5.3 System Testing
- 5.4 Test Case

Chapter 6: RESULTS AND DISCUSSION

- 6.1 Test Reports

Chapter 7: CONCLUSIONS

- 7.1 Conclusion
- 7.2 Future Scope
- 7.3 References

1.1 INTRODUCTION

The Hospital Management System (HMS) is designed for Any Hospital to replace their existing manual, paper based system. The new system is to control the following information; patient information, room availability, staff and operating room schedules, and patient invoices. These services are to be provided in an efficient, cost effective manner, with the goal of reducing the time and resources currently required for such tasks. A significant part of the operation of any hospital involves the acquisition, management and timely retrieval of great volumes of information. This information typically involves; patient personal information and medical history, staff information, room and ward scheduling, staff scheduling, operating theater scheduling and various facilities waiting lists. All of this information must be managed in an efficient and cost wise fashion so that an institution's resources may be effectively utilized HMS will automate the management of the hospital making it more efficient and error free. It aims at standardizing data, consolidating data ensuring data integrity and reducing inconsistencies.

1.2 OBJECTIVE:

Hospitals currently use a manual system for the management and maintenance of critical information. The current system requires numerous paper forms, with data stores spread throughout the hospital management infrastructure. Often information (on forms) is incomplete, or does not follow management standards. Forms are often lost in transit between departments requiring a comprehensive auditing process to ensure that no vital information is lost. Multiple copies of the same information exist in the hospital and may lead to inconsistencies in data in various data stores.

A significant part of the operation of any hospital involves the acquisition, management and timely retrieval of great volumes of information. This information typically involves; patient personal information and medical history, staff information, room and ward scheduling, staff scheduling, operating theatre scheduling and various facilities waiting lists. All of this information must be managed in an efficient and cost wise fashion so that an institution's resources may be effectively utilized HMS will automate the management of the hospital making it more efficient and error free. It aims at standardizing data, consolidating data ensuring data integrity and reducing inconsistencies.

Main objectives of a Hospital Management System are:

Design a system for better patient care.

Reduce hospital operating costs.

Provide MIS (Management Information System) report on demand to management for better decision making.

Better co-ordination among the different departments.

Provide top management a single point of control.

Hospital management System handles activities of major departments in a hospital like:

1. Front Office/OPD Management

2. Patient management (scheduling, registration and long-term care)

3. Patient care management and departmental modules (radiology, pharmacy and pathology labs)

4. Investigative Labs

HOSPITAL MANAGEMENT SYSTEM

5. Billing

6. Medical Stores

7. Financial Accounting (billing, insurance processing, materials management, accounts payable/receivable, payroll and general ledger)

8. Payroll

1.3 Purpose

The purpose is to describe all the requirements for the Hospital Management System. The following are some of the stake holders: • administrative staff • doctors • nurses • surgeons • developers.

The hospital management and its team members uses this document as the primary means to communicate confirmed requirements to the development team. The development team expects many face-to-face conversations that will undoubtedly be about requirements and ideas for requirements. However only the

requirements that appear in this document or a future revision, will be used to define the scope of the system.

1.4 Scope

The software product is the Hospital Management System. The system will be used to allocate beds to patients on a priority basis, and to assign doctors to patients in designated wards as need arises. Doctors will also use the system to keep track of the patients assigned to them. Nurses who are in direct contact with the patients will use the system to keep track of available beds, the patients in the different wards, and the types of medication required for each patient. Doctors must make rounds to pick up patients' treatment cards in order to know whether they have cases to treat or not. The intentions of the system are to reduce over-time pay and increase the number of patients that can be treated accurately. Requirements statements in this document are both functional and non-functional. Definitions,

Acronyms, and Abbreviations PHN Personal Health Number on health card Report an account of patients Database Collection of information in a structured form Front-desk staff Administrative staff that work at reception desk Logon ID. A user identification number to enter the system Password A word that enables one to gain admission into the system ID Patient Identification number GUI Graphical User Interface

SRS Software Requirements Specification General Description Product Perspective This Hospital Patient Management System is a self-contained system that manages activities of the hospital as bed assignment, operations scheduling, personnel management and administrative issues. Various stakeholders are involved in the hospital system. Product Functions The system functions can be described as follows: Registration: When a patient is admitted, the front-desk staff checks to see if the patient is already registered with the hospital. If he is, his/her Personal Health Number (PHN) is entered into the computer. Otherwise a new Personal Health Number is given to this patient. The patient's information such as date of birth, address and telephone number is also entered into computer system. Consultation: The patient goes to consultation-desk to explain his/her condition so that the consulting nurse can determine what kind of ward and bed should be assigned to him/her. There are two possible circumstances: a) If there is a bed then the patient will be sent to the bed to wait for the doctor to come. b) If there is no bed, the patient is put on a waiting list until a bed becomes available. Patient check out. If a patient checks out, the administrative staff shall delete his PHN from the system and the just evacuated bed is included in available-beds list.

Report Generation: The system generates reports on the following information: patients, bed availability and staff schedules after every six hours. It prints out all the information on who has used which bed, when and the doctor that is taking care of a given patient as well as expected medical expenses.

Chapter 2: Survey of Technologies

Software used to complete a project –

Visual Studio 2016 contains a variety of tools for developing business applications. SharePoint developers will find new designers for list and content types, new templates for site columns and Silverlight web pages, as well as new options for deploying Share Point sites. ALM features like performance profiling, unit testing, and IntelliTrace are now available for SharePoint development. Client-side development has been improved as well, with support for JavaScript debugging and IntelliSense. LIGHTSWITCH is a powerful tool available for building business applications for the Desktop and the Cloud. Starting in Visual Studio 2012, LIGHTSWITCH is available as part of the Visual Studio Professional, Premium and Ultimate installations.

LIGHTSWITCH includes a variety of improvements such as a new theme, the ability to access data from any OData source as well as create OData services, Active Directory integration, and new business types.

The AWS Toolkit for Visual Studio is an extension for Microsoft Visual Studio running on Microsoft Windows that makes it easier for developers to develop, debug, and deploy .NET applications using Amazon Web Services. With the AWS Toolkit for Visual Studio, you'll be able to get started faster and be more productive when building AWS applications.

The AWS Toolkit for Visual Studio is available via the Visual Studio Marketplace and supports Visual Studio 2017 and 2019. The AWS Toolkit for 2013 and 2015 is contained in the AWS SDK and Tools for .NET install package.

Frame work and language used in Front end and Back end

Asp.net –ASP.net is an open source webframework,created by microsoft for building modern web

apps and services with .NET ASP.NET is cross platofrom and run on windows,linux,macOS and Docker

The .NET platform

.NET is a developer platform made up of tools, programming languages, and libraries for building many different types of applications.

HOSPITAL MANAGEMENT SYSTEM

The base platform provides components that apply to all different types of apps. Additional frameworks, such as ASP.NET, extend .NET with components for building specific types of apps.

ASP.NET extends .NET

ASP.NET extends the .NET platform with tools and libraries specifically for building web apps.

These are some things that ASP.NET adds to the .NET platform:

CHAPTER 3: -REQUIREMENT AND ANALYSIS

3.1 PROBLEM DEFINITION:

This project is all about hospital and its management. This project is to manage the employees including doctors, patients, wards and Hospital services provided in a renowned Hospital. This program also provides immediate accessories needed while the hospital management. This also provides the landmark of hospital, where it is located. This complex project has the scope of adding new employee's doctors admitting outpatients, fixing appointments etc. This project also displays the services provided to outpatient.

INTERFACES:

1. Welcome interface Login interface
2. MDI main interface Application interface Doctor interface
3. Employees interface Ward interface
4. Outpatient interface Services interface

WELCOME INTERFACE:

In welcome interface, it includes just a progressing, intimates that the administrator is getting in the management program.

LOGIN INTERFACE:

In login interface, we provide authorization to the user getting in.

MDI MAIN INTERFACE:

The multiple document interface, provides base screen for all management program actions present in the management program. It contains menu bar which list the manipulation forms for management.

APPLICATION INTERFACE:

Application interface provides the basic accessories that is required for certain essential operations.

DOCTOR INTERFACE:

This interface provides us the facilities such as viewing doctor's details including his/her id, qualification and specialization, address etc. It also displays the list of doctors present in various departments. We can search a doctor by his id and then view his details. This interface also provides us the facility to add new doctors in.

EMPLOYEES INTERFACE:

This interface provides us the facilities such as viewing employee's details including his/her id, qualification, address etc. It also displays the list of employees present in various departments. We can search an employee by his id and then view his details. This interface also provides us the facility to add new employees in.

WARD INTERFACE:

This interface provides us the details about wards and the habited patients in those wards.

OUTPATIENT INTERFACE:

This interface provides us the information about the outpatients, what for they are in, appointments with doctor, bill details, time they are in etc.

SERVICES INTERFACE:

This interface provides us the information about the services present in that hospital, which time they are scheduled to be open, and the incharge administrator.

3.2 Project planning and scheduling

Project planning is part of project management, which relates to the use of schedules such as Gantt charts to plan and subsequently report progress within the project environment. Initially, the project scope is defined and the appropriate methods for completing the project are determined. Following this step, the durations for the various tasks necessary to complete the work are listed and grouped into a work breakdown structure. The logical dependencies between tasks are defined using an activity network diagram that enables identification of the critical path.

Methodology

We have used Iterative and Incremental Development model (IID) for our project development. This

development approach is also referred to as Iterative Waterfall Development approach. Iterative and Incremental Development is a software development process developed in response to the more traditional waterfall model. This model is designed to take care of such big project. The large and complicate project chiefly demand better development and testing procedure. The waterfall model is well known for its repeated testing process.




Fig. : Waterfall model

Some advantages of waterfall model:

- o Simple and easy to understand and use.
- o Easy to manage due to the rigidity of the model.
- o Phases are processed and completed one at a time
- o Works well for smaller projects where requirements are very well understood.

3.3 Project Management life cycle

The Project Management Life Cycle has four phases. Each project life cycle phase is described along with the tasks need to complete it

The four phases is

1. Initiation
2. Planning
3. Execution
4. Closure.




Fig. : Iterative and Incremental Life Cycle

3.3 Project Plan:

Once we examine that the project is feasible, I undertake project planning. The table below describes how we planned my project.

Table Project Plan

1	Task Name	Duration
2	Planning	10 days
3	Design	30days
4	Coding	25days
5	Delivery	8 days

3.4 Schedule Representation

Scheduling the project tasks is an important project planning activity. It involves deciding which tasks would be taken up when. In order to schedule the project activities, a software project manager needs to do the following things.

Gantt chart:

[illegible]

3.6 Components.Hardware & Software Requirement

Name of Component	Specification
Operating System	Windows 7,8,8.1,10, Linux
Language	PHP.NET
Database	SQL Server
Browser	Any of Mozilla, Opera, Chrome etc
Scripting language	JavaScript

Hardware Requirement:

Name of Component	Specification
Processor	Intel Core2duo 2.2ghz or more/AMD
RAM	512MB
Keyboard	122 keys
Require hard disk space	20 GB

Software Requirements:

-

- ☐ Operating System : Windows 10
- ☐ Programming language : .NET
- ☐ Web-Technology: PHP.NET.20
- ☐ Front-End: PHP.NET
- ☐ Back-End: Sql Server

3.7 Preliminary Investigation

System development, a process consisting of two major steps of system analysis and design, start when management or sometimes system development personnel feel that a new system or an improvement in the existing system is required. The system development life cycle is classically thought of as the set of activities that analysts, designers and users carry out to develop and implement an information system. The system development life cycle consists of the following activities:

- ❑ Preliminary investigation
- ❑ Determination of system requirements
- ❑ Design of system
- ❑ Development of software
- ❑ System testing
- ❑ Implementation, evaluation, and maintenance

A request to take assistance from information system can be made for many reasons, but in each case someone in the organisation initiates the request is made, the first system activity the preliminary investigation begins. This activity has three parts:

- 1) Request clarification
- 2) Feasibility study
- 3) Request approval

Request clarification: Many requests from employees and users in the Organizations are

not clearly defined, therefore it becomes necessary that project request must be examined and clarified properly before considering systems investigation.

FEASIBILITY STUDY:

Feasibility Study is a test of system proposal according to its work ability, impact of the organization, ability to meet needs and effective use of the resources.

Feasibility study focuses on a few major questions:

1. What are the user's demonstrable needs and how does a candidate system meet them?
2. What resources are available for given candidate system?
3. What are the likely impacts of the candidate system on the organization?
4. Whether it is worth to solve the problem?

STEPS IN FEASIBILITY STUDY

- Prepare system flowcharts.
- Enumerate potential proposed system.
- Define and identify characteristics of proposed system.
- Determine and evaluate performance and cost effective of each proposed system,
- Weight system performance and cost data.
- Select the best-proposed system.
- Prepare and report final project to management.
- TECHNICAL FEASIBILITY

This is a study of resource availability that may affect the ability to achieve an acceptable system. This evaluation determines whether the technology needed for the proposed system is available or not.

HOSPITAL MANAGEMENT SYSTEM

- Can the work for the project be done with current equipment existing software technology & available personal?
- Can the system be upgraded if developed?
- If new technology is needed then what can be developed?

This is concerned with specifying equipment and software that will successfully satisfy the user requirement. The technical needs of the system may include:

HOSPITAL MANAGEMENT SYSTEM

i. **Front-end selection:**

1. Scalability and extensibility.
2. Flexibility.
3. Robustness.
4. According to the organization requirement and the culture.
5. Must provide excellent reporting features with good printing support.
6. Platform independent.
7. Easy to debug and maintain.

ii. **Back-end Selection:**

1. Multiple user support.
2. Efficient data handling.
3. Provide inherent features for security.
4. Efficient data retrieval and maintenance.
5. Stored procedures.
6. Popularity.
7. Operating System compatible.
8. Easy to install.
9. Various drivers must be available.
10. Easy to implant with the Front-end.

The technical feasibility is frequently the most difficult area encountered at this stage. It is essential that the process of analysis and definition be conducted in parallel with an assessment to technical feasibility. It centers on the existing computer system (hardware, software etc.) and to what extent it can support the proposed system.

HOSPITAL MANAGEMENT SYSTEM

ECONOMICAL FEASIBILITY

Economic Feasibility is generally the “Bottom Line” consideration for most systems. Economic feasibility includes a broad range of concerns that includes cost benefit analysis. In this we weight the cost and the benefits associated with the proposed system and if it suits the basic purpose of the organization i.e. profit making, the project is making to the analysis and design phase.

The financial and the economic questions during the preliminary investigation are verified to estimate the following:

- The cost to conduct a full system investigation.
- The cost of hardware and software for the class of application being considered.
- The benefits in the form of reduced cost.

HOSPITAL MANAGEMENT SYSTEM

OPERATIONAL FEASIBILITY

It is mainly related to human organizations and political aspects. The points to be considered are:

- What changes will be brought with the system?
- What organization structures are disturbed?
- What new skills will be required?
- Do the existing staff members have these skills?
- If not, can they be trained in due course of time?

The system is operationally feasible as it very easy for the End users to operate it.

It only needs basic information about Windows platform

SCHEDULE FEASIBILITY

Time evaluation is the most important consideration in the development of project. The time schedule required for the developed of this project is very important since more development time effect machine time, cost and cause delay in the development of other systems.

A reliable Hospital Management System can be developed in the considerable amount of time.

SYSTEM LIFE CYCLE:

System life cycle is an organizational process of developing and maintaining systems. It helps in establishing a system project plan, because it gives overall list of processes and sub-processes required for developing a system.

System development life cycle means combination of various activities. In other words we can say that various activities put together are referred as system development life cycle. In the System Analysis and Design terminology, the system development life cycle means software development life cycle.

Following are the different phases of software development cycle:

- System study
- Feasibility study
- System analysis
- System design
- Coding
- Testing
- Implementation
- Maintenance

HOSPITAL MANAGEMENT SYSTEM

The different phase of software development life cycle is shown below




FIG : SHOWING GENERAL LIFE CYCLE PROCESS AND PERCENTAGE OF TIME

CHAPTER 4: - SYSTEM DESIGN

Design is the first step in the development phase for any techniques and principles for the purpose of defining a device, a process or system in sufficient detail to permit its physical realization.


Once the software requirements have been analysed and specified the software design involves three technical activities - design, coding, implementation and testing that are required to build and verify the software.

The design activities are of main importance in this phase, because in this activity, decisions ultimately affecting the success of the software implementation and its ease of maintenance are made. These decisions have the final bearing upon reliability and maintainability of the system. Design is the only way to accurately translate the customer's requirements into finished software or a system.

Design is the place where quality is fostered in development. Software design is a process through which requirements are translated into a representation of software. Software design is conducted in two steps. Preliminary design is concerned with the transformation of requirements into data.

4.1UML Diagrams:

A coherent set of roles that users of use cases play when interacting with the use `cases.



HOSPITAL MANAGEMENT SYSTEM

A description of sequence of actions, including variants, that a system performs yields an observable result of value of an actor.

UML stands for Unified Modelling Language. UML is a language for specifying, visualizing and documenting the system. This is the step while developing any product after analysis. The goal from this is to produce a model of the entities involved in the project which later need to be built. The representation of the entities that are to be used in the product being developed need to be designed.

There are various kinds of methods in software design: They are as follows:

- Use case Diagram
- Sequence Diagram
- Collaboration Diagram
- Activity Diagram
- State chat Diagram

COLLABORATION DIAGRAM:


A collaboration diagram is an introduction diagram that emphasizes the structural organization of the objects that send and receive messages. Graphically a collaboration diagram is a collection of vertices and arcs.

CLASS DIAGRAM:

Class is nothing but a structure that contains both variables and methods. The Class Diagram shows a set of classes, interfaces, and collaborations and their relationships. There is most common diagram in modelling the object oriented systems and are used to give the static view of a system. It shows the dependency between the classes that can be used in our system.

The interactions between the modules or classes of our projects are shown below. Each block contains Class Name, Variables and Methods.

Activity Diagram



4.3 DATAFLOW DIAGRAMS:

The DFD takes an input-process-output view of a system i.e. data objects flow into the software, are transformed by processing elements, and resultant data objects flow out of the software.

Data objects represented by labeled arrows and transformation are represented by circles also called as bubbles. DFD is presented in a hierarchical fashion i.e. the first data flow model represents the system as a whole. Subsequent DFD refine the context diagram (level 0 DFD), providing increasing details with each subsequent level.


The DFD enables the software engineer to develop models of the information domain & functional domain at the same time. As the DFD is refined into greater levels of details, the analyst perform an implicit functional decomposition of the system. At the same time, the DFD refinement results in a corresponding refinement of the data as it moves through the process that embody the applications.

A context-level DFD for the system the primary external entities produce information for use by the system and consume information generated by the system. The labelled arrow represents data objects or object hierarchy.

RULES FOR DFD:


- Fix the scope of the system by means of context diagrams.
- Organize the DFD so that the main sequence of the actions
- Reads left to right and top to bottom.
- Identify all inputs and outputs.
- Identify and label each process internal to the system with Rounded circles.
- A process is required for all the data transformation and Transfers. Therefore, never connect a data store to a data Source or the destinations or another data store with just a Data flow arrow.
- Do not indicate hardware and ignore control information.
- Make sure the names of the processes accurately convey everything the process is done.
- There must not be unnamed process.
- Indicate external sources and destinations of the data, with Squares.
- Number each occurrence of repeated external entities.
- Identify all data flows for each process step, except simple Record retrievals.
- Label data flow on each arrow.

Data Flow Diagram




LEVEL 1 DFD


LEVEL 1 DFD




LEVEL 2 DFD



LEVEL 2 DFD



LEVEL 2 DFD



Database Dictionary

4. E-R Diagrams:


The Entity-Relationship (ER) model was originally proposed by Peter in 1976 [Chen76] as a way to unify the network and relational database views. Simply stated the ER model is a conceptual data model that views the real world as entities and relationships. A basic component of the model is the Entity-Relationship diagram which is used to visually represents data objects. Since Chen wrote his paper the model has been extended and today it is commonly used for database design For the database designer, the utility of the ER model is:

- it maps well to the relational model. The constructs used in the ER model can easily be transformed into relational tables.
- it is simple and easy to understand with a minimum of training. Therefore, the model can be used by the database designer to communicate the design to the end user.
- In addition, the model can be used as a design plan by the database developer to implement a data model in a specific database management software.

Connectivity and Cardinality

The basic types of connectivity for relations are: one-to-one, one-to-many, and many-to-many. A one-to-one (1:1) relationship is when at most one instance of a entity A is associated with one instance of entity B. For example, "employees in the company are each assigned their own office. For each employee there exists a unique office and for each office there exists a unique employee.

A *one-to-many* (1:N) relationships is when for one instance of entity A, there are zero, one, or many instances of entity B, but for one instance of entity B, there is only one instance of entity



HOSPITAL MANAGEMENT SYSTEM

A. An example of a 1:N relationships is a department has many employees each employee is assigned to one department

A many-to-many (M:N) relationship, sometimes called non-specific, is when for one instance of entity A, there are zero, one, or many instances of entity B and for one instance of entity B there are zero, one, or many instances of entity A. The connectivity of a relationship describes the mapping of associated

ER Notation

There is no standard for representing data objects in ER diagrams. Each modelling methodology uses its own notation. The original notation used by Chen is widely used in academic's texts and journals but rarely seen in either CASE tools or publications by non- academic. Today, there are a number of notations used, among the more common are Bachman, crow's foot, and IDEFIX.

All notational styles represent entities as rectangular boxes and relationships as lines connecting boxes. Each style uses a special set of symbols to represent the cardinality of a connection. The notation used in this document is from Martin. The symbols used for the basic ER constructs are:

- **entities** are represented by labelled rectangles. The label is the name of the entity.
Entity names should be singular nouns.
- **relationships** are represented by a solid line connecting two entities. The name of the relationship is written above the line. Relationship names should be verbs
- **attributes**, when included, are listed inside the entity rectangle. Attributes which are identifiers are underlined. Attribute names should be singular nouns.
- **cardinality** of many is represented by a line ending in a crow's foot. If the crow's foot is omitted, the cardinality is one.
- **existence** is represented by placing a circle or a perpendicular bar on the line. Mandatory existence is shown by the bar (looks like a 1) next to the entity for an instance is required. Optional existence is shown by placing a circle next to the entity that is optional.

CHAPTER 5: -IMPLEMENTATION AND TESTING

5.1SYSTEMIMPLEMENTATION

SYSTEM IMPLEMENTATION, MAINTENANCE AND REVIEW

As we know, creating software is one thing and the implementation of the created software is another. The process of implementing software is much difficult as compared to the task of creating the project. First we have to implement the software on a small scale for removing the bugs and other errors in the project and after removing them we can implement the software on a large scale. Before we think in terms of implementing the Software on a large basis, we must consider the Hardware requirements.

Whenever we develop software or project a certain hardware and software is being used by the programmer for developing the project. The hardware and software to be used by the programmer for developing the project should be such that it would result in the development of a project, which would satisfy all the basic needs for which the project has been created by the programmer. The Hardware should be such that cost constraints of the Client should also be taken into account without affecting the performance.

HARDWARE EVALUATION FACTORS:

When we evaluate computer hardware, we should first investigate specific *physical and performance* characteristics for each hardware component to be acquired. These specific questions must be answered concerning many important factors. These *hardware evaluation factors* questions are summarized in the below figure.

HOSPITAL MANAGEMENT SYSTEM

Notice that there is much more to evaluating hardware than determining the fastest and cheapest computing device. For e.g. the question of possible obsolescence must be addressed by making a technology evaluation. The factor of *ergonomics* is also very important. Ergonomics is the science and technology that tries to ensure that computer and other technologies are "user-friendly", that is safe, comfortable and easy to use. *Connectivity* is another important evaluation factor, since so many computer systems are now interconnected within wide area or local area telecommunications networks.

HARDWARE EVALUATION FACTORS:

- 1) Performance
- 2) Cost
- 3) Reliability
- 4) Availability
- 5) Compatibility
- 6) Modularity
- 7) Technology
- 8) Ergonomics
- 9) Connectivity
- 10) Environmental requirements
- 11) Software
- 12) Support

SOFTWARE EVALUATION FACTORS:

Software can be evaluated according to many factors similar to the hardware evaluation. Thus the factors of *performance, cost, reliability, compatibility, modularity, technology, ergonomics, and support* should be used to evaluate proposed software acquisitions. In addition, however, *the software evaluation factors* are summarized in below figure. For e.g. some software packages require too much memory capacity and are notoriously slow, hard to use, or poorly documented. They are not a good selection for most end users, even if offered at attractive prices.

- 1) Efficiency: is the software a well-written system of computer instructions that does not use much memory capacity or CPU time?
- 2) Flexibility: can it handle its processing assignments easily without major modifications?
- 3) Security: does it provide control procedures for errors, malfunctions and improper use?
4) Language: do our computer programmers and users write it in a programming language that is used?
- 4) Documentation: is the s/w well documented? Does it include helpful user instructions?
- 5) Hardware: does existing hardware have the features required to best use this software?
7) Other characteristics of hardware such as its performance, what about the cost, how much is reliable and etc.

SECURITY MEASURES

Security Performed In HOSPITAL Management System

User Name & Password security implemented so that no unauthorized person can handle any operation without username and Password.

☑ Only authorized person can log-on the system.

HOSPITAL MANAGEMENT SYSTEM

- ☐ Only authorized person can update the records.
- ☐ Only authorized person can handle the reservation.
- ☐ Only authorized person can print the report.

It has two kinds of users:

1. Administrator
2. User1

Administrator: He has complete authority (Read, Add, and Modify) of operating the software.

User1: When this user logs onto the system, he can only view information and other reports.
He can generate different reports.

5.2 CODING

1.Home Page1. Aspx

```
<%@ Page Title="" Language="C#" MasterPageFile="~/master1.Master" AutoEventWireup="true"
CodeBehind="Homepage1.aspx.cs" Inherits="hospital_management.Homepage1" %>
```

```
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
    
```

```
<style type="text/css">
```

```
.auto-style1
{
    width: 100%;
    height: 219px;
}
```

```
</style>
```

```
<style type="text/css">
```

```
.auto-style1
{
    width: 100%;
    height: 238px;
}
```

```
</style>
```

```
<style type="text/css">
```

```
.auto-style1
{
    height: 169px;
    text-align: center;
}
```

```
.auto-style2
{
    height: 169px;
    width: 647px;
}
```

```
.auto-style3
{
    width: 647px;
    padding: 10px 10px 10px 10px;
}
```

```
</style>
```

```
<style type="text/css">
```

```
.auto-style1 {
    text-align: center;
}
```

```
</style>
```

```
<style type="text/css">
```

```
.auto-style1
{
    width: 696px;
}
```

```
.auto-style2
{
    width: 675px;
}
```

```
.auto-style3 { width:
    675px; text-align:
    center;
}
```

```
.auto-style4 {
    text-align: center;
}
```

```
.auto-style5 { width:
    675px; text-align:
    center; height:
    12px;
}
```

HOSPITAL MANAGEMENT SYSTEM

```
}
.auto-style6
{ width:696px;
height: 12px;
}
</style>
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="Content" runat="server">
<div >
<br/>
<br/>
<table style="width: 100%;">
<tr>
<td class="auto-style2">
<asp:Image ID="Image1" runat="server" Height="416px" ImageUrl="~/scripts/homeagepic1.jpg"
Width="698px"/>
</td>
<td class="auto-style1"><h1 style="color:blue;font-family:Arial;"><b>Kantilal Gandhi Memorial
Hospital</b></h1>
<br/>
<h4 style="color:blue;">ISO-9001-2020,NABL Accredited<br />
Multispeciality Post Graduate Teaching Hospital
</h4>&nbsp;</td>

</tr>
<tr style="background-color:blue;color:white;">
<td class="auto-style2"><br/>
<h2 style="color:white;">The Hospital</h2>
Our Hospital is a 404 bedded multi-specialty
DBN accredited Post Graduating Teaching hospital in
<b>JAMSEHDPUR</b>.Our Hopsital hasbeen continously
striving to offer the highest standard of services to
patient with great empathy and humanity.<br />
</td>
<td class="auto-style3"><br/>
We have a wonderful team of doctor in all department who give the best
possible clinical care to our patients.We have state of the art Pathology
and Radiological units having equipments like Analyzer,Color Doppler
CT Scan etc.to supprot our Clinicians.<br />

</td>
</tr>
<tr>
<td colspan="2">&nbsp;</td>
</tr>
<tr>
<td class="auto-style3">
<br/>
<asp:Image ID="Image2" runat="server" Height="250px" ImageUrl="~/scripts/home pic 2.jpg"
Width="400px"/>
<br/>
<asp:Label ID="Label1" runat="server" Font-Bold="True" ForeColor="#0000CC" Text="Special Care
Ward"></asp:Label>
<br />
</td>
<td class="auto-style1">
<asp:Image ID="Image3" runat="server" Height="250px" ImageUrl="~/scripts/home pic3.jpg"
Width="400px"/>
<br/>
<asp:Label ID="Label2" runat="server" Font-Bold="True" ForeColor="#0000CC" Text="General Care
Ward"></asp:Label>
</td>
</tr>
```

HOSPITAL MANAGEMENT SYSTEM

```
<tr>
  <td class="auto-style5">
  </td>
  <td class="auto-style6">
  </td>
</tr>
<tr>
  <td class="auto-style4" colspan="2">
    <asp:Image ID="Image4" runat="server" Height="300px" ImageUrl="~/scripts/home pic 4.jpg"
Width="900px"/>
    <br/>
    <asp:Label ID="Label3" runat="server" Font-Bold="True" ForeColor="#0000CC" Text="Hospital
Facility"></asp:Label>
  </td>
</tr>
</table>
</div>
<div style="padding-left:700px;">
</div>
</asp:Content>
<asp:Content ID="Content3" ContentPlaceHolderID="footer" runat="server">
</asp:Content>
```

1.1 Master1.master

```
<%@ Master Language="C#" AutoEventWireup="true" CodeBehind="master1.master.cs"
Inherits="hospital_management.master1" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
  <link href="StyleSheet1master.css" rel="stylesheet" />
```

```
  <title></title>
```

```
  <asp:ContentPlaceHolderID="head" runat="server">
```

```
  </asp:ContentPlaceHolder>
```

```
</head>
```

```
<body>
```

```
  <form id="form1" runat="server">
```

```
    <div>
```

```
      +
```

```
      <div class="menu">
```

```
        <ul>
```

```
          <li><a class="active" href="Homepage1.aspx">Home</a></li>
```

```
          <li><a href="register1.aspx">Register</a></li>
```

```
          <li><a href="login.aspx">LogIn</a></li>
```

```
          <li><a href="services.aspx">Services</a></li>
```

```
          <li><a href="About.aspx">About Us</a></li>
```

```
        </ul>
```

```
      </div>
```

```
    <asp:ContentPlaceHolderID="Content" runat="server">
```

```
    </asp:ContentPlaceHolder>
```

```
  <asp:ContentPlaceHolderID="footer" runat="server">
```

HOSPITAL MANAGEMENT SYSTEM

```
</asp:ContentPlaceHolder>
<div class="footer">
  <h4>@copyright</h4>
</div>
</div>
</form>
</body>

</html>
```

STYLE SHEET 1 MASTER.CSS

```
body {
  padding:0;
  margin:10px;
  background-color:lightcyan;
  font-family:Arial;
}
ul {
  list-style-type:none;
  margin:0;
  padding:0;
  overflow:hidden;
  background-color:#0026ff;
}
li
  { float:left;
  }
li a, .dropbtn
{
  display:inline-block;
  color:white;
  text-align:center;
  padding:14px 16px ;
  text-decoration:none;
}
li a:hover {
  background-color:#3a68bb;
}

ul li a:active{
  background-color:#3a68bb;
}

.footer{
  background-color:#0026ff;
  color:white;
  margin-top:200px;
  width:100%;
  height:5%;
  text-align:center;
}
```


REGISTER1.ASPX

```
<%@ Page Title="" Language="C#" MasterPageFile="~/master1.Master" AutoEventWireup="true"
CodeBehind="register1.aspx.cs" Inherits="hospital_management.register1" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="Content" runat="server">
```

```
<style type="text/css">
```

```
.auto-style1
{
    height: 53px;
    color: #0000FF;
}
```

```
.auto-style2
{
    width: 194px;
}
```

```
.auto-style3 {
    width: 247px;
}
```

```
.auto-style4
{
    width: 247px;
    height: 23px;
}
```

```
.auto-style5
{
    width: 194px;
    height: 23px;
}
```

```
.auto-style6
{
    height: 23px;
}
```

```
.auto-style7
{
    width: 247px;
    height: 65px;
}
```

```
.auto-style8
{
    width: 194px;
    height: 65px;
}
```

```
.auto-style9
{
    height: 65px;
    text-align: left;
}
```

```
.auto-style10
{
    width: 194px;
    color: #0033CC;
}
```

```
.auto-style11
{
    color:
    #0033CC;
}
```

```
.auto-style12
{
    width: 194px;
    color: #0033CC;
    font-weight: bold;
}
```

```
.auto-style13
{
    width: 247px;
    color: #0033CC;
}
```

HOSPITAL MANAGEMENT SYSTEM

</style>

```
<table style="width: 100%;">
  <tr>
    <td class="auto-style1" colspan="3" style="font-weight: 700; font-size: xx-large; text-align: center;
background-color: #0000FF; color: #FFFFFF; font-family: Arial;">Register Here</td>
  </tr>
  <tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style2">&nbsp;</td>
    <td>&nbsp;</td>
  </tr>
  <tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style12"><span class="auto-style11">User Name:</span><br class="auto-style11" />
    </td>
    <td>
      <asp:TextBox ID="TextBox1" runat="server" Width="193px" placeholder="Enter
username"></asp:TextBox>
    </td>
  </tr>
  <tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style10">&nbsp;</td>
    <td>
      &nbsp;</td>
  </tr>
  <tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style12"><span class="auto-style11">Email:</span><br class="auto-style11" />
    </td>
    <td>
      <asp:TextBox ID="TextBox2" runat="server" Width="263px" placeholder="Email"></asp:TextBox>
    </td>
  </tr>
  <tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style10">&nbsp;</td>
    <td>
      &nbsp;</td>
  </tr>
  <tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style12"><span class="auto-style11">password:</span><br class="auto-style11" />
    </td>
    <td>
      <asp:TextBox ID="TextBox3" runat="server" TextMode="Password" Width="193px"
Placeholder="*****"></asp:TextBox>
    </td>
  </tr>
  <tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style10">&nbsp;</td>
    <td>
      &nbsp;</td>
  </tr>
  <tr>
    <td class="auto-style13">&nbsp;</td>
    <td class="auto-style10"><strong>Gender:</strong></td>
    <td>
      <asp:DropDownList ID="DropDownList1" runat="server" Height="24px" Width="129px">
        <asp:ListItem>Male</asp:ListItem>
      </td>
    </td>
  </tr>
</table>
```

HOSPITAL MANAGEMENT SYSTEM

```
<asp:ListItem>Female</asp:ListItem>
<asp:ListItem>other</asp:ListItem>
<asp:ListItem></asp:ListItem>
</asp:DropDownList>
</td>
</tr>
<tr>
<td class="auto-style13">&nbsp;</td>
<td class="auto-style10">&nbsp;</td>
<td>
&nbsp;</td>
</tr>
<tr>
<td class="auto-style13">&nbsp;</td>
<td class="auto-style10"><strong>Aadhar Numbe</strong>r:</td>
<td>
<asp:TextBox ID="TextBox4" runat="server" MaxLength="10" TextMode="Number" Width="193px"
Placeholder="12 digit UID code"></asp:TextBox>
</td>
</tr>
<tr>
<td class="auto-style13">&nbsp;</td>
<td class="auto-style10">&nbsp;</td>
<td>
&nbsp;</td>
</tr>
<tr>
<td class="auto-style13">&nbsp;</td>
<td class="auto-style2"><b><span class="auto-style11">Contact :</span><br class="auto-style11" />
</b></td>
<td>
<asp:TextBox ID="TextBox5" runat="server" TextMode="Number" Width="193px"
Placeholder="Phone Number"></asp:TextBox>
</td>
</tr>
<tr>
<td class="auto-style13">&nbsp;</td>
<td class="auto-style10">&nbsp;</td>
<td>
&nbsp;</td>
</tr>
<tr>
<td class="auto-style13">&nbsp;</td>
<td class="auto-style2"><b><span class="auto-style11">Address :</span><br class="auto-style11" />
</b></td>
<td>
<asp:TextBox ID="TextBox6" runat="server" TextMode="MultiLine" Width="214px"
Placeholder="Full Address"></asp:TextBox>
</td>
</tr>
<tr>
<td class="auto-style4"></td>
<td class="auto-style5"></td>
<td class="auto-style6"></td>
</tr>
<tr>
<td class="auto-style7"></td>
<td class="auto-style8">
<asp:Button ID="Button2" runat="server" OnClick="Button2_Click" Text="Log In " Width="73px"
Height="29px" />
</td>
<td class="auto-style9">
```

HOSPITAL MANAGEMENT SYSTEM

```
<asp:Button ID="Button1" runat="server" OnClick="Button1_Click1" Text="Register" Width="124px"
Height="36px" />
</td>
</tr>
<tr>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
</tr>
</table>
</asp:Content>
<asp:Content ID="Content3" ContentPlaceHolderID="footer" runat="server">
</asp:Content>
```

REGISTER1.ASPX.CS

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.SqlClient;
using System.Data;
using System.Text;
using System.Configuration;

namespace hospital_management
{
    public partial class register1 : System.Web.UI.Page
    {
        SqlConnection conn = new SqlConnection(@"Data Source=DESKTOP-UNT2SKE;Initial
Catalog=HMS;Integrated Security=True");
        protected void Page_Load(object sender, EventArgs e)
        {

        }
    }
}
```

HOSPITAL MANAGEMENT SYSTEM

```
protected void Button1_Click1(object sender, EventArgs e)
{
    conn.Open();
    string query = "insert into register(username,email,password,gender,aadharnumber,contact,address) values('" +
    TextBox1.Text + "','" + TextBox2.Text + "','" + TextBox3.Text + "','" + DropDownList1.Text + "','" + TextBox4.Text
    + "','" + TextBox5.Text + "','" + TextBox6.Text + "')";
    SqlCommand cmd = new SqlCommand(query, conn);
    cmd.ExecuteNonQuery();
    conn.Close();
    Response.Write("<script LANGUAGE='JavaScript' >alert('REGISTRATION DONE !!')</script>");
    TextBox1.Text = " ";
    TextBox2.Text = " ";
    TextBox3.Text = " ";
    TextBox4.Text = " ";
    TextBox5.Text = " ";
    TextBox6.Text = " ";
}

protected void Button2_Click(object sender, EventArgs e)
{
    Response.Redirect("login.aspx");
}
}
```

LOGIN.ASPX

```
<%@ Page Title="" Language="C#" MasterPageFile="~/master1.Master" AutoEventWireup="true"
CodeBehind="login.aspx.cs" Inherits="hospital_management.login"%>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
</asp:Content>
<asp:Content ID="Content2" ContentPlaceHolderID="Content" runat="server">

<style type="text/css">
    .auto-style2 {
        font-size: xx-large;
        color: #000099;
        text-align: center;
        height: 62px;
    }

    .auto-style4 {
        text-align: center;
        height: 54px;
    }

    .auto-style21 {
        border-style: double;
        border-color: blue;
        border-width: 5px;
        width: 465px;
    }

```

HOSPITAL MANAGEMENT SYSTEM

```
        height: 47px;
        text-align: center;

    }

    .auto-style22 {
        width: 373px;
    }

    .auto-style23
    { width: 465px;
    }

    body {

    }

    .auto-style24
    { width: 373px;
      height: 35px;
    }

    .auto-style25
    { width: 465px;
      height: 35px;
    }

    .auto-style26
    { height: 35px;
    }

    .auto-style27
    { color: #000099;
    }
</style>

<div>
<table style="width:100%;">
    <tr>
        <td class="auto-style22">&nbsp;</td>
        <td class="auto-style23">&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td class="auto-style4" colspan="3">
            <asp:Label ID="Label1" runat="server" Font-Bold="True" Font-Size="XX-Large" Font-
Strikeout="False" Font-Underline="True" ForeColor="#000099" Text="Hospital Management System"
CssClass="auto-style27"></asp:Label>
        </td>
    </tr>
    <tr>
        <td class="auto-style24"></td>
        <td class="auto-style25"></td>
        <td class="auto-style26"></td>
    </tr>
    <tr>
        <td class="auto-style2" colspan="3"><strong>&nbsp;&nbsp;&nbsp; Admin Login</strong></td>
    </tr>
    <tr>
        <td class="auto-style22"></td>
        <td class="auto-style21" rowspan="8"><br />
            <span class="auto-style27">
                <strong>
```

[illegible]

HOSPITAL MANAGEMENT SYSTEM

```
        <td class="auto-style23">&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td class="auto-style22">&nbsp;</td>
        <td class="auto-style23">&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td class="auto-style22">&nbsp;</td>
        <td class="auto-style23">&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td class="auto-style22">&nbsp;</td>
        <td class="auto-style23">&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td class="auto-style22">&nbsp;</td>
        <td class="auto-style23">&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
    <tr>
        <td class="auto-style22">&nbsp;</td>
        <td class="auto-style23">&nbsp;</td>
        <td>&nbsp;</td>
    </tr>
</table>
</div>
```

```
</asp:Content>
<asp:Content ID="Content3" ContentPlaceHolderID="footer" runat="server">
</asp:Content>
```


LOGIN.ASPX.CS

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;
using System.Text;
using System.Data.SqlClient;
using System.Configuration;

namespace hospital_management
{
    public partial class login : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button1_Click(object sender, EventArgs e)
        {
            SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["HMSCConnectionString"].ConnectionString);
            String ss = "select * from register";
            SqlCommand cmd = new SqlCommand(ss, con);
            SqlDataAdapter ad = new SqlDataAdapter(cmd);
            DataSet ds = new DataSet();
            ad.Fill(ds, "register");
            for (int i = 0; i < ds.Tables["register"].Rows.Count; i++)
            {
                if (ds.Tables["register"].Rows[i][0].Equals(TextBox1.Text))
                {
                    if (ds.Tables["register"].Rows[i][3].Equals(TextBox2.Text))
                    {
                        TextBox1.Text = "";
                    }
                }
            }
        }
    }
}
```

HOSPITAL MANAGEMENT SYSTEM

```
        TextBox2.Text = "";
        Response.Redirect("homepage.aspx");
        break;
    }

    }
    else
    {
        Response.Write("<scriptLANGUAGE='JavaScript'>alert('WRONG INFORMATION')</script>");
    }

}

}

protected void LinkButton1_Click(object sender, EventArgs e)
{
    Response.Redirect("forget_password.aspx");
}

protected void LinkButton2_Click(object sender, EventArgs e)
{
    Response.Redirect("register1.aspx");
}
}
```

FORGET PASSWORD.ASPX

```
<%@ Page Language="C#" AutoEventWireup="true" Codefile="forget password.aspx.cs"
Inherits="hospital_management.forget_password" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title></title>
```

```
<style type="text/css">
```

```
.auto-style1
```

```
{ width:224px;
```

```
}
```

```
.auto-style2
```

```
{ width:246px;
```

```
}
```

```
.auto-style5
```

```
{ height:96px;
```

```
text-align: center;
```

```
font-size:xx-large;
```

```
color:#0000FF;
```

```
}
```

```
body{
```

```
background-color:lightcyan;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">
```

```
<table style="width:100%;">
```

```
<tr>
```

```
<td class="auto-style5" colspan="3"><strong>Reset Password</strong></td>
```

```
</tr>
```

```
<tr>
```

```
<td class="auto-style1">&nbsp;</td>
```

```
<td class="auto-style2">&nbsp;</td>
```

```
<td>&nbsp;</td>
```

```
</tr>
```

```
<tr>
```

```
<td class="auto-style1"><strong></strong></td>
```

```
<td class="auto-style2"><strong>User Name :</strong></td>
```

```
<td>
```

HOSPITAL MANAGEMENT SYSTEM

```
<asp:TextBox ID="TextBox1" runat="server" Height="27px" Width="225px" Placeholder="Enter
username"></asp:TextBox>
</td>
</tr>
<tr>
<td class="auto-style1"><strong></strong></td>
<td class="auto-style2"><strong>New Password :</strong></td>
<td>
<asp:TextBox ID="TextBox2" runat="server" Height="27px" TextMode="Password" Width="225px"
Placeholder="*****"></asp:TextBox>
</td>
</tr>
<tr>
<td class="auto-style1"><strong></strong></td>
<td class="auto-style2"><strong>Confirm Pasword :</strong></td>
<td>
<asp:TextBox ID="TextBox3" runat="server" Height="27px" TextMode="Password" Width="225px"
Placeholder="*****"></asp:TextBox>
</td>
</tr>
<tr>
<td class="auto-style1">&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style1">&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>
<asp:Button ID="Button1" runat="server" Font-Bold="True" OnClick="Button1_Click" Text="submit"
Width="116px"/>
</td>
</tr>
<tr>
<td class="auto-style1">&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style1">&nbsp;</td>
<td class="auto-style2">&nbsp;</td>
<td>&nbsp;</td>
</tr>
</table>
</form>
</body>
</html>
```

FORGET PASSWORD.ASPX.CS

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data;
using System.Text;
using System.Data.SqlClient;
using System.Configuration;

namespace hospital_management
{
    public partial class forget_password : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button1_Click(object sender, EventArgs e)
        {
            if (TextBox2.Text == TextBox3.Text)
            {
                SqlConnection con = new
SqlConnection(ConfigurationManager.ConnectionStrings["HMSCConnectionString"].ConnectionString);

                String ss = "update register set password=@password where username=@username";
                SqlCommand cmd = new SqlCommand(ss, con);
                cmd.Parameters.AddWithValue("@username", TextBox1.Text);
                cmd.Parameters.AddWithValue("@password", TextBox3.Text);
                con.Open();
                cmd.ExecuteNonQuery();
                con.Close();

                TextBox1.Text = "";
                TextBox3.Text = "";
                Response.Redirect("LOG.aspx");
            }
            else
            {
                Response.Write("<scriptLANGUAGE=JavaScript>alert('WRONG INFORMATION')</script>");
                TextBox2.Text = "";
                TextBox3.Text = "";
            }
        }
    }
}
```

```
}  
}
```

HOMEPAGE.ASPX

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="homepage.aspx.cs"  
Inherits="hospital_management.homepage" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title></title>
```

```
<style type="text/css">
```

```
.auto-style4
```

```
{ width: 141px;
```

```
height: 74px;
```

```
}
```

```
.auto-style6
```

```
{ width: 141px;
```

```
height: 87px;
```

```
}
```

```
.auto-style10
```

```
{ width: 141px;
```

```
height: 79px;
```

```
}
```

```
.auto-style14
```

```
{ height: 91px;
```

```
color: #33CCFF;
```

```
}
```

```
.auto-style16 {
```

```
}
```

```
.auto-style18
```

```
{ height: 141px;
```

```
width: 156px;
```

```
}
```

```
.auto-style22
```

```
{ width: 100%;
```

```
}
```

```
.auto-style29
```

```
{ width: 141px;
```

```
}
```

```
.auto-style31
```

```
{ width: 99px;
```

```
height: 141px;
```

```
}
```

```
.auto-style33
```

```
{ width: 96px;
```

```
height: 141px;
```

```
}
```

```
.auto-style34
```

```
{ height: 141px;
```

```
width: 141px;
```

```
}
```

```
.auto-style35
```

```
{ width: 102px;
```

```
height: 141px;
```

[illegible]

[illegible]

HOMEPAGE.ASPX.CS

HOSPITAL MANAGEMENT SYSTEM

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace hospital_management
{
    public partial class homepage : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button1_Click(object sender, EventArgs e)
        {
            Response.Redirect("add_patient.aspx");
        }

        protected void Button4_Click(object sender, EventArgs e)
        {
            Response.Redirect("add_doctor.aspx");
        }

        protected void Button2_Click(object sender, EventArgs e)
        {
            Response.Redirect("Add_Nurse.aspx");
        }

        protected void Button5_Click(object sender, EventArgs e)
        {
            Response.Redirect("add_pharmacists.aspx");
        }

        protected void Button3_Click(object sender, EventArgs e)
        {
            Response.Redirect("add_appiontment.aspx");
        }

        protected void LinkButton1_Click(object sender, EventArgs e)
        {
            Response.Redirect("login.aspx");
        }

        protected void ImageButton1_Click(object sender, ImageClickEventArgs e)
        {
            Response.Redirect("patients_list.aspx");
        }

        protected void ImageButton2_Click(object sender, ImageClickEventArgs e)
        {
            Response.Redirect("doctor_list.aspx");
        }

        protected void ImageButton3_Click(object sender, ImageClickEventArgs e)
        {
            Response.Redirect("nurse_list.aspx");
        }

        protected void ImageButton4_Click(object sender, ImageClickEventArgs e)
        {
        }
    }
}
```

HOSPITAL MANAGEMENT SYSTEM

```
        Response.Redirect("pharmacists _list.aspx");
    }

    protected void ImageButton5_Click(object sender, ImageClickEventArgs e)
    {
        Response.Redirect("appointment _list.aspx");
    }
}
```

ADD PATIENT.ASPX

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="add patient.aspx.cs"
Inherits="hospital_management.add_patient" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
  <title></title>
  <style type="text/css">
    .auto-style1
      { height: 23px;
    }
    .auto-style2 {
      text-align: center;
      font-size: xx-large;
      height: 124px; color:
      #0000FF;
    }
    .auto-style4
      { height: 23px;
        width: 199px;
      }
    .auto-style5
      { width: 339px;
    }
    .auto-style6
      { height: 23px;
        width: 339px;
      }
    .auto-style7
      { height: 23px;
        width: 196px;
      }
    .auto-style12
      { width: 199px;
        height: 27px;
      }
    .auto-style14
      { width: 196px;
        height: 27px;
      }
    .auto-style15
      { width: 339px;
        height: 27px;
      }
    .auto-style16
      { height: 27px;
    }
    .auto-style25
      { height: 1px;
        width: 199px;
      }
    .auto-style26
      { height: 1px;
        width: 196px;
      }
    .auto-style27
      { height: 1px;
    }
    .auto-style28
      { width: 199px;
    }
    .auto-style30
      { width: 196px;
    }
    .auto-style31
      { width: 199px;
        height: 135px;
```

HOSPITAL MANAGEMENT SYSTEM

```
}
.auto-style32
{ width: 339px;
height: 135px;
text-align:right;
}
.auto-style33
{ width: 196px;
height: 135px;
text-align:right;
}
.auto-style34
{ height: 135px;
}
.auto-style35
{ width: 199px;
height: 24px;
}
.auto-style36
{ width: 339px;
height: 24px;
}
.auto-style37
{ width: 196px;
height: 24px;
}
.auto-style38
{ height: 24px;
}

.auto-style39
{ height: 23px;
width: 199px;
color:#333333;
}
body{
background-color:lightcyan;
}
</style>
</head>
<body>
<form id="form1" runat="server">
<p>
<table style="width:100%;">
<tr>
<td class="auto-style2" colspan="4"><strong>Add Patients</strong></td>
</tr>
<tr>
<td class="auto-style39">&nbsp;</td>
<td class="auto-style6">
&nbsp;</td>
<td class="auto-style7">&nbsp;</td>
<td class="auto-style1">
&nbsp;</td>
</tr>
<tr>
<td class="auto-style12"><strong>Patient Name :</strong></td>
<td class="auto-style15">
<asp:TextBox ID="TextBox2" runat="server" Width="177px"></asp:TextBox>
</td>
<td class="auto-style14"><strong>Room number:</strong></td>
<td class="auto-style16">
<asp:TextBox ID="TextBox5" runat="server" Width="177px"></asp:TextBox>
</td>
</tr>
</table>
</p>
</form>
</body>
</html>
```

HOSPITAL MANAGEMENT SYSTEM

[illegible]

[illegible]

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.SqlClient;
using System.Data;
namespace hospital_management
{
    public partial class add_patient : System.Web.UI.Page
    {
        SqlConnection conn = new SqlConnection(@"Data Source=DESKTOP-UNT2SKE;Initial
        Catalog=HMS;Integrated Security=True");
        protected void Page_Load(object sender, EventArgs e)
        {

```

HOSPITAL MANAGEMENT SYSTEM

```
    }

    protected void Button1_Click(object sender, EventArgs e)
    {
        conn.Open();
        string insert = "insert into addpatient(patientname,gender,contact,address,disease,roomno) values('" +
        TextBox2.Text + "','" + DropDownList3.Text + "','" + TextBox3.Text + "','" + TextBox4.Text + "','" +
        DropDownList2.Text + "','" + TextBox5.Text + "')";
        SqlCommand cmd = new SqlCommand(insert, conn);
        cmd.ExecuteNonQuery();
        conn.Close();
        Response.Write("<scriptLANGUAGE='JavaScript'>alert('patient added')</script>");
        TextBox2.Text = " ";
        TextBox3.Text = " ";
        TextBox4.Text = " ";
        TextBox5.Text = " ";
    }

    protected void Button2_Click(object sender, EventArgs e)
    {
        Response.Redirect("homepage.aspx");
    }
}
```

ADD DOCTOR.ASPX

```
<%@ Page Language="C#" AutoEventWireup="true" Codefile="add doctor.aspx.cs"
Inherits="hospital_management.add_doctor" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title></title>
```

```
<style type="text/css">
```

```
.auto-style1 {
    font-size:xx-large;
    text-align:center;
    height: 109px;
    color:#0033CC;
}
```

```
.auto-style2
{ width:241px;
}
```

```
.auto-style3 {
```

HOSPITAL MANAGEMENT SYSTEM

```
        width:247px;
    }
    .auto-style4
    { width:167px;
    }
    .auto-style5
    { width: 241px;
      text-align:right;
    }
    .auto-style6
    { width: 167px;
      text-align:right;
    }
    body{
        background-color:lightcyan;
    }
</style>
</head>
<body>
    <form id="form1" runat="server">
        <table style="width:100%;">
            <tr>
                <td class="auto-style1" colspan="4"><strong>Add Doctor </strong></td>
            </tr>
            <tr>
                <td class="auto-style2">&nbsp;</td>
                <td class="auto-style3">&nbsp;</td>
                <td class="auto-style4">&nbsp;</td>
                <td>&nbsp;</td>
            </tr>
            <tr>
                <td class="auto-style5">Doctor Id : </td>
                <td class="auto-style3">
                    <asp:TextBoxID="TextBox1" runat="server" OnTextChanged="TextBox1_TextChanged"
Width="145px" TextMode="Number"></asp:TextBox>
                </td>
                <td class="auto-style6">Specialist : </td>
                <td>
                    <asp:DropDownListID="DropDownList2" runat="server" Height="21px" Width="135px">
                        <asp:ListItem>kidney </asp:ListItem>
                        <asp:ListItem>Liver</asp:ListItem>
                        <asp:ListItem>Eyes</asp:ListItem>
                        <asp:ListItem>Blood</asp:ListItem>
                        <asp:ListItem>skin</asp:ListItem>
                        <asp:ListItem>Heart</asp:ListItem>
                        <asp:ListItem>Lungs</asp:ListItem>
                        <asp:ListItem>others</asp:ListItem>
                    </asp:DropDownList>
                </td>
            </tr>
            <tr>
                <td class="auto-style5">Doctor Name : </td>
                <td class="auto-style3">
                    <asp:TextBoxID="TextBox2" runat="server" OnTextChanged="TextBox2_TextChanged"
Width="152px"></asp:TextBox>
                </td>
                <td class="auto-style6">Contact : </td>
                <td>
                    <asp:TextBoxID="TextBox3" runat="server" OnTextChanged="TextBox3_TextChanged"
TextMode="Number"></asp:TextBox>
                </td>
            </tr>
            <tr>
```


HOSPITAL MANAGEMENT SYSTEM

```
<td class="auto-style5">Gender : </td>
<td class="auto-style3">
  <asp:DropDownList ID="DropDownList1" runat="server" Height="19px" Width="102px">
    <asp:ListItem>Male</asp:ListItem>
    <asp:ListItem>Female</asp:ListItem>
    <asp:ListItem>Other</asp:ListItem>
  </asp:DropDownList>
</td>
<td class="auto-style6">Address : </td>
<td>
  <asp:TextBox ID="TextBox4" runat="server" OnTextChanged="TextBox4_TextChanged"
TextMode="MultiLine"></asp:TextBox>
</td>
</tr>
<tr>
  <td class="auto-style2">&nbsp;</td>
  <td class="auto-style3">&nbsp;</td>
  <td class="auto-style4">&nbsp;</td>
  <td>&nbsp;</td>
</tr>
<tr>
  <td class="auto-style2">&nbsp;</td>
  <td class="auto-style3">&nbsp;</td>
  <td class="auto-style4">&nbsp;</td>
  <td>&nbsp;</td>
</tr>
<tr>
  <td class="auto-style2">&nbsp;</td>
  <td class="auto-style3">&nbsp;</td>
  <td class="auto-style4">&nbsp;</td>
  <td>&nbsp;</td>
</tr>
<tr>
  <td class="auto-style2">&nbsp;</td>
  <td class="auto-style3">&nbsp;</td>
  <td class="auto-style4">&nbsp;</td>
  <td>&nbsp;</td>
</tr>
<tr>
  <td class="auto-style2">&nbsp;</td>
  <td class="auto-style3">
    <asp:Button ID="Button1" runat="server" OnClick="Button1_Click" Text="ADD" Width="111px"
Height="39px" />
  </td>
  <td class="auto-style4">
    <asp:Button ID="Button2" runat="server" Text="Cancel" Width="121px" OnClick="Button2_Click"
Height="42px" />
  </td>
  <td>&nbsp;</td>
</tr>
<tr>
  <td class="auto-style2">&nbsp;</td>
  <td class="auto-style3">&nbsp;</td>
  <td class="auto-style4">&nbsp;</td>
  <td>&nbsp;</td>
</tr>
</table>
</form>
</body>
</html>
```

ADD DOCTOR.ASPX.CS

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.SqlClient;
using System.Data;

namespace hospital_management
{
    public partial class add_doctor : System.Web.UI.Page
    {
        SqlConnection conn = new SqlConnection(@"Data Source=DESKTOP-UNT2SKE;Initial
        Catalog=HMS;Integrated Security=True");
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void TextBox1_TextChanged(object sender, EventArgs e)
        {

        }

        protected void TextBox2_TextChanged(object sender, EventArgs e)
        {
```

HOSPITAL MANAGEMENT SYSTEM

```
    }

    protected void TextBox3_TextChanged(object sender, EventArgs e)
    {

    }

    protected void TextBox4_TextChanged(object sender, EventArgs e)
    {

    }

    protected void Button1_Click(object sender, EventArgs e)
    {
        conn.Open();
        string insert = "insert into adddoctor(doctorname,gender,specialist,contact,address) values('" + TextBox2.Text
+ "','" + DropDownList1.Text + "','" + DropDownList2.Text + "','" + TextBox3.Text + "','" + TextBox4.Text + "')";
        SqlCommand cmd = new SqlCommand(insert, conn);
        cmd.ExecuteNonQuery();
        conn.Close();
        Response.Write("<scriptLANGUAGE='JavaScript'>alert('Doctor added')</script>");
        TextBox1.Text = " ";
        TextBox2.Text = " ";
        TextBox3.Text = " ";
        TextBox4.Text = " ";
    }

    protected void Button2_Click(object sender, EventArgs e)
    {
        Response.Redirect("homepage.aspx");
    }
}
```

ADD NURSE.ASPX

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="add nurse.aspx.cs"
Inherits="hospital_management.add_nurse" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title></title>
```

```
<style type="text/css">
```

```
.auto-style1 {
    font-size:xx-large;
    color:#000099;
    text-align:center;
    height:82px;
}
```

```
.auto-style2
{ width:147px;
}
```

```
.auto-style3
{ width:321px;
}
```

```
body{
    background-color:lightcyan;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">
```

```
<table style="width:100%;">
```

```
<tr>
```

```
<td class="auto-style1" colspan="3"><strong>Add Nurse</strong></td>
```

```
</tr>
```

```
<tr>
```

```
<td class="auto-style3">&nbsp;</td>
```

HOSPITAL MANAGEMENT SYSTEM

```
<td class="auto-style2">&nbsp;</td>
<td>
    &nbsp;</td>
</tr>
<tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style2">Name : </td>
    <td>
        <asp:TextBox ID="TextBox2" runat="server"
OnTextChanged="TextBox2_TextChanged"></asp:TextBox>
    </td>
</tr>
<tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style2">Email : </td>
    <td>
        <asp:TextBox ID="TextBox3" runat="server"
OnTextChanged="TextBox3_TextChanged"></asp:TextBox>
    </td>
</tr>
<tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style2">Contact : </td>
    <td>
        <asp:TextBox ID="TextBox4" runat="server"
OnTextChanged="TextBox4_TextChanged"></asp:TextBox>
    </td>
</tr>
<tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style2">Address : </td>
    <td>
        <asp:TextBox ID="TextBox5" runat="server" TextMode="MultiLine"
OnTextChanged="TextBox5_TextChanged"></asp:TextBox>
    </td>
</tr>
<tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style2">&nbsp;</td>
    <td>&nbsp;</td>
</tr>
<tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style2">
        <asp:Button ID="Button1" runat="server" OnClick="Button1_Click" Text="Add" Width="100px"
Height="37px" />
    </td>
    <td>
        <asp:Button ID="Button2" runat="server" OnClick="Button2_Click" Text="cancel" Width="122px"
Height="34px" />
    </td>
</tr>
<tr>
    <td class="auto-style3">&nbsp;</td>
    <td class="auto-style2">&nbsp;</td>
    <td>&nbsp;</td>
</tr>
</table>
</form>
</body>
</html>
```

ADD NURSE.ASPX.CS

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.SqlClient;
using System.Data;

namespace hospital_management
{
    public partial class add_nurse : System.Web.UI.Page
    {
        SqlConnection conn = new SqlConnection(@"Data Source=DESKTOP-UNT2SKE;Initial
        Catalog=HMS;Integrated Security=True");
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button2_Click(object sender, EventArgs e)
        {
            Response.Redirect("homepage.aspx");
        }

        protected void Button1_Click(object sender, EventArgs e)
        {
            conn.Open();
            string insert = "insert into addnurse(name,email,contact,address) values('" + TextBox2.Text + "','" +
            TextBox3.Text + "','" + TextBox4.Text + "','" + TextBox5.Text + "')";
            SqlCommand cmd = new SqlCommand(insert, conn);
            cmd.ExecuteNonQuery();
            conn.Close();
            Response.Write("<scriptLANGUAGE='JavaScript'>alert('Nurse added')</script>");
            TextBox2.Text = " ";
            TextBox3.Text = " ";
            TextBox4.Text = " ";
            TextBox5.Text = " ";
        }
    }
}
```

HOSPITAL MANAGEMENT SYSTEM

```
protected void TextBox2_TextChanged(object sender, EventArgs e)
{

}

protected void TextBox3_TextChanged(object sender, EventArgs e)
{

}

protected void TextBox4_TextChanged(object sender, EventArgs e)
{

}

protected void TextBox5_TextChanged(object sender, EventArgs e)
{

}
}
```

ADD PHARMACISTS.ASPX

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="add pharmacists.aspx.cs"
Inherits="hospital_management.add_pharmacists" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title></title>
```

```
<style type="text/css">
```

```
.auto-style1 {
    font-size:xx-large;
    color: #000099;
    text-align:center;
    height: 83px;
```

```
}
```

```
body{
```

```
    background-color:lightcyan;
```

```
}
```

```
.auto-style3
```

```
{ width:301px;
```

```
}
```

```
.auto-style4
```

```
{ width:194px;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">
```

```
<table style="width:100%;">
```

```
<tr>
```

```
<td class="auto-style1" colspan="3"><strong>Add Pharmacists</strong></td>
```

```
</tr>
```

```
<tr>
```

```
<td class="auto-style3">&nbsp;</td>
```

```
<td class="auto-style4">&nbsp;</td>
```

```
<td>&nbsp;</td>
```

```
</tr>
```

```
<tr>
```

```
<td class="auto-style3">&nbsp;</td>
```

```
<td class="auto-style4">Pharmacists Id : </td>
```

```
<td>
```

```
<asp:TextBox ID="TextBox1" runat="server"></asp:TextBox>
```

```
</td>
```

```
</tr>
```

```
<tr>
```

```
<td class="auto-style3">&nbsp;</td>
```

```
<td class="auto-style4">Name : </td>
```

```
<td>
```


HOSPITAL MANAGEMENT SYSTEM

```
<asp:TextBox ID="TextBox2" runat="server"></asp:TextBox>
</td>
</tr>
<tr>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style4">Email : </td>
<td>
<asp:TextBox ID="TextBox3" runat="server"></asp:TextBox>
</td>
</tr>
<tr>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style4">Contact : </td>
<td>
<asp:TextBox ID="TextBox4" runat="server" TextMode="Number"></asp:TextBox>
</td>
</tr>
<tr>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style4">Address : </td>
<td>
<asp:TextBox ID="TextBox5" runat="server" TextMode="MultiLine"></asp:TextBox>
</td>
</tr>
<tr>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style4">&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style4">&nbsp;</td>
<td>&nbsp;</td>
</tr>
<tr>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style4">
<asp:Button ID="Button1" runat="server" OnClick="Button1_Click" Text="Add" Width="98px"
Height="35px" />
</td>
<td>
<asp:Button ID="Button2" runat="server" Text="cancel" Width="108px" OnClick="Button2_Click"
Height="37px" />
</td>
</tr>
<tr>
<td class="auto-style3">&nbsp;</td>
<td class="auto-style4">&nbsp;</td>
<td>&nbsp;</td>
</tr>
</table>
</form>
</body>
</html>
```

ADD PHARMACISTS.ASPX.CS

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.SqlClient;
using System.Data;

namespace hospital_management
{
    public partial class add_pharmacists : System.Web.UI.Page
    {
        SqlConnection conn = new SqlConnection(@"Data Source=DESKTOP-UNT2SKE;Initial
Catalog=HMS;Integrated Security=True");
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button1_Click(object sender, EventArgs e)
        {
            conn.Open();
            string insert = "insert into addpharmacists(pharmacistsid,name,email,contact,address) values('" +
            TextBox1.Text + "','" + TextBox2.Text + "','" + TextBox3.Text + "','" + TextBox4.Text + "','" + TextBox5.Text + "')";
            SqlCommand cmd = new SqlCommand(insert, conn);
            cmd.ExecuteNonQuery();
            conn.Close();
            Response.Write("<script LANGUAGE='JavaScript' >alert('Pharmacists added')</script>");
            TextBox1.Text = " ";
            TextBox2.Text = " ";
            TextBox3.Text = " ";
            TextBox4.Text = " ";
            TextBox5.Text = " ";
        }

        protected void Button2_Click(object sender, EventArgs e)
        {
            Response.Redirect("homepage.aspx");
        }
    }
}
```

ADD APPOINTMENT.ASPX

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="add appointment.aspx.cs"
Inherits="hospital_management.add_appointment" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title></title>
```

```
<style type="text/css">
```

```
.auto-style1 { color:
```

```
#000099;
```

```
text-align: center;
```

```
font-size: xx-large;
```

```
height: 73px;
```

```
}
```

```
body{
```

```
background-color:lightcyan;
```

```
}
```

```
.auto-style2
```

```
{ width:325px;
```

```
}
```

```
.auto-style3
```

```
{ width: 172px;
```

```
}
```

```
.auto-style4
```

```
{ width: 325px;
```

```
height: 37px;
```

```
}
```

```
.auto-style5
```

```
{ width: 172px;
```

```
height: 37px;
```

```
}
```

```
.auto-style6
```

```
{ height: 37px;
```

```
}
```

```
.auto-style7
```

```
{ width: 325px;
```

```
height: 81px;
```

```
}
```

```
.auto-style8
```

```
{ width: 172px;
```

```
height: 81px;
```

```
}
```

```
.auto-style9
```

```
{ height: 81px;
```

```
}
```

```
.auto-style10
```

```
{ width: 325px;
```

```
height: 52px;
```

```
}
```

```
.auto-style11
```

```
{ width: 172px;
```

```
height: 52px;
```

```
}
```

```
.auto-style12
```

```
{ height: 52px;
```

```
}
```

```
.auto-style13
```

```
{ width: 325px;
```

HOSPITAL MANAGEMENT SYSTEM

```
        height:42px;
    }
    .auto-style14
    { width:172px;
      height:42px;
    }
    .auto-style15
    { height:42px;
    }
}
</style>
</head>
<body>
    <form id="form1" runat="server">
        <table style="width:100%;">
            <tr>
                <td class="auto-style1" colspan="3"><strong>Add Appointment</strong></td>
            </tr>
            <tr>
                <td class="auto-style2">&nbsp;</td>
                <td class="auto-style3">&nbsp;</td>
                <td>&nbsp;</td>
            </tr>
            <tr>
                <td class="auto-style13"></td>
                <td class="auto-style14">Patient Name :</td>
                <td class="auto-style15">
                    <asp:TextBox ID="TextBox1" runat="server" Width="147px"></asp:TextBox>
                </td>
            </tr>
            <tr>
                <td class="auto-style4"></td>
                <td class="auto-style5">Disease : </td>
                <td class="auto-style6">
                    <asp:DropDownList ID="DropDownList1" runat="server" Height="37px" Width="153px">
                        <asp:ListItem>kidney</asp:ListItem>
                        <asp:ListItem>liver</asp:ListItem>
                        <asp:ListItem>heart</asp:ListItem>
                        <asp:ListItem>blood</asp:ListItem>
                        <asp:ListItem>skin</asp:ListItem>
                        <asp:ListItem>eyes</asp:ListItem>
                        <asp:ListItem>others</asp:ListItem>
                    </asp:DropDownList>
                </td>
            </tr>
            <tr>
                <td class="auto-style7"></td>
                <td class="auto-style8">Doctor Appointed : </td>
                <td class="auto-style9">
                    <asp:DropDownList ID="DropDownList2" runat="server" DataSourceID="SqlDataSource1"
DataTextField="doctorname" DataValueField="doctorname" Height="39px" Width="162px">
                    </asp:DropDownList>
                    <asp:SqlDataSource ID="SqlDataSource1" runat="server"
ConnectionStrings="HMSConnectionString %>" SelectCommand="SELECT [doctorname]
FROM [adddoctor]"></asp:SqlDataSource>
                </td>
            </tr>
            <tr>
                <td class="auto-style10"></td>
                <td class="auto-style11">Appointment Date : </td>
                <td class="auto-style12">
                    <asp:TextBox ID="TextBox2" runat="server" Width="164px"
placeholder="DD/MM/YYYY"></asp:TextBox>
                </td>
            </tr>
        </table>
    </form>
</body>
</html>
```

HOSPITAL MANAGEMENT SYSTEM

```
</tr>
<tr>
  <td class="auto-style2">&nbsp;</td>
  <td class="auto-style3">Appointment Time : </td>
  <td>
    <asp:DropDownListID="DropDownList3" runat="server" Height="31px" Width="151px">
      <asp:ListItem>8:00 AM</asp:ListItem>
      <asp:ListItem>9:00 AM</asp:ListItem>
      <asp:ListItem>10:00 AM</asp:ListItem>
      <asp:ListItem>11:00 AM</asp:ListItem>
      <asp:ListItem>12:00 PM</asp:ListItem>
      <asp:ListItem>2:00 PM</asp:ListItem>
      <asp:ListItem>3:00 PM</asp:ListItem>
      <asp:ListItem></asp:ListItem>
    </asp:DropDownList>
  </td>
</tr>
<tr>
  <td class="auto-style2">&nbsp;</td>
  <td class="auto-style3">&nbsp;</td>
  <td>&nbsp;</td>
</tr>
<tr>
  <td class="auto-style2">&nbsp;</td>
  <td class="auto-style3">&nbsp;</td>
  <td>&nbsp;</td>
</tr>
<tr>
  <td class="auto-style2">&nbsp;</td>
  <td class="auto-style3">&nbsp;</td>
  <td>
    <asp:Button ID="Button1" runat="server" Text="ADD" Width="113px" Height="34px"
    OnClick="Button1_Click"/>
  </td>
  <td>
    <asp:Button ID="Button2" runat="server" Text="CANCEL" Width="115px" Height="33px"
    OnClick="Button2_Click"/>
  </td>
</tr>
<tr>
  <td class="auto-style2">&nbsp;</td>
  <td class="auto-style3">&nbsp;</td>
  <td>&nbsp;</td>
</tr>
</table>
</form>
</body>
</html>
```

ADD APPOINTMENT.ASPX.CS

```
using System;
using System.Collections.Generic;
using System.Linq;
```

HOSPITAL MANAGEMENT SYSTEM

```
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.SqlClient;
using System.Data;

namespace hospital_management
{
    public partial class add_appiontment : System.Web.UI.Page
    {
        SqlConnection conn = new SqlConnection(@"Data Source=DESKTOP-UNT2SKE;Initial
Catalog=HMS;Integrated Security=True");
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button1_Click(object sender, EventArgs e)
        {
            conn.Open();
            string insert = "insert into
addappointment(patientname,disease,doctorappointed,appointmentdate,appointmenttime) values('" + TextBox1.Text
+ "','" + DropDownList1.Text + "','" + DropDownList2.Text + "','" + TextBox2.Text + "','" + DropDownList3.Text +
"');"
            SqlCommand cmd = new SqlCommand(insert, conn);
            cmd.ExecuteNonQuery();
            conn.Close();
            Response.Write("<scriptLANGUAGE='JavaScript'>alert('appointmentadded')</script>");
            TextBox1.Text = " ";
            TextBox2.Text = " ";

        }

        protected void Button2_Click(object sender, EventArgs e)
        {
            Response.Redirect("homepage.aspx");
        }
    }
}
```

PATIENT LIST.ASPX

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;
using System.Data.SqlClient;
using System.Data;
```

HOSPITAL MANAGEMENT SYSTEM

```
namespace hospital_management
{
    public partial class add_appointment : System.Web.UI.Page
    {
        SqlConnection conn = new SqlConnection(@"Data Source=DESKTOP-UNT2SKE;Initial
Catalog=HMS;Integrated Security=True");
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button1_Click(object sender, EventArgs e)
        {
            conn.Open();
            string insert = "insert into
addappointment(patientname,disease,doctorappointed,appointmentdate,appointmenttime)values('" + TextBox1.Text
+ "','" + DropDownList1.Text + "','" + DropDownList2.Text + "','" + TextBox2.Text + "','" + DropDownList3.Text +
"')";
            SqlCommand cmd = new SqlCommand(insert, conn);
            cmd.ExecuteNonQuery();
            conn.Close();
            Response.Write("<scriptLANGUAGE='JavaScript'>alert('appointmentadded')</script>");
            TextBox1.Text = " ";
            TextBox2.Text = " ";

        }

        protected void Button2_Click(object sender, EventArgs e)
        {
            Response.Redirect("homepage.aspx");
        }
    }
}
```

PATIENT LIST.ASPX.CS

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace hospital_management
{
    public partial class patients_list : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
```

HOSPITAL MANAGEMENT SYSTEM

```
{  
}  
  
protected void Button2_Click(object sender, EventArgs e)  
{  
    Response.Redirect("homepage.aspx");  
}  
}
```

DOCTOR LISTS.ASPX

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="doctor_list.aspx.cs"  
Inherits="hospital_management.WebForm1" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">  
<head runat="server">  
    <title></title>  
    <style type="text/css">  
        .auto-style1 {  
            color: #0000FF;  
            font-size: xx-large;
```


HOSPITAL MANAGEMENT SYSTEM

```
<asp:GridView ID="GridView1" runat="server" AutoGenerateColumns="False"
DataKeyNames="doctorid" DataSourceID="SqlDataSource1" BackColor="White" BorderColor="#3366CC"
BorderStyle="None" BorderWidth="1px" CellPadding="4">
    <Columns>
        <asp:CommandField ShowDeleteButton="True" ShowEditButton="True" />
        <asp:BoundField DataField="doctorid" HeaderText="doctorid" SortExpression="doctorid"
InsertVisible="False" ReadOnly="True" />
        <asp:BoundField DataField="doctorname" HeaderText="doctorname"
SortExpression="doctorname" />
        <asp:BoundField DataField="gender" HeaderText="gender" SortExpression="gender" />
        <asp:BoundField DataField="specialist" HeaderText="specialist" SortExpression="specialist" />
        <asp:BoundField DataField="contact" HeaderText="contact" SortExpression="contact" />
        <asp:BoundField DataField="address" HeaderText="address" SortExpression="address" />
    </Columns>
    <FooterStyle BackColor="#99CCCC" ForeColor="#003399" />
    <HeaderStyle BackColor="#003399" Font-Bold="True" ForeColor="#CCCCFF" />
    <PagerStyle BackColor="#99CCCC" ForeColor="#003399" HorizontalAlign="Left" />
    <RowStyle BackColor="White" ForeColor="#003399" />
    <SelectedRowStyle BackColor="#009999" Font-Bold="True" ForeColor="#CCFF99" />
    <SortedAscendingCellStyle BackColor="#EDF6F6" />
    <SortedAscendingHeaderStyle BackColor="#0D4AC4" />
    <SortedDescendingCellStyle BackColor="#D6DFDF" />
    <SortedDescendingHeaderStyle BackColor="#002876" />
</asp:GridView>
<td>&nbsp;</td>
</tr>
<tr>
    <td class="auto-style2">&nbsp;</td>
    <td class="auto-style3">&nbsp;</td>
    <td>&nbsp;</td>
</tr>
<tr>
    <td class="auto-style5"></td>
    <td class="auto-style4">
        <asp:Button ID="Button2" runat="server" OnClick="Button2_Click" Text="Home page" />
    </td>
    <td class="auto-style6"></td>
</tr>
<tr>
    <td class="auto-style2">&nbsp;</td>
    <td class="auto-style3">&nbsp;</td>
    <td>&nbsp;</td>
</tr>
</table>

</div>

<asp:SqlDataSource ID="SqlDataSource1" runat="server"
ConnectionString="<%= $ConnectionStrings.HMSSConnectionString %>" DeleteCommand="DELETE FROM
[adddoctor] WHERE [doctorid]
= @doctorid" InsertCommand="INSERT INTO [adddoctor] ([doctorname], [gender], [specialist], [contact], [address])
VALUES (@doctorname, @gender, @specialist, @contact, @address)" SelectCommand="SELECT * FROM
[adddoctor]" UpdateCommand="UPDATE [adddoctor] SET [doctorname] = @doctorname, [gender] = @gender,
[specialist] = @specialist, [contact] = @contact, [address] = @address WHERE [doctorid] = @doctorid"
FilterExpression="[specialist] LIKE '{0}%'">
    <FilterParameters>
        <asp:ControlParameter Name="specialist" ControlID="DropDownList1" PropertyName="SelectedValue"
/>
    </FilterParameters>
    <DeleteParameters>
        <asp:Parameter Name="doctorid" Type="Int32" />
    </DeleteParameters>
    <InsertParameters>
        <asp:Parameter Name="doctorname" Type="String" />
```

HOSPITAL MANAGEMENT SYSTEM

```
<asp:ParameterName="gender" Type="String" />
<asp:ParameterName="specialist" Type="String" />
<asp:ParameterName="contact" Type="String" />
<asp:ParameterName="address" Type="String" />
</InsertParameters>
<UpdateParameters>
  <asp:ParameterName="doctorname" Type="String" />
  <asp:ParameterName="gender" Type="String" />
  <asp:ParameterName="specialist" Type="String" />
  <asp:ParameterName="contact" Type="String" />
  <asp:ParameterName="address" Type="String" />
  <asp:ParameterName="doctorid" Type="Int32" />
</UpdateParameters>
</asp:SqlDataSource>

</form>
</body>
</html>
```

DOCTOR LIST.ASPX.CS

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace hospital_management
{
    public partial class WebForm1 : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button2_Click(object sender, EventArgs e)
        {
            Response.Redirect("homepage.aspx");
        }
    }
}
```

NURSE LIST.ASPX

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="nurse_list.aspx.cs"
Inherits="hospital_management.nurse_list" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title></title>
```

```
<style type="text/css">
```

```
.auto-style1
{ width:309px;
}
```

```
.auto-style2
{ width:309px;
height:76px;
}
```

```
.auto-style3
{ height:76px;
}
```

```
.auto-style4
{ width:309px;
height:64px;
}
```

```
.auto-style5
{ height:64px;
}
```

```
.auto-style6
{ width:309px;
height:37px;
```

[illegible]

HOSPITAL MANAGEMENT SYSTEM

```
<asp:GridView ID="GridView1" runat="server" AutoGenerateColumns="False" BackColor="White"
BorderColor="#3366CC" BorderStyle="None" BorderWidth="1px" CellPadding="4"
DataSourceID="SqlDataSource2" Width="333px" EmptyDataText="no data yet" DataKeyNames="nurseid">
    <Columns>
        <asp:CommandField ShowDeleteButton="True" ShowEditButton="True" />
        <asp:BoundField DataField="nurseid" HeaderText="nurseid" SortExpression="nurseid"
InsertVisible="False" ReadOnly="True" />
        <asp:BoundField DataField="name" HeaderText="name" SortExpression="name" />
        <asp:BoundField DataField="email" HeaderText="email" SortExpression="email" />
        <asp:BoundField DataField="contact" HeaderText="contact" SortExpression="contact" />
        <asp:BoundField DataField="address" HeaderText="address" SortExpression="address" />
    </Columns>
    <FooterStyle BackColor="#99CCCC" ForeColor="#003399" />
    <HeaderStyle BackColor="#003399" Font-Bold="True" ForeColor="#CCCCFF" />
    <PagerStyle BackColor="#99CCCC" ForeColor="#003399" HorizontalAlign="Left" />
    <RowStyle BackColor="White" ForeColor="#003399" />
    <SelectedRowStyle BackColor="#009999" Font-Bold="True" ForeColor="#CCFF99" />
    <SortedAscendingCellStyle BackColor="#EDF6F6" />
    <SortedAscendingHeaderStyle BackColor="#0D4AC4" />
    <SortedDescendingCellStyle BackColor="#D6DFDF" />
    <SortedDescendingHeaderStyle BackColor="#002876" />
</asp:GridView>
</td>
<td>&nbsp;</td>
</tr>
<tr>
    <td class="auto-style1">&nbsp;</td>
    <td>&nbsp;</td>
    <td>&nbsp;</td>
</tr>
<tr>
    <td class="auto-style1">
        <asp:SqlDataSource ID="SqlDataSource2" runat="server"
ConnectionString="<?%$ ConnectionStrings:HMSConnectionString %>" DeleteCommand="DELETE FROM
[addnurse] WHERE [nurseid] =
@nurseid" InsertCommand="INSERT INTO [addnurse] ([name], [email], [contact], [address]) VALUES (@name,
@email, @contact, @address)" SelectCommand="SELECT * FROM [addnurse]" UpdateCommand="UPDATE
[addnurse] SET [name] = @name, [email] = @email, [contact] = @contact, [address] = @address WHERE [nurseid]
= @nurseid">
            <DeleteParameters>
                <asp:Parameter Name="nurseid" Type="Int32" />
            </DeleteParameters>
            <InsertParameters>
                <asp:Parameter Name="name" Type="String" />
                <asp:Parameter Name="email" Type="String" />
                <asp:Parameter Name="contact" Type="String" />
                <asp:Parameter Name="address" Type="String" />
            </InsertParameters>
            <UpdateParameters>
                <asp:Parameter Name="name" Type="String" />
                <asp:Parameter Name="email" Type="String" />
                <asp:Parameter Name="contact" Type="String" />
                <asp:Parameter Name="address" Type="String" />
                <asp:Parameter Name="nurseid" Type="Int32" />
            </UpdateParameters>
        </asp:SqlDataSource>
    </td>
    <td class="auto-style8">
        <asp:Button ID="Button2" runat="server" Height="32px" OnClick="Button2_Click" Text="Home Page"
Width="123px" />
    </td>
    <td>&nbsp;</td>
</tr>
</tr>
```

[illegible]

NURSE LIST.ASPX.CS

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace hospital_management
{
    public partial class nurse_list : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }

        protected void Button2_Click(object sender, EventArgs e)
        {
            Response.Redirect("homepage.aspx");
        }

        protected void Button1_Click(object sender, EventArgs e)
        {

        }
    }
}
```


PHARMACISTS LIST.ASPX

```
<%@ Page Language="C#" AutoEventWireup="true" Codefile="pharmacists_list.aspx.cs"
Inherits="hospital_management.pharmacists_list" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title></title>
```

```
<style type="text/css">
```

```
.auto-style1
```

```
{ width:271px;
```

```
}
```

```
.auto-style2
```

```
{ width:469px;
```

```
}
```

```
.auto-style3
```

```
{ width:271px;
```

```
height: 76px;
```

```
}
```

```
.auto-style4
```

```
{ width:469px;
```

```
height: 76px;
```

```
}
```

```
.auto-style5
```

```
{ height: 76px;
```

```
}
```

```
.auto-style6
```

```
{ width:
```

```
469px; text-
```

```
align:left;
```

```
}
```

```
.auto-style7
```

```
{ width: 271px;
```

```
height: 100px;
```

```
}
```

```
.auto-style8
```

```
{ width: 469px;
```

```
height: 100px;
```

```
font-size:xx-large;
```

```
color: #003399;
```

```
text-align:center;
```

```
}
```

```
.auto-style9
```

```
{ height: 100px;
```

```
}
```

```
.auto-style10
```

```
{ width: 271px;
```

```
text-align:right;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">
```

```
<table style="width:100%;">
```

```

<tr>
  <td class="auto-style7"></td>
  <td class="auto-style8"><strong>Search Pharmacists</strong></td>
  <td class="auto-style9"></td>
</tr>
<tr>
  <td class="auto-style1">&nbsp;</td>
  <td class="auto-style2">Search by Pharmacists Name&nbsp;<br>
    <asp:TextBox ID="TextBox1" runat="server" OnTextChanged="TextBox1_TextChanged" style="height:
22px"></asp:TextBox>
&nbsp;<br>
    <asp:Button ID="Button1" runat="server" Text="Search" Width="84px" OnClick="Button1_Click" />
  </td>
  <td>&nbsp;<br></td>
</tr>
<tr>
  <td class="auto-style3"></td>
  <td class="auto-style4">
    <asp:SqlDataSource ID="SqlDataSource1" runat="server"
ConnectionStrings="%$ ConnectionStrings:HMSCConnectionString%>" SelectCommand="SELECT * FROM
[addpharmacists] WHERE ([name] = @name)">
      <SelectParameters>
        <asp:ControlParameter ControlID="TextBox1" Name="name" PropertyName="Text"
Type="String" />
      </SelectParameters>
    </asp:SqlDataSource>
  </td>
  <td class="auto-style5"></td>
</tr>
<tr>
  <td class="auto-style1">&nbsp;</td>
  <td class="auto-style2">
    <asp:GridView ID="GridView1" runat="server" AutoGenerateColumns="False" BackColor="White"
BorderColor="#3366CC" BorderStyle="None" BorderWidth="1px" CellPadding="4"
DataSourceID="SqlDataSource2" Width="442px" DataKeyNames="pharmacistsid">
      <Columns>
        <asp:CommandField ShowDeleteButton="True" ShowEditButton="True" />
        <asp:BoundField DataField="pharmacistsid" HeaderText="pharmacistsid"
SortExpression="pharmacistsid" InsertVisible="False" ReadOnly="True" />
        <asp:BoundField DataField="name" HeaderText="name" SortExpression="name" />
        <asp:BoundField DataField="email" HeaderText="email" SortExpression="email" />
        <asp:BoundField DataField="contact" HeaderText="contact" SortExpression="contact" />
        <asp:BoundField DataField="address" HeaderText="address" SortExpression="address" />
      </Columns>
      <FooterStyle BackColor="#99CCCC" ForeColor="#003399" />
      <HeaderStyle BackColor="#003399" Font-Bold="True" ForeColor="#CCCCFF" />
      <PagerStyle BackColor="#99CCCC" ForeColor="#003399" HorizontalAlign="Left" />
      <RowStyle BackColor="White" ForeColor="#003399" />
      <SelectedRowStyle BackColor="#009999" Font-Bold="True" ForeColor="#CCFF99" />
      <SortedAscendingCellStyle BackColor="#EDF6F6" />
      <SortedAscendingHeaderStyle BackColor="#0D4AC4" />
      <SortedDescendingCellStyle BackColor="#D6DFDF" />
      <SortedDescendingHeaderStyle BackColor="#002876" />
    </asp:GridView>
  </td>
  <td>&nbsp;<br></td>
</tr>
<tr>
  <td class="auto-style1">&nbsp;</td>
  <td class="auto-style2">&nbsp;</td>
  <td>&nbsp;<br></td>
</tr>
<tr>
  <td class="auto-style1">&nbsp;</td>
  <td class="auto-style2">&nbsp;</td>
  <td>&nbsp;<br></td>
</tr>

```

HOSPITAL MANAGEMENT SYSTEM

```
<td class="auto-style10">&nbsp;</td>
<td class="auto-style6">
  <asp:Button ID="Button2" runat="server" OnClick="Button2_Click" Text="Home Page" />
</td>
<td>&nbsp;</td>
</tr>
<tr>
  <td class="auto-style1">
    <asp:SqlDataSource ID="SqlDataSource2" runat="server"
      ConnectionString="s%$ ConnectionStrings:HMSCConnectionString%" SelectCommand="SELECT * FROM
[addpharmacists]" DeleteCommand="DELETE FROM [addpharmacists] WHERE [pharmacistsid] =
@pharmacistsid" InsertCommand="INSERT INTO [addpharmacists] ([name], [email], [contact], [address])
VALUES (@name,
@email, @contact, @address)" UpdateCommand="UPDATE [addpharmacists] SET [name] = @name, [email] =
@email, [contact] = @contact, [address] = @address WHERE [pharmacistsid] = @pharmacistsid">
      <DeleteParameters>
        <asp:Parameter Name="pharmacistsid" Type="Int32" />
      </DeleteParameters>
      <InsertParameters>
        <asp:Parameter Name="name" Type="String" />
        <asp:Parameter Name="email" Type="String" />
        <asp:Parameter Name="contact" Type="String" />
        <asp:Parameter Name="address" Type="String" />
      </InsertParameters>
      <UpdateParameters>
        <asp:Parameter Name="name" Type="String" />
        <asp:Parameter Name="email" Type="String" />
        <asp:Parameter Name="contact" Type="String" />
        <asp:Parameter Name="address" Type="String" />
        <asp:Parameter Name="pharmacistsid" Type="Int32" />
      </UpdateParameters>
    </asp:SqlDataSource>
  </td>
  <td class="auto-style2">&nbsp;</td>
  <td>&nbsp;</td>
</tr>
</table>

</form>
</body>
</html>
```

PHARMACISTS LIST.ASPX.CS

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace hospital_management
```

HOSPITAL MANAGEMENT SYSTEM

```
{
public partial class pharmacists_list : System.Web.UI.Page
{
    protected void Page_Load(object sender, EventArgs e)
    {

    }

    protected void Button2_Click(object sender, EventArgs e)
    {
        Response.Redirect("homepage.aspx");
    }

    protected void TextBox1_TextChanged(object sender, EventArgs e)
    {

    }

    protected void Button1_Click(object sender, EventArgs e)
    {

    }
}
}
```

APPOINTMENT LIST.ASPX

```
<%@ Page Language="C#" AutoEventWireup="true" Codefile="appointment list.aspx.cs"
Inherits="hospital_management.appointment_list" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title></title>
    <style type="text/css">
        .auto-style2 {
```

HOSPITAL MANAGEMENT SYSTEM

```
        text-align:center;
        height: 77px;
    }
    .auto-style3 {
        font-size:xx-large;
        color:#0000FF;
    }
    .auto-style4
    { width:452px;
    }
    .auto-style5
    { width:226px;
    }
    body{
        background-color:azure;
    }
    .auto-style6 { width:
        452px; text-align:
        center;
    }
</style>
</head>
<body>
    <form id="form1" runat="server">
    <div>

        <table style="width:100%;">
            <tr>
                <td class="auto-style2" colspan="3"><strong>
                    <asp:Label ID="Label1" runat="server" CssClass="auto-style3" Text="Appointments ..." /></asp:Label>
                </strong></td>
            </tr>
            <tr>
                <td class="auto-style5">&nbsp;</td>
                <td class="auto-style4">&nbsp;</td>
                <td>&nbsp;</td>
            </tr>
            <tr>
                <td class="auto-style5">&nbsp;</td>
                <td class="auto-style4">
                    <asp:GridView ID="GridView1" runat="server" BackColor="White" BorderColor="#3366CC"
                    BorderStyle="None" BorderWidth="1px" CellPadding="4" DataSourceID="SqlDataSource1"
                    OnSelectedIndexChanged="GridView1_SelectedIndexChanged">
                        <Columns>
                            <asp:CommandField ShowEditButton="True" />
                            <asp:CommandField />
                            <asp:CommandField ShowDeleteButton="True" />
                        </Columns>
                        <FooterStyle BackColor="#99CCCC" ForeColor="#003399" />
                        <HeaderStyle BackColor="#003399" Font-Bold="True" ForeColor="#CCCCFF" />
                        <PagerStyle BackColor="#99CCCC" ForeColor="#003399" HorizontalAlign="Left" />
                        <RowStyle BackColor="White" ForeColor="#003399" />
                        <SelectedRowStyle BackColor="#009999" Font-Bold="True" ForeColor="#CCFF99" />
                        <SortedAscendingCellStyle BackColor="#EDF6F6" />
                        <SortedAscendingHeaderStyle BackColor="#0D4AC4" />
                        <SortedDescendingCellStyle BackColor="#D6DFDF" />
                        <SortedDescendingHeaderStyle BackColor="#002876" />
                    </asp:GridView>
                    <asp:SqlDataSource ID="SqlDataSource1" runat="server"
                    ConnectionString="<%$ ConnectionStrings:HMSConnectionString %>"
                    SelectCommand="SELECT * FROM [addappointment]" /></asp:SqlDataSource>
                </td>
                <td>&nbsp;</td>
            </tr>
        </table>
    </div>
    </form>
</body>
</html>
```

HOSPITAL MANAGEMENT SYSTEM

```
</tr>
<tr>
  <td class="auto-style5">&nbsp;</td>
  <td class="auto-style6">&nbsp;</td>
  <td>&nbsp;</td>
</tr>
<tr>
  <td class="auto-style5">&nbsp;</td>
  <td class="auto-style4">&nbsp;</td>
  <td>&nbsp;</td>
</tr>
<tr>
  <td class="auto-style5">&nbsp;</td>
  <td class="auto-style6">
    <asp:Button ID="Button1" runat="server" Height="37px" OnClick="Button1_Click" Text="Homepage"
Width="108px"/>
  </td>
  <td>&nbsp;</td>
</tr>
<tr>
  <td class="auto-style5">&nbsp;</td>
  <td class="auto-style4">&nbsp;</td>
  <td>&nbsp;</td>
</tr>
</table>

</div>
</form>
</body>
</html>
```

APPOINTMENT LIST.ASPX.CS

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace hospital_management
{
    public partial class appointment_list : System.Web.UI.Page
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }
    }
}
```

HOSPITAL MANAGEMENT SYSTEM

```
protected void GridView1_SelectedIndexChanged(object sender, EventArgs e)
{

}

protected void Button1_Click(object sender, EventArgs e)
{
    Response.Redirect("homepage.aspx");
}
}
```

SERVICES.ASPX

```
<%@ Page Title="" Language="C#" MasterPageFile="~/master1.Master" AutoEventWireup="true"
CodeBehind="services.aspx.cs" Inherits="hospital_management.contact" %>
<asp:Content ID="Content1" ContentPlaceHolderID="head" runat="server">
```

```
<style type="text/css">
.auto-style2
{ width:498px;
}
.auto-style3 {
text-align:center;
color:blue;
}
.auto-style5
{ height:
97px;
text-align:center;
}
.auto-style7 {
width:231px;
```

```
}
</style>

</asp:Content>
<asp:ContentID="Content2" ContentPlaceholderID="Content" runat="server">
    <table style="width: 100%; ">
        <tr>
            <td colspan="4"><h1 class="auto-style3"> Services</h1></td>
        </tr>
        <tr>
            <td class="auto-style5" colspan="2">
                &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~<br />
                <asp:Image ID="Image1" runat="server" Height="300px" ImageUrl="/~/scripts/servicespic1.jpg" Width="500px"/>
            </td>
            <td class="auto-style5" colspan="2">
                <asp:Image ID="Image2" runat="server" Height="300px" ImageUrl="/~/scripts/servicespic2.jpg" Width="500px"/>
            </td>
        </tr>
        <tr>
            <td class="auto-style2">&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&~</td>
            <td class="auto-style7" colspan="2">&nbsp;&nbsp;&nbsp;&nbsp;&~</td>
            <td>&nbsp;&nbsp;&~</td>
        </tr>
        <tr>
            <td colspan="4" style="color:blue;"><h2>Scope Of Services</h2><hr />
            <br />
            1.Eye Department.<br />
            2.General Surgery.<br />
            3.Emergency & Ambulance Services<br />
            4.Pathology<br />
            5.Radiology & Ultrasonology<br />
            6.Physiotherephy<br />
            7.Cardiology<br />
            8.General Medicine<br />
            9.general Surgery<br />
            10.Nero Surgery<br />
        </td>
        </tr>
        <tr>
            <td colspan="4">&nbsp;&nbsp;&~</td>
        </tr>
    </table>
</asp:Content>
<asp:ContentID="Content3" ContentPlaceholderID="footer" runat="server">
</asp:Content>
```


ABOUT US.ASPX

```
<%@ Page Title="" Language="C#" MasterPageFile="~/master1.Master" AutoEventWireup="true"
CodeBehind="About.aspx.cs" Inherits="hospital_management.About" %>
```

```
<asp:ContentID="Content1" ContentPlaceHolderID="head" runat="server">
</asp:Content>
<asp:ContentID="Content2" ContentPlaceHolderID="Content" runat="server">
```

```
<style type="text/css">
    .auto-style1 {
        text-align: center;
    }
</style>
<style type="text/css">
    .auto-style1 {
        text-align: center;
    }
</style>
<style type="text/css">
    .auto-style1 {
```

HOSPITAL MANAGEMENT SYSTEM

```
        text-align: center;
    }
</style>

<table style="width: 100%;">
    <tr>
        <td>
            <h1 style="align-content: center; background-color: blue; color: white;" class="auto-style1"><b>About
Us</b></h1>
        </td>

        </tr>
        <tr>
            <td class="auto-style1">
                <br />
                <asp:Image ID="Image1" runat="server" Height="270px" ImageUrl="~/scripts/doctor group.png"
Width="650px" />
                <br />
            </td>
        </tr>
        <tr>
            <td style="color: blue;">
                <h2>Dear All</h2>
                <p>
                    Our Hospital which was established in 1968. With an aim of providing service to people
                    charity and excellence. this is a 404 bedded multispeciality ISO certified, NABL accredited hospital
                    offering excellent care in affordable price. The main motto of the institute is care, concern and commitment
                    to the patient .
                </p>

                <b>The mix of activity includes:</b><br />

                1. Patient care.
                <br />
                2. Community health programs
                .<br />
                3. school health programs
                .<br />
                4. CSR activity. <br />

                <br />
                <b>Thank You</b><br />
            </td>
        </tr>
    </table>
</asp:Content>
<asp:Content ID="Content3" ContentPlaceHolderID="footer" runat="server">
</asp:Content>
```

HOSPITAL MANAGEMENT SYSTEM

5.3SYSTEM TESTING

One of the purposes of the testing is to validate and verify the system. Verification means checking the system to ensure that it is doing what the function is supposed to do and Validation means checking to ensure that system is doing what the user wants it to do.

No program or system design is perfect; communication between the user and the designer is not always complete or clear, and time is usually short. The result is errors and more errors. Theoretically, a newly designed system should have all the pieces in working order, but in reality, each piece works independently. Now is the time to put all the pieces into one system and test it to determine whether it meets the user's requirements. This is the best chance to detect and correct errors before the system is implemented. The purpose of system testing is to consider all the likely variations to which it will be subjected and then push the system to its limits. If we implement the system without proper testing then it might cause the problems.

1. Communication between the user and the designer.
2. The programmer's ability to generate a code that reflects exactly the system specification.
3. The time frame for the design.

Theoretically, a new designed system should have all the pieces in working order, but in reality, each piece works independently. Now is the time to put all the pieces into one system and test it to determine whether it meets the requirements of the user. The process of system testing and the steps taken to validate and prepare a system for final implementation are:

LEVELS OF TESTING:

The different types of testing are as follows:

HOSPITAL MANAGEMENT SYSTEM

Unit Testing:

This is the smallest testable unit of a computer system and is normally tested using the white box testing. The author of the programs usually carries out unit tests.

This is the test in the development process and ensures that each unique path of the project performs accurately to the documented specifications and contains clearly defined inputs and expected results. In the unit testing the analyst tests the program making up a system. The software units in a system are the modules and routines that are assembled and integrated to perform a specific function. In a large system, many modules on different levels are needed.

Unit testing can be performed from the bottom up starting with the smallest and lowest level modules and proceeding one at a time. For each module in a bottom-up testing, a short program executes the module and provides the needed data. Each module

was tested to ascertain that it fully performs as expected.

In integration testing, this is the test in the development process and ensures that each unique path of the project performs accurately to the documented specifications and contains clearly defined inputs and expected results. In the unit testing the analyst tests the program making up a system. The software units in a system are the modules and routines that are assembled and integrated to perform a specific function. In a large system, many modules on different levels are needed.

Unit testing can be performed from the bottom up starting with the smallest and lowest level modules and proceeding one at a time. For each module in a bottom-up testing, a short program executes the module and provides the needed data. Each module

was tested to ascertain that it fully performs as expected.

Integration Testing:

In integration testing, the different units of the system are integrated together to form the complete system and this type of testing checks the system as whole to ensure that it is doing what is supposed to do. The testing of an integrated system can be carried out top-down, bottom-up, or big-bang. In this type of testing, some parts will be tested with white box testing and some with black box testing techniques. This type of testing plays very important role in increasing the systems productivity. We have checked our system by using the integration testing techniques.

System Testing:

A part from testing the system to validate the functionality of software against the requirements, it is also necessary to test the non-functional aspect of the system. Some examples of non-functional tools include tests to check performance, data security, usability/user friendliness, volume, load/stress that we have used in our project to test the various modules.

System testing consists of the following steps:

1. Program(s) testing.
2. String testing.
3. System testing.
4. System documentation.
5. User acceptance testing.

Field Testing:

This is a special type of testing that may be very important in some projects. Here the system is tested in the actual operational surroundings. The interfaces with other systems and the real world are checked. This type of testing is very rarely used.

Acceptance Testing:

After the developer has completed all rounds of testing and he is satisfied with the system, then the user takes over and re-tests the system from his point of view to judge whether it is acceptable according to some previously identified criteria. This is almost always a tricky situation in the project because of the inherent conflict between the developer and the user. In this project, it is the job of the bookstores to check the system that whether the made system fulfills the goals or not.

Why System Testing?

Testing is vital to the success of the system. System testing makes a logical assumption that if all the parts of the system are correct, the goal will be successfully achieved. Inadequate testing results in two types of problems:

1. The time lag between the cause and the appearance of the problem.
2. The effect of system errors on the files and records within the system.

Another reason for system testing is its utility as a user-oriented vehicle before implementation.

Activity Network for System Testing

The test plan entails the following activities:

1. Prepare test plan.
2. Specify conditions for user acceptance testing.
3. Prepare test data for program testing.
4. Prepare test data for transaction path testing.

5. Plan user training.
6. Compile/assemble programs.
7. Prepare job performance aids.
8. Prepare operational documents.

Prepare Test

A workable test plan must be prepared in accordance with established design

specifications. It includes the following items:

- Outputs expected from the system.
- Criteria for evaluating outputs.
- A volume of test data.
- Procedure for using test data.
- Personnel and training requirements.

Specify Conditions for User Acceptance Testing

Planning for user acceptance testing calls for the analyst and the user to agree on conditions for the test.

Prepare Test Data for Program Testing

As each program is coded, test data are prepared and documented to ensure that all aspects of the program are properly tested.

Prepare Test Data for Transaction Path Testing

This activity develops the data required for testing every condition and transactions to be introduced into the system. The path of each transaction from origin to destination is carefully tested reliable results.

Plan User Training

User training is designed to prepare the user for testing and converting the system.

User involvement and training take place parallel with programming for three reasons:

- The system group has time available to spend on training while the programs are being written.

HOSPITAL MANAGEMENT SYSTEM

- Initiating a user-training program gives the systems group a clearer image of the user's interest in the new system.
- A trained user participates more effectively in system testing.

The training plan is followed by preparation of the user training manual and other text materials.

Compile / Assemble Programs

All programs have to be compiled / assembled for testing.

Prepare Job Performance Aids

In this activity the materials to be used by personnel to run the system are specified and scheduled. This includes a display of materials.

Prepare Operational Documents

During the test plan stage, all operational documents are finalized including copies of the operational formats required by the candidate system.

System testing

The computer department to ensure that the system functions as specified does this testing. This testing is important to ensure that a working system is handed over to the user for acceptance testing.

Acceptance testing.

The user to ensure that the system functions, as the user actually wanted performs this testing. With prototyping techniques, this stage becomes very much a formality to check the accuracy and completeness of processing. The screen layouts and output should already have been tested during the prototyping phase.

An error in the program code can remain undetected indefinitely. To prevent this from happening the code was tested at various levels. To successfully test a system, each condition,

and combinations of conditions had to be tested. Each program was tested and linked to other programs. This unit of program is tested and linked to other units and so on until the complete system has been tested.

The purpose of testing is to ensure that each program is fully tested. To do so a test plan had to be created. The test plan consists of a number of test runs such as the valid paths through the code, and the exception and error handling paths. For each test run there is a list of conditions tested, the test data used and the result expected. The test plan was then reviewed to check that each path through the code is tested correctly. It is the responsibility of the programmer to collect the data that will produce the required test condition.

VERIFICATION AND VALIDATION (V&V):

The objectives of verification, validity activities are to assess and improve the quality of the work products generated during development and modification of the software. Quality depends upon the various attributes like correctness, completeness, consistency, reliability, usefulness, usability, efficiency and conformance to standards.

The terms verification and validation are used synonymously. These are defined as under: -

Verification: “Are we building the product right?”

Validation: “Are we building the right product?”

Verification activities include proving, testing, and reviews. Validation is the process of evaluating software at the end of the software development to ensure compliance with the software requirements. Testing is a common method of validation. Clearly, for high reliability we need to perform both activities. Together, they are often called V&V activities.

The major V&V activities for software development are inspection, reviews, and testing (both static and dynamic). The V&V plan identifies the different V&V tasks for the different phases and specifies how these tasks contribute to the project V&V goals. The methods to be used for performing these V&V activities, the responsibilities and milestones for each of these activities, inputs and outputs for each V&V task, and criteria for evaluating the outputs are also specified.

The two major V&V approaches are testing and inspections. Testing is an activity that can be generally performed only on code. It is an important activity and is discussed in detail in a later chapter. Inspection is a more general activity that can be applied to any work product, including code. Many of the V&V tasks are such that for them, an inspection type of activity is the only possible way to perform the tasks (e.g. trace ability and document evaluation). Due to this, inspections play a significant role in verification.

5.4 TEST CASE

Test Case ID	Test Scenario	Pre requisite	steps	Input data	Expected Output	Actual Output	Staus
TC_01	Check customer login with valid data	Testfiled & Number filed should be enable	1 Select plain text 2. Enter numeric key	P: abhi K: 1234	User should login into application	As expected	PASS
TC_02	Check customer login with invalid data	Testfiled & Number filed should be enable No special charater	1 Select plain text 2. Enter numeric key 3. Enter special charater	P: abhi K: 123@	User should login into application	Error	Fail
TC_03	Check Members login with valid data	Testfiled & Number filed should be enable	1 Select plain text 2. Enter numeric key	P: abhi K: 1234	User should login into application	As expected	PASS
TC-04	Check Members	Testfiled & Number filed	1 Select plain text	P: abhi K: 1234	User should	Error	FAIL

HOSPITAL MANAGEMENT SYSTEM


	login with invalid data	should be enable	2.Enter numeric key		login into application		
TC-05	Check Admin login with valid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	As Expected	PASS
TC-06	Check Admin login with invalid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	Error	FAIL
TC-07	Check Book inventory with valid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	As Expected	PASS
TC-08	Check Book inventory without valid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	Error	FAIL
TC-09	Check Book inventory with valid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	As Expected	PASS
TC-10	Check Book inventory with invalid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	Error	FAIL
TC-11	Check user profile with valid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	As Expected	PASS
TC-12	Check user profile with invalid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	Error	FAIL
TC-13	Check user profile with valid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	As Expected	PASS
TC-14	Check user profile with invalid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	Error	FAIL

HOSPITAL MANAGEMENT SYSTEM


TC-15	Check Admin author profile with valid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	As Expected	PASS
TC-16	Check Admin book issue profile profile with invalid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	Error	FAIL
TC-17	Check admin book issue profile with valid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	As Expected	PASS
TC-09	Check publisher management with valid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	As Expected	PASS
TC-10	Chec Publisher Management invalid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	Error	FAIL
TC-16	Check Admin author profile profile with valid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	As Expected	PASS
TC-10	Chec Menber management invalid data	Testfiled & Number filed should be enable	1Select plain text 2.Enter numeric key	P: abhi K:1234	User should login into application	Error	FAIL

CHAPTER 6: - RESULTS AND DISCUSSION

Homepage



Login page



HOSPITAL MANAGEMENT SYSTEM

HMS | Doctor Login

[Sign in to your account](#)

Please enter your name and password to log in.



[Forgot Password ?](#)

Login 

© 2021 HMS. All rights reserved

HMS | Patient Login

[Sign in to your account](#)

Please enter your name and password to log in.



[Forgot Password ?](#)

Login 

Don't have an account yet? [Create an account](#)

© 2021 HMS. All rights reserved

Register page

HOSPITAL MANAGEMENT SYSTEM

HMS | Patient Registration

Sign Up

Enter your personal details below:

Full Name

Address

City

Gender

☐ Female ☐ Male

Enter your account details below:

 Email

 Password

 Password Again

☒ I agree

Already have an account? [Log-in](#)

Submit

© 2021 HMS. All rights reserved

Dashboard page

HMS

MAIN NAVIGATION

Dashboard

Doctors

Users

Patients

Appointment History

Consultatus Queries

Doctor Session Logs

User Session Logs

Reports

Patient Search

ADMIN | DASHBOARD

Manage Users

Total Users: 6

Manage Doctors

Total Doctors: 8

Appointments

Total Appointments: 6

Manage Patients

Total Patients: 5

New Queries

Total New Queries: 1

Patient list

HMS

MAIN NAVIGATION

Dashboard

Doctors

Users

Patients

Appointment History

Consultus Queries

Doctor Session Logs

User Session Logs

Reports

Patient Search

ADMIN | VIEW PATIENTS

Admin / View Patients

View Patients

#	Patient Name	Patient Contact Number	Patient Gender	Creation Date	Update Date	Action
1.	Marisha Jha	4558968789	Female	2019-11-05 03:08:06	2019-11-06 12:18:05	
2.	Raghu Yadav	9797977979	Male	2019-11-05 16:10:13	2019-11-05 17:23:45	
3.	Manal	9878978798	Female	2019-11-05 16:19:41	2019-11-05 17:28:59	
4.	Manav Sharma	9889889889	Male	2019-11-06 20:03:54	2019-11-06 20:04:31	
5.	John	1234567890	male	2019-11-11 00:19:24		

Doctor list

HMS

MAIN NAVIGATION

Dashboard

Doctors

Users

Patients

Appointment History

Consultus Queries

Doctor Session Logs

User Session Logs

Reports

Patient Search

ADMIN | MANAGE DOCTORS

Admin / Manage Doctors

Manage Doctors

#	Specialization	Doctor Name	Creation Date	Action
1.	Dentist	Dr. AMAN KUMAR	2016-12-29 11:55:37	
2.	Homeopath	DR. UTKARSH SINGH	2016-12-29 12:21:51	
3.	General Physician	Dr. RISHAB KUMAR	2017-01-07 13:13:35	
4.	Homeopath	DR. SUMIT SHARMA	2017-01-07 13:15:09	
5.	Ayurveda	Dr. SUMITA DAS	2017-01-07 13:17:07	
6.	General Physician	Dr. AMRITA KUMARI	2017-01-07 13:22:50	
7.	Dentist	Dr. RISHA BANERJEE	2017-01-07 13:38:58	
8.	Ear-Nose-Throat (Ent) Specialist	DR. ROY	2021-06-28 10:30:30	

Appointment List

HOSPITAL MANAGEMENT SYSTEM

HMS

MAIN NAVIGATION

Dashboard

Doctors

Users

Patients

Appointment History

Consultus Queries

Doctor Session Logs

User Session Logs

Reports

Patient Search

Hospital Management System

Admin

PATIENTS | APPOINTMENT HISTORY

Patients / Appointment History

#	Doctor Name	Patient Name	Specialization	Consultancy Fee	Appointment Date / Time	Appointment Creation Date	Current Status	Action
1.	DR. SUMIT SHARMA	Anil kumar	Homeopath	700	2017-01-11 / 14 10	2017-01-07 13:32:58	Cancel by Patient	Cancelled
2.	Dr. SUMITA DAS	Anil kumar	Ayurveda	8050	2019-11-08 / 1 00 PM	2019-11-05 15:58:54	Active	No Action yet
3.	DR. ROY	AMAN KUMAR PRASAD	Ear-Nose-Throat (Ent) Specialist	700	2021-06-30 / 10 45 AM	2021-06-28 10:38:53	Active	No Action yet

CONTACT:

Hospital Management system

HOMECONTACT

Hospital Address :

100 janshvedpur hospital,
8311009 janshvedpur
India
Phone: (00) 222 666 444
Fax: (00) 000 00 00 0
Email: info@jshospital.com

Contact Us

NAME

E-MAIL

MOBILE.NO

Description

SUBMIT

HOMECONTACT

CHAPTER 7: - CONCLUSIONS

7.1 Conclusions

This project has been a rewarding experience in more than one way. The entire project work has enlightened us in the following areas.

- a) We have gained an insight into the working of the HOSPITAL. This represents a typical real world situation.
- b) Our understanding of database design has been strengthened this is because in order to generate the final reports of database designing has to be properly followed.
- c) Scheduling a project and adhering to that schedule creates a strong sense of time management.
- d) Sense of teamwork has developed and confidence of handling real life project has increased to a great extent.
- e) Initially, there were problem with the validation but with discussions, we were to implement validations.

Limitations of the system

- o Online payment is not available at this version.
- o Data delete & edit system is not available for all section.
- o User account not verified by Mobile SMS not available in this system.
- o Loss of data due to mismanagement.

7.2 Future plan

o Diagnostics billing system.

o This application avoids the manual work and the problems concern with it. It is an easy way to obtain the information regarding the various travel services that are present in our System. Well I and my team member have worked hard in order to present an improved website better than the existing one's regarding the information about the various activities. Still, we found out that the project can be done in a better way. Primarily, In this system patient login and then go to reception. By using this patient will send request for consulting the doctor. Reception will set the date for doctor appointments. After that doctor see his appointments and see the patients, surgeries also done. The next enhancement is, we will develop online services. That mean, if patient have any problems he can send his problem to the doctor through internet from his home then doctor will send reply to him. In this patients have some login name and password.

7.3 REFERENCES

Asp.Net: The Complete Reference

Book by Matthew MacDonald

Microsoft ASP.NET and AJAX: Architecting Web Applications

Book by Dino Esposito

Microsoft SQL Server 2016: A Beginner's Guide, Sixth Edition

Book by Dušan Petkovic

WEBSITES:

www.google.com

www.microsoft.com