

MR. C K SRINIVAS
D PRIYANKA
MUNDERGI SANDEEP
THIMMALAPURAM SRUJANA
TUSHAR SANTOSH TELKAR

A METHODOLOGY TO GENERATE A FUNSIZE URL USING DJANGO FRAME WORK

Abstract *A proposed system used for building a web-based system using Django framework that shortens the URL provided by the user. By using this system user can use the services by just visiting the shrinky.in website. There are two types of users Guest users and Authorised users. The Guest users can visit to the website any time and can short their required URLs and the shortened URLs are valid for 24Hrs. The Authenticated users can Register/Login to their account and can use some additional services such as Generating QR code for the URLs, end-to-end access for the URLs, create custom URLs and a fully functioning Dashboard for the Users where the user can keep track the URLs. The Dashboard contains a graph which tells the user the total number of URLs present in his/her account, total number of clicks and URLs actively used at that day.*

Keywords URLs, Short URL, Guest, Authenticated, User, Dashboard, Custom, Public, Private, Account, Link, Long URL

1. Introduction

Shortening URLs is a widely used process nowadays. With the presence of social media channels where the text is needed to adapt to a restricted number of characters usually 140 characters as per the study, therefore shortening URLs became more crucial. So, to short the long URLs, a greater number of URL-shortening resources are being used [1]. When someone needs to shorten their unpleasantly long URL, they go to a URL shortening resource and submit the long URL meant to get shortened [2]. Short URLs are usually no longer than 10 to 15 characters. Instead of using long URLs, users can visit these shortened URLs. This resource handles the connection between the original, long link and the new shortened link, which gives the user a simple link of about 5 to 10 characters instead of the lengthy one. Further, URL shortening services also incorporate link tracking for analytic to track clicks and users. Docked links permits link masking. Link masking is the consequence of the URL shortening where the long URL changes into a short bone. Masked links are better to track where links appear. This operation can be further enforced to check whether the diverted URL website is secure or not.

There are three sections in this URL shortening service public, private and custom. First section is public section where the link can be shorted and no security is provided as private section, this is created when user don't want to restrict the link to specific persons. The link can be used by everyone and the detailed report of which can be seen in the dashboard. Second section is private section, the user can enter the desired link that needs to be shorted and then set a unique password to that link. After doing this, whenever someone wants to use that link, they must enter a valid password that was created during link creation, this private section is provided to the user to give additional security so that one cannot access the link without entering a valid password. This is helpful for the user who wish to share the link to specific person who wants to use the link and if any other person gets the link, he/she should not be able to access it. The third section is custom section where the user can create his own link, as in the public or private section the link is randomly shorted by the system by a default character limit of 5, but in custom section the user is given full access to customize the link. In this section the user can create his desired link which is easily remembered by the user rather than the system generated link.

2. Literature Survey

In article [1], the author offered a URL shortening resource that will take a long URL/Web address and create a shorter one. The Short URL that won't break when we share it across different platforms and make them more manageable using flask framework base62 algorithm.

In article [2], the author is discussing the advantages of QR codes over conventional barcodes. QR codes can store information both horizontally and vertically, allowing them to store a much greater amount of information than traditional bar-

codes. The information encoded in a QR code can be text, a URL, or other data and can be read by mobile device cameras. The popularity of smartphones has expanded the applications of QR codes, which are now used in various industries such as commercial tracking, entertainment and transport ticketing, product marketing, and in-store product labelling.

In article [3], the author offered a composite and vigorous nature of information flow is based on computer server technologies and makes the Web hard to conserve. With this reference this application checks the status code of the website to confirm it is valid or not. There are many status codes available, but status code 404 is the one which will give the information that the site cannot be reached.

In article [4], the author has discussed the fact that link shortening services save space and make manual URL entry cheaper. Although, they create output which is poorly look right on to entry on mobile devices. We identified the issue with the output of a link-shortening service, bit.ly, and presume that longer links that are shortened for input on mobile keyboards would enhance link entry speeds. We conducted a human performance study that confirmed this thesis and applied our method to a selection of different non-word mobile data-entry tasks. This work demonstrates the need for resource design which is suitable for the limitations of the devices public use to consume resources.

In article [5], the author has analysed the habit of using shortened URLs from creating them to sharing, by using a large-scale dataset of 4.2 B require for 80M URLs created past by Bit.ly. It finds the content URLs that are unknown, making them tough to comprehend. One of the best ways to produce and share online content is using a URL shortening resource, this provides a shortened URL that is redirected to an original URL of content, this application comprehensively analysis the habit of using shortened URLs from their creations to publishing to sharing.

In article [6], the author introduces a steganographic system that uses fast response (QR) code as a holder to the opponent while transferring its usual message and payload. The QR code which is generated is a normal QR code, making it less open to a holder's attack. The proposed system is space-saving, has a bearable level of noise release, and is subjected to cryptographic attacks. The QR code, which is generated for the link, by scanning it will redirect to the original link.

In article [7], the author has discussed the importance of URL previewing to ensure user confidence when using shortened URLs. It then presents Bit.ly as a freeware and sophisticated URL shortcut resource that not only shorts URLs and also provides real-time follow-up, but also offers variety of features, such as a history of shorter URLs, a bookmarklet, a Firefox plugin for previewing, a spreadsheet template, a Gmail gadget, and an API for different applications.

In article [8], the author has discussed the use of short URL services to convey information easily when a long URL with special characters is difficult to share. However, attackers can abuse short URLs to distribute malicious code and launch phishing attacks. The proposed method suggests writing destination information

when generating short URLs to permit users to inspect if it is a web document or file. URL shortening resource providers keep track of the risk of target URLs and decide to provide service or not. They assess the risk of web pages and may block short URLs to prevent attacks like "drive-by download."

In article [9], the author has discussed the Status codes are three-digit numerical codes returned by web servers to web browsers to indicate the status of an HTTP transaction. They are categorized into five groups based on the first digit of the code, with the second and third digits providing more specific information. Some status codes include 200 OK, 301 Permanent Redirect and 404 Not Found. These codes are crucial for troubleshooting and debugging web applications, providing information on errors and diagnosing problems with a website's performance. Developers can optimize their websites and enhance user experiences by understanding the different types of status codes.

In article [10], the author has discussed that a URL redirector service is a web-based tool that takes a long URL and converts it into a shorter, more manageable link. When a user clicks the shortcut URL, they automatically move to the original long URL. The process of using a URL-redirector service is straight forward. First, the user enters the long URL they want to shorten into the service's interface. The redirector service then assigns a unique identifier to the URL and stores it in its database. The service then returns the shortened URL to the user, which they can share or post online. The redirector resource uses the unique identifier assigned to the shortened URL to locate the corresponding lengthy URL in its database and then forwards the user to that URL. URL-redirector services are commonly used to create shorter, more manageable links that are easier to share on social media and in other online contexts. Additionally, they allow users to track clicks and other metrics associated with the URLs they have shortened. This information can be used to measure the effectiveness of marketing campaigns, among other things.

3. Proposed Methodology

The proposed methodology for shortening the URL is carried out in the steps shown below.

Step 1: User (Register/Login)

In this the user is allowed to register to create a new account or login to an existing account. After login the user is allowed to input the long URL that need to short.

Step 2: Check Status Code

In this step the long URL is sent to server which then checks the status code of the long URL. Here a python library urllib takes the URL and checks the status code of that link and gives the output. If the status code of Long URL is 404 then the Server does not convert the long URL into shorter one, it just gives the output as Error:404 page not found for the provided Input URL. If the status code of Long URL is other than 404 then the server converts the long URL into shorter one and stores

the original and shorted URL in the database. It also checks for Secure socket layer (SSL) certificate if the URL is SSL certified then only it will short the URL. While checking for status code if the provided URL takes much time to fetch the website, then it will return as Failed page even if it is reachable. Output the Short URL to the user. The outputted short URL is ready to use.




Figure 1. Process workflow of URL shortening service

4. Case Study

Following the necessary requirement gathering, the proposed system is demonstrated by considering two users like the guest user and authenticated user. The execution is based on those who want to use only the most basic features and those who want more information about the link's functionality.

4.1. Guest Users:

The Fig:4.1 depicts the visibility for guest user, the user can short the URL by pasting the link in the specified field and should click on the generate button, if the link is valid then the short link is generated in the field, user can copy the link by clicking on copy URL button, the link will be copied to the clipboard. This link is now ready to use and is valid for 24hrs.




Figure 2. Home page for guest user

4.2. Authenticated Users:

Register page:

The Fig:4.2 shows the visibility for authenticated user, the authenticated users can Register to create an account by filling up the below form.


A screenshot of a web browser displaying the 'SHRINKY.IN' registration page. The page has a white background with a blue logo at the top. The title 'Create an Account' is centered, followed by the instruction 'Enter your personal details to create account'. The form includes fields for 'Your Name', 'Your Email', 'Username' (with a preview showing '@ admin'), and 'Password'. Below the password field is a checkbox for 'I agree and accept the terms and conditions' and a blue 'Create Account' button. A link for 'Already have an account? Log In' is at the bottom. The browser's address bar shows '127.0.0.1:8080/register'.

Figure 3. Register page for authenticated user

Login page:

The Fig:4.3 shows the visibility for authenticated user, the authenticated users can login by providing the credentials in the login form.


A screenshot of a web browser displaying the 'SHRINKY.IN' login page. The page has a white background with a blue logo at the top. The title 'Login to Your Account' is centered, followed by the instruction 'Enter your username & password to login'. The form includes fields for 'Username' (with a preview showing '@ admin') and 'Password'. Below the password field is a checkbox for 'Remember me' and a blue 'Login' button. A link for 'Don't have an account? Register now' is at the bottom. The browser's address bar shows '127.0.0.1:8080/login'.

Figure 4. Login page for authenticated user

Dashboard:

The Fig:4.4 shows the visibility for authenticated user. this is the window where the user can start working with the features of the application.




Figure 5. Dashboard for authenticated user

Public Section:

The Fig:4.5 shows the visibility for authenticated user, in this section, the link can be shortened, and no security is provided for the link.




Figure 6. public section for authenticated user

Private Section:

The Fig:4.6 shows the visibility for authenticated user, in this section, the user can enter the desired link that needs to be shorted and then set a unique password to that link.




Figure 7. Private section for authenticated user

Custom Section:

The Fig:4.7 shows the visibility for authenticated user, in this section, the user can customize his own link, which is easily remembered by the user rather than the system generated link.




Figure 8. Custom section for authenticated user

QR Code:

The Fig:4.8 shows the visibility for authenticated user, in this module the user can generate a QR code for the shortened URL which when scanned, redirects to the original URL.




Figure 9. QR Code for authenticated user

Graph:

The Fig:4.9 shows the visibility for authenticated user, in this module the user can view the total number of URLs generated till date, total number of clicks on those URLs till date and total number of URLs used on that day.




Figure 10. Graph for authenticated user

5. Conclusion

It is concluded that the service provided works well and satisfy the end users. This web application is user friendly so that everyone can use easily. Creating a short URL for an existing long URL can be a useful tool for making links easy to manage and easier to share. With a shorter URL, it becomes easier to share. Links on social media platforms, messaging apps, and other online channels with character limits. Shortened URLs can also help to track the number of clicks and analyse user behaviour. However, it is essential to use a trustworthy URL shortening service to avoid potential security risks like phishing scams or malware attacks associated with shortened links. Overall, creating a short URL for an existing long URL can be a quick and effective way to simplify links, making them more accessible and user-friendly. Further changes can be made to the existing application to make it more attractive and give some more advanced features than the present one.

Acknowledgements

The research presented in this paper was partially supported by ...

[7] [4] [10] [8] [1] [5] [2] [3] [9] [6]

References

- [1] Daejin Choia 1 J.H., Selin Chuna E.R., Stephan Roberts T.T.K.: Bit.ly:Uncovering content publishing and sharing through URL shortening services. In: *Science Direct*, 2018.
- [2] Gibbs M.: URL shortening: * A list of URL shorteners worth checking out. Network World (Online). In: *Proquest*, 2009.
- [3] Hyung-Jin M., Li Y.: Secure short URL generation method that recognizes risk of target URL. Wireless Personal Communications,. In: *Wireless Personal Communications*,, 2017.
- [4] Lo L., Coleman J.: Putting QR codes to the test. In: *Springer*, vol. 114, 2013.
- [5] M. Alajmi I.E., H. S. El-Sayed O.S.F.A.: Steganography of Encrypted Messages Inside Valid QR Codes. In: *IEEE*, vol. 8, 2020.
- [6] Munro J.: Cut URLs down to size; long URLs can be unwieldy. In: *Proquest*, 2004.
- [7] Rohit Sankhala Manan Kharbanda A.Y., Pardeep Suthar P.K.: A URL Shortening Service. In: *IJCRT*, 2022.
- [8] Sandy J.J. Gould a n., Anna L. Cox a D.P.B.a., Wiseman S.: A systematic exploration of design trade-offs in link shortening services i. In: *Science Direct*, 2016.
- [9] Veronin M.A.: Server status codes. In: *Proquest*, 1998.
- [10] Veronin M.A.: URL 404 File Not Found. In: *Taylor and Francis*, 2009.

Affiliations

Mr. C K Srinivas

Ballari Institute of Technology & Management srinivasck9@gmail.com

D Priyanka

Ballari Institute of Technology & Management priyankachowdary20378@gmail.com

Mundergi Sandeep

Ballari Institute of Technology & Management sandeepmundergil3@gmail.com

Thimmalapuram Srujana

Ballari Institute of Technology & Management srujanadharanesh@gmail.com

Tushar Santosh Telkar

Ballari Institute of Technology & Management ttushartelkar@gmail.com

Received: ???

Revised: ???

Accepted: ???