



# Machine Learning

(Course Code: 18B1WCI634 / 18B11BI611)

## Introduction to Machine Learning

**Mr. Sandeep Kumar Patel**

Assistant Professor

Jaypee University of Information Technology

Waknaghat, Solan, HP-173234

# Machine Learning

**Arthur Samuel** coined the term *Machine Learning* as:

*"Field of study that gives computers the ability to learn without being explicitly programmed."*

**Definition:** A program learns from **experience (E)** with respect to a class of **tasks (T)** and a **performance measure (P)**, if its performance at tasks in  $T$ , measured by  $P$ , improves with experience  $E$ . — Tom Mitchell, 1997,

# Well-Defined Learning System

A **well-defined learning system** can be represented as:

$$\langle P, T, E \rangle$$

## Example: Handwriting Recognition

- **Task (T):** Recognizing and classifying handwritten words in images.
- **Performance (P):** Percentage of correctly classified words.
- **Experience (E):** A database of handwritten words with correct labels.

# Key Components of a Machine Learning Problem

- **Task (T):** What the system needs to do (e.g., classify emails, predict house prices).
- **Performance Measure (P):** How success is evaluated (e.g., accuracy, precision, recall).
- **Experience (E):** What data or interactions the system uses to improve (e.g., training datasets, user interactions, simulations).

# Goals of Machine Learning

The main goals of Machine Learning (ML) are:

- **Automation:** Enable computers to perform tasks without explicit programming.
- **Prediction:** Accurately predict outcomes from data.
- **Recognition:** Identify patterns, objects, or events in data.
- **Adaptation:** Improve performance over time with experience.
- **Decision Making:** Support or automate decision-making processes.
- **Efficiency:** Reduce human effort in analyzing large and complex datasets.

**Example:** A recommendation system that improves suggestions based on user interactions.

# Applications of Machine Learning

- **Healthcare:** Disease diagnosis, medical imaging analysis, drug discovery.
- **Finance:** Credit scoring, fraud detection, algorithmic trading.
- **Retail & E-commerce:** Recommendation systems, customer behavior analysis.
- **Transportation:** Self-driving cars, traffic prediction, route optimization.
- **Natural Language Processing:** Chatbots, language translation, sentiment analysis.
- **Computer Vision:** Face recognition, object detection, video surveillance.
- **Robotics:** Adaptive robots, industrial automation, intelligent agents.
- **Entertainment:** Personalized content recommendations (movies, music, games).

**Example:** Netflix recommends movies based on your past watching patterns.

# Aspects of Developing a Learning System

When designing a Machine Learning system, several key aspects must be considered:

- ① **Training Experience / Data:** Data provides experience.
- ② **Choosing the Target Function:** Target function defines what to learn.
- ③ **Choosing a Representation for the Target Function:** Representation decides how it can be modeled.
- ④ **Choosing a Function Approximation Algorithm:** Algorithm teaches the model to approximate it.
- ⑤ **The final design:** constitutes the fully specified learning system

# 1. Training Experience / Data

- Dataset: instances of data used for learning or evaluation.

$$D = \{(x_i, y_i)\}_{i=1}^N$$

- $x_i$  : input feature vector
- $y_i$  : corresponding output label
- $N$  : total number of training samples
- $(x_i, y_i)$  is assumed to be independently and identically distributed (**i.i.d.**).  
Formally,

$$(x_i, y_i) \sim P(X, Y)$$

- $P(X, Y)$ : Probability that input  $X$  and label  $Y$  occur together

## 2. Choosing the Target Function

- Target function  $f$  is the **true underlying rule** that maps inputs  $X$  to outputs  $Y$ .

$$f : X \rightarrow Y$$

- **Examples:**

- Regression:  $Y \in \mathbb{R}$  (continuous output)
- Classification:  $Y \in \{1, \dots, K\}$  (discrete output)

### 3. Choosing a Representation for the Target Function

- **Definition:** Representation defines how the hypothesis  $h$  can be modeled.
- **Examples:**

$$h(x) = w^T x + b \quad (\text{linear model})$$

$$h(x) = \text{NN}(x; \theta) \quad (\text{neural network})$$

- Representation limits the hypothesis space  $\mathcal{H}$ :

$$h \in \mathcal{H}$$

Your choice of representation decides what kinds of functions your model is allowed to pick from

# Hypothesis Space

- The **hypothesis space** is the set of all models that a learning algorithm can represent, from which it selects the best-fit hypothesis to map inputs to outputs.

**Example:** For a **linear regression** problem, the hypothesis space includes all possible lines:

$$y = mx + b$$

where:

- $m$  = slope of the line
- $b$  =  $y$ -intercept
- Different combinations of  $(m, b)$  represent different hypotheses in the space.
- **Goal:** The learning algorithm searches through the hypothesis space to find the **single best hypothesis**  $h \in H$  that minimizes error on the training data.

# Hypothesis

A **hypothesis** is a candidate function or model chosen by the learning algorithm to approximate the unknown target function:

$$h : X \rightarrow Y$$

- $X$  = input features
- $Y$  = output labels
- $h(x)$  = predicted label for input  $x$

**Goal:**

$$h \approx f \quad (\text{target function})$$

## 4. Choosing a Function Approximation Algorithm

Algorithm  $A$  searches  $\mathcal{H}$  to find  $h$  minimizing empirical risk:

$$\hat{h} = \arg \min_{h \in \mathcal{H}} \frac{1}{N} \sum_{i=1}^N L(h(x_i), y_i)$$

where:

- $\hat{h}$  = the hypothesis (model) that minimizes the average loss over all training data.
- $h \in \mathcal{H}$  = the hypothesis space (all possible functions defined by the representation, e.g., linear functions)
- $L = L(h(x_i), y_i)$  measures prediction error

## 5. Final Design

- The final design constitutes the fully specified learning system, integrating:
  - Training dataset  $D = \{(x_i, y_i)\}_{i=1}^N$
  - Target function  $f : X \rightarrow Y$
  - Choose a hypothesis  $h \in \mathcal{H}$  such that  $h \approx f$
  - Choose Function approximation algorithm  $A$

# Performance Metrics

A bank develops a model to detect fraudulent transactions. The model was tested on 200 transactions with the following results:

$$TP = 50, \quad TN = 120, \quad FP = 20, \quad FN = 10$$

## Tasks:

- Calculate the **Accuracy, Precision, Recall**

## Formulas:

$$\text{Accuracy} = \frac{TP + TN}{TP + TN + FP + FN}$$

$$\text{Precision} = \frac{TP}{TP + FP}$$

$$\text{Recall} = \frac{TP}{TP + FN}$$

# Solution: Accuracy, Precision, and Recall

**Given:** TP = 50, TN = 120, FP = 20, FN = 10

## 1. Accuracy

$$\text{Accuracy} = \frac{50 + 120}{50 + 120 + 20 + 10} = \frac{170}{200} = 0.85$$

## 2. Precision

$$\text{Precision} = \frac{50}{50 + 20} = \frac{50}{70} \approx 0.71$$

## 3. Recall

$$\text{Recall} = \frac{50}{50 + 10} = \frac{50}{60} \approx 0.83$$