

PLANILLA DE ILUMINACION Y VENTILACION

Nº	Local	a (m)	b (m)	S (m2)	Iluminacion coef nec real	Ventilacion coef nec real
1	RECEPCION	4,000	2,600	10,400	1/8 1,300	4,000 1/3 0,433 1,000
2	ESTAR COMEDOR	4,100	6,600	27,060	1/8 3,383	6,000 1/3 1,127 3,000
3	COCINA COMEDOR	5,770	3,250	18,753	1/8 2,344	3,000 1/3 0,781 1,500
4	PASILLO	4,000	1,000	4,000	1/8 0,500	1,000 1/3 0,333 0,500
5	BANO	0,950	2,000	1,900	1/8 0,238	antiflameable 1/3 0,079 conducto
6	MONTACARGAS	2,000	2,000	4,000	1/8 0,500	2,000 1/3 0,167 1,000
7	DEPOSITO	1,400	3,250	4,550	1/8 0,569	2,000 1/3 0,190 1,000
8	PASILLO	4,000	1,000	4,000	1/8 0,500	1,000 1/3 0,167 0,500
9	DORMITORIO	4,100	3,230	13,243	1/8 1,855	3,000 1/3 0,552 1,500
10	VESTIDOR	1,780	4,100	7,298	1/8 0,912	1,000 1/3 0,304 0,500
11	BANO	4,100	1,400	5,740	1/8 0,718	1,000 1/3 0,239 0,500
12	DORMITORIO	2,800	3,250	9,100	1/8 1,138	2,000 1/3 0,379 1,000
13	BANO	1,500	2,200	3,300	1/8 0,413	1,000 1/3 0,138 0,500
14	DORMITORIO	2,800	3,250	9,100	1/8 1,138	2,000 1/3 0,379 1,000
15	MONTACARGAS	2,000	2,000	4,000	1/8 0,500	2,000 1/3 0,167 1,000
16	SUM	4,000	7,000	28,000	1/8 3,500	16,000 1/3 1,167 8,000
17	TOALE	1,200	1,300	1,560	1/8 0,195	artificial 1/3 0,065 conducto
18	LAVADERO	4,000	2,000	8,000	1/8 1,000	1,000 1/3 0,333 0,500
19	TOALE	1,800	1,500	2,700	1/8 0,338	0,500 1/3 0,113 0,250

