Probability & Statistical Modeling

Quiz - 2

Name: Sandesh Subedi 'A'

Intake : BSc. IT (Semester III)

Intake Code: NPI2F1909IT

Student ID: NPI000040

Course Name: Probability and Statistical Modeling

Course Code: AQ077-3-2

Examination Type: Quiz

Date: 10th July, 2021

I)

Monthly Phone Plan Cost (RM)	Number of Students (f)	X	fx	fx^2
10 - 19	8	14.5	116	1682
20 - 29	16	24.5	392	9604
30 - 39	21	34.5	724.5	24995.25
40 - 49	11	44.5	489.5	21782.75
50 - 59	4	54.5	218	11881
	$\Sigma f = N = 60$		$\Sigma fx = 1940$	$\Sigma f x^2 = 69945$

Mean
$$(\bar{x}) = \frac{\sum fx}{\sum f}$$

$$= \frac{1940}{60}$$

$$= 32.33$$
So, the mean is 32.33

Now,

Correction point =
$$\frac{20 - 19}{2}$$
$$= 1/2$$
$$= 0.5$$

II)

We have, corresponding class of highest frequency is, Mode class = 29.5 - 39.5

Formula of mode = L +
$$\frac{D1}{D1 + D2} * C$$

From the class above, we have,

L = 29.5

D1 = f1 - f0

D2 = f1 - f2

C = 10

f1 = 21

f0 = 16

f2 = 11

Therefore, D1 = f1 - f0

= 21 - 16

= 5

D2 = f1 - f2

= 21 - 11

=10

Now, Mode = $29.5 + \frac{5}{5 + 10} * 10$

= 32.83

III) Now, the modified class interval with it's frequency can be written as,

Monthly Phone Plan Cost (RM) C.I.	Number of Students (f)	C.F	Class Midpoint (x)	fx	
9.5 - 19.5	8	8	14.5	116	13456
19.5 - 29.5	16	24	24.5	392	153664
29.5 - 39.5	21	45	34.5	724.5	524900.25
39.5 - 49.5	11	56	44.5	489.5	239610.25
49.5 - 59.5	4	60	54.5	218	47524
	$\Sigma f = N = 60$			$\Sigma fx = 1940$	

Median Class =
$$(\frac{N}{2})$$
 th item

$$=\frac{60}{2}$$

= 30th item

So, the corresponding class interval is 29.5 - 39.5

That means, L = 29.5

$$\frac{N}{2} = 30$$

$$C.f = 24.5$$

$$f = 21$$

$$h = 10$$

Thus,

$$Median = L + \frac{(n/2) - C.f}{f} * h$$

$$=29.5+\frac{30-24.5}{21}*10$$

= 31.12

Hence, the median is 31.12

IV)

Monthly Phone Plan Cost (RM) C.I	Number of Students (f)	Class Midpoint (x)	Mean (x̄)	x - x	(x -x̄)^2	$f(x-\bar{x})^2$
10 - 19	8	14.5	32.33	-17.83	317.9	2543.2
20 - 29	16	24.5	32.33	-7.83	61.3	500.8

Monthly Phone Plan Cost (RM) C.I	Number of Students (f)	Class Midpoint (x)	Mean (x̄)	x - x̄	$(x-\bar{x})^2$	$f(x-\bar{x})^2$
30 - 39	21	34.5	32.33	2.17	4.7	98.7
40 - 49	11	44.5	32.33	12.17	148.1	1629.1
50 - 59	4	54.5	32.33	22.17	491.5	1966
	$\Sigma f = N = 60$					$\Sigma f(x - \bar{x})^2 = 6737.8$

Standard Deviation (σ) =

Ans

$$s = \sqrt{\frac{\sum fx^2 - \frac{\left(\sum fx\right)^2}{\sum f}}{\sum f - 1}}$$

$$= \sqrt{\frac{69957 - \frac{\left(1940\right)^2}{60}}{60 - 1}}$$

$$= \sqrt{\frac{69957 - \frac{3763600}{60}}{59}}$$

$$= \sqrt{\frac{69957 - 62726.67}{59}}$$

$$= \sqrt{\frac{7230.33}{59}}$$

$$= \sqrt{122.55}$$