


## EXERCISE:1html,head\_body tag


INPUT:

A screenshot of a Windows Notepad application window. The title bar reads "DHARSH - Notepad". The menu bar includes "File", "Edit", "Format", "View", and "Help". The text area contains the following HTML code:

```
<html>
<head>
<title> html file </title>
<head>
<body bgcolor="pink"
      text="blue">
hello iam dharshini
</body>
</html>
```

The code is displayed in a monospaced font. The window has a vertical scrollbar on the right side. At the bottom, the Windows taskbar is visible, showing icons for the Start menu, Task View, File Explorer, Edge, and Chrome. The system tray on the right shows the time as 18:20 and the date as 17-06-2023.

## OUTPUT:



## EXERCISE:2 header tag

INPUT:

```
<html>
<head>
<title>header tag</title>
</head>
<body
    bgcolor = "pink"
    text = "blue">
<h1>word</h1>
<h2 align="right">excel</h2>
<h3 align="center">ppt</h3>
<h4 align="left">html5</h4>
<h5 align="center">css3</h5>
<h6 align="right">mysql</h6>
</body>
</html>
```

## OUTPUT:



## Exercise:3paragraph,pre formatted tag

### Input:

```
pro1 - Notepad
File Edit Format View Help
<html>
<body bgcolor="lightblue">
<p>This is a Paragraph</p>

<p align="right">This is a Paragraph sets.

Related Topics
</p>

<p align="center">This is a Paragraph</p>

Csc computer Education,
4/19,church street,
pallavaram,
chennai-43.

<pre>
Csc computer Education,
4/19,church street,
pallavaram,
chennai-43.
</pre>

<pre>
                This is preformatted text
pre tag
</pre>
</html>
```


Activate Windows  
Go to Settings to activate Windows.

Ln 1, Col 1 100% Windows (CRLF) UTF-8

Type here to search

32°C Mostly cloudy 18:26 20-06-2023


# Output:



## EXERCISE:4

style using html


### INPUT:



```
<!DOC TYPE html>
<html>
<head>
    <title>html5</title>
    <style >
    h1{
        font-size:50px;
    }
</style>
</head>
<body>
    <h1> csc pallavaram </h1>
</body>
</html>
```

The image shows a Notepad window titled "DHARSH - Notepad" with a menu bar (File, Edit, Format, View, Help). The text area contains the following HTML code: `<!DOC TYPE html>`, `<html>`, `<head>`,  `<title>html5</title>`,  `<style >`,  `h1{`,  `font-size:50px;`,  `}`, `</style>`, `</head>`, `<body>`,  `<h1> csc pallavaram </h1>`, `</body>`, and `</html>`. The Windows taskbar at the bottom shows icons for the Start menu, File Explorer, Notepad, and Chrome, along with the system clock displaying 19:05 on 17-06-2023.

OUTPUT:



# csc pallavaram






## EXERCISE :5

## div tag and aside tag

### Input :



```
pro1 - Notepad
File Edit Format View Help
<!DOCTYPE HTML>
<HTML>
<HEAD>
  <TITLE>HTML5 EG2 </TITLE>
  <STYLE>
    .RPM{
      FONT-SIZE:40PX;
      COLOR:BLUE;
    }
    BODY{
      TEXT-ALIGN:CENTER;
    }
  </STYLE>
</HEAD>
<BODY>
  <DIV CLASS ="RPM"> CSC PALLAVARAM </DIV>
  <ASIDE>
    <DIV> COMPUTER SOFTWARE COLLEGE</DIV>
  </ASIDE>
</BODY>
</HTML>
```


Activate Windows  
Go to Settings to activate Windows.

Ln 20, Col 8 100% Windows (CRLF) UTF-8

Type here to search

32°C Mostly cloudy ENG IN 18:39 20-06-2023


# OUTPUT:



## EXERCISE:6

## image tag

### Input:



```
pro1 - Notepad
File Edit Format View Help
<HTML>
<BODY>
<IMAGE src="cute/jpg" ALIGN="LEFT" BORDER=15 ALT="SORRY">
<IMAGE src="pics/barbie.jpg" "HEIGHT="200" WIDTH="100" HSPACE="10" VSPACE="10">
<IMG src="pics/cute3.gif">
<IMG src="pics/iron man dialogue.jpg">
</BODY>
</HTML>
```


Activate Windows  
Go to Settings to activate Windows.

Ln 4, Col 30 100% Windows (CRLF) UTF-8

Type here to search

32°C Mostly cloudy 19:07 20-06-2023

# Output:



## Exercise:7

## marquee tag

### Input:

```
pro1 - Notepad
File Edit Format View Help
<html>
<head>
<body bgcolor="pink">
<marquee> <font color="red">
csc computer education centre
no:4/19,church street,
pallavaram,chennai-43
heartly welcomes you!!!
,</font> </marquee>

<marquee behaviour="alternate" loop=50 scrollamount=300 bgcolor="pink" scrolldelay=300>
rose
</marquee>

<marquee height="20%" bgcolor="white">
lilly
</marquee>

<marquee direction="down" hspace=150 vspace=50>
web page
</marquee>

<marquee behaviour="alternate" scrollamount=50x direction="right">

</marquee>
</body>
</html>
```


Activate Windows  
Go to Settings to activate Windows.

Ln 1, Col 1 100% Windows (CRLF) UTF-8

Type here to search

31°C Mostly cloudy 19:28 20-06-2023


## Output:



## Exercise:8


## list tag

input:



```
<HTML>
<HEAD>
<TITLE>
ORDERED LIST]
</TITLE>
</HEAD>
<BODY BGCOLOR="MILKGREEN" TEXT="RED">
COURSES
<OL TYPE="A" START="4">
<LI>HDCA</LI>
<LI TYPE="A">DCA</LI>
<LI>ADJP</LI>
</OL>
<UL TYPE="SQUARE">
<LI>C</LI>
<LI>C++</LI>
<LI TYPE="DISC">JAVA</LI>
<LI TYPE="CIRCLE">PYTHON</LI>
<LI>HTML</LI>
<LI>TALLY</LI>
</UL>
<DL>
<DT><B><U>
HDCA
</B></U></DT>
<DD>
HONOURS DIPLOMA IN COMPUTER APPLICATION
<BR>
12MONTHS
</DD>
</DL>
<DL>
<DT><B><U>
DCA
</B></U></DT>
<DD>
DIPLOMA IN COMPUTER APPLICATION
<BR>
6MONTHS
</DD>
</DL>
<DL>
<DT><B><U>
ADJP
</B></U></DT>
<DD>
ADVANCED DIPLOMA IN JAVA PROGRAMMING
<BR>
4MONTHS
</DD>
</DL>
</BODY>
</HTML>
```

output:






Exercise :9 anchor tag

anchor tag

input:

```
<html>
<head><title>links!!!!</title></head>
<body link="red" alink="blue" vlink="green" bgcolor="yellow">
<h1>links</h1>
<a name=t href=#b>click me to move bottom </a><br>
<a href="5.hr tag.html">first</a></br>
<a href="10.html"target="new">second</a>
<br>
<a href="pic1.bmp"></a></br>
<br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
r><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
<br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br><br>
><br><br><br><br><br><br>
<a name=b href=#t> click to move top</a>
</body>
</html>
```


output:



## Exercise:10

## table tag

input:




The screenshot shows a Notepad window titled 'san1 - Notepad'. The menu bar includes File, Edit, Format, View, and Help. The text area contains the following HTML code:

```
<html>
<!--
<table border=5 align=center height=300 width=300 background="flow.jpg">
-->
<table border=10 bordercolor="pink" align=center height=400 width=400
bgcolor="">
<tr>
<th>eno</th>
<th>name</th>
<th>course</th>
</tr>
<tr alignb=center valign=center>
<td valign=top><font size=7><b>101</b></font></td>
<td><font size=7>raja</font></td>
<td><font size=7>hdca</font></td>
</tr>
<tr>
<td>102</td>
<td></td>
<td>dca</td>
</tr>
</table>
</html>
```

The Windows taskbar at the bottom shows the Start button, task view button, and several application icons (MS Paint, Notepad, Chrome, File Explorer, Word, Edge, and a folder). The system tray on the right displays 'Desktop', 'Links', and the date and time '19:23 21-06-2023'.

output:



## Exercise :11


## input tag

### Input:

```
san1 - Notepad
File Edit Format View Help
<html>
<head><title> biodata</title></head>
<h1 align="center">biodata</h1>
<body bgcolor="cyan">
<form action ="14.html"method="get">
name :<input type="text">,<br>
password:<input type="password"><br>
father's name :<input type="text"><br>
gender:<input type ="radio" name ="s">male <input type="radio" name ="s" checked >female <br>
qualification:
<select>
<option>graduate
<option>post graduate
<option>diploma
<option selected> engineering
</select><br>
address:<br>
<text area rows="5" cols="30"></textare><br>

hobbies:<br>
<input type = checkbox>painting<br>
<input type =checkbox>reading<br>
<input type = checkbox>singing <br>
<input type =checkbox>cyhatting<br>
<input type =checkbox checked>watching tv<br>
<input type =submit value ="send"><br>
<input type =reset value ="clear form"><br>
select a pic
<input type = file value ="browse">
</form>
</body>
</html>
```

## Output:



The screenshot shows a web browser window with three tabs: 'san1.html', 'san1.html', and 'biodata'. The address bar shows 'File | Z:/san1.html'. The page content is a form titled 'biodata' on a light blue background. The form fields are as follows:


- name:
- password:
- father's name:
- gender: ☐ male ☒ female
- qualification:
- address:
- hobbies: ☐ painting
- reading ☐ singing ☐ cyhatting ☒ wathting tv
- 
- 
- select a pic  No file chosen

The Windows taskbar at the bottom shows the Start button, task view, and several application icons. The system clock in the bottom right corner displays '17:12' and '22-06-2023'.

## EXERCISE:12

## video tag

### INPUT:




A screenshot of a Windows Notepad application window. The title bar reads "DHARSH - Notepad". The menu bar includes "File", "Edit", "Format", "View", and "Help". The text area contains the following HTML code:

```
<video width="320" height="240" controls>  
<source src="pics\spidey.mp4" type="video/mp4">  
</video>
```

The Windows taskbar is visible at the bottom, showing icons for the Start menu, Task View, File Explorer, Edge, and Chrome. The system tray on the right shows the time as 17:28 and the date as 22-06-2023.

# OUTPUT:






## EXERCISE:13

## audio tag

INPUT:




The image shows a screenshot of a Windows desktop with a Notepad window open. The Notepad window has a menu bar with 'File', 'Edit', 'Format', 'View', and 'Help'. The text inside the window is as follows:

```
<AUDIO CONTROLS>  
  <SOURCE SRC="PICS\ASTRONOMIA.MP3" TYPE="AUDIO/MPEG">  
</AUDIO>
```

The Windows taskbar is visible at the bottom, showing icons for the Start menu, File Explorer, Edge, Word, and Chrome. The system tray on the right shows the time as 16:57 and the date as 22-06-2023.

# OUTPUT:




quotation

Input:

[illegible]


# Output:



## Exercise:15

## spell check


### INPUT:



```
<!DOCTYPE HTML>
<HTML>
<BODY>
<H3>EXAMPLE OF ENABLING SPELL CHECK</H3>
<FORM>
<P>
    <INPUT TYPE="TEXT" SPELLCHECK="TRUE">
</P>
<P>
    <TEXTAREA SPELLCHECK="TRUE"></TEXTAREA>
</P>
    <BUTTON TYPE="RESET">RESET</BUTTON>
</FORM>
<H3> EXAMPLE OF DISABLING SPELL CHECK</H3>
<FORM>
<P>
    <INPUT TYPE="TEXT" SPELLCHECK="FALSE">
</P>
<P>
    <TEXTAREA SPELLCHECK="FALSE"></TEXTAREA>
</P>
    <BUTTON TYPE="RESET">RESET</BUTTON>
</FORM>
</BODY>
</HTML>
```

The screenshot shows a Notepad window titled "DHARSH - Notepad" with a menu bar (File, Edit, Format, View, Help). The text area contains the HTML code shown in the pre-block. The Windows taskbar at the bottom shows icons for the Start menu, File Explorer, Notepad, Word, and Chrome, along with the system clock showing 18:02 on 22-06-2023.


# Output:



## Exercise:16


## color styles and hsl

### Input:

A screenshot of a Windows desktop environment. In the foreground, a Notepad window titled 'pro1 - Notepad' is open, displaying HTML code. The code defines an HTML document with a title 'csc pallavaram' and two paragraphs. The first paragraph is styled with 'color:hsla(9,100%,64%,0.8);' and the second with 'color:hsl(0,100%,50%);'. The desktop background is a blurred image. The taskbar at the bottom shows various application icons, and the system tray on the right indicates the time as 4:01 PM on 6/24/2023.

```
<!doctype html>
<html>
<head>
    <title>csc pallavaram</title>
    <style>
        h1{ color:hsla
(9,100%,64%,0.8);}
        h2{color:hsl(0,100%,50%);}
    </style>
</head>
<body>
<h1> diploma in php full stack developer</h1>
<h2>diploma in java full stack developer</h2>
</body>
</html>
```

# Output:



**diploma in php full stack developer**

**diploma in java full stack developer**






## Exercise:17

## geolocation


### Input:



```
<!doctype html>
<html>
<body>
<p> displaying location using lattitude and longitude </p>
<button on click ="getlocation ()">
    click me
</button>
<p id ="demo1"></p>
<script>
    var variable1=document.getElement BYID ("demo1");
    function get location()
    {
        navigator.geolocation.getcurrent position (show loc);
    }
    function showloc (pos)
    {
        variable1.inner html=
            "lattitude:" +
            pos.coords.latitude +
            "<br> longitude: " +
            pos.coords.lomgitude;
    }
</script>
</body>
</html>
```


The screenshot shows a Notepad window titled "san1 - Notepad" with a menu bar (File, Edit, Format, View, Help). The code is written in a monospaced font. The HTML part includes a paragraph, a button with an inline event handler, and a paragraph with an ID. The JavaScript part defines a function to get the current position and another to update the paragraph's inner HTML with the coordinates. The Windows taskbar is visible at the bottom with icons for Windows, Word, File Explorer, and others. The system clock shows 17:47 on 26-06-2023.

# Output:



# Exercise:18 drag and arop

## Input:




```
san2 - Notepad
File Edit Format View Help
<doc type html>
<html>
<head>
  <style>
    #getdata{
      width:250px;
      height:200px;
      padding:10px;
      border:1px solid #4f4d4d;
    }
  </style>
  <script>
    function allow drop(event){
      event.preventDefault ();
    }
    function drag (event){
      event.data transfer.set data("text",event.target.id);
    }
    function drop(event){
      event.preventDefault ();
      var fetchdata=event.data transfer.get data("text")
      event.target.appendChild(document.get element BY ID(fetch data));
    }
  </script>
</head>
<body>
  <h3> drag the csc logo into the rectangle:</h3>
  <div id="get data"
    ondrop="drop(event)"
    ondrag over =" allow drop(event)">

  </div>
  <br>
  
</html>
```

Ln 40, Col 1 100% Windows (CRLF) UTF-8

Type here to search New games ENG 17:40 24-06-2023

# Output;



drag the csc logo into the rectangle:



## EXERCISE:19

## layout & semantics

### INPUT:

```
LAYOUT - Notepad
File Edit Format View Help
<!DOCTYPE HTML>
<HTML>
<HEAD>
<TITLE>PAGE LAYOUT</TITLE>
<STYLE>
    HEAD{
        FONT-SIZE:10PX;
        COLOR:#0000FF;
        FONT-WEIGHT:BOLD;
    }
    H1{
        FONT-SIZE:20PX;
        MARGIN-LEFT:50PX;
        MARGIN-BOTTOM:10PX;
    }
    BODY{
        MARGIN:0 AUTO;
        BACKGROUND-POSITION:CENTER;
        BACKGROUND-SIZE:CONTAIN;
    }
    .MENU{
        POSITION:STICKY;
        TOP:0;
        BACKGROUND-COLOR:#0000FF;
        PADDING:10PX 0PX 10PX 0PX;
        COLOR:WHITE;
        MARGIN:0 AUTO;
        OVERFLOW:HIDDEN;
    }
    .MENU_A {
        FLOAT:LEFT;
        COLOR:WHITE;
        TEXT-ALIGN:LEFT;
        PADDING:10PX 10PX;
        TEXT-DECORATION:underline;
        FONT-SIZE:10PX;
    }
    .MENU_LOG{
        RIGHT:AUTO;
        FLOAT:RIGHT;
    }
    .FOOTER{
        WIDTH:100%;
        BOTTOM:0PX;
        BACKGROUND-COLOR:#000;
        COLOR:FFF;
        POSITION:ABSOLUTE;
        PADDING-TOP:10PX;
        PADDING-BOTTOM:10PX;
        TEXT-ALIGN:LEFT;
        FONT-SIZE:10PX;
        FONT-WEIGHT:BOLD;
    }
    .BODY_SEC{
        MARGIN-LEFT:50PX;
    }
</STYLE>
</HEAD>
<BODY>
<!--HEADER SECTION-->
<HEADER>
<DIV CLASS="HEAD">CSC BALLAVARAM</DIV>
<DIV CLASS="HEAD">COMPUTER SOFTWARE COLLEGE</DIV>
</HEADER>
<!--MENU NAVIGATION BAR-->
<NAV CLASS="MENU">
<A HREF="#HOME">HOME</A>
<A HREF="#NEWS">NEWS</A>
<A HREF="#NOTIFICATION">NOTIFICATION</A>
<DIV CLASS="MENU-LOG">
<A HREF="#LOGIN">LOGIN</A>
</DIV>
</NAV>
<!--BODY SECTION-->
<MAIN CLASS="BODY-SEC">
<SECTION ID="CONTENT">
<H2>CONTENT SECTION</H2>
</SECTION>
</MAIN>
<!--FOOTER SECTION-->
<FOOTER>FOOTER SECTION</FOOTER>
</BODY>
</HTML>
```

# OUTPUT:

