

GO CHAT WITH CRACKERS PROJECT

SOURCE CODE – JAVASCRIPT File

[Analytics.js](#)

```
(function()/*
```

Copyright The Closure Library Authors.

SPDX-License-Identifier: Apache-2.0

```
*/
```

```
var aa=this| |self,n=function(a,b){a=a.split(".");var c=aa;a[0]in c| |"undefined"==typeof
c.execScript| |c.execScript("var "+a[0]);for(var d;a.length&&(d=a.shift());)a.length| |void
0==b?c=c[d]&&c[d]!==Object.prototype[d]?c[d]:c[d]={}:c[d]=b};var p=function(a,b){for(var c in
b)b.hasOwnProperty(c)&&(a[c]=b[c])},q=function(a){for(var b in
a)if(a.hasOwnProperty(b))return!0;return!1}/*
```

SPDX-License-Identifier: Apache-2.0

```
*/
```

```
var t=/^(?:https?|mailto|ftp):|[^:/?#]*(?:[/?#]|$))/i;var
u={},v=function(a){u.TAGGING=u.TAGGING| |[];u.TAGGING[a]=!0};var
w=window,y>window.history,z=document,A=navigator,B=function(a,b){z.addEventListener?z.addEventListener(a,b,!1):z.attachEvent&&z.attachEvent("on"+a,b)};var C=/:[0-
9]+$/;F=function(a,b){b&&(b=String(b).toLowerCase());if("protocol"==b||"port"==b)a.protocol=D(
a.protocol)| |D(w.location.protocol);"port"==b?a.port=String(Number(a.hostname?a.port:w.location
.port))| |("http"==a.protocol?80:"https"==a.protocol?443:"")):"host"==b&&(a.hostname=(a.host
name| |w.location.hostname).replace(C,"").toLowerCase());return E(a,b)},E=function(a,b,c){var
d=D(a.protocol);b&&(b=String(b).toLowerCase());switch(b){case
"url_no_fragment":c="";a&&a.href&&(c=a.href.indexOf("#"),
c>0>c?a.href:a.href.substr(0,c));a=c;break;case "protocol":a=d;break;case
"host":a=a.hostname.replace(C,"").toLowerCase();c&&(c=/^www\d*\./.exec(a))&&c[0]&&(a=a.subst
r(c[0].length));break;case
"port":a=String(Number(a.port))| |("http"==d?80:"https"==d?443:""));break;case
"path":a.pathname| |a.hostname| |v(1);a="/";==a.pathname.substr(0,1)?a.pathname:"/+a.pathna
me;a=a.split("/");0<=[].indexOf(a[a.length-1])&&(a[a.length-1]!="");a=a.join("/");break;case
"query":a=a.search.replace("?","");break;case "extension":a=
```

```
a.pathname.split(".");a=1<a.length?a[a.length-1]:"";a=a.split("/")[0];break;case
"fragment":a=a.hash.replace("#","");
break;default:a=a&&a.href}return a},D=function(a){return
a?a.replace(":","").toLowerCase():""},G=function(a){var b=z.createElement("a");a&&(b.href=a);var
c=b.pathname;"!==c[0]&&(a|v(1),c="/">+c);a=b.hostname.replace(C,"");return{href:b.href,protoo
l:b.protocol,host:b.host,hostname:a,pathname:c,search:b.search,hash:b.hash,port:b.port}};function
H(){for(var a=l,b={},c=0;c<a.length;++c)b[a[c]]=c;return b}function J(){var
a="ABCDEFGHIJKLMNPQRSTUVWXYZ";a+=a.toLowerCase()+"0123456789-_";return a+"."}var l,K;
function ba(a){function b(k){for(;d<a.length;){var m=a.charAt(d++),l=K[m];if(null!=l)return
l;if(!/^[\s\xA0]*$/_.test(m))throw Error("Unknown base64 encoding at char: "+m);}}return
k}l=l||J();K=K||H();for(var c="",d=0;;){var e=b(-1),f=b(0),h=b(64),g=b(64);if(64==g&&-1==e)return
c;c+=String.fromCharCode(e<<2|f>>4);64!=h&&(c+=String.fromCharCode(f<<4&240|h>>2),64!=g&&
(c+=String.fromCharCode(h<<6&192|g)))}};var L;var N=function(){var
a=ca,b=da,c=M(),d=function(h){a(h.target||h.srcElement||{}),e=function(h){b(h.target||h.srcEleme
nt||{})};if(!c.init){B("mousedown",d);B("keyup",d);B("submit",e);var
f=HTMLFormElement.prototype.submit;HTMLFormElement.prototype.submit=function(){b(this);f.cal
l(this);c.init=!0}};O=function(a,b,c,d,e){a={callback:a,domains:b,fragment:2==c,placement:c,forms:
d,sameHost:e};M().decorators.push(a)},P=function(a,b,c){for(var
d=M().decorators,e={},f=0;f<d.length;++f){var h=d[f],g;if(g=
!c||h.forms)a:{g=h.domains;var k=a,m=!!h.sameHost;if(g&&(m||k==z.location.hostname))for(var
l=0;l<g.length;l++)if(g[l]instanceof RegExp){if(g[l].test(k)){g=!0;break a}}else
if(0<=k.indexOf(g[l])||m&&0<=g[l].indexOf(k)){g=!0;break a}g=!1}g&&(g=h.placement,void
0=g&&(g=h.fragment?2:1),g==b&&p(e,h.callback()))}return e};function M(){var a={};var
b=w.google_tag_data;w.google_tag_data=void
0==b?a:b;a=w.google_tag_data;b=a.gl;b&&b.decorators||(b={decorators:[]},a.gl=b);return b};var
ea=/(.*)\*(.?)\*(.+)/,fa=/([^\#]+)(\?[^#]*)(#.*)?/;function Q(a){return new
RegExp("(.*?)(^|&)">+a+"=([^\&]*)&?(.*")")}

var S=function(a){var b=[],c;for(c in a)if(a.hasOwnProperty(c)){var d=a[c];if(void
0!=d&&d==d&&null!=d&&"[object Object]"!=d.toString()){b.push(c);var
e=b,f=e.push;d=String(d);l=l||J();K=K||H();for(var h=[],g=0;g<d.length;g+=3){var
k=g+1<d.length,m=g+2<d.length,l=d.charCodeAt(g),r=k?d.charCodeAt(g+1):0,x=m?d.charCodeAt(g+2
):0,ha=l>>2;l=(l&3)<<4|r>>4;r=(r&15)<<2|x>>6,x&=63;m|(x=64,k||(r=64));h.push(l[ha],l[l],l[r],l[x])
f.call(e,h.join(""))}}a=b.join("*");return["1",R(a),a].join("*")};

function R(a,b){a=[w.navigator.userAgent,(new
Date).getTimezoneOffset(),A.userLanguage||A.language,Math.floor((new
Date(Date.now())).getTime()/60/1E3)-(void 0==b?0:b),a].join("*");if(!(b=L)){b=Array(256);for(var
c=0;256>c;c++){for(var
d=c,e=0;8>e;e++)d=d&1?d>>>1^3988292384:d>>>1;b[c]=d}}L=b;b=4294967295;for(c=0;c<a.length;c
++)b=b>>>8^L[(b^a.charCodeAt(c))&255];return((b^1)>>>0).toString(36)}

function ia(a){return function(b){var c=G(w.location.href),d=c.search.replace("?", "");a:{var
e=d.split("&");for(var f=0;f<e.length;f++){var
```

```

h=e[f].split("=");if("_gl"==decodeURIComponent(h[0]).replace(/\+/g,""))
){e=h.slice(1).join("=");break a}e=null
0}b.query=T(e||"")||{};e=F(c,"fragment");f=e.match(Q("_gl"));b.fragment=T(f&&f[3]||"")||{};a&&ja
(c,d,e)}function U(a,b){if(a=Q(a).exec(b)){var c=a[2],d=a[4];b=a[1];d&&(b=b+c+d);return b}

function ja(a,b,c){function d(f,h){f=U("_gl",f);f.length&&(f=h+f);return f}if(y&&y.replaceState){var
e=Q("_gl");if(e.test(b)||e.test(c))a=F(a,"path"),b=d(b,"?"),c=d(c,"#"),y.replaceState({},void
0,""+a+b+c)}}
```

```

var T=function(a){try{a:{if(a){b:{for(var b=0;3>b;++b){var c=ea.exec(a);if(c){var d=c;break
b}a=decodeURIComponent(a)}d=null}if(d&&"1"==d[1]){var
e=d[2],f=d[3];b:{for(d=0;3>d;++d)if(e==R(f,d)){var h=!0;break b}h=!1;if(h){var g=f;break
a}v(7)}}g=null}e=g;if(void 0!=e){g=[];var k=e.split("*");for(e=0;e+1<k.length;e+=2){var
m=k[e],l=ba(k[e+1]);g[m]=l}v(6);return g}}catch(r){v(8)}};

function V(a,b,c,d){function e(k){k=U(a,k);var m=k.charAt(k.length-
1);k&&"!"==m&&(k+="&");return k+g}d=null}d==null?1:d;var f=fa.exec(c);if(!f)return"";c=f[1];var
h=f[2]||"';f=f[3]||"';var
g=a+"=+b;d?f="#"+e(f.substring(1)):h=?"+e(h.substring(1));return"+c+h+f}function W(a,b){var
c="FORM"==(a.tagName||"").toUpperCase(),d=P(b,1,c),e=P(b,2,c);b=P(b,3,c);q(d)&&(d=S(d),c?X("_
gl",d,a):Y("_gl",d,a,!1));!c&&q(e)&&(c=S(e),Y("_gl",c,a,!0));for(var f in
b)b.hasOwnProperty(f)&&Z(f,b[f],a)}
```

```

function Z(a,b,c,d){if(c.tagName){if("a"==c.tagName.toLowerCase())return
Y(a,b,c,d);if("form"==c.tagName.toLowerCase())return X(a,b,c)}if("string"==typeof c)return
V(a,b,c,d)}function Y(a,b,c,d){c.href&&(a=V(a,b,c.href,void 0==d?1:d),t.test(a)&&(c.href=a))}

function X(a,b,c){if(c&&c.action){var
d=(c.method||"").toLowerCase();if("get"==d){d=c.childNodes||[];for(var
e=!1,f=0;f<d.length;f++){var
h=d[f];if(h.name==a){h.setAttribute("value",b);e=!0;break}}e||(d=z.createElement("input"),d.setAttribute(
"type","hidden"),d.setAttribute("name",a),d.setAttribute("value",b),c.appendChild(d))}else"p
ost"==d&&(a=V(a,b,c.action),t.test(a)&&(c.action=a))}}
```

```

function ca(a){try{a:{for(var b=100;a&&0<b;){if(a.href&&a.nodeName.match(/^\a(?:rea)?$/i)){var
c=a;break a}a=a.parentNode;b--}c=null}if(c){var
d=c.protocol;"http:"!=d&&"https:"!=d||W(c,c.hostname)}}catch(e){}}function
da(a){try{if(a.action){var
b=F(G(a.action),"host");W(a,b)}}catch(c){};n("google_tag_data.glBridge.auto",function(a,b,c,d){N();
O(a,b,"fragment"==c?2:1,!d,!1)});n("google_tag_data.glBridge.passthrough",function(a,b,c){N();O(
a,[E(w.location,"host",!0)],b,!c,!0)});n("google_tag_data.glBridge.decorate",function(a,b,c){a=S(a);re
turn
Z("_gl",a,b,!c)});n("google_tag_data.glBridge.generate",S);n("google_tag_data.glBridge.get",functio
n(a,b){var
c=ia(!b);b=M();b.data||(b.data={query:{},fragment:{}},c(b.data));c={};if(b=b.data)p(c,b.query),a&&p(
c,b.fragment);return c});})(window);
```

```

(function(){function La(a){var b=1,c;if(a)for(b=0,c=a.length-1;0<=c;c--)var
d=a.charCodeAt(c);b=(b<<6&268435455)+d+(d<<14);d=b&266338304;b=0!=d?b^d>>21:b}return
b};/*



Copyright The Closure Library Authors.

SPDX-License-Identifier: Apache-2.0

*/
var
$c=function(a){this.C=a||[]};$c.prototype.set=function(a){this.C[a]=!0};$c.prototype.encode=function(){for(var
a[],b=0;b<this.C.length;b++)this.C[b]&&(a[Math.floor(b/6)]^=1<<b%6);for(b=0;b<a.length;b++)a[b]
="ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789-
_".charAt(a[b]||0);return a.join("")+"~"};var ha=window.GoogleAnalyticsObject,wa;if(wa=void
0!=ha)wa=-1<(ha.constructor+"").indexOf("String");var ya;if(ya==wa){var
fc=window.GoogleAnalyticsObject;ya=fc?fc.replace(/^\[s\]\xa0]+|[s]\xa0]+$/g,"")var
gb=ya||"ga",jd=/^(?:utma\.)?\d+\.\d+$/,kd=/^amp-[w.-]{22,64}$/,Ba=!1;var vd=new $c;function
J(a){vd.set(a)}var Td=function(a){a=Dd(a);a=new $c(a);for(var
b=vd.C.slice(),c=0;c<a.C.length;c++)b[c]=a[c]||a.C[c];return(new
$c(b)).encode()},Dd=function(a){a=a.get(Gd);ka(a)|| (a=[]);return a};var
ea=function(a){return"function"==typeof a},ka=function(a){return"[object
Array]"==Object.prototype.toString.call(Object(a))},qa=function(a){return void 0!=a&&
1<(a.constructor+"").indexOf("String")},D=function(a,b){return
0==a.indexOf(b)},sa=function(a){return
a?a.replace(/^\[s\]\xa0]+|[s]\xa0]+$/g,""):"",ra=function(){for(var
a=0.navigator.userAgent+(M.cookie?M.cookie:"")+(M.referrer?M.referrer:""),b=a.length,c=0.history.length;0<c;)a+=c--^b++;return[hd()^La(a)&2147483647,Math.round((new Date).getTime()/
1E3)].join(".")},ta=function(a){var b=M.createElement("img");b.width=1;b.height=1;b.src=a;return
b},ua=function(){},K=function(a){if(encodeURIComponent instanceof Function)return
encodeURIComponent(a);J(28);return
a},L=function(a,b,c,d){try{a.addEventListener?a.addEventListener(b,c,!d):a.attachEvent&&a.attachEvent("on"+b,c)}catch(e){J(27)}},f=/^[\w\-\.:?=()%!\[\]]+$/;,Nd=/^[\w+_-
]+[=]{0,2}$/,ff=null,Id=function(a,b,c,d,e){if(!ff){ff={createScriptURL:function(ca){return
ca},createHTML:function(ca){return ca}};try{ff=window.trustedTypes.createPolicy("google-analytics",ff)}catch(e){}};if(a){var
g=M.querySelector&&M.querySelector("script[nonce]")||null;g=g?g.nonce||g.getAttribute&&g.getAttribute("nonce")||"";"";c?(e=d","",b&&f.test(b)&&(d=' id="'+b+'"),g&&Nd.test(g)&&(e='
nonce="'+g+'"),f.test(a)&&M.write(ff.createHTML("<script"+d+e+
src="'+a+'>\x3c/script>")):(c=M.createElement("script"),c.type="text/javascript",c.async=!0,c.src=ff.
createScriptURL(a),d&&(c.onload=d),e&&(c.onerror=e),b&&(c.id=b),g&&c.setAttribute("nonce",

```

```

g),a=M.getElementsByTagName("script")[0],a.parentNode.insertBefore(c,a))}},be=function(a,b){retu
rn
E(M.location[b?"href":"search"],a),E=function(a,b){return(a=a.match("(?:&|#|\?\?)" + K(b).replace(/([
.*+?^=!:${}()|\[\]\{\}\}]/g,"\\$1")+"=([^&#]*")"))&&2==a.length?a[1]:""},xa=function(){var
a="" + M.location.hostname;return 0==a.indexOf("www.")?a.substring(4):a},de=function(a,b){var
c=a.indexOf(b);if(5==c||6==c)if(a=a.charAt(c+b.length),"/"==a||"?==a||""==a||":==a)return!0;ret
urn!1},za=function(a,b){if(1==
b.length&&null!=b[0]&&"object"==typeof b[0])return b[0];for(var
c={},d=Math.min(a.length+1,b.length),e=0;e<d;e++)if("object"==typeof b[e]){for(var g in
b[e])b[e].hasOwnProperty(g)&&(c[g]=b[e][g]);break}else e<a.length&&(c[a[e]]=b[e]);return
c},Ee=function(a,b){for(var c=0;c<a.length;c++)if(b==a[c])return!0;return!1};var
ee=function(){this.oa=[];this.ea={};this.m={}};ee.prototype.set=function(a,b,c){this.oa.push(a);c?this.
m[":"+a]=b:this.ea[":"+a]=b};ee.prototype.get=function(a){return
this.m.hasOwnProperty(":"+a)?this.m[:"+a]:this.ea[:"+a]};ee.prototype.map=function(a){for(var
b=0;b<this.oa.length;b++){var c=this.oa[b],d=this.get(c);d&&a(c,d)};var
O=window,M=document,jf=document.currentScript?document.currentScript.src:"",va=function(a,b)
{return setTimeout(a,b)};var Qa=window,Za=document,G=function(a){var
b=Qa._gaUserPrefs;if(b&&b.ioo&&b.ioo)|||a&&!0==Qa["ga-disable-"+a])return!0;try{var
c=Qa.external;if(c&&c._gaUserPrefs&&"oo"==c._gaUserPrefs)return!0}catch(g){}a=[];b=String(Za.co
okie).split(";");for(c=0;c<b.length;c++){var
d=b[c].split("="),e=d[0].replace(/^\s*|\s*\$/g,"");e&&"AMP_TOKEN"==e&&((d=d.slice(1).join("=").re
place(/^\s*|\s*\$/g,""))&&(d=decodeURIComponent(d)),a.push(d))}for(b=0;b<a.length;b++)if("$OPT
_OUT"==a[b])return!0;return Za.getElementById("__gaOptOutExtension")?

!0:!1};var Ca=function(a){var b=[],c=M.cookie.split(";");a=new
RegExp("^\\s*"+a+"=\\s*(.*?)\\s*");for(var d=0;d<c.length;d++){var
e=c[d].match(a);e&&b.push(e[1])}return
b},zc=function(a,b,c,d,e,g,ca){e=G(e)?!1:eb.test(M.location.hostname)||"/"==c&&vc.test(d)?!1:!0;if(
!e)return!1;b&&1200<b.length&&(b=b.substring(0,1200));c=a+="+b+"; path="+c+";
";g&&(c+="expires="+(new Date((new Date).getTime()+g)).toGMTString());
");d&&"none"!=d&&(c+="domain="+d+");ca&&(c+=ca+");d=M.cookie;M.cookie=c;if(!(d=d!=M.c
ookie))a:{a=
Ca(a);for(d=0;d<a.length;d++)if(b==a[d])d=!0;break a}d=!1}return d},Cc=function(a){return
encodeURIComponent?encodeURIComponent(a).replace(/\//g,"%28").replace(/\//g,"%29"):a},vc=/^(
www\.)?google(\.com?)?(\.[a-z]{2})?$/;eb=(|^|\.).doubleclick\.net$/i;var Oe=function(a){var
b=[],c=M.cookie.split(";");a=new RegExp("^\s*"+(a||"_gac")+"_(UA-\d+
\d+)=\s*(.+?)\s*\$");for(var d=0;d<c.length;d++){var
e=c[d].match(a);e&&b.push({ja:e[1],value:e[2],timestamp:Number(e[2].split("."))[1]||0})}b.sort(func
tion(g,ca){return ca.timestamp-g.timestamp});return b};

function df(a,b,c){b=Oe(b);var d={};if(!b||!b.length)return d;for(var e=0;e<b.length;e++){var
g=b[e].value.split(".");if("1"!=g[0]||c&&3>g.length||!c&&3==g.length)a&&(a.na=!0);else
if(Number(g[1])){d[b[e].ja]?a&&(a.pa=!0):d[b[e].ja]=[];var

```

```

ca={version:g[0],timestamp:1E3*Number(g[1]),qa:g[2]};c&&3<g.length&&(ca.labels=g.slice(3));d[b[e].ja].push(ca)}{return d};var
Fa,Ga,fb,Ab,ja=/^https?:\/\/[^\/*cdn\ampproject\.org\/\/,Ue=/^(?:www\.|m\.|amp\.)+/,Ub=[],da=f
unction(a){if(ye(a[Kd])){if(void 0==Ab){var b;if(b=(b=De.get())&&b._ga||void 0)Ab=b,J(81)}if(void
0!==Ab){return a[Q]||(a[Q]=Ab,!1);if(a[Kd])J(67);if(a[ac]&&"cookie"!=a[ac])return!1;if(void
0!==Ab)a[Q]||(a[Q]=Ab);else{a:{b=String(a[W]||xa());var
c=String(a[Yb]||"/"),d=Ca(String(a[U]||"_ga"));b=na(d,b,c);if(!b||jd.test(b))b=!0;else
if(b=Ca("AMP_TOKEN"),0==b.length)b=!0;else{if(1==b.length&&(b=decodeURIComponent(b[0]),
"\$RETRIEVING"==b||"\$OPT_OUT"==b||"\$ERROR"==b||"\$NOT_FOUND"==b)){b=!0;break
a}b=!1}}if(b&&tc(ic,String(a[Na])))return!0}}return!1},ic=function(){Z.D([ua])},tc=function(a,b){var
c=Ca("AMP_TOKEN");if(1<c.length){return
J(55),!1;c=decodeURIComponent(c[0]||"");if("\$OPT_OUT"==c||"\$ERROR"==c||G(b))return
J(62),!1;if(!ja.test(M.referrer)&&"$NOT_FOUND"==c){return J(68),!1;if(void 0!==Ab){return
J(56),va(function(){a(Ab)},0,!0);if(Fa){return Ub.push(a),!0;if("\$RETRIEVING"==c){return
J(57),va(function(){tc(a,b)}},
1E4),!0;Fa=!0;c&&"$"!=c[0]||(xc("\$RETRIEVING",3E4),setTimeout(Mc,3E4),c="");return
Pc(c,b)?(Ub.push(a),!0):!1},Pc=function(a,b,c){if(!window.JSON){return J(58),!1;var
d=O.XMLHttpRequest;if(!d){return J(59),!1;var e=new d;if(!("withCredentials"in e)){return
J(60),!1;e.open("POST",c||"https://ampcid.google.com/v1/publisher:getClientId")+"?key=AlzaSyA6
5IEHUEizlsNtlbNo-l2K18dT680nsaM",!0);e.withCredentials=!0;e.setRequestHeader("Content-
Type","text/plain");e.onload=function(){Fa=!1;if(4==e.readyState){try{200!=
e.status&&(J(61),Qc("","$ERROR",3E4));var
g=JSON.parse(e.responseText);g.optOut?(J(63),Qc("","$OPT_OUT",31536E6)):g.clientId?Qc(g.clientId
,g.securityToken,31536E6):!c&&g.alternateUrl?(Ga&&clearTimeout(Ga),Fa=!0,Pc(a,b,g.alternateUrl))
:(J(64),Qc("","$NOT_FOUND",36E5))}catch(e){J(65),Qc("","$ERROR",3E4)}e=null}};d={originScope:"A
MP_ECID_GOOGLE"};a&&(d.securityToken=a);e.send(JSON.stringify(d));Ga=va(function(){J(66),Qc("",
"$ERROR",3E4)},1E4);return!0},Mc=function(){Fa=!1},xc=function(a,b){if(void 0===
fb){fb="";for(var c=id(),d=0;d<c.length;d++){var
e=c[d];if(zc("AMP_TOKEN",encodeURIComponent(a),"/",e,"",b)){fb=e;return}}};zc("AMP_TOKEN",enc
odeURIComponent(a),"/",fb,"",b),Qc=function(a,b,c){Ga&&clearTimeout(Ga);b&&xc(b,c);Ab=a;b=U
b;Ub=[];for(c=0;c<b.length;c++)b[c](a),ye=function(a){a:{if(ja.test(M.referrer)){var
b=M.location.hostname.replace(Ue,"");b:{var c=M.referrer;c=c.replace(/^https?:\/\/, "");var
d=c.replace(/\^/,"").split("/"),e=d[2];d=(d=="s"==e?d[3]:e)?decodeURIComponent(d):d;if(!d){if(0=
=
c.indexOf("xn--")){c="";break
b}c=c.match(/(.*)\cdn\ampproject\.org\?$/))&&2==c.length&&(d=c[1].replace(/-
/g,"").replace(/\.\./g,"-"))}c=d?d.replace(Ue,""):(d=b==c)||((c=".+"+c,d=b.substring(b.length-
c.length,b.length)===c);if(d){b=!0;break a}else J(78)}b=!1{return b&&!1==a};var
bd=function(a){return(a?"https":Ba||"https":==M.location.protocol?"https":"http:")+"//www.goog
le-analytics.com"},Ge=function(a){switch(a){default:case 1:return"https://www.google-

```

analytics.com/gtm/js?id=";case
2:return"https://www.googletagmanager.com/gtag/js?id="},Da=function(a){this.name="len";this.m
essage=a+-8192"},ba=function(a,b,c){c=c||ua;if(2036>=b.length)wc(a,b,c);else
if(8192>=b.length)x(a,b,c)||wd(a,b,c)||wc(a,b,c);else throw ge("len",b.length),new
Da(b.length);},pe=function(a,b,
c,d){d=d||ua;wd(a+"?"+b,"",d,c)},wc=function(a,b,c){var
d=ta(a+"?"+b);d.onload=d.onerror=function(){d.onload=null;d.onerror=null;c()}},wd=function(a,b,c,d
{var e=O.XMLHttpRequest;if(!e)return!1;var g=new e;if(!("withCredentials"in
g))return!1;a=a.replace(/^(http:|https:)/);g.open("POST",a,!0);g.withCredentials=!0;g.setRequestHeader
("Content-Type","text/plain");g.onreadystatechange=function(){if(4==g.readyState){if(d&&"text/plain"===g.get
ResponseHeader("Content-Type"))try{Ea(d,g.responseText,c)}catch(ca){ge("xhr",
"rsp"),c()}else
c();g=null}};g.send(b);return!0},Ea=function(a,b,c){if(1>b.length)ge("xhr","ver","0"),c();else
if(3<a.count++)ge("xhr","tmr",""+a.count),c();else{var
d=b.charAt(0);if("1"==d)oc(a,b.substring(1),c);else if(a.V&&"2"==d){var
e=b.substring(1).split(","),g=0;b=function(){++g==e.length&&c()};for(d=0;d<e.length;d++)oc(a,e[d],b
)}else ge("xhr","ver",String(b.length)),c()}},oc=function(a,b,c){if(0==b.length)c();else{var
d=b.charAt(0);switch(d){case "d":pe("https://stats.g.doubleclick.net/j/collect",
a.U,a,c);break;case "g":wc("https://www.google.com/ads/ga-
audiences",a.google,c);(b=b.substring(1))&&(/^[a-
z.]{1,6}\$/.test(b)?wc("https://www.google.%/ads/ga-
audiences".replace("%",b),a.google,ua):ge("tld","bcc",b));break;case "G":if(a.V){a.V("G-
"+b.substring(1));c();break}case
"x":if(a.V){a.V();c();break}default:ge("xhr","brc",d),c()}},x=function(a,b,c){return
O.navigator.sendBeacon?O.navigator.sendBeacon(a,b)?(c(),!0):!1:!1},ge=function(a,b,c){1<=100*Math
.random()||G("?")||(a=["t=error","_e="+
a,"_v=j98","sr=1"],b&&a.push("_f="+b),c&&a.push("_m="+K(c.substring(0,100))),a.push("aip=1"),a.p
ush("z="+hd()),wc(bd(!0)"/u/d",a.join("&"),ua))};var qc=function(){return
O.gaData=O.gaData||[],h=function(a){var b=qc();return b[a]=b[a]||[]},var
Ha=function(){this.M=[]};Ha.prototype.add=function(a){this.M.push(a)};Ha.prototype.D=function(a){
try{for(var b=0;b<this.M.length;b++){var
c=a.get(this.M[b]);c&&ea(c)&&c.call(O,a)}}catch(d){b=a.get(ia);b!=ua&&ea(b)&&(a.set(ia,ua,!0),set
Timeout(b,10))};function
Ja(a){if(100!=a.get(Ka)&&La(P(a,Q))%1E4>=100*R(a,Ka))throw"abort";}function
Ma(a){if(G(P(a,Na)))throw"abort";}function Oa(){var
a=M.location.protocol;if("http:"!=a&&"https:"!=a)throw"abort";}

function Pa(a){try{O.navigator.sendBeacon?J(42):O.XMLHttpRequest&&"withCredentials"in new
O.XMLHttpRequest&&J(40)}catch(c){}a.set(Id,Td(a,!0);a.set(Ac,R(a,Ac)+1);var
b=[];ue.map(function(c,d){d.F&&(c=a.get(c),void 0!=c&&c!=d.defaultValue&&("boolean"==typeof

```

c&&(c*=1),b.push(d.F+="+"+K(""+c)))));!1==a.get(xe)&&b.push("npa=1");b.push("z="+Bd());a.set(Ra
,b.join("&"),!0)}

function Sa(a){var b=P(a,fa);!b&&a.get(Vd)&&(b=="beacon");var
c=P(a,gd),d=P(a,oe),e=c||(d||bd(!1)+"")+"/collect";switch(P(a,ad)){case
"d":e=c||(d||bd(!1)+"")+"/j/collect";b=a.get(qe)||void
0;pe(e,P(a,Ra),b,a.Z(la));break;default:b?(c=P(a,Ra),d=(d=a.Z(la))||ua,"image"==b?wc(e,c,d):"xhr"==
b&&wd(e,c,d)||"beacon"==b&&x(e,c,d)||ba(e,c,d)):ba(e,P(a,Ra),a.Z(la))}e=P(a,Na);e=h(e);b=e.hitco
unt;e.hitcount=b?b+1:1;e.first_hit||(e.first_hit=(new Date).getTime());e=P(a,Na);delete
h(e).pending_experiments;a.set(la,
ua,!0)}function Hc(a){qc().expId&&a.set(Nc,qc().expId);qc().expVar&&a.set(Oc,qc().expVar);var
b=P(a,Na);if(b=h(b).pending_experiments){var c=[];for(d in
b)b.hasOwnProperty(d)&&b[d]&&c.push(encodeURIComponent(d)+"."+encodeURIComponent(b[d]))
;var d=c.join("!")}else d=void 0;d&&((b=a.get(m))&&(d=b+"!"+d),a.set(m,d,!0))}function
cd(){if(O.navigator&&"preview"==O.navigator.loadPurpose)throw"abort";}

function yd(a){var b=O.gaDevIds||[];if(ka(b)){var
c=a.get("&did");qa(c)&&0<c.length&&(b=b.concat(c.split(",")));c=[];for(var
d=0;d<b.length;d++)Ee(c,b[d])||c.push(b[d]);0!=c.length&&a.set("&did",c.join(","),!0)}}function
vb(a){if(!a.get(Na))throw"abort";}

function Pe(a){try{if(!a.get(Qe)&&(a.set(Qe,!0),!a.get("&gtm"))){var b=void
0;if(be("gtm_debug"))&&(b=2);!b&&D(M.referrer,"https://tagassistant.google.com/")&&(b=3);!b&&
Ee(M.cookie.split("; "),"__TAG_ASSISTANT=x")&&(b=4);if(!b){var
c=M.documentElement.getAttribute("data-tag-assistant-
present");if(c)&&(b=5)}if(b){O["google.tagmanager.debugui2.queue"]||(O["google.tagmanager.deb
ugui2.queue"]=[],Id("https://www.google-
analytics.com/debug/bootstrap?id="+a.get(Na)+"&src=LEGACY&cond="+b));var d=M.currentScript;
O["google.tagmanager.debugui2.queue"].push({messageType:"LEGACY_CONTAINER_STARTING",dat
a:{id:a.get(Na),scriptSource:d&&d.src||""}})}catch(e){}}function
If(a){if(null==a||0==a.length)return!1;a=Number(a);var b=Date.now();return a<b+3E5&&a>b-
9E5};var hd=function(){return Math.round(2147483647*Math.random())},Bd=function(){try{var
a=new Uint32Array(1);O.crypto.getRandomValues(a);return a[0]&2147483647}catch(b){return
hd()}},function Ta(a){var b=R(a,Ua);500<=b&&J(15);var
c=P(a,Va);if("transaction"!=c&&"item"!=c){c=R(a,Wa);var d=(new
Date).getTime(),e=R(a,Xa);0==e&&a.set(Xa,d);e=Math.round(2*(d-
e)/1E3);0<e&&(c=Math.min(c+e,20),a.set(Xa,d));if(0>=c)throw"abort";a.set(Wa,--
c)}a.set(Ua,++b)};var Ya=function(){this.data=new ee};Ya.prototype.get=function(a){var
b=$a(a),c=this.data.get(a);b&&void
0==c&&(c=ea(b.defaultValue)?b.defaultValue():b.defaultValue);return b&&b.Z?b.Z(this,a,c):c};var
P=function(a,b){a=a.get(b);return void 0==a?"":" "+a},R=function(a,b){a=a.get(b);return void
0==a||"==a?0:Number(a)";Ya.prototype.Z=function(a){return(a=this.get(a))&&ea(a)?a:ua};}

```

```

Ya.prototype.set=function(a,b,c){if(a)if("object"==typeof a)for(var d in
a)a.hasOwnProperty(d)&&ab(this,d,a[d],c);else ab(this,a,b,c);}

var ab=function(a,b,c,d){if(void 0!=c)switch(b){case Na:wb.test(c)}var
e=$a(b);e&&e.o?e.o(a,b,c,d):a.data.set(b,c,d)},gf={hitPayload:88,location:89,referrer:90,title:91,buil
dHitTask:93,sendHitTask:94,displayFeaturesTask:95,customTask:97,cookieName:98,cookieDomain:9
9,cookiePath:100,cookieExpires:101,cookieUpdate:102,cookieFlags:103,storage:104,_x_19:105,trans
portUrl:106,allowAdFeatures:107,sampleRate:108};

function hf(a,b){var c=gf[a];c&&J(c);"displayFeaturesTask"==a&&void
0==b&&J(96);/*Task$.test(a)&&J(92)*/function mf(a,b){if(a)if("object"==typeof a)for(var c in
a)a.hasOwnProperty(c)&&hf(c,b);else hf(a,b)};var ue=new
ee,ve=[],bb=function(a,b,c,d,e){this.name=a;this.F=b;this.Z=d;this.o=e;this.defaultValue=c},$a=functi
on(a){var b=ue.get(a);if(!b)for(var c=0;c<ve.length;c++){var
d=ve[c],e=d[0].exec(a);if(e){b=d[1](e);ue.set(b.name,b);break}}return b},yc=function(a){var
b;ue.map(function(c,d){d.F==a&&(b=d)});return b&&b.name},S=function(a,b,c,d,e){a=new
bb(a,b,c,d,e);ue.set(a.name,a);return a.name},cb=function(a,b){ve.push([new
RegExp("^"+a+"$"),b])},T=function(a,b,c){return S(a,b,c,void 0,db)},db=function(){},var
hb=T("apiVersion","v"),ib=T("clientVersion","_v");S("anonymizeIp","aip");var
jb=S("adSenseld","a"),Va=S("hitType","t"),Ia=S("hitCallback"),Ra=S("hitPayload");S("nonInteraction",
"ni");S("currencyCode","cu");S("dataSource","ds");var Vd=S("useBeacon",void
0,!1),fa=S("transport");S("sessionControl","sc","",);S("sessionGroup","sg");S("queueTime","qt");var
Ac=S("_s","_s");S("screenName","cd");var
kb=S("location","dl","",),lb=S("referrer","dr"),mb=S("page","dp","",);S("hostname","dh");

var nb=S("language","ul"),ob=S("encoding","de");S("title","dt",function(){return M.title||void
0});cb("contentGroup([0-9]+)",function(a){return new bb(a[0],"cg"+a[1])});var
pb=S("screenColors","sd"),qb=S("screenResolution","sr"),rb=S("viewportSize","vp"),sb=S("javaEnabl
ed","je"),tb=S("flashVersion","fl");S("campaignId","ci");S("campaignName","cn");S("campaignSource
","cs");S("campaignMedium","cm");S("campaignKeyword","ck");S("campaignContent","cc");

var
ub=S("eventCategory","ec"),xb=S("eventAction","ea"),yb=S("eventLabel","el"),zb=S("eventValue","e
v"),Bb=S("socialNetwork","sn"),Cb=S("socialAction","sa"),Db=S("socialTarget","st"),Eb=S("l1","plt"),F
b=S("l2","pdt"),Gb=S("l3","dns"),Hb=S("l4","rrt"),Ib=S("l5","srt"),Jb=S("l6","tcp"),Kb=S("l7","dit"),Lb=
S("l8","clt"),Ve=S("l9","_gst"),We=S("l10","_gbt"),Xe=S("l11","_cst"),Ye=S("l12","_cbt"),Mb=S("timin
gCategory","utc"),Nb=S("timingVar","utv"),Ob=S("timingLabel","utl"),Pb=S("timingValue","utt");

S("appName","an");S("appVersion","av","",);S("appId","aid","",);S("appInstallerId","aiid","",);S("exDesc
ription","exd");S("exFatal","exf");var
Nc=S("expId","xid"),Oc=S("expVar","xvar"),m=S("exp","exp"),Rc=S("_utma","_utma"),Sc=S("_utmz","_
utmz"),Tc=S("_utmht","_utmht"),Ua=S("_hc",void 0,0),Xa=S("_ti",void 0,0),Wa=S("_to",void
0,20);cb("dimension([0-9]+)",function(a){return new bb(a[0],"cd"+a[1])});cb("metric([0-
9]+)",function(a){return new bb(a[0],"cm"+a[1])});S("linkerParam",void 0,void 0,Bc,db);

```

```

var Ze=T("_cd2l",void 0,!1),Id=S("usage","_u"),Gd=S("_um");S("forceSSL",void 0,void
0,function(){return Ba},function(a,b,c){J(34);Ba=!!c});var
ed=S("_j1","jid"),ia=S("_j2","gjid");cb("\\"&(.*)",function(a){var b=new
bb(a[0],a[1]),c=yC(a[0].substring(1));c&&(b.Z=function(d){return
d.get(c)},b.o=function(d,e,g,ca){d.set(c,g,ca)},b.F=void 0);return b});

var
Qb=T("_oot"),dd=S("previewTask"),Rb=S("checkProtocolTask"),md=S("validationTask"),Sb=S("checkS
torageTask"),Uc=S("historyImportTask"),Tb=S("samplerTask"),Vb=S("_rlt"),Wb=S("buildHitTask"),Xb=
S("sendHitTask"),Vc=S("ceTask"),zd=S("devIdTask"),Cd=S("timingTask"),Ld=S("displayFeaturesTask"),
oa=S("customTask"),ze=S("fpsCrossDomainTask"),Re=T("_cta"),V=T("name"),Q=T("clientId","cid"),n=
T("clientIdTime"),xd=T("storedClientId"),Ad=S("userId","uid"),Na=T("trackingId","tid"),U=T("cookieN
ame",void 0,"_ga"),

W=T("cookieDomain"),Yb=T("cookiePath",void 0,"/"),Zb=T("cookieExpires",void
0,63072E3),Hd=T("cookieUpdate",void 0,!0),Be=T("cookieFlags",void
0,""),$b=T("legacyCookieDomain"),Wc=T("legacyHistoryImport",void 0,!0),ac=T("storage",void
0,"cookie"),bc=T("allowLinker",void 0,!1),cc=T("allowAnchor",void
0,!0),Ka=T("sampleRate","sf",100),dc=T("siteSpeedSampleRate",void
0,1),ec=T("alwaysSendReferrer",void
0,!1),I=T("_gid","_gid"),la=T("_gcn"),Kd=T("useAmpClientId"),ce=T("_gclid"),fe=T("_gt"),he=T("_ge",v
oid 0,
7776E6),ie=T("_gclsr"),je=T("storeGac",void
0,!0),oe=S("_x_19"),Ae=S("_fplc","_fplc"),F=T("_cs"),Je=T("_useUp",void
0,!1),Le=S("up","up"),Qe=S("_tac",void 0,!1),Se=T("_gbraids"),Te=T("_gbts"),bf=T("_gbe",void
0,7776E6),gd=S("transportUrl"),Md=S("_r","_r"),Od=S("_slc","_slc"),qe=S("_dp"),ad=S("_jt",void
0,"n"),Ud=S("allowAdFeatures",void 0,!0),xe=S("allowAdPersonalizationSignals",void 0,!0);

function X(a,b,c,d){b[a]=function(){try{return d&&J(d),c.apply(this,arguments)}catch(e){throw
ge("exc",a,e&&e.name),e;}}};var Ed=function(a){if("cookie"==a.get(ac))return
a=Ca("FPLC"),0<a.length?a[0]:void 0},Fe=function(a){var
b;if(b=P(a,oe)&&a.get(Ze))b=De.get(a.get(cc)),b=!(b&&b._fplc);b&&!Ed(a)&&a.set(Ae,"0");var
aa=function(a){var b=Math.min(R(a,dc),100);return La(P(a,Q))%100>=b?!1:!0},gc=function(a){var
b={};if(Ec(b)||Fc(b)){var c=b[Eb];void
0==c||Infinity==c||isNaN(c)||((0<c?(Y(b,Gb),Y(b,Jb),Y(b,Ib),Y(b,Fb),Y(b,Hb),Y(b,Kb),Y(b,Lb),Y(b,Ve),Y(
b,We),Y(b,Xe),Y(b,Ye),va(function(){a(b)},10)):L(O,"load",function(){gc(a),!1}))}},Ec=function(a){var
b=O.performance||O.webkitPerformance;b=b&&b.timing;if(!b) return !1;var
c=b.navigationStart;if(0==c) return !1;a[Eb]=b.loadEventStart-c;a[Gb]=b.domainLookupEnd-
b.domainLookupStart;

a[Jb]=b.connectEnd-b.connectStart;a[Ib]=b.responseStart-b.requestStart;a[Fb]=b.responseEnd-
b.responseStart;a[Hb]=b.fetchStart-c;a[Kb]=b.domInteractive-
c;a[Lb]=b.domContentLoadedEventStart-c;a[Ve]=N.L-c;a[We]=N.ya-
c;O.google_tag_manager&&O.google_tag_manager._li&&(b=O.google_tag_manager._li,a[Xe]=b.cst,
```

```

a[Ye]=b.cbt);return!0},Fc=function(a){if(O.top!=O)return!1;var
b=O.external,c=b&&b.onloadT;b&&!b.isValidLoadTime&&(c=void 0);2147483648<c&&(c=void
0);0<c&&b.setPageReadyTime();if(void 0==c)return!1;

a[Eb]=c;return!0},Y=function(a,b){var c=a[b];if(isNaN(c)||Infinity==c||0>c)a[b]=void
0},Fd=function(a){return function(b){if("pageview"==b.get(Va)&&!a.l){a.l=!0;var
c=aa(b),d=0<E(P(b,kb),"gclid").length,e=0<E(P(b,kb),"wbraid").length,(c|d|e)&&gc(function(g){c&
&a.send("timing",g);(d|e)&&a.send("adtiming",g)});var
hc=!1,mc=function(a){if("cookie"==P(a,ac)){if(a.get(Hd)||P(a,xd)!=P(a,Q)){var
b=1E3*R(a,Zb);ma(a,Q,U,b);a.data.set(xd,P(a,Q))}(a.get(Hd)||uc(a)!=P(a,l))&&ma(a,l,la,864E5);if(a.g
et(je)){if(b=P(a,ce)){var c=Math.min(R(a,he),1E3*R(a,Zb));c=0==c?0:Math.min(c,1E3*R(a,fe)+c-(new
Date).getTime());a.data.set(he,c);var
d={},e=P(a,fe),g=P(a,ie),ca=kc(P(a,Yb)),l=lc(P(a,W)),k=P(a,Na),w=P(a,Be);g&&"aw.ds"!=g?d&&(d.ua=!
0):(b=["1",e,Cc(b)].join("."),0<=c&&(d&&(d.ta!=0),zc("_gac_"+Cc(k),b,ca,l,k,c,w)));le(d)}}}else J(75);

a.get(je)&&(b=P(a,Se))&&(c=Math.min(R(a,bf),1E3*R(a,Zb)),c=0==c?0:Math.min(c,1E3*R(a,Te)+c-
(new
Date).getTime()),a.data.set(bf,c),d={},w=P(a,Te),ca=kc(P(a,Yb)),l=lc(P(a,W)),k=P(a,Na),a=P(a,Be),b=["
1",w,Cc(b)].join("."),0<=c&&(d&&(d.ta!=0),zc("_gac_gb_"+Cc(k),b,ca,l,k,c,a)),ef(d)}},ma=function(a,b
,c,d){var e=nd(a,b);if(e){c=P(a,c);var
g=kc(P(a,Yb)),ca=lc(P(a,W)),l=P(a,Be),k=P(a,Na);if("auto"!=ca)zc(c,e,g,ca,k,d,l)&&(hc!=0);else{J(32);fo
r(var w=id(),Ce=0;Ce<w.length;Ce++)if(ca=w[Ce],a.data.set(W,
ca),e=nd(a,b),zc(c,e,g,ca,k,d,l)){hc=!0;return}a.data.set(W,"auto")}}},uc=function(a){var
b=Ca(P(a,la));return
Xd(a,b)},nc=function(a){if("cookie"==P(a,ac)&&!hc&&(mc(a),!hc))throw"abort";},Yc=function(a){if(a.
get(Wc)){var b=P(a,W),c=P(a,$b)||xa(),d=Xc("__utma",c,b);d&&(J(19),a.set(Tc,(new
Date).getTime(),!0),a.set(Rc,d.R),(b=Xc("__utmz",c,b))&&d.hash==b.hash&&a.set(Sc,b.R))}},nd=funct
ion(a,b){b=Cc(P(a,b));var c=lc(P(a,W)).split(".").length;a=jc(P(a,Yb));1<a&&(c+=-+a);return
b?["GA1",c,b].join("."):

"},Xd=function(a,b){return
na(b,P(a,W),P(a,Yb))),na=function(a,b,c){if(!a||1>a.length)J(12);else{for(var
d=[],e=0;e<a.length;e++){var g=a[e];var ca=g.split(".");
var
l=ca.shift();("GA1"==l||"1"==l)&&1<ca.length?(g=ca.shift().split("-"
),1==g.length&&(g[1]=="1"),g[0]*=1,g[1]*=1,ca={H:g,s:ca.join(".")}):ca=kd.test(g)?{H:[0,0],s:g}:void
0;ca&&d.push(ca)}if(1==d.length)return
J(13),d[0].s;if(0==d.length)J(12);else{J(14);d=Gc(d,lc(b).split(".").length,0);if(1==d.length)return
d[0].s;d=Gc(d,jc(c),1);1<d.length&&

J(41);return d[0]&&d[0].s}}},Gc=function(a,b,c){for(var d=[],e=[],g,ca=0;ca<a.length;ca++){var
l=a[ca];l.H[c]==b?d.push(l):void 0==g||l.H[c]<g?(e=[l],g=l.H[c]):l.H[c]==g&&e.push(l)}return
0<d.length?d:e},lc=function(a){return 0==a.indexOf(".")?a.substr(1):a},id=function(){var
a=[],b=xa().split(".");
if(4==b.length){var c=b[b.length-
1];if(parseInt(c,10)==c)return["none"]}for(c=b.length-2;0<=c;c--

```

```

) a.push(b.slice(c).join(".")); b=M.location.hostname; eb.test(b) || vc.test(b) || a.push("none"); return
a}, kc=

function(a){if(!a)return"/";1<a.length&&a.lastIndexOf("/")==a.length-1&&(a=a.substr(0,a.length-
1));0!=a.indexOf("/")&&(a="/"+a);return
a}, jc=function(a){a=kc(a);return"/==a?1:a.split("/").length}, le=function(a){a.ta&&J(77);a.na&&J(74);
a.pa&&J(73);a.ua&&J(69)}, ef=function(a){a.ta&&J(85);a.na&&J(86);a.pa&&J(87)};function
Xc(a,b,c){"none"==b&&(b="");var d=[],e=Ca(a);a="__utma"==a?6:2;for(var g=0;g<e.length;g++){var
ca=(""+e[g]).split(".");ca.length>=a&&d.push({hash:ca[0],R:e[g],O:ca})}if(0!=d.length)return
1==d.length?d[0]:Zc(b,d)||Zc(c,d)||Zc(null,d)||d[0];function Zc(a,b){if(null==a)var c=a=1;else
c=La(a),a=La(D(a,"."))?a.substring(1):".+a";for(var
d=0;d<b.length;d++)if(b[d].hash==c||b[d].hash==a)return b[d]};var Jc=new
RegExp(/^https?:\/\/([^\v:]+)/), De=O.google_tag_data.gIBridge, Kc=RegExp("(.*)([?&#])(?:_ga=[^&#]*
)(?:&?)(.*")"), od=RegExp("(.*)([?&#])(?:_gac=[^&#]*)(?:&?)(.*")");function Bc(a){if(a.get(Ze))return
J(35), De.generate($e(a));var b=P(a,Q),c=P(a,I)||"";b=_ga=2."+K(pa(c+b,0)+"."+c+"-
"+b);(a=af(a))?(J(44),a)+"._gac=1."+K([pa(a.qa,0),a.timestamp,a.qa].join("."))):a=""};return b+a}

function lc(a,b){var c=new
Date,d=O.navigator,e=d.plugins||[];a=[a,d.userAgent,c.getTimezoneOffset(),c.getFullYear(),c.getDate(),c
.getHours(),c.getMinutes()+b];for(b=0;b<e.length;++b)a.push(e[b].description);return
La(a.join("."))}function pa(a,b){var c=new
Date,d=O.navigator,e=c.getHours()+Math.floor((c.getMinutes()+b)/60);return
La([a,d.userAgent,d.language||"",c.getTimezoneOffset(),c.getFullYear(),c.getDate()+(Math.floor(e/24),(2
4+e)%24,(60+c.getMinutes()+b)%60].join("."))

var
Dc=function(a){J(48);this.target=a;this.T=!1};Dc.prototype.ca=function(a,b){if(a){if(this.target.get(Ze)
)return
De.decorate($e(this.target),a,b);if(a.tagName){if("a"==a.tagName.toLowerCase()){a.href&&(a.href=q
d(this,a.href,b));return}if("form"==a.tagName.toLowerCase())return rd(this,a)}if("string"==typeof
a)return qd(this,a,b)}};

var qd=function(a,b,c){var
d=Kc.exec(b);d&&3<=d.length&&(b=d[1]+(d[3]?d[2]+d[3]:""));(d=od.exec(b))&&3<=d.length&&(b=d[
1]+(d[3]?d[2]+d[3]:""));a=a.target.get("linkerParam");d=b.indexOf("?");var
e=b.indexOf("#");b=c?b+((-1==e?"#":"&")+a):-1==e?b+((-1==d?"#":"&")+a):b.substring(0,e)+(-
1==d||d>e?"#":"&")+a+b.substring(e);b=b.replace(/&+_ga=/,"&_ga=");return
b=b.replace(RegExp("&+_gac="),"&_gac=")},rd=function(a,b){if(b&&b.action){if("get"==b.method.toL
owerCase()){a=a.target.get("linkerParam").split("&");

for(var c=0;c<a.length;c++){var d=a[c].split("="),e=d[1];d=d[0];for(var
g=b.childNodes||[],ca=!1,l=0;l<g.length;l++)if(g[l].name==d){g[l].setAttribute("value",e);ca=!0;break}
ca||(g=M.createElement("input"),g.setAttribute("type","hidden"),g.setAttribute("name",d),g.setAttribute(
"value",e),b.appendChild(g))}else"post"==b.method.toLowerCase()&&(b.action=qd(a,b.action
))};

```

```

Dc.prototype.S=function(a,b,c){function d(g){try{g=g||O.event;a:{var
ca=g.target||g.srcElement;for(g=100;ca&&0<g;){if(ca.href&&ca.nodeName.match(/^a(?:rea)?$/i)){v
ar l=ca;break a}ca=ca.parentNode;g--
}}={};"http:"==l.protocol||"https:"==l.protocol)&&sd(a,l.hostname||"")&&l.href&&(l.href=qd(e,l.hr
ef,b))}catch(k){J(26)}var e=this;this.target.get(Ze)?De.auto(function(){return
$e(e.target}),a,b?"fragment":""},c):(this.T||(this.T=!0,L(M,"mousedown",d,!1),L(M,"keyup",d,!1)),c&
&L(M,"submit",function(g){g=
g||O.event;if((g=g.target||g.srcElement)&&g.action){var
ca=g.action.match(Jc);ca&&sd(a,ca[1])&&rd(e,g)}));Dc.prototype.$=function(a){if(a){var
b=this,c=b.target.get(F);void
0!==c&&De.passthrough(function(){if(c("analytics_storage"))return{};var d={};return
d._ga=b.target.get(Q),d._up="1",d,1,!0});}function
sd(a,b){if(b==M.location.hostname)return!1;for(var c=0;c<a.length;c++)if(a[c]instanceof
RegExp){if(a[c].test(b))return!0}else if(0<=b.indexOf(a[c]))return!0;return!1}

function ke(a,b){return b!=lc(a,0)&&b!=lc(a,-1)&&b!=lc(a,-2)&&b!=pa(a,0)&&b!=pa(a,-1)&&b!=pa(a,-
2)}function $e(a){var b=af(a),c={};c._ga=a.get(Q);c._gid=a.get(l)||void
0;c._gac=b?[b.qa,b.timestamp].join("."):void 0;b=a.get(Ae);a=Ed(a);return
c._fplc=b&&"0"!=b?b:a,c}function af(a){function b(e){return void 0==e||""==e?0:Number(e)}var
c=a.get(ce);if(c&&a.get(je)){var d=b(a.get(fe));if(1E3*d+b(a.get(he))<=(new
Date).getTime())J(76);else return{timestamp:d,qa:c}};var p=/^(GTM|OPT)-[A-Z0-9]+$/,le=/^G-[A-Z0-
9]+$/,q=/;_gaexp=[^;]*;/g,r=/(_utma=)|([;=]+GAX?\d+\.)[^;]*;/g,Aa=/^https?:\/\/[\w\-
.]+\google.com(:\d+)?\/optimize\/opt-launch\.html\?.*$/,t=function(a){function
b(d,e){e&&(c+="&"+d+"="+K(e))}var
c=Ge(a.type)+K(a.id);"dataLayer"!=a.B&&b("l",a.B);b("cx",a.context);b("t",a.target);b("cid",a.clientId)
;b("cidt",a.ka);b("gac",a.la);b("aip",a.ia);a.sync&&b("m","sync");b("cycle",a.G);a.qa&&b("gclid",a.qa);
Aa.test(M.referrer)&&b("cb",String(hd()));return c},
He=function(a,b){var c=(new
Date).getTime();O[a.B]=O[a.B]||[];c={"gtm.start":c};a.sync||(c.event="gtm.js");O[a.B].push(c);2==a.
type&&function(d,e,g){O[a.B].push(arguments)}("config",a.id,b)},Ke=function(a,b,c,d){c=c||{};var
e=1;le.test(b)&&(e=2);var g={id:b,type:e,B:c.dataLayer||"dataLayer",G:!1},ca:void
0;a.get("&gtm")==b&&(g.G=!0);1==e?(g.ia=!!a.get("anonymizelp"),g.sync=d,b=String(a.get("name"))
),"t0"!=b&&(g.target=b),G(String(a.get("trackingId")))|| (g.clientId=String(a.get(Q)),g.ka=Number(a.g
et(n))),c=c.palindrome?r:q,c=(c=M.cookie.replace(/^\s+/g,"").match(c))?c.sort().join("") .substring(1):void
0,g.la=c,g.qa=E(P(a,kb),"gclid"));2==e&&(g.context="c",ca={allow_google_signals:a.get(Ud),allow_
ad_personalization_signals:a.get(xe)});He(g,ca);return t(g)};var
H={},Jd=function(a,b){b||(b=(b=P(a,V))&&"t0"!=b?Wd.test(b)?"_gat_"+Cc(P(a,Na)):"_gat_"+Cc(b):"_-
gat");this.Y=b},Rd=function(a,b){var c=b.get(Wb);b.set(Wb,function(e){Pd(a,e,ed);Pd(a,e,ia);var
g=c(e);Qd(a,e);return g});var d=b.get(Xb);b.set(Xb,function(e){var g=d(e);if(se(e)){J(80);var
ca={U:re(e,1),google:re(e,2),count:0};pe("https://stats.g.doubleclick.net/j/collect",ca.U,ca);e.set(ed,"
```

```

",!0})return
g}}},Pd=function(a,b,c){!1==b.get(Ud)||b.get(c)||("1"==Ca(a.Y)[0]?b.set(c,"",!0):b.set(c,""+hd(),
!0))},Qd=function(a,b){se(b)&&zc(a.Y,"1",P(b,Yb),P(b,W),P(b,Na),6E4,P(b,Be))},se=function(a){return!
!a.get(ed)&&!1==a.get(Ud)},Ne=function(a){return!H[P(a,Na)]&&void 0==a.get("&gtm")&&void
0==a.get(fa)&&void 0==a.get(gd)&&void 0==a.get(oe)},re=function(a,b){var c=new
ee,d=function(g){$a(g).F&&c.set($a(g).F,a.get(g));d(hb);d(ib);d(Na);d(Q);d(ed);1==b&&(d(Ad),d(ia),d
(l));!1==a.get(xe)&&c.set("npa","1");c.set($a(Id).F,Td(a));var
e="";c.map(function(g,ca){e+=K(g)+"=";e+=K("'" + ca) + "&"});e+="z="+
hd();1==b?e="t=dc&aip=1&_r=3&" + e:2==b&&(e="t=sr&aip=1&_r=4&slf_rd=1&" + e);return
e},Me=function(a){if(Ne(a))return H[P(a,Na)]=!0,function(b){if(b&&!H[b]){var
c=Ke(a,b);Id(c);H[b]=!0}}},Wd=/^gtm\d+\$/;var fd=function(a,b){a=a.model;if(!a.get("dcLoaded")){var
c=new $c(Dd(a));c.set(29);a.set(Gd,c.C);b=b||{};var d;b[U]&&(d=Cc(b[U]));b=new
Jd(a,d);Rd(b,a);a.set("dcLoaded",!0)};var
Sd=function(a){if(!a.get("dcLoaded"))&&"cookie"==a.get(ac)){var b=new
Jd(a);Pd(b,a,ed);Pd(b,a,ia);Qd(b,a);b=se(a);var
c=Ne(a);b&&a.set(Md,1,!0);c&&a.set(Od,1,!0);if(b||c)a.set(ad,"d",!0),J(79),a.set(qe,{U:re(a,1),googl
e:re(a,2),V:Me(a),count:0,!0});var Lc=function(){var a=O.gaGlobal=O.gaGlobal||{};return
a.hid=a.hid||hd();var wb=/^(UA|YT|MO|GP)-(\d+)-(\d+)\$/;pc=function(a){function
b(e,g){d.model.data.set(e,g);a.hasOwnProperty(e)&&hf(e,g)}function
c(e,g){d.model.data.set(e,g);d.filters.add(e)}var d=this;this.model=new Ya;this.filters=new
Ha;b(V,a[V]);b(Na,sa(a[Na]));b(U,a[U]);b(W,a[W]||xa());b(Yb,a[Yb]);b(Zb,a[Zb]);b(Hd,a[Hd]);b(Be,a[B
e]);b($b,a[$b]);b(Wc,a[Wc]);b(bc,a[bc]);b(cc,a[cc]);b(Ka,a[Ka]);b(dc,a[dc]);b(ec,a[ec]);b(ac,a[ac]);b(A
d,a[Ad]);b(n,a[n]);b(Kd,a[Kd]);b(je,a[je]);b(Ze,a[Ze]);b(oe,a[oe]);b(Je,a[Je]);
b(F,a[F]);b(hb,1);b(ib,"j98");c(Re,Pe);c(Qb,Ma);c(oa,ua);c(dd,cd);c(Rb,Oa);c(md,vb);c(Sb,nc);c(Uc,Yc);
c(Tb,Ja);c(Vb,Ta);c(Vc,Hc);c(zd,yd);c(Ld,Sd);c(ze,Fe);c(Wb,Pa);c(Xb,Sa);c(Cd,Fd(this));pd(this.model);t
d(this.model,a[Q]);this.model.set(jb,Lc()));pc.prototype.get=function(a){return
this.model.get(a)};pc.prototype.set=function(a,b){this.model.set(a,b);mf(a,b)};
pc.prototype.send=function(a){if(!1>arguments.length){if("string"==typeof arguments[0]){var
b=arguments[0];var c=[].slice.call(arguments,1)}else
b=arguments[0]&&arguments[0][Va],c=arguments;b&&(c=za(me[b]||[],c),c[Va]=b,mf(c),this.model.s
et(c,void 0,!0),this.filters.D(this.model),this.model.data.m={});pc.prototype.ma=function(a,b){var
c=this;u(a,c,b)|| (v(a,function(){u(a,c,b)}),y(String(c.get(V)),a,void 0,b,!0))};

var td=function(a,b){var
c=P(a,U);a.data.set(la,"_ga"==c?"_gid":c+"_gid");if("cookie"==P(a,ac)){hc=!1;c=Ca(P(a,U));c=Xd(a,c);if
(!c){c=P(a,W);var d=P(a,$b)||xa();c=Xc(" __utma",d,c);void 0!=c?(J(10),c=c.O[1]+". "+c.O[2]):c=void
0}c&&(hc=!0);if(d=c&&!a.get(Hd))if(d=c.split("."),2!=d.length)d=!1;else if(d=Number(d[1])){var
e=R(a,Zb);d=d+e<(new Date).getTime()/1E3}else d=!1;d&&(c=void
0);c&&(a.data.set(xd,c),a.data.set(Q,c),(c=uc(a))&&a.data.set(l,c));a.get(je)&&(c=a.get(ce),d=a.get(ie
),!c||d&&"aw.ds"!=

```

```

d)&&(c={},d=(M?df(c):{})[P(a,Na)],le(c),d&&0!=d.length&&(c=d[0],a.data.set(fe,c.timestamp/1E3),a.
data.set(ce,c.qa));a.get(je)&&(c=a.get(Se),d={},e=(M?df(d,"_gac_gb",!0):{})[P(a,Na)],ef(d),e&&0!=e.l
ength&&(d=e[0],e=d.qa,c&&c!==e||(d.labels&&d.labels.length&&(e+="."+d.labels.join(".")),a.data.s
et(Te,d.timestamp/1E3),a.data.set(Se,e))))}if(a.get(Hd)){c=be("_ga",!!a.get(cc));var
g=be("_gl",!!a.get(cc));d=De.get(a.get(cc));e=d._ga;g&&0<g.indexOf("_ga*")&&!e&&J(30);if(b||!a.ge
t(Je))g=!1;else if(g=a.get(F),
void
0==>g||g("analytics_storage"))g=!1;else{J(84);a.data.set(Le,1);if(g=d._up)if(g=Jc.exec(M.referrer)){g=
g[1];var ca=M.location.hostname;g=ca==>g||0<=ca.indexOf(".+g")||0<=g.indexOf(".+ca")?!0:!1}else
g=!1;g=g?!0:!1}ca=d.gclid;var
l=d._gac;if(c||e||ca||l)if(c&&e&&J(36),a.get(bc)||ye(a.get(Kd))||g){if(e&&(J(38),a.data.set(Q,e),d._
gid&&(J(51),a.data.set(l,d._gid))),ca?(J(82),a.data.set(ce,ca),d.gclsrc&&a.data.set(ie,d.gclsrc)):l&&(e=
l.split("."))&&2==>e.length&&(J(37),a.data.set(ce,e[0])),a.data.set(fe,
e[1])),(d=d._fplc)&&P(a,oe)&&(J(83),a.data.set(Ae,d)),c)b:if(d=c.indexOf("."),-
1==>d)J(22);else{e=c.substring(0,d);g=c.substring(d+1);d=g.indexOf(".");c=g.substring(0,d);g=g.substrib
ng(d+1);if("1"==>e){if(d=g,ke(d,c)){J(23);break b}}else if("2"==>e){d=g.indexOf("-
");e=""};0<d?(e=g.substring(0,d),d=g.substring(d+1)):d=g.substring(1);if(ke(e+d,c)){J(53);break
b}}e&&(J(2),a.data.set(l,e))}else{J(22);break
b}J(11);a.data.set(Q,d);if(c=be("_gac",!!a.get(cc)))c=c.split("."),"1"!=c[0]||4!=c.length?J(72):ke(c[3],
c[1])?J(71):(a.data.set(ce,c[3]),a.data.set(fe,c[2]),J(70))}}else
J(21)}b&&(J(9),a.data.set(Q,K(b)));a.get(Q)||((b=(b=O.gaGlobal)&&b.from_cookie&&"cookie"!=P(a,
ac)?void 0:(b=b&&b.vid)&&-1!=b.search(jd)?b:void
0,b?(J(17),a.data.set(Q,b)):(J(8),a.data.set(Q,ra())));a.get(l)||((J(3),a.data.set(l,ra())));mc(a);b=O.gaGlo
bal=O.gaGlobal||{};c=P(a,Q);a=c==>P(a,xd);if(void
0==>b.vid||a&&!b.from_cookie)b.vid=c,b.from_cookie=a},pd=function(a){var
b=O.navigator,c=O.screen,d=M.location,e=a.set;a:{var g=!!a.get(ec),
ca=!!a.get(Kd);var l=M.referrer;if(/^(https?|android-app):\/\/i.test(l)){if(g)break
a;g="//"+M.location.hostname;if(!de(l,g)){if(ca&&(ca=g.replace(/\./g,"-
")+"cdn.ampproject.org",de(l,ca))){l=void 0;break a}break a}}l=void
0}e.call(a,lb,l);d&&(e=d.pathname||"/","!"=e.charAt(0)&&(J(31),e="/"+e),a.set(kb,d.protocol+"//"+d
.hostname+e+d.search));c&&a.set(qb,c.width+"x"+c.height);c&&a.set(pb,c.colorDepth+-
bit");c=M.documentElement;l=(e=M.body)&&e.clientWidth&&e.clientHeight;ca=[];c&&c.clientWidth
&&
c.clientHeight&&("CSS1Compat"==>M.compatMode||!)?ca=[c.clientWidth,c.clientHeight]:l&&(ca=[
e.clientWidth,e.clientHeight]);c=0>=ca[0]||0>=ca[1]?"":ca.join("x");a.set(rb,c);c=a.set;var
k;if((e=(e=O.navigator)?e.plugins:null)&&e.length)for(l=0;l<e.length&&&!k;l++)ca=e[l],-
1<ca.name.indexOf("Shockwave Flash")&&(k=ca.description);if(!k)try{var w=new
ActiveXObject("ShockwaveFlash.ShockwaveFlash.7");k=w.GetVariable("$version")}catch(Ce){}if(!k)tr
y{w=new ActiveXObject("ShockwaveFlash.ShockwaveFlash.6"),k=

```

"WIN
6,0,21,0",w.AllowScriptAccess="always",k=w.GetVariable("\$version")}catch(Ce){}if(!k)try{w=new ActiveXObject("ShockwaveFlash.ShockwaveFlash"),k=w.GetVariable("\$version")}catch(Ce){}k&&(w=k.match(/[\d]+/g))&&3<=w.length&&(k=w[0]+"."+w[1]+" "+w[2]);c.call(a,tb,k|void 0);a.set(ob,M.characterSet|M.charset);a.set(sb,b&&"function"==typeof b.javaEnabled&&b.javaEnabled()||!1);a.set(nb,(b&&(b.language||b.browserLanguage)||"").toLowerCase());a.data.set(ce,be("gclid",!0));a.data.set(ie,be("gclsrc",!0));

a.data.set(fe,Math.round((new Date).getTime()/1E3));a.get(ce)|||(a.data.set(Se,be("wbraid",!0)),a.data.set(Te,Math.round((new Date).getTime()/1E3)));if(d&&a.get(cc)&&(b=M.location.hash)){b=b.split(/[^#]+/);d=[];for(k=0;k<b.length;++k)(D(b[k],"utm_id")||D(b[k],"utm_campaign")||D(b[k],"utm_source")||D(b[k],"utm_medium")||D(b[k],"utm_term")||D(b[k],"utm_content")||D(b[k],"gclid")||D(b[k],"dclid")||D(b[k],"gclsrc")||D(b[k],"wbraid"))&&d.push(b[k]);0< d.length&&(b="#"+d.join("&"),a.set(kb,a.get(kb)+b))},

me={pageview:[mb],event:[ub,xb,yb,zb],social:[Bb,Cb,Db],timing:[Mb,Nb,Pb,Ob]};var rc=function(a){if("prerender"==M.visibilityState) return!1;a();return!0},z=function(a){if(!rc(a)){J(16);var b=!1,c=function(){if(!b&&rc(a)){b=!0;var d=c,e=M;e.removeEventListener?e.removeEventListener("visibilitychange",d,!1):e.detachEvent&&e.detachEvent("onvisibilitychange",d)};L(M,"visibilitychange",c)}};var te=/^(?:(\w+)|\.)?(?:(\w+):)?(\w+)\$/,sc=function(a){if(ea(a[0]))this.u=a[0];else{var b=te.exec(a[0]);null!=b&&4==b.length&&(this.da=b[1]|"t0",this.K=b[2]|"",this.methodName=b[3],this.aa=[].slice.call(a,1),this.K||(this.A="create"==this.methodName,this.i="require"==this.methodName,this.g="provide"==this.methodName,this.ba="remove"==this.methodName),this.i&&(3<=this.a.length?(this.X=this.aa[1],this.W=this.aa[2]):this.aa[1]&&(qa(this.aa[1])?this.X=this.aa[1]:this.W=this.aa[1]));b=a[1];a=a[2];

if(!this.methodName)throw"abort";if(this.i&&(!qa(b)||""==b))throw"abort";if(this.g&&(!qa(b)||""==b||!ea(a)))throw"abort";if(ud(this.da)||ud(this.K))throw"abort";if(this.g&&"t0"!=this.da)throw"abort";}};function ud(a){return 0<=a.indexOf(".")||0<=a.indexOf(":");}var Yd,Zd,\$d,A;Yd=new ee;\$d=new ee;A=new ee;Zd={ec:45,ecommerce:46,linkid:47};

var u=function(a,b,c){b==N||b.get(V);var d=Yd.get(a);if(!ea(d))return!1;b.plugins_=b.plugins_|new ee;if(b.plugins_.get(a))return!0;b.plugins_.set(a,new d(b,c||{}));return!0},y=function(a,b,c,d,e){if(!ea(Yd.get(b))&&!\$d.get(b)){Zd.hasOwnProperty(b)&&J(Zd[b]);var g=void 0;if(p.test(b)){J(52);a=N.j(a);if(!a) return!0;c=Ke(a.model,b,d,e);g=function(){Z.D(["provide"],b,function (){});var l=O[d&&d.dataLayer||"dataLayer"];l&&l.hide&&ea(l.hide.end)&&l.hide[b]&&(l.hide.end(),l.hide.end=void 0)}!c&&Zd.hasOwnProperty(b)?(J(39),c=b+".js"):J(43);if(c){var ca;d&&(ca=d[oe]);qa(ca)|| (ca=void 0);a=ae(cf(c,ca));!ca||ne(a.protocol)&&B(a)|| (a=ae(cf(c)));ne(a.protocol)&&B(a)&&(Id(a.url,void 0,e,void 0,g),\$d.set(b,!0))}}},v=function(a,b){var c=A.get(a)||[];c.push(b);A.set(a,c)},C=function(a,b){Yd.set(a,b);b=A.get(a)||[];for(var

```

c=0;c<b.length;c++)b[c]();A.set(a,[])},B=function(a){var
b=ae(M.location.href);if(D(a.url,Ge(1))||D(a.url,Ge(2)))return!0;if(a.query||0<=a.url.indexOf("?")||0
<=a.path.indexOf(":/"))return!1;if(a.host==

b.host&&a.port==b.port||jf&&(b=M.createElement("a"),b.href=jf,b=kf(b),a.host==b[0]&&a.port==
=b[1]))return!0;b="http:"==a.protocol?80:443;return"www.google-
analytics.com"==a.host&&(a.port||b)==b&&D(a.path,"/plugins/")?!0:!1},ne=function(a){var
b=M.location.protocol;return"https:"==a||a==b?!0:"http:"!=a?!1:"http:"==b},kf=function(a){var
b=a.hostname||"",c=0<=b.indexOf("]");b=b.split(c?"]":"")?[0].toLowerCase();c&&(b+="]");c=(a.proto
col|| "").toLowerCase();c=1*a.port||("http:"==c?80:"https:"==c?443:
""));a=a.pathname||"";D(a,"/)|| (a="/"++a);return[b,""+c,a]},ae=function(a){var
b=M.createElement("a");b.href=M.location.href;var
c=(b.protocol|| "").toLowerCase(),d=kf(b),e=b.search|| "",g=c+"//"+d[0]+(d[1]?"."+d[1]:"");D(a,"//")?
a=c+a:D(a,"/")?a=g+a:!a|| D(a,"?")?a=g+d[2]+(a|| e):>0>a.split("//")[0].indexOf(":")&&(a=g+d[2].substr(
0,d[2].lastIndexOf("/"))+"//"+a);b.href=a;c=kf(b);return{protocol:(b.protocol|| "").toLowerCase(),h
ost:c[0],port:c[1],path:c[2],query:b.search|| "",url:a|| ""}},cf=function(a,b){return a&&
0<=a.indexOf("/")?a:(b|| bd(!1))+"/plugins/ua/"++a};var
Z={ga:function(){Z.fa=[]}};Z.ga();Z.D=function(a){var
b=Z.J.apply(Z,arguments);b=Z.fa.concat(b);for(Z.fa=[];0<b.length&&!Z.v(b[0])&&!(b.shift()),0<Z.fa.len
gth);};Z.fa=Z.fa.concat(b)};Z.ra=function(a){N.q&&(300==N.q.length&&(N.q.shift(),N.qd++),N.q.push
(a));};Z.J=function(a){for(var b=[],c=0;c<arguments.length;c++)try{var d=new
sc(arguments[c]);d.g?C(d.aa[0],d.aa[1]):(d.i&&(d.ha=y(d.da,d.aa[0],d.X,d.W)),b.push(d));}catch(e){}Z.ra(argume
nts[c])}catch(e){}return b};

Z.v=function(a){try{if(a.u)a.u.call(O,N.j("t0"));}else{var
b=a.da==gb?N:N.j(a.da);if(a.A){if("t0"==a.da&&(b=N.create.apply(N,a.aa),null==b))return!0}else
if(a.ba)N.remove(a.da);else
if(b)if(a.i){if(a.ha&&(a.ha=y(a.da,a.aa[0],a.X,a.W)),!u(a.aa[0],b,a.W))return!0}else if(a.K){var
c=a.methodName,d=a.aa,e=b.plugins_.get(a.K);e[c].apply(e,d)}else
b[a.methodName].apply(b,a.aa)}}catch(g){}};var
N=function(a){J(1);Z.D.apply(Z,[arguments])};N.h={};N.P=[];N.L=0;N.ya=0;N.answer=42;var
we=[Na,W,V];N.create=function(a){var b=za(we,[].slice.call(arguments));b[V]||(b[V]=="t0");var
c=""+b[V];if(N.h[c])return N.h[c];if(da(b))return null;b=new
pc(b);N.h[c]=b;N.P.push(b);c=qc().tracker_created;if(ea(c))try{c(b)}catch(d){}return
b};N.remove=function(a){for(var
b=0;b<N.P.length;b++)if(N.P[b].get(V)==a){N.P.splice(b,1);N.h[a]=null;break}};N.j=function(a){return
N.h[a]};N.getAll=function(){return N.P.slice(0)};

N.N=function(){ga"!=gb&&J(49);var a=O[gb];if(!a||42!=a.answer){N.L=a&&a.l;N.ya=1*new
Date;N.loaded=!0;var
b=a&&a.q,c=ka(b);a=[];c?a=b.slice(0):J(50);N.q=c;b=[];N.q.splice(0);N.qd=0;b=O[gb]=N:X("create",b,b
.create);X("remove",b,b.remove);X("getByName",b,b.j,5);X("getAll",b,b.getAll,6);b=pc.prototype;X("
get",b,b.get,7);X("set",b,b.set,4);X("send",b,b.send);X("requireSync",b,b.ma);b=Ya.prototype;X("get"

```

```
,b,b.get);X("set",b,b.set);if("https:"!=M.location.protocol&&!Ba){a:{b=M.getElementsByTagName("script");  
  
for(c=0;c<b.length&&100>c;c++){var d=b[c].src;if(d&&0==d.indexOf(bd(!0)+'/analytics')){b=!0;break  
a}}b=!1}b&&(Ba=!0)}(O.gaplugins=O.gaplugins| |{}).Linker=Dc;b=Dc.prototype;C("linker",Dc);X("deco  
rate",b,b.ca,20);X("autoLink",b,b.S,25);X("passthrough",b,b.$,25);C("displayfeatures",fd);C("adfeatur  
es",fd);Z.D.apply(N,a)};var  
nf=N.N,of=O[gb];of&&of.r?nf():z(nf);z(function(){Z.D(["provide","render",ua])});})(window);
```

app.js

```
!function($){$(function(){var $window=$(window)  
  
$('section [href^="#"]').click(function(e){e.preventDefault()})  
  
$('.bs-docs-sidenav').affix({offset:{top:function(){return  
$window.width()<=980?290:210},bottom:270}})  
  
window.prettyPrint&&prettyPrint()  
  
$('.add-on :checkbox').on('click',function(){var  
$this=$(this),method=$this.attr('checked')?'addClass':'removeClass'  
  
$(this).parents('.add-on')[method]('active')  
  
if($('#gridSystem').length){$('#gridSystem').tooltip({selector:' .show-grid > div',title:function(){return  
$(this).width()+'px'}})}  
  
$('.tooltip-demo').tooltip({selector:"a[rel=tooltip]"}  
  
$("a[rel=popover]").popover().click(function(e){e.preventDefault()})  
  
$('#fat-btn').click(function(){var btn=$('#this)  
  
btn.button('loading')  
  
setTimeout(function(){btn.button('reset')},3000)})  
  
$('#myCarousel').carousel()  
  
var inputsComponent=$("#components.download input"),inputsPlugin=$("#plugins.download  
input"),inputsVariables=$("#variables.download input")  
  
$('#components.download .toggle-all').on('click',function(e){e.preventDefault()  
  
inputsComponent.attr('checked',!inputsComponent.is(':checked'))}  
  
$('#plugins.download .toggle-all').on('click',function(e){e.preventDefault()  
  
inputsPlugin.attr('checked',!inputsPlugin.is(':checked'))}  
  
$('#variables.download .toggle-all').on('click',function(e){e.preventDefault())
```

```

inputsVariables.val(""))

$('.download-btn .btn').on('click',function(){var css=$("#components.download
input:checked").map(function(){return this.value}).toArray(),js=$("#plugins.download
input:checked").map(function(){return this.value}).toArray(),vars={},img=['glyphicon-
halflings.png','glyphicon-halflings-white.png']

$("#variables.download
input").each(function(){${(this).val()}&&({vars[$(this).prev().text()]=${(this).val()}})

$.ajax({type:'POST',url:/\?dev/.test(window.location)?'http://localhost:3000':'http://bootstrap.hero
kuapp.com',dataType:'jsonpi',params:{js:js,css:css,vars:vars,img:img}})}))

$.ajaxTransport('jsonpi',function(opts,originalOptions,jqXHR){var
url=opts.url;return{send:function(_completeCallback){var
name='jQuery_iframe_'+jQuery.now(),iframe,form

iframe=$('<iframe>').attr('name',name).appendTo('head')

form=$('<form>').attr('method',opts.type).attr('action',url).attr('target',name)

$.each(opts.params,function(k,v){$('<input>').attr('type','hidden').attr('name',k).attr('value',typeof
v=='string'?v:JSON.stringify(v)).appendTo(form)})

form.appendTo('body').submit()}}}}(window.jQuery)

```

boot.js

```

!function($>{"use strict";$(function(){$.support.transition=(function(){var
transitionEnd=function(){var
el=document.createElement('bootstrap'),transEndEventNames={'WebkitTransition':'webkitTransitio
nEnd','MozTransition':'transitionend','OTransition':'oTransitionEnd
otransitionend','transition':'transitionend'},name

for(name in transEndEventNames){if(el.style[name]!==undefined){return
transEndEventNames[name]}}}()

return transitionEnd&&{end:transitionEnd}})()})(window.jQuery);!function($>{"use strict";var
dismiss='[data-dismiss="alert"]',Alert=function(el){$(el).on('click',dismiss,this.close)}

Alert.prototype.close=function(e){var $this=$(this),selector=$this.attr('data-target'),$parent

if(!selector){selector=$this.attr('href')

selector=selector&&selector.replace(/.*(?:#[^\s]*$)/,"")

$parent=$(selector)

e&&e.preventDefault()

$parent.length||($parent=$this.hasClass('alert')?$this:$this.parent()))

```

```
$parent.trigger(e=$.Event('close'))  
if(e.isDefaultPrevented())return  
$parent.removeClass('in')  
function removeElement(){$parent.trigger('closed').remove()}  
$.support.transition&&$parent.hasClass('fade')?$parent.on($.support.transition.end,removeElement):removeElement()  
  
var old=$.fn.alert  
  
$.fn.alert=function(option){return this.each(function(){var $this=$(this),data=$this.data('alert')  
if(!data)$this.data('alert',(data=new Alert(this)))  
if(typeof option=='string')data[option].call($this))}  
$.fn.alert.Constructor=Alert  
$.fn.alert.noConflict=function(){$.fn.alert=old  
return this}  
  
$(document).on('click.alert.data-api',dismiss,Alert.prototype.close)}(window.jQuery);!function($){'use strict';var  
Button=function(element,options){this.$element=$(element)  
this.options=$.extend({},$.fn.button.defaults,options)}  
Button.prototype.setState=function(state){var  
d='disabled',$el=this.$element,data=$el.data(),val=$el.is('input')?'val':'html'  
state=state+'Text'  
data.resetText||$el.data('resetText',$el[val]())  
$el[val](data[state]||this.options[state])  
setTimeout(function(){state=='loadingText'?$el.addClass(d).attr(d,d):$el.removeClass(d).removeAttr(d)},0)}  
Button.prototype.toggle=function(){var $parent=this.$element.closest('[data-toggle="buttons-radio"]')  
$parent&&$parent.find('.active').removeClass('active')  
this.$element.toggleClass('active')}  
  
var old=$.fn.button  
$.fn.button=function(option){return this.each(function(){var  
$this=$(this),data=$this.data('button'),options=typeof option=='object'&&option
```

```
if(!data)$this.data('button',(data=new Button(this,options)))

if(option=='toggle')data.toggle()

else if(option)data.setState(option)})

$.fn.button.defaults={loadingText:'loading...'}

$.fn.button.Constructor=Button

$.fn.button.noConflict=function(){$.fn.button=old

return this}

$(document).on('click.button.data-api',[data-toggle^=button],function(e){var $btn=$(e.target)

if(!$btn.hasClass('btn'))$btn=$btn.closest('.btn')

$btn.button('toggle'))}(window.jQuery);!function($){"use strict";var

Carousel=function(element,options){this.$element=$(element)

this.$indicators=this.$element.find('.carousel-indicators')

this.options=options

this.options.pause=='hover'&&this.$element.on('mouseenter',$.proxy(this.pause,this)).on('mouseleave',$.proxy(this.cycle,this))}

Carousel.prototype={cycle:function(e){if(!e)this.paused=!1

if(this.interval)clearInterval(this.interval);this.options.interval&&!this.paused&&(this.interval=setInterval($.proxy(this.next,this),this.options.interval))

return this},getActiveIndex:function(){this.$active=this.$element.find('.item.active')

this.$items=this.$active.parent().children()

return this.$items.index(this.$active)},to:function(pos){var

activeIndex=this.getActiveIndex(),that=this

if(pos>(this.$items.length-1)||pos<0)return

if(this.sliding){return this.$element.one('slid',function(){that.to(pos)}}

if(activeIndex==pos){return this.pause().cycle()}

return

this.slide(pos>activeIndex?'next':'prev',$(this.$items[pos])),pause:function(e){if(!e)this.paused=!0

if(this.$element.find('.next,
.prev').length&&$._support.transition.end){this.$element.trigger($_support.transition.end)

this.cycle(!0)}

clearInterval(this.interval)
```

```
this.interval=null

return this},next:function(){if(this.sliding)return

return this.slide('next')},prev:function(){if(this.sliding)return

return this.slide('prev')},slide:function(type,next){var
$active=this.$element.find('.item.active'),$next=next||$active[type](),isCycling=this.interval,direction=
type=='next'?'left':'right',fallback=type=='next'?'first':'last',that=this,e

this.sliding=!0

isCycling&&this.pause()

$next=$next.length?$next:this.$element.find('.item')[fallback]()

e=$.Event('slide',{relatedTarget:$next[0],direction:direction})

if($next.hasClass('active'))return

if(this.$indicators.length){this.$indicators.find('.active').removeClass('active')

this.$element.one('slid',function(){var
$nextIndicator=$that.$indicators.children()[that.getActiveIndex()]

$nextIndicator&&$nextIndicator.addClass('active')})

if($.support.transition&&this.$element.hasClass('slide')){this.$element.trigger(e)

if(e.isDefaultPrevented())return

$next.addClass(type)

$next[0].offsetWidth

$active.addClass(direction)

$next.addClass(direction)

this.$element.one($.support.transition.end,function(){ $next.removeClass([type,direction].join('')).addClass('active')

$active.removeClass(['active',direction].join(' '))

that.sliding=!1

setTimeout(function(){that.$element.trigger('slid')},0)})}else{this.$element.trigger(e)

if(e.isDefaultPrevented())return

$active.removeClass('active')

$next.addClass('active')

this.sliding=!1
```

```

this.$element.trigger('slid')}

isCycling&&this.cycle()

return this}

var old=$.fn.carousel

$.fn.carousel=function(option){return this.each(function(){var
$this=$(this),data=$this.data('carousel'),options=$.extend({},$.fn.carousel.defaults,typeof
option=='object'&&option),action=typeof option=='string'?option:options.slide

if(!data)$this.data('carousel',(data=new Carousel(this,options)))

if(typeof option=='number')data.to(option)

else if(action)data[action]()

else if(options.interval)data.pause().cycle()})

$.fn.carousel.defaults={interval:5000,pause:'hover'}

$.fn.carousel.Constructor=Carousel

$.fn.carousel.noConflict=function(){$.fn.carousel=old

return this}

$(document).on('click.carousel.data-api',[data-slide],[data-slide-to],function(e){var
$this=$(this),href,$target=$($this.attr('data-
target'))||(href=$this.attr('href'))&&href.replace(/.*(?=[^\s]+\$/,'')),options=$.extend({},$target.dat
a(),$this.data()),slideIndex

$target.carousel(options)

if(slideIndex==$this.attr('data-slide-to')){$target.data('carousel').pause().to(slideIndex).cycle()

e.preventDefault()}})(window.jQuery);!function($){"use strict";var
Collapse=function(element,options){this.$element=$(element)

this.options=$.extend({},$.fn.collapse.defaults,options)

if(this.options.parent){this.$parent=$(this.options.parent)}

this.options.toggle&&this.toggle()

Collapse.prototype={constructor:Collapse,dimension:function(){var
hasWidth=this.$element.hasClass('width')

return hasWidth?'width':'height'},show:function(){var dimension,scroll,actives,hasData
if(this.transitioning||this.$element.hasClass('in'))return

dimension=this.dimension()
}

```

```
scroll=$.camelCase(['scroll',dimension].join('-))

actives=this.$parent&&this.$parent.find('> .accordion-group > .in')

if(actives&&actives.length){hasData=actives.data('collapse')

if(hasData&&hasData.transitioning)return

actives.collapse('hide')

hasData||actives.data('collapse',null)

this.$element[dimension](0)

this.transition('addClass',$.Event('show'),'shown')

$.support.transition&&this.$element[dimension](this.$element[0][scroll]),hide:function(){var
dimension

if(this.transitioning||!this.$element.hasClass('in'))return

dimension=this.dimension()

this.reset(this.$element[dimension]())

this.transition('removeClass',$.Event('hide'),'hidden')

this.$element[dimension](0),reset:function(size){var dimension=this.dimension()

this.$element.removeClass('collapse')[dimension](size||'auto')[0].offsetWidth

this.$element[size!=null?'addClass':'removeClass']('collapse')

return this},transition:function(method,startEvent,completeEvent){var
that=this,complete=function(){if(startEvent.type=='show')that.reset()

that.transitioning=0

that.$element.trigger(completeEvent)

this.$element.trigger(startEvent)

if(startEvent.isDefaultPrevented())return

this.transitioning=1

this.$element[method]('in')

$.support.transition&&this.$element.hasClass('collapse')?this.$element.one($.support.transition.en
d,complete):complete()},toggle:function(){this[$element.hasClass('in')?'hide':'show']()}

var old=$.fn.collapse
```

```
$.fn.collapse=function(option){return this.each(function(){var  
$this=$(this),data=$this.data('collapse'),options($.extend({},$.fn.collapse.defaults,$this.data()),typeo  
f option=='object'&&option)  
  
if(!data)$this.data('collapse',(data=new Collapse(this,options)))  
  
if(typeof option=='string')data[option]())}}  
  
$.fn.collapse.defaults={toggle:!0}  
  
$.fn.collapse.Constructor=Collapse  
  
$.fn.collapse.noConflict=function(){$.fn.collapse=old  
  
return this}  
  
$(document).on('click.collapse.data-api','[data-toggle=collapse]',function(e){var  
$this=$(this),href,target=$this.attr('data-  
target')||e.preventDefault()||(href=$this.attr('href'))&&href.replace(/.*(=?#[^\s]+$/,"),option=$ta  
rget.data('collapse')?'toggle':$this.data()  
  
$this[$(target).hasClass('in')?'addClass':'removeClass']('collapsed')  
  
$(target).collapse(option)})(window.jQuery);!function($){"use strict";var toggle='[data-  
toggle=dropdown]',Dropdown=function(element){var $el=$(element).on('click.dropdown.data-  
api',this.toggle)  
  
$('html').on('click.dropdown.data-api',function(){$el.parent().removeClass('open')})  
  
Dropdown.prototype={constructor:Dropdown,toggle:function(e){var $this=$(this),$parent,isActive  
if($this.is('.disabled, :disabled'))return  
  
$parent=getParent($this)  
  
isActive=$parent.hasClass('open')  
  
clearMenus()  
  
if(!isActive){if('ontouchstart' in document.documentElement){$('<div class="dropdown-  
backdrop">').insertBefore($(this)).on('click',clearMenus)}  
  
$parent.toggleClass('open')  
  
$this.focus()  
  
return!1},keydown:function(e){var $this,$items,$active,$parent,isActive,index  
if(!/(38|40|27)/.test(e.keyCode))return  
  
$this=$(this)  
  
e.preventDefault()}
```

```

e.stopPropagation()
if($this.is('.disabled, :disabled'))return

$parent=getParent($this)
isActive=$parent.hasClass('open')

if(!isActive | |(isActive&&e.keyCode==27)){if(e.which==27)$parent.find(toggle).focus()

return $this.click()}

$items=$('#[role=menu] li:not(.divider):visible a',$parent)

if(!$items.length)return

index=$items.index($items.filter(':focus'))

if(e.keyCode==38&&index>0)index--

if(e.keyCode==40&&index<$items.length-1)index++

if(!~index)index=0

$items.eq(index).focus()}

function clearMenus(){$('.dropdown-backdrop').remove()

$(toggle).each(function(){getParent($(this)).removeClass('open')})}

function getParent($this){var selector=$this.attr('data-target'),$parent

if(!selector){selector=$this.attr('href')

selector=selector&#/.test(selector)&&selector.replace(/.*(?=[^\s]*$/,'')}

$parent=selector&&$(selector)

if(!$parent| !$parent.length)$parent=$this.parent()

return $parent}

var old=$.fn.dropdown

$.fn.dropdown=function(option){return this.each(function(){var
$this=$(this),data=$this.data('dropdown')

if(!data)$this.data('dropdown',(data=new Dropdown(this)))

if(typeof option=='string')data[option].call($this)})

$.fn.dropdown.Constructor=Dropdown

$.fn.dropdown.noConflict=function(){$.fn.dropdown=old

return this}}

```

```
$(document).on('click.dropdown.data-api',clearMenus).on('click.dropdown.data-api','.dropdown form',function(e){e.stopPropagation()}).on('click.dropdown.data-api',toggle,Dropdown.prototype.toggle).on('keydown.dropdown.data-api',toggle+[role=menu]',Dropdown.prototype.keydown)}(window.jQuery);!function($>{"use strict";var Modal=function(element,options){this.options=options

this.$element=$(element).delegate('[data-dismiss="modal"]','click.dismiss.modal',$.proxy(this.hide,this))

this.options.remote&&this.$element.find('.modal-body').load(this.options.remote)}

Modal.prototype={constructor:Modal,toggle:function(){return this[!this.isShown?'show':'hide']()},show:function(){var that=this,e=$.Event('show')

this.$element.trigger(e)

if(this.isShown||e.isDefaultPrevented())return

this.isShown=!0

this.escape()

this.backdrop(function(){var transition=$.support.transition&&that.$element.hasClass('fade')

if(!that.$element.parent().length){that.$element.appendTo(document.body)}

that.$element.show()

if(transition){that.$element[0].offsetWidth}

that.$element.addClass('in').attr('aria-hidden',!1)

that.enforceFocus()

transition?that.$element.one($.support.transition.end,function(){that.$element.focus().trigger('shown'))}:that.$element.focus().trigger('shown'))},hide:function(e){e&&e.preventDefault()

var that=this

e=$.Event('hide')

this.$element.trigger(e)

if(!this.isShown||e.isDefaultPrevented())return

this.isShown=!1

this.escape()

$(document).off('focusin.modal')

this.$element.removeClass('in').attr('aria-hidden',!0)
```

```

$.support.transition&&this.$element.hasClass('fade')?this.hideWithTransition():this.hideModal()},en
forceFocus:function(){var that=this

$(document).on('focusin.modal',function(e){if(that.$element[0]!==e.target&&!that.$element.has(e.t
arget).length){that.$element.focus()}}),escape:function(){var that=this

if(this.isShown&&this.options.keyboard){this.$element.on('keyup.dismiss.modal',function(e){e.whic
h==27&&that.hide()})}else
if(!this.isShown){this.$element.off('keyup.dismiss.modal')},hideWithTransition:function(){var
that=this,timeout=setTimeout(function(){that.$element.off($.support.transition.end)
that.hideModal()},500)

this.$element.one($.support.transition.end,function(){clearTimeout(timeout)
that.hideModal()}),hideModal:function(){var that=this

this.$element.hide()

this.backdrop(function(){that.removeBackdrop()
that.$element.trigger('hidden')}),removeBackdrop:function(){this.$backdrop&&this.$backdrop.rem
ove()
this.$backdrop=null},backdrop:function(callback){var
that=this,animate=this.$element.hasClass('fade')?'fade':''
if(this.isShown&&this.options.backdrop){var doAnimate=$.support.transition&&animate
this.$backdrop=$( '<div class="modal-backdrop '+animate+' />' ).appendTo(document.body)
this.$backdrop.click(this.options.backdrop=='static'?$.proxy(this.$element[0].focus,this.$element[0]
):$.proxy(this.hide,this))
if(doAnimate)this.$backdrop[0].offsetWidth
this.$backdrop.addClass('in')
if(!callback)return
doAnimate?this.$backdrop.one($.support.transition.end,callback):callback()}else
if(!this.isShown&&this.$backdrop){this.$backdrop.removeClass('in')

$.support.transition&&this.$element.hasClass('fade')?this.$backdrop.one($.support.transition.end,c
allback):callback()}else if(callback){callback()}}
var old=$.fn.modal

$.fn.modal=function(option){return this.each(function(){var
$this=$(this),data=$this.data('modal'),options=$.extend({},$.fn.modal.defaults,$this.data()),typeof
option=='object'&&option)

if(!data)$this.data('modal',(data=new Modal(this,options)))}

```

```

if(typeof option=='string')data[option]()
else if(options.show)data.show()}}}

$.fn.modal.defaults={backdrop:!0,keyboard:!0,show:!0}

$.fn.modal.Constructor=Modal

$.fn.modal.noConflict=function(){$.fn.modal=old
return this}

$(document).on('click.modal.data-api',[data-toggle="modal"]',function(e){var
$this=$(this),href=$this.attr('href'),$target=$(($this.attr('data-
target'))||(href&&href.replace(/.*(?:#[^\s]+$)/,''))),option=$target.data('modal')?'toggle':$.extend({r
emote:!/#/.test(href)&&href},$target.data(),$this.data())

e.preventDefault()

$target.modal(option).one('hide',function(){this.focus()})){window.jQuery};!function($>{"use
strict";var Tooltip=function(element,options){this.init('tooltip',element,options)}

Tooltip.prototype={constructor:Tooltip,init:function(type,element,options){var
eventIn,eventOut,triggers,trigger,i

this.type=type

this.$element=$(element)

this.options=this.getOptions(options)

this.enabled=!0

triggers=this.options.trigger.split(' ')

for(i=triggers.length;i--;){'trigger'=triggers[i]

if(trigger=='click'){this.$element.on('click.'+this.type,this.options.selector,$.proxy(this.toggle,this))}el
se if(trigger!='manual'){eventIn=trigger=='hover'?'mouseenter':'focus'

eventOut=trigger=='hover'?'mouseleave':'blur'

this.$element.on(eventIn+'. '+this.type,this.options.selector,$.proxy(this.enter,this))

this.$element.on(eventOut+'. '+this.type,this.options.selector,$.proxy(this.leave,this))}

this.options.selector?(this._options=$.extend({},this.options,{trigger:'manual',selector:''})):this.fixTitl
e(),getOptions:function(options){options=$.extend({},$.fn[this.type].defaults,this.$element.data(),o
ptions)

if(options.delay&&typeof
options.delay=='number'){options.delay={show:options.delay,hide:options.delay}}


return options},enter:function(e){var defaults=$.fn[this.type].defaults,options={},self

```

```
this._options&&$.each(this._options,function(key,value){if(defaults[key]!=value)options[key]=value},this)

self=$(e.currentTarget)[this.type](options).data(this.type)

if(!self.options.delay||!self.options.delay.show)return self.show()

clearTimeout(this.timeout)

self.hoverState='in'

this.timeout=setTimeout(function(){if(self.hoverState=='in')self.show(),self.options.delay.show},le
ve:function(e){var self=$(e.currentTarget)[this.type](this._options).data(this.type)

if(this.timeout)clearTimeout(this.timeout)

if(!self.options.delay||!self.options.delay.hide)return self.hide()

self.hoverState='out'

this.timeout=setTimeout(function(){if(self.hoverState=='out')self.hide(),self.options.delay.hide},sho
w:function(){var $tip,pos,actualWidth,actualHeight,placement,tp,e=$.Event('show')

if(this.hasContent()&&this.enabled){this.$element.trigger(e)

if(e.isDefaultPrevented())return

$tip=this.tip()

this.setContent()

if(this.options.animation){$tip.addClass('fade')

placement=typeof
this.options.placement=='function'?this.options.placement.call(this,$tip[0],this.$element[0]):this.op
tions.placement

$tip.detach().css({top:0,left:0,display:'block'})

this.options.container?$tip.appendTo(this.options.container):$tip.insertAfter(this.$element)

pos=this.getPosition()

actualWidth=$tip[0].offsetWidth

actualHeight=$tip[0].offsetHeight

switch(placement){case 'bottom':tp={top:pos.top+pos.height,left:pos.left+pos.width/2-
actualWidth/2}

break

case 'top':tp={top:pos.top-actualHeight,left:pos.left+pos.width/2-actualWidth/2}

break
```

```
case 'left':tp={top:pos.top+pos.height/2-actualHeight/2,left:pos.left-actualWidth}
break

case 'right':tp={top:pos.top+pos.height/2-actualHeight/2,left:pos.left+pos.width}
break}

this.applyPlacement(tp,placement)

this.$element.trigger('shown')},applyPlacement:function(offset,placement){var
$tip=this.tip(),width=$tip[0].offsetWidth,height=$tip[0].offsetHeight,actualWidth,actualHeight,delta,
replace

$tip.offset(offset).addClass(placement).addClass('in')

actualWidth=$tip[0].offsetWidth

actualHeight=$tip[0].offsetHeight

if(placement=='top'&&actualHeight!=height){offset.top=offset.top+height-actualHeight
replace=!0}

if(placement=='bottom'||placement=='top'){delta=0
if(offset.left<0){delta=offset.left*-2
offset.left=0

$tip.offset(offset)

actualWidth=$tip[0].offsetWidth

actualHeight=$tip[0].offsetHeight}

this.replaceArrow(delta-width+actualWidth,actualWidth,'left')}else{this.replaceArrow(actualHeight-
height,actualHeight,'top')}

if(replace)$tip.offset(offset),replaceArrow:function(delta,dimension,position){this.arrow().css(positi
on,delta?(50*(1-delta/dimension)+"%"):""),setContent:function(){var
$tip=this.tip(),title=this.getTitle()

$tip.find('.tooltip-inner')[this.options.html?'html':'text'](title)

$tip.removeClass('fade in top bottom left right'),hide:function(){var
that=this,$tip=this.tip(),e=$.Event('hide')

this.$element.trigger(e)

if(e.isDefaultPrevented())return

$tip.removeClass('in')
```

```
function removeWithAnimation(){var
timeout=setTimeout(function(){$tip.off($.support.transition.end).detach()},500)

$tip.one($.support.transition.end,function(){clearTimeout(timeout)
$tip.detach()}}}

$.support.transition&&this.$tip.hasClass('fade')?removeWithAnimation():$tip.detach()

this.$element.trigger('hidden')

return this},fixTitle:function(){var $e=this.$element

if($e.attr('title')||typeof($e.attr('data-original-title'))!='string'){$e.attr('data-original-
title',$e.attr('title')||"").attr('title','')},hasContent:function(){return
this.getTitle()},getPosition:function(){var el=this.$element[0]

return $.extend({},(typeof
el.getBoundingClientRect=='function')?el.getBoundingClientRect():{width:el.offsetWidth,height:el.of-
fsetHeight},this.$element.offset()),getTitle:function(){var title,$e=this.$element,o=this.options
title=$e.attr('data-original-title')||(typeof o.title=='function'?o.title.call($e[0]):o.title)

return title},tip:function(){return
this.$tip=this.$tip||$(this.options.template)},arrow:function(){return
this.$arrow=this.$arrow||this.tip().find(".tooltip-
arrow")},validate:function(){if(!this.$element[0].parentNode){this.hide()

this.$element=null

this.options=null}},enable:function(){this.enabled=!0},disable:function(){this.enabled=!1},toggleEnab
led:function(){this.enabled=!this.enabled},toggle:function(e){var
self=e?$(e.currentTarget)[this.type](this._options).data(this.type):this

self.tip().hasClass('in')?self.hide():self.show()},destroy:function(){this.hide().$element.off('.'+this.type
).removeData(this.type)}}
```

var old=\$.fn.tooltip

```
$.fn.tooltip=function(option){return this.each(function(){var
$this=$(this),data=$this.data('tooltip'),options=typeof option=='object'&&option

if(!data)$this.data('tooltip',(data=new Tooltip(this,options)))

if(typeof option=='string')data[option]()

$.fn.tooltip.Constructor=Tooltip

$.fn.tooltip.defaults={animation:!0,placement:'top',selector:!1,template:'<div class="tooltip"><div
class="tooltip-arrow"></div><div class="tooltip-inner"></div></div>',trigger:'hover
focus',title:",delay:0,html:!1,container:!1}
```

```
$.fn.tooltip.noConflict=function(){$.fn.tooltip=old
return this}}(window.jQuery);!function($>{"use strict";var
Popover=function(element,options){this.init('popover',element,options)}
Popover.prototype=$.extend({},$.fn.tooltip.Constructor.prototype,{constructor:Popover,setContent:
function(){var $tip=this.tip(),title=this.getTitle(),content=this.getContent()
$tip.find('.popover-title')[this.options.html?'html':'text'](title)
$tip.find('.popover-content')[this.options.html?'html':'text'](content)
$tip.removeClass('fade top bottom left right in')},hasContent:function(){return
this.getTitle()| |this.getContent()},getContent:function(){var
content,$e=this.$element,o=this.options
content=(typeof o.content=='function'?o.content.call($e[0]):o.content)| |$e.attr('data-content')
return content},tip:function(){if(!this.$tip){this.$tip=$(this.options.template)}
return this.$tip},destroy:function(){this.hide().$element.off('.'+this.type).removeData(this.type)}}
var old=$.fn.popover
$.fn.popover=function(option){return this.each(function(){var
$this=$(this),data=$this.data('popover'),options=typeof option=='object'&&option
if(!data)$this.data('popover',(data=new Popover(this,options)))
if(typeof option=='string')data[option]()
})
$.fn.popover.Constructor=Popover
$.fn.popover.defaults=$.extend({},$.fn.tooltip.defaults,{placement:'right',trigger:'click',content:"",te
mplate:'<div class="popover"><div class="arrow"></div><h3 class="popover-title"></h3><div
class="popover-content"></div></div>'})
$.fn.popover.noConflict=function(){$.fn.popover=old
return this}}(window.jQuery);!function($>{"use strict";function ScrollSpy(element,options){var
process($.proxy(this.process,this),$element=$(element).is('body')?$(window):$(element),href
this.options=$.extend({},$.fn.scrollspy.defaults,options)
this.$scrollElement=$element.on('scroll.scroll-spy.data-api',process)
this.selector=(this.options.target||((href=$(element).attr('href'))&&href.replace(/.*(?=#[^\\s]+$/,''))
||")+' .nav li > a'
this.$body=$('#body')
this.refresh()
this.process()})
```

```

ScrollSpy.prototype={constructor:ScrollSpy,refresh:function(){var self=this,$targets
this.offsets=$([])
this.targets=$([])

$targets=this.$body.find(this.selector).map(function(){var
$el=$(this),href=$el.data('target')||$el.attr('href'),$href=/^#\w/.test(href)&&$href
return($href&&$href.length&&[$href.position().top+(!$.isWindow(self.$scrollElement.get(0))&&sel
f.$scrollElement.scrollTop(),href)]||null}).sort(function(a,b){return a[0]-
b[0]}).each(function(){self.offsets.push(this[0])

self.targets.push(this[1])}),process:function(){var
scrollTop=this.$scrollElement.scrollTop()+this.options.offset,scrollHeight=this.$scrollElement[0].scro
llHeight||this.$body[0].scrollHeight,maxScroll=scrollHeight-
this.$scrollElement.height(),offsets=this.offsets,targets=this.targets,activeTarget=this.activeTarget,i
if(scrollTop>=maxScroll){return activeTarget!=i=targets.last()[0]&&this.activate(i)}

for(i=offsets.length;i--
;){activeTarget!=targets[i]&&scrollTop>=offsets[i]&&(!offsets[i+1]||scrollTop<=offsets[i+1])&&this.a
ctivate(targets[i])},activate:function(target){var active,selector
this.activeTarget=target

$(this.selector).parent('.active').removeClass('active')
selector=this.selector+'[data-target="'+target+'"]'+this.selector+'[href="'+target+'"]'
active=$('#'+selector).parent('li').addClass('active')
if(active.parent('.dropdown-menu').length){active=active.closest('li.dropdown').addClass('active')}
active.trigger('activate')}}

var old=$.fn.scrollspy

$.fn.scrollspy=function(option){return this.each(function(){var
$this=$(this),data=$this.data('scrollspy'),options=typeof option=='object'&&option
if(!data)$this.data('scrollspy',(data=new ScrollSpy(this,options)))
if(typeof option=='string')data[option]()
})
$.fn.scrollspy.Constructor=ScrollSpy
$.fn.scrollspy.defaults={offset:10}
$.fn.scrollspy.noConflict=function(){$.fn.scrollspy=old
return this}

$(window).on('load',function(){ $('[data-spy="scroll"]').each(function(){var $spy=$(this)

```

```

$spy.scrollspy($spy.data({}))}}}(window.jQuery);!function($>{"use strict";var
Tab=function(element){this.element=$(element)}

Tab.prototype={constructor:Tab,show:function(){var
$this=this.element,$ul=$this.closest('ul:not(.dropdown-menu)'),selector=$this.attr('data-
target'),previous,$target,e

if(!selector){selector=$this.attr('href')

selector=selector&&selector.replace(/.*(?=[^\s]*$/,'')

if($this.parent('li').hasClass('active'))return

previous=$ul.find('.active:last a')[0]

e=$.Event('show',{relatedTarget:previous})

$this.trigger(e)

if(e.isDefaultPrevented())return

$target=$(selector)

this.activate($this.parent('li'),$ul)

this.activate($target,$target.parent(),function(){this.trigger({type:'shown',relatedTarget:previous})})
},activate:function(element,container,callback){var $active=container.find('>
.active'),transition=callback&&$._support.transition&&$active.hasClass('fade')

function next(){ $active.removeClass('active').find('> .dropdown-menu >
.active').removeClass('active')

element.addClass('active')

if(transition){element[0].offsetWidth

element.addClass('in')}else{element.removeClass('fade')}

if(element.parent('.dropdown-menu')){element.closest('li.dropdown').addClass('active')}

callback&&callback()

transition?$active.one($._support.transition.end,next):next()

$active.removeClass('in')}}

var old=$.fn.tab

$.fn.tab=function(option){return this.each(function(){var $this=$(this),data=$this.data('tab')

if(!data)$this.data('tab',(data=new Tab(this)))

if(typeof option=='string')data[option]()

$fn.tab.Constructor=Tab

```

```
$.fn.tab.noConflict=function(){$.fn.tab=old
return this}

$(document).on('click.tab.data-api','[data-toggle="tab"], [data-
toggle="pill"]',function(e){e.preventDefault()

$(this).tab('show')})}(window.jQuery);!function($){"use strict";var
Typeahead=function(element,options){this.$element=$(element)

this.options=$.extend({},$.fn.typeahead.defaults,options)

this.matcher=this.options.matcher||this.matcher

this.sorter=this.options.sorter||this.sorter

this.highlighter=this.options.highlighter||this.highlighter

this.updater=this.options.updater||this.updater

this.source=this.options.source

this.$menu=$(this.options.menu)

this.shown=!1

this.listen()

Typeahead.prototype={constructor:Typeahead,select:function(){var
val=this.$menu.find('.active').attr('data-value')

this.$element.val(this.updater(val)).change()

return this.hide()},update:function(item){return item},show:function(){var
pos=$.extend({},this.$element.position(),{height:this.$element[0].offsetHeight})

this.$menu.insertAfter(this.$element).css({top:pos.top+pos.height,left:pos.left}).show()

this.shown=!0

return this},hide:function(){this.$menu.hide()

this.shown=!1

return this},lookup:function(event){var items

this.query=this.$element.val()

if(!this.query||this.query.length<this.options.minLength){return this.shown?this.hide():this}

items=$.isFunction(this.source)?this.source(this.query,$.proxy(this.process,this)):this.source

return items?this.process(items):this},process:function(items){var that=this

items=$.grep(items,function(item){return that.matcher(item)})}
```

```

items=this.sorter(items)

if(!items.length){return this.shown?this.hide():this}

return

this.render(items.slice(0,this.options.items)).show(),matcher:function(item){return~item.toLowerCase().indexOf(this.query.toLowerCase())},sorter:function(items){var
beginswith=[],caseSensitive=[],caseInsensitive=[],item

while(item=items.shift()){if(!item.toLowerCase().indexOf(this.query.toLowerCase()))beginswith.push(item)

else if(~item.indexOf(this.query))caseSensitive.push(item)

else caseInsensitive.push(item)}

return beginswith.concat(caseSensitive,caseInsensitive)},highlighter:function(item){var
query=this.query.replace(/[-\[\]\{\}]*+?.\\\^\$|#\s]/g,'\\$&')

return item.replace(new
RegExp('(' + query + ')','ig'),function($1,match){return'<strong>' + match + '</strong>'})},render:function(i
tems){var that=this

items=$('#'+items).map(function(i,item){i=$('#'+that.options.item).attr('data-value',item)

i.find('a').html(that.highlighter(item))

return i[0]})

items.first().addClass('active')

this.$menu.html(items)

return this},next:function(event){var
active=this.$menu.find('.active').removeClass('active'),next=active.next()

if(!next.length){next=$('#'+this.$menu.find('li')[0])}

next.addClass('active'),prev:function(event){var
active=this.$menu.find('.active').removeClass('active'),prev=active.prev()

if(!prev.length){prev=this.$menu.find('li').last()}

prev.addClass('active'),listen:function(){this.$element.on('focus',$.proxy(this.focus,this)).on('blur',$.proxy(this.blur,this)).on('keypress',$.proxy(this.keypress,this)).on('keyup',$.proxy(this.keyup,this))

if(this.eventSupported('keydown')){this.$element.on('keydown',$.proxy(this.keydown,this))}

this.$menu.on('click',$.proxy(this.click,this)).on('mouseenter','li',$.proxy(this.mouseenter,this)).on('mouseleave','li',$.proxy(this.mouseleave,this))},eventSupported:function(eventName){var
isSupported=eventName in this.$element

if(!isSupported){this.$element.setAttribute(eventName,'return;')}}
```

```
isSupported=typeof this.$element[eventName]=='function'

return isSupported},move:function(e){if(!this.shown)return

switch(e.keyCode){case 9:case 13:case 27:e.preventDefault()

break

case 38:e.preventDefault()

this.prev()

break

case 40:e.preventDefault()

this.next()

break}

e.stopPropagation()},keydown:function(e){this.suppressKeyPressRepeat=~$.inArray(e.keyCode,[40,3
8,9,13,27])

this.move(e)},keypress:function(e){if(this.suppressKeyPressRepeat)return

this.move(e)},keyup:function(e){switch(e.keyCode){case 40:case 38:case 16:case 17:case 18:break

case 9:case 13:if(!this.shown)return

this.select()

break

case 27:if(!this.shown)return

this.hide()

break

default:this.lookup()}

e.stopPropagation()

e.preventDefault()},focus:function(e){this.focused=!0},blur:function(e){this.focused=!1

if(!this.mousedover&&this.shown)this.hide()},click:function(e){e.stopPropagation()

e.preventDefault()

this.select()

this.$element.focus()},mouseenter:function(e){this.mousedover=!0

this.$menu.find('.active').removeClass('active')

$(e.currentTarget).addClass('active')},mouseleave:function(e){this.mousedover=!1}
```

```

if(!this.focused&&this.shown)this.hide()}

var old=$.fn.typeahead

$.fn.typeahead=function(option){return this.each(function(){var
$this=$(this),data=$this.data('typeahead'),options=typeof option=='object'&&option

if(!data)$this.data('typeahead',(data=new Typeahead(this,options)))

if(typeof option=='string')data[option]()

$.fn.typeahead.defaults={source:[],items:8,menu:'

</ul>',item:'- <a href="#"></a></li>',minLength:1}

$.fn.typeahead.Constructor=Typeahead

$.fn.typeahead.noConflict=function(){$.fn.typeahead=old
return this}

$(document).on('focus.typeahead.data-api',[data-provide="typeahead"],function(e){var
$this=$(this)

if($this.data('typeahead'))return

$this.typeahead($this.data()))}(window.jQuery);!function($){"use strict";var
Affix=function(element,options){this.options=$.extend({},$.fn.affix.defaults,options)

this.$window=$(window).on('scroll.affix.data-
api',$.proxy(this.checkPosition,this)).on('click.affix.data-
api',$.proxy(function(){setTimeout($.proxy(this.checkPosition,this),1)},this))

this.$element=$(element)

this.checkPosition()}

Affix.prototype.checkPosition=function(){if(!this.$element.is(':visible'))return

var
scrollHeight=$(document).height(),scrollTop=this.$window.scrollTop(),position=this.$element.offset
(),offset=this.options.offset,offsetBottom=offset.bottom,offsetTop=offset.top,reset='affix affix-top
affix-bottom',affix

if(typeof offset!='object')offsetBottom=offsetTop=offset

if(typeof offsetTop=='function')offsetTop=offset.top()

if(typeof offsetBottom=='function')offsetBottom=offset.bottom()

affix=this.unpin!=null&&(scrollTop+this.unpin<=position.top)?!1:offsetBottom!=null&&(position.top
+this.$element.height()>=scrollHeight-
offsetBottom)?'bottom':offsetTop!=null&&scrollTop<=offsetTop?'top':!1

```

```

if(this.affixed === affix) return

this.affixed = affix

this.unpin = affix == 'bottom' ? position.top - scrollTop : null

this.$element.removeClass(reset).addClass('affix' + (affix ? '-' + affix : ''))

var old = $fn.affix

$fn.affix = function(option) {
    return this.each(function() {
        var $this = $(this), data = $this.data('affix'), options = typeof option == 'object' && option

        if (!data) $this.data('affix', { data: new Affix(this, options) })

        if (typeof option == 'string') data[option]()
    })
}

$fn.affix.Constructor = Affix

$fn.affix.defaults = { offset: 0 }

$fn.affix.noConflict = function() {
    $fn.affix = old
    return this
}

$(window).on('load', function() {
    $('[data-spy="affix"]').each(function() {
        var $spy = $(this), data = $spy.data()

        data.offset = data.offset || {}
        data.offsetBottom = && (data.offset.bottom = data.offsetBottom)
        data.offsetTop = && (data.offset.top = data.offsetTop)

        $spy.affix(data)
    })
})(window.jQuery)

```

Bootstrap.js

```

!function($) {
    "use strict";
    var Tooltip = function(element, options) {
        this.init('tooltip', element, options)
    }

    Tooltip.prototype = {
        constructor: Tooltip,
        init: function(type, element, options) {
            var eventIn, eventOut, triggers, trigger, i

            this.type = type
            this.$element = $(element)
            this.options = this.getOptions(options)
            this.enabled = !0

            triggers = this.options.trigger.split(' ')
            for (i = triggers.length; i--;) {
                trigger = triggers[i]
            }
        }
    }
}

```

```

if(trigger=='click'){this.$element.on('click.'+this.type,this.options.selector,$.proxy(this.toggle,this))}else if(trigger!='manual'){eventIn=trigger=='hover'?'mouseenter':'focus'
eventOut=trigger=='hover'?'mouseleave':'blur'
this.$element.on(eventIn+'.'+this.type,this.options.selector,$.proxy(this.enter,this))
this.$element.on(eventOut+'.'+this.type,this.options.selector,$.proxy(this.leave,this))}

this.options.selector?(this._options=$.extend({},this.options,{trigger:'manual',selector:""}):this.fixTitle(),getOptions:function(options){options=$.extend({},$.fn[this.type].defaults,this.$element.data(),options)
if(options.delay&&typeof options.delay=='number'){options.delay={show:options.delay,hide:options.delay}}
return options},enter:function(e){var defaults=$.fn[this.type].defaults,options={},self=this._options&&$().each(this._options,function(key,value){if(defaults[key]!=value)options[key]=value}),this)
self=$(e.currentTarget)[this.type](options).data(this.type)
if(!self.options.delay||!self.options.delay.show)return self.show()
clearTimeout(this.timeout)
self.hoverState='in'
this.timeout=setTimeout(function(){if(self.hoverState=='in')self.show(),self.options.delay.show()},leave:function(e){var self=$(e.currentTarget)[this.type](this._options).data(this.type)
if(this.timeout)clearTimeout(this.timeout)
if(!self.options.delay||!self.options.delay.hide)return self.hide()
self.hoverState='out'
this.timeout=setTimeout(function(){if(self.hoverState=='out')self.hide(),self.options.delay.hide()},show:function(){var $tip,pos,actualWidth,actualHeight,placement,tp,e=$.Event('show')
if(this.hasContent()&&this.enabled){this.$element.trigger(e)
if(e.isDefaultPrevented())return
$tip=this.tip()
this.setContent()
if(this.options.animation){$tip.addClass('fade')}
placement=typeof this.options.placement=='function'?this.options.placement.call(this,$tip[0],this.$element[0]):this.options.placement

```

```
$tip.detach().css({top:0,left:0,display:'block'})  
  
this.options.container?$tip.appendTo(this.options.container):$tip.insertAfter(this.$element)  
  
pos=this.getPosition()  
  
actualWidth=$tip[0].offsetWidth  
  
actualHeight=$tip[0].offsetHeight  
  
switch(placement){case 'bottom':tp={top:pos.top+pos.height,left:pos.left+pos.width/2-actualWidth/2}  
  
break  
  
case 'top':tp={top:pos.top-actualHeight,left:pos.left+pos.width/2-actualWidth/2}  
  
break  
  
case 'left':tp={top:pos.top+pos.height/2-actualHeight/2,left:pos.left-actualWidth}  
  
break  
  
case 'right':tp={top:pos.top+pos.height/2-actualHeight/2,left:pos.left+pos.width}  
  
break}  
  
this.applyPlacement(tp,placement)  
  
this.$element.trigger('shown'))},applyPlacement:function(offset,placement){var  
$tip=this.tip(),width=$tip[0].offsetWidth,height=$tip[0].offsetHeight,actualWidth,actualHeight,delta,  
replace  
  
$tip.offset(offset).addClass(placement).addClass('in')  
  
actualWidth=$tip[0].offsetWidth  
  
actualHeight=$tip[0].offsetHeight  
  
if(placement=='top'&&actualHeight!=height){offset.top=offset.top+height-actualHeight  
  
replace=!0}  
  
if(placement=='bottom' || placement=='top'){delta=0  
  
if(offset.left<0){delta=offset.left*-2  
  
offset.left=0  
  
$tip.offset(offset)  
  
actualWidth=$tip[0].offsetWidth  
  
actualHeight=$tip[0].offsetHeight}
```

```

this.replaceArrow(delta-width+actualWidth,actualWidth,'left')}{else{this.replaceArrow(actualHeight-
height,actualHeight,'top')}}

if(replace){tip.offset(offset)},replaceArrow:function(delta,dimension,position){this.arrow().css(positi-
on,delta?(50*(1-delta/dimension)+"%"):""),setContent:function(){var
$tip=this.tip(),title=this.getTitle()

$tip.find('.tooltip-inner')[this.options.html?'html':'text'](title)

$tip.removeClass('fade in top bottom left right'),hide:function(){var
that=this,$tip=this.tip(),e=$.Event('hide')

this.$element.trigger(e)

if(e.isDefaultPrevented())return

$tip.removeClass('in')

function removeWithAnimation(){var
timeout=setTimeout(function(){$tip.off($.support.transition.end).detach(),500)
$tip.one($.support.transition.end,function(){clearTimeout(timeout)
$tip.detach()})}

$.support.transition&&this.$tip.hasClass('fade')?removeWithAnimation():$tip.detach()

this.$element.trigger('hidden')

return this},fixTitle:function(){var $e=this.$element

if($e.attr('title')||typeof($e.attr('data-original-title'))!='string'){$e.attr('data-original-
title',$e.attr('title')||'').attr('title','')},hasContent:function(){return
this.getTitle()},getPosition:function(){var el=this.$element[0]

return $.extend({},(typeof
el.getBoundingClientRect=='function'?el.getBoundingClientRect():{width:el.offsetWidth,height:el.of-
fsetHeight},this.$element.offset()),getTitle:function(){var title,$e=this.$element,o=this.options
title=$e.attr('data-original-title')||(typeof o.title=='function'?o.title.call($e[0]):o.title)

return title},tip:function(){return
this.$tip=this.$tip||$(this.options.template)},arrow:function(){return
this.$arrow=this.$arrow||this.tip().find(".tooltip-
arrow")},validate:function(){if(!this.$element[0].parentNode){this.hide()

this.$element=null

this.options=null}},enable:function(){this.enabled=!0},disable:function(){this.enabled=!1},toggleEnab-
led:function(){this.enabled=!this.enabled},toggle:function(e){var
self=e?$(e.currentTarget)[this.type](this._options).data(this.type):this

```

```
self.tip().hasClass('in')?self.hide():self.show()},destroy:function(){this.hide().$element.off('.'+this.type).removeData(this.type)}}

var old=$.fn.tooltip

$.fn.tooltip=function(option){return this.each(function(){var
$this=$(this),data=$this.data('tooltip'),options=typeof option=='object'&&option

if(!data)$this.data('tooltip',(data=new Tooltip(this,options)))

if(typeof option=='string')data[option]()

$.fn.tooltip.Constructor=Tooltip

$.fn.tooltip.defaults={animation:!0,placement:'top',selector:!1,template:'<div class="tooltip"><div
class="tooltip-arrow"></div><div class="tooltip-inner"></div></div>',trigger:'hover
focus',title:'',delay:0,html:!1,container:!1}

$.fn.tooltip.noConflict=function(){$.fn.tooltip=old

return this}}(window.jQuery)
```

custom.js

```
$(window).load(function(){ $('#brandcarousal').carouFredSel({width:'100%',scroll:1,auto:!1,prev:'#prev',next:'#next',mousewheel:!0,swipe:{onMouse:!0,onTouch:!0}}}); $('document').ready(function(){ $('.tooltip-test').tooltip() })('.popover-test').popover() var $acdata=$('.accroddian-data'),$acclick=$('.accroddian-trigger');$acdata.hide();$acclick.first().addClass('active').next().show();$acclick.on('click',function(e){if($(this).next().is(':hidden')){$acclick.removeClass('active').next().slideUp(300);$(this).toggleClass('active').next().slideDown(300)} e.preventDefault();});$('.togglehandle').click(function(){ $(this).toggleClass('active') })$(this).next('.toggledata').slideToggle();$('.dropdown').hover(function(){$(this).addClass('open')},function(){$(this).removeClass('open')});$('.thumbnail').each(function(){ $(this).hover(function(){$(this).children('.shortlinks').fadeIn()},function(){$(this).children('.shortlinks').fadeOut()}));$('.checkoutsteptitle').addClass('down').next('.checkoutstep').fadeIn();$('.checkoutsteptitle').live('click',function(){ $("select, input:checkbox, input:radio, input:file").css('display','block');$(this).toggleClass('down').next('.checkoutstep').slideToggle();$("select").appendTo("nav.subnav"); $("<option />","{selected":"selected","value":"","text":"Go to..."}).appendTo("nav.subnav select"); $("nav.subnav a[href]").each(function(){var
```

```

el=$(this); $("<option />",{ "value":el.attr("href"), "text":el.text()}).appendTo("nav.subnav select")); $("nav.subnav select").change(function(){window.location=$(this).find("option:selected").val()}); $('.mainimage li #wrap').hide()

$('.mainimage li #wrap').eq(0).fadeIn()

$('.ul.mainimage li.productthumb').click(function(){var thumbindex=$(this).index()

$('.mainimage li #wrap').fadeOut(0)

$('.mainimage li #wrap').eq(thumbindex).fadeIn()

$('.cloud-zoom, .cloud-zoom-gallery').CloudZoom()})

$('#list').click(function()

{ $(this).addClass('btn-orange').children('i').addClass('icon-white')

$('.grid').fadeOut()

$('.list').fadeIn()

$('#grid').removeClass('btn-orange').children('i').removeClass('icon-white')}); $('#grid').click(function()

{ $(this).addClass('btn-orange').children('i').addClass('icon-white')

$('.list').fadeOut()

$('.grid').fadeIn()

$('#list').removeClass('btn-orange').children('i').removeClass('icon-white'))}); $('#myTab a:first').tab('show')

$('#myTab a').click(function(e){e.preventDefault();$(this).tab('show')}); $('.clostalert').click(function()

{ $(this).parent('.alert').fadeOut()}); $('#mainslider2').carouFredSel({responsive:!0,items:1,scroll:{fx:"crossfade"},auto:!1,mousewheel:!0,swipe:{onMouse:!0,onTouch:!0},pagination:{container:"#mainslider2_pag"},anchorBuilder:function(nr){var src=$("#img",this).attr("src");return''}}); $(function(){ $('#mainslider3').carouFredSel({responsive:!0,auto:!0,height:'100%',direction:'left',items:1,swipe:{onMouse:!0,onTouch:!0},scroll:{duration:1000,onBefore:function(data){data.items.visible.children().css('opacity',0).delay(200).fadeTo(400,1);data.items.old.children().fadeTo(400,0)}}}); $(window).load(function(){ $('#carouseindex4').flexslider({animation:"slide",controlNav:!1,animationLoop:!1,slideshow:!1,itemWidth:226,asNavFor:'#sliderindex4'}); $('#sliderindex4').flexslider({animation:"slide",controlNav:!1,animationLoop:!1,slideshow:!1,sync:"#carouseindex4"})); function prevTimers(){return allTimers().slice(0,$('.sliderindex5pager a.selected').index())}

function allTimers(){return $('.sliderindex5pager a span')}})

```

```

$(function(){$('#sliderindex5').carouFredSel({items:1,responsive:!0,auto:{pauseOnHover:'resume',progress:{bar:'#sliderindex5pager a:first span'}},scroll:{fx:'crossfade',duration:300,timeoutDuration:2000,onAfter:function(){allTimers().stop().width(0)};$(this).trigger('configuration',['auto.progress.bar','#sliderindex5pager a.selected span'])}},pagination:{container:'#sliderindex5pager',anchorBuilder:{!1}}});$(function(){$('#mainslider6').carouFredSel({direction:'up',items:1,prev:'#prevmainslider6',next:'#nextmainslider6',pagination:"#pagermainslider6",mousewheel:!0,swipe:{onMouse:!0,onTouch:!0}}});$("#twitter").tweet({join_text :"auto",username:"pxcreate",modpath:"./twitter/",avatar_size:32,count:3,auto_join_text_default:"we said.",auto_join_text_ed:"we",auto_join_text_ing:"we were",auto_join_text_reply:"we replied",auto_join_text_url:"we were checking out",loading_text:"loading tweets..."}))

$(document).ready(function()$(".contactform").validate({submitHandler:function(form){var name=$("#name").val();var email=$("#email").val();var url=$("#url").val();var message=$("#message").val();var dataString='name='+name+'&email='+email+'&url='+url+'&message='+message;$.ajax({type:"POST",url:"email.php",data:dataString,success:function(){ $('#contactmsg').remove();$('.contactform').prepend("<div id='contactmsg' class='successmsg'>Form submitted successfully!</div>");$('#contactmsg').delay(1500).fadeOut(500);$('#submit_id').attr('disabled','disabled');});return!1}}});$(window).load(function()$(".fancyboxpopup").fancybox().each(function(){$(this).append('<span class="viewfancyboxpopup">&nbsp;</span>')});$('#mainslider').flexslider({animation:"slide",start:function(slider){$('body').removeClass('loading')}});$('#mainsiderside').flexslider({animation:"slide",start:function(slider){$('body').removeClass('loading')}});$('#catergoryslider').flexslider({animation:"slide",start:function(slider){$('body').removeClass('loading')}});$('#advertise').flexslider({animation:"fade",start:function(slider){$('body').removeClass('loading')}});$('#blogslider').flexslider({animation:"fade",start:function(slider){$('body').removeClass('loading')}});$('#musthave').flexslider({animation:"fade",start:function(slider){$('body').removeClass('loading')}});$('#testimonialsidebar').flexslider({animation:"slide",start:function(slider){$('body').removeClass('loading')}});$('#portfolioslider').flexslider({animation:"slide",start:function(slider){$('body').removeClass('loading')}}});$(window).scroll(function(){if($(this).scrollTop()>50){$('#gotop').fadeIn(500)}else{$('#gotop').fadeOut(500)}});$(window).load(function(){$.Isotope.prototype._getCenteredMasonryColumns=function(){this.width=this.element.width();var parentWidth=this.element.parent().width();var colW=this.options.masonry&&this.options.masonry.columnWidth||this.$filteredAtoms.outerWidth(!0)||parentWidth;var cols=Math.floor(parentWidth/colW);cols=Math.max(cols,1);this.masonry.cols=cols;this.masonry.columnWidth=colW};$.Isotope.prototype._masonryReset=function(){this.masonry={};this._getCenteredMasonryColumns();var i=this.masonry.cols;this.masonry.colYs=[];while(i--){this.masonry.colYs.push(0)};$.Isotope.prototype._masonryResizeChanged=function(){var prevColCount=this.masonry.cols;this._getCenteredMasonryColumns();return(this.masonry.cols!==prevColCount)};$.Isotope.prototype._masonryGetContainerSize=function(){var unusedCols=0,i=this.masonry.cols;while(--i){if(this.masonry.colYs[i]!==0){break}unusedCols++}}
```

```

return{height:Math.max.apply(Math,this.masonry.colYs),width:(this.masonry.cols-
unusedCols)*this.masonry.columnWidth});$(function(){var
$container=$('#portfoliocontainer');$container.find('.element').each(function(){var
$this=$(this),number=parseInt($this.find('.number').text(),10);if(number%7%2==1){$this.addClass('
width2')}
if(number%3==0){$this.addClass('height2')}});$container.isotope({itemSelector:".element",masonry:
{columnWidth:10},getSortData:{symbol:function($elem){return $elem.attr('data-
symbol')},category:function($elem){return $elem.attr('data-
category')},number:function($elem){return
parseInt($elem.find('.number').text(),10)},weight:function($elem){return
parseFloat($elem.find('.weight').text().replace(/\[(\)]/g,""))},name:function($elem){return
$elem.find('.name').text()}}});var $optionSets=$('#options .option-
set'),$optionLinks=$optionSets.find('a');$optionLinks.click(function(){var
$this=$(this);if($this.hasClass('selected')){return!1}
var $optionSet=$this.parents('.option-
set');$optionSet.find('.selected').removeClass('selected');$this.addClass('selected');var
options={},key=$optionSet.attr('data-option-key'),value=$this.attr('data-option-
value');value=value==='false'?!1:value;options[key]=value;if(key==='layoutMode'&&typeof
changeLayoutMode==='function'){changeLayoutMode($this,options)}else{$container.isotope(options)}
})
return!1}}})

```

CZ.js

```

(function(${document).ready(function(){$('.cloud-zoom, .cloud-zoom-
gallery').CloudZoom()});function format(str){for(var
i=1;i<arguments.length;i++){str=str.replace('%'+(i-1),arguments[i])}
return str}

function CloudZoom(jWin,opts){var sImg($('img',jWin);var img1;var img2;var zoomDiv=null;var
$mouseTrap=null;var lens=null;var $tint=null;var softFocus=null;var $ie6Fix=null;var zoomImage;var
controlTimer=0;var cw,ch;var destU=0;var destV=0;var currV=0;var currU=0;var filesLoaded=0;var
mx,my;var ctx=this,zw;setTimeout(function(){if($mouseTrap==null){var
w=jWin.width();jWin.parent().append(format('<div
style="width:%0px;position:absolute;top:75%;left:%1px;text-align:center" class="cloud-zoom-
loading" >Loading...</div>',w/3,(w/2)-(w/6)).find(':last').css('opacity',0.5)}},200);var
ie6FixRemove=function(){if($ie6Fix!=null){$ie6Fix.remove();$ie6Fix=null}};this.removeBits=function
(){if(lens){lens.remove();lens=null}
if($tint){$tint.remove();$tint=null}
if(softFocus){softFocus.remove();softFocus=null}

```

```

ie6FixRemove();$('.cloud-zoom-
loading',jWin.parent()).remove();this.destroy=function(){jWin.data('zoom',null);if($mouseTrap){$m
ouseTrap.unbind();$mouseTrap.remove();$mouseTrap=null}

if(zoomDiv){zoomDiv.remove();zoomDiv=null}

this.removeBits();this.fadedOut=function(){if(zoomDiv){zoomDiv.remove();zoomDiv=null}

this.removeBits();this.controlLoop=function(){if(lens){var x=(mx-sImg.offset().left-(cw*0.5))>>0;var
y=(my-sImg.offset().top-(ch*0.5))>>0;if(x<0){x=0}
else if(x>(sImg.outerWidth()-cw)){x=(sImg.outerWidth()-cw)}
if(y<0){y=0}
else if(y>(sImg.outerHeight()-ch)){y=(sImg.outerHeight()-ch)}

lens.css({left:x,top:y});lens.css('background-position',(-x)+'px '+(-
y)+'px');destU=((x/sImg.outerWidth())*zoomImage.width)>>0;destV=((y/sImg.outerHeight())*zoo
mImage.height)>>0;currU+=(destU-currU)/opts.smoothMove;currV+=(destV-
currV)/opts.smoothMove;zoomDiv.css('background-position',(-(currU>>0)+'px')+(-(currV>>0)+'px'))}

controlTimer=setTimeout(function(){ctx.controlLoop()},30);this.init2=function(img,id){filesLoaded++
;if(id==1){zoomImage=img}

if(filesLoaded==2){this.init();};this.init=function(){$('.cloud-zoom-
loading',jWin.parent()).remove();$mouseTrap=jWin.parent().append(format("<div class='mousetraps' style='background-image:url('.').'" z-
index:999;position:absolute;width:%0px;height:%1px;left:%2px;top:%3px;\'></div>",sImg.outerWidth(),sImg.outerHeight(),0,0)).find(':last');$mouseTrap.bind('mousemove',this,function(event){mx=eve
nt.pageX;my=event.pageY});$mouseTrap.bind('mouseleave',this,function(event){clearTimeout(contr
olTimer);if(lens){lens.fadeOut(299)}}

```

```

zoomDiv=appendTo.append(format('<div id="cloud-zoom-big" class="cloud-zoom-big"
style="display:none;position:absolute;left:%0px;top:%1px;width:%2px;height:%3px;background-
image:url(\'%4\');z-
index:99;"></div>',xPos,yPos,w,h,zoomImage.src)).find(':last');if(sImg.attr('title')&&opts.showTitle){z
oomDiv.append(format('<div class="cloud-zoom-
title">%0</div>',sImg.attr('title'))).find(':last').css('opacity',opts.titleOpacity)}

if($.browser.msie&&$.browser.version<7){$ie6Fix=$('<iframe frameborder="0"
src="#"></iframe>').css({position:"absolute",left:xPos,top:yPos,zIndex:99,width:w,height:h}).insertB
efore(zoomDiv)}

zoomDiv.fadeIn(500);if(lens){lens.remove();lens=null}

cw=(sImg.outerWidth()/zoomImage.width)*zoomDiv.width();ch=(sImg.outerHeight()/zoomImage.he
ight)*zoomDiv.height();lens=jWin.append(format("<div class = 'cloud-zoom-lens'
style='display:none;z-
index:98;position:absolute;width:%0px;height:%1px;'></div>",cw,ch)).find(':last');$mouseTrap.css('c
ursor',lens.css('cursor'));var
noTrans=!1;if(opts.tint){lens.css('background','url="'+sImg.attr('src')+'")');$tint=jWin.append(format('
<div style="display:none;position:absolute; left:0px; top:0px; width:%0px; height:%1px; background-
color:%2;"'
/>',sImg.outerWidth(),sImg.outerHeight(),opts.tint)).find(':last');$tint.css('opacity',opts.tintOpacity);n
oTrans=!0;$tint.fadeIn(500)}

if(opts.softFocus){lens.css('background','url="'+sImg.attr('src')+'")');softFocus=jWin.append(format('<
div style="position:absolute;display:none;top:2px; left:2px; width:%0px; height:%1px;"'
/>',sImg.outerWidth()-2,sImg.outerHeight()-
2,opts.tint)).find(':last');softFocus.css('background','url="'+sImg.attr('src')+'")');softFocus.css('opacity',
0.5);noTrans=!0;softFocus.fadeIn(500)}

if(!noTrans){lens.css('opacity',opts.lensOpacity)}

if(opts.position!=='inside'){lens.fadeIn(500)}

zw.controlLoop();return});img1=new
Image();$(img1).load(function(){ctx.init2(this,0)});img1.src=sImg.attr('src');img2=new
Image();$(img2).load(function(){ctx.init2(this,1)});img2.src=jWin.attr('href')

$.fn.CloudZoom=function(options){try{document.execCommand("BackgroundImageCache",!1,!0)}ca
tch(e) {}

this.each(function(){var relOpts,opts;eval('var a =
{'+$(this).attr('rel')+'}');relOpts=a;if($(this).is('.cloud-
zoom')){$(this).css({'position':'relative','display':'block'});$('img',$(this)).css({'display':'block'});if($(this
).parent().attr('id')!='wrap'){$(this).wrap('<div id="wrap" style="top:0px;z-
index:99;position:relative;"></div>')}}
```

```
opts=$.extend({},$.fn.CloudZoom.defaults,options);opts=$.extend({},opts,relOpts);$(this).data('zoom','new CloudZoom($(this),opts))}else if($(this).is('.cloud-zoom-gallery')){opts=$.extend({},relOpts,options);$(this).data('relOpts',opts);$(this).bind('click',$(this),function(event){var data=event.data.data('relOpts');$('#'+data.useZoom).data('zoom').destroy();$('#'+data.useZoom).attr('href',event.data.attr('href'));$('#'+data.useZoom+'img').attr('src',event.data.data('relOpts').smallImage);$('#'+event.data.data('relOpts').useZoom).CloudZoom();return!1}}});return this};$.fn.CloudZoom.defaults={zoomWidth:'auto',zoomHeight:'auto',position:'right',tint:!1,tintOpacity:0.5,lensOpacity:0.5,softFocus:!1,smoothMove:3,showTitle:!0,titleOpacity:0.5,adjustX:0,adjustY:0}})(jQuery)
```

index.js

```
chatBody = document.querySelector(".chat-body");

txtInput = document.querySelector("#txtInput");

send = document.querySelector(".send");

send.addEventListener("click", () => renderUserMessage());

txtInput.addEventListener("keyup", (event) => {
  if (event.keyCode === 13) {
    renderUserMessage();
  }
});

renderUserMessage = () => {
  userInput = txtInput.value;
  renderMessageEle(userInput, "user");
  txtInput.value = "";
  setTimeout(() => {
    renderChatbotResponse(userInput);
    setScrollPosition();
  }, 600);
}
```

```
};

renderChatbotResponse = (userInput) => {
  res = getChatbotResponse(userInput);
  renderMessageEle(res);
};

renderMessageEle = (txt, type) => {
  let className = "user-message";
  if (type !== "user") {
    className = "chatbot-message";
  }
  messageEle = document.createElement("div");
  txtNode = document.createTextNode(txt);
  messageEle.classList.add(className);
  messageEle.append(txtNode);
  chatBody.append(messageEle);
};

getChatbotResponse = (userInput) => {
  return responseObj[userInput] == undefined
    ? "Contact : 9677631967"
    : responseObj[userInput];
};

setScrollPosition = () => {
  if (chatBody.scrollHeight > 0) {
    chatBody.scrollTop = chatBody.scrollHeight;
  }
}
```

```
};
```

Jquery-1.5.js

```
(function( window, undefined ) {
```

```
// Use the correct document accordingly with window argument (sandbox)
```

```
var document = window.document;
```

```
var jQuery = (function() {
```

```
// Define a local copy of jQuery
```

```
var jQuery = function( selector, context ) {
```

```
    // The jQuery object is actually just the init constructor 'enhanced'
```

```
    return new jQuery.fn.init( selector, context, rootjQuery );
```

```
,
```

```
// Map over jQuery in case of overwrite
```

```
_jQuery = window.jQuery,
```

```
// Map over the $ in case of overwrite
```

```
_($) = window.$,
```

```
// A central reference to the root jQuery(document)
```

```
rootjQuery,
```

```
// A simple way to check for HTML strings or ID strings
```

```
// (both of which we optimize for)
```

```
quickExpr = /^(?:[^<]*(<[\w\W]+>)[^>]*$|#([\w\.-]+)$)/,
```

```
// Check if a string has a non-whitespace character in it
```

```
rnotwhite = /\S/,  
  
// Used for trimming whitespace  
trimLeft = /^\\s+/,  
trimRight = /\\s+$/,  
  
// Check for digits  
rdigit = /\d/,  
  
// Match a standalone tag  
rsingleTag = /^<(\w+)\\s*\\/?>(?:<\\1>)?$/,  
  
// JSON RegExp  
rvalidchars = /^[\],:{}\\s]*$/,  
rvalidescape = /\\\\(?:\"\\\\\\bfnrt]|\\u[0-9a-fA-F]{4})/g,  
rvalidtokens = /"[^"\\\\\\n\\r]*"|true|false|null|-?\\d+(?:\\.\\d*)?(?:[eE][+-]?\\d+)?/g,  
rvalidbraces = /(?:^|:)()(:\\s*\\[]+)/g,  
  
// Useragent RegExp  
rwebkit = /(webkit)[ \\v]([\\w.]+)/,  
ropera = /(opera)(?:.*version)?[ \\v]([\\w.]+)/,  
rmsie = /(msie) ([\\w.]+)/,  
rmozilla = /(mozilla)(?:.* rv:([\\w.]+))?/,  
  
// Keep a UserAgent string for use with jQuery.browser  
userAgent = navigator.userAgent,  
  
// For matching the engine and version of the browser  
browserMatch,
```

```
// Has the ready events already been bound?  
readyBound = false,  
  
// The deferred used on DOM ready  
readyList,  
  
// Promise methods  
promiseMethods = "then done fail isResolved isRejected promise".split( " "),  
  
// The ready event handler  
DOMContentLoaded,  
  
// Save a reference to some core methods  
toString = Object.prototype.toString,  
hasOwn = Object.prototype.hasOwnProperty,  
push = Array.prototype.push,  
slice = Array.prototype.slice,  
trim = String.prototype.trim,  
indexOf = Array.prototype.indexOf,  
  
// [[Class]] -> type pairs  
class2type = {};  
  
jQuery.fn = jQuery.prototype = {  
    constructor: jQuery,  
    init: function( selector, context, rootjQuery ) {  
        var match, elem, ret, doc;
```

```
// Handle $(""), $(null), or $(undefined)
if ( !selector ) {
    return this;
}

// Handle $(DOMElement)
if ( selector.nodeType ) {
    this.context = this[0] = selector;
    this.length = 1;
    return this;
}

// The body element only exists once, optimize finding it
if ( selector === "body" && !context && document.body ) {
    this.context = document;
    this[0] = document.body;
    this.selector = "body";
    this.length = 1;
    return this;
}

// Handle HTML strings
if ( typeof selector === "string" ) {
    // Are we dealing with HTML string or an ID?
    match = quickExpr.exec( selector );

    // Verify a match, and that no context was specified for #id
    if ( match && (match[1] || !context) ) {
```

```

// HANDLE: $(html) -> $(array)

if ( match[1] ) {

    context = context instanceof jQuery ? context[0] : context;

    doc = (context ? context.ownerDocument || context :
document);

    // If a single string is passed in and it's a single tag

    // just do a createElement and skip the rest

    ret = rsingleTag.exec( selector );

    if ( ret ) {

        if ( jQuery.isPlainObject( context ) ) {

            selector = [ document.createElement( ret[1]
) ];

            jQuery.fn.attr.call( selector, context, true );

        } else {

            selector = [ doc.createElement( ret[1] ) ];

        }

    } else {

        ret = jQuery.buildFragment( [ match[1] ], [ doc ] );

        selector = (ret.cacheable ?

jQuery.clone(ret.fragment) : ret.fragment).childNodes;

    }

    return jQuery.merge( this, selector );
}

// HANDLE: $("#id")

} else {

```

```
elem = document.getElementById( match[2] );  
  
// Check parentNode to catch when Blackberry 4.6 returns  
// nodes that are no longer in the document #6963  
if ( elem && elem.parentNode ) {  
    // Handle the case where IE and Opera return items  
    // by name instead of ID  
    if ( elem.id !== match[2] ) {  
        return rootjQuery.find( selector );  
    }  
  
    // Otherwise, we inject the element directly into the  
    // jQuery object  
    this.length = 1;  
    this[0] = elem;  
}  
  
this.context = document;  
this.selector = selector;  
return this;  
}  
  
// HANDLE: $(expr, $(...))  
} else if ( !context || context.jquery ) {  
    return (context || rootjQuery).find( selector );  
  
// HANDLE: $(expr, context)  
// (which is just equivalent to: $(context).find(expr)  
} else {
```

```
        return this.constructor( context ).find( selector );
    }

// HANDLE: $(function)
// Shortcut for document ready
} else if ( jQuery.isFunction( selector ) ) {

    return rootjQuery.ready( selector );
}

if (selector.selector !== undefined) {

    this.selector = selector.selector;
    this.context = selector.context;
}

return jQuery.makeArray( selector, this );
},

// Start with an empty selector
selector: "",

// The current version of jQuery being used
jquery: "1.5",

// The default length of a jQuery object is 0
length: 0,

// The number of elements contained in the matched element set
size: function() {

    return this.length;
}
```

```
},
toArray: function() {
    return slice.call( this, 0 );
},
// Get the Nth element in the matched element set OR
// Get the whole matched element set as a clean array
get: function( num ) {
    return num == null ?
        // Return a 'clean' array
        this.toArray() :
        // Return just the object
        ( num < 0 ? this[ this.length + num ] : this[ num ] );
},
// Take an array of elements and push it onto the stack
// (returning the new matched element set)
pushStack: function( elems, name, selector ) {
    // Build a new jQuery matched element set
    var ret = this.constructor();
    if ( jQuery.isArray( elems ) ) {
        push.apply( ret, elems );
    } else {
        jQuery.merge( ret, elems );
    }
}
```

```
}

// Add the old object onto the stack (as a reference)
ret.prevObject = this;

ret.context = this.context;

if ( name === "find" ) {

    ret.selector = this.selector + (this.selector ? " " : "") + selector;
} else if ( name ) {

    ret.selector = this.selector + "." + name + "(" + selector + ")";
}

// Return the newly-formed element set
return ret;
},

// Execute a callback for every element in the matched set.
// (You can seed the arguments with an array of args, but this is
// only used internally.)
each: function( callback, args ) {

    return jQuery.each( this, callback, args );
},

ready: function( fn ) {

    // Attach the listeners
    jQuery.bindReady();

    // Add the callback
```

```
    readyList.done( fn );

    return this;
},

eq: function( i ) {
    return i === -1 ?
        this.slice( i ) :
        this.slice( i, +i + 1 );
}

first: function() {
    return this.eq( 0 );
}

last: function() {
    return this.eq( -1 );
}

slice: function() {
    return this.pushStack( slice.apply( this, arguments ),
        "slice", slice.call(arguments).join( "," ) );
}

map: function( callback ) {
    return this.pushStack( jQuery.map(this, function( elem, i ) {
        return callback.call( elem, i, elem );
    }));
}
```

```
end: function() {
    return this.prevObject || this.constructor(null);
},

// For internal use only.

// Behaves like an Array's method, not like a jQuery method.

push: push,
sort: [].sort,
splice: [].splice

};

// Give the init function the jQuery prototype for later instantiation
jQuery.fn.init.prototype = jQuery.fn;

jQuery.extend = jQuery.fn.extend = function() {
    var options, name, src, copy, copyIsArray, clone,
        target = arguments[0] || {},
        i = 1,
        length = arguments.length,
        deep = false;

    // Handle a deep copy situation
    if ( typeof target === "boolean" ) {
        deep = target;
        target = arguments[1] || {};
    }

    // skip the boolean and the target
    i = 2;

}
```

```

// Handle case when target is a string or something (possible in deep copy)
if ( typeof target !== "object" && !jQueryisFunction(target) ) {

    target = {};
}

// extend jQuery itself if only one argument is passed
if ( length === i ) {

    target = this;

    --i;
}

for ( ; i < length; i++ ) {

    // Only deal with non-null/undefined values
    if ( (options = arguments[ i ]) != null ) {

        // Extend the base object
        for ( name in options ) {

            src = target[ name ];

            copy = options[ name ];

            // Prevent never-ending loop
            if ( target === copy ) {

                continue;
            }

            // Recurse if we're merging plain objects or arrays
            if ( deep && copy && ( jQuery.isPlainObject(copy) || (copyisArray =
jQuery.isArray(copy)) ) ) {

                if ( copyisArray ) {

```

```
        copyIsArray = false;
        clone = src && jQuery.isArray(src) ? src : [];

    } else {
        clone = src && jQuery.isPlainObject(src) ? src : {};
    }

    // Never move original objects, clone them
    target[ name ] = jQuery.extend( deep, clone, copy );

    // Don't bring in undefined values
} else if ( copy !== undefined ) {
    target[ name ] = copy;
}

}

// Return the modified object
return target;
};

jQuery.extend({
    noConflict: function( deep ) {
        window.$ = _$;

        if ( deep ) {
            window.jQuery = _jQuery;
        }
    }
});
```

```
    return jQuery;
}

// Is the DOM ready to be used? Set to true once it occurs.
isReady: false,

// A counter to track how many items to wait for before
// the ready event fires. See #6781
readyWait: 1,

// Handle when the DOM is ready
ready: function( wait ) {
    // A third-party is pushing the ready event forwards
    if ( wait === true ) {
        jQuery.readyWait--;
    }

    // Make sure that the DOM is not already loaded
    if ( !jQuery.readyWait || (wait !== true && !jQuery.isReady) ) {
        // Make sure body exists, at least, in case IE gets a little overzealous (ticket
        // #5443).
        if ( !document.body ) {

            return setTimeout( jQuery.ready, 1 );
        }
    }

    // Remember that the DOM is ready
    jQuery.isReady = true;
```

```
// If a normal DOM Ready event fired, decrement, and wait if need be
if ( wait !== true && --jQuery.readyState > 0 ) {

    return;
}

// If there are functions bound, to execute
readyList.resolveWith( document, [ jQuery ] );

// Trigger any bound ready events
if ( jQuery.fn.trigger ) {

    jQuery( document ).trigger( "ready" ).unbind( "ready" );
}

},
bindReady: function() {
    if ( readyBound ) {

        return;
    }

    readyBound = true;

    // Catch cases where $(document).ready() is called after the
    // browser event has already occurred.
    if ( document.readyState === "complete" ) {

        // Handle it asynchronously to allow scripts the opportunity to delay ready
        return setTimeout( jQuery.ready, 1 );
    }
}
```

```
// Mozilla, Opera and webkit nightlies currently support this event

if ( document.addEventListener ) {

    // Use the handy event callback

    document.addEventListener( "DOMContentLoaded", DOMContentLoaded,
false );




    // A fallback to window.onload, that will always work

    window.addEventListener( "load", jQuery.ready, false );


// If IE event model is used

} else if ( document.attachEvent ) {

    // ensure firing before onload,
    // maybe late but safe also for iframes

    document.attachEvent("onreadystatechange", DOMContentLoaded);




    // A fallback to window.onload, that will always work

    window.attachEvent( "onload", jQuery.ready );


// If IE and not a frame

// continually check to see if the document is ready

var toplevel = false;

try {

    toplevel = window.frameElement == null;

} catch(e) {}


if ( document.documentElement.doScroll && toplevel ) {

    doScrollCheck();

}

}
```

```
}

},


// See test/unit/core.js for details concerning isFunction.

// Since version 1.3, DOM methods and functions like alert

// aren't supported. They return false on IE (#2968).

isFunction: function( obj ) {

    return jQuery.type(obj) === "function";

 },


isArray: Array.isArray || function( obj ) {

    return jQuery.type(obj) === "array";

 },


// A crude way of determining if an object is a window

isWindow: function( obj ) {

    return obj && typeof obj === "object" && "setInterval" in obj;

 },


 isNaN: function( obj ) {

    return obj == null || !rdigit.test( obj ) || isNaN( obj );

 },


 type: function( obj ) {

    return obj == null ?

        String( obj ) :

        class2type[ toString.call(obj) ] || "object";

 },
```

```
isPlainObject: function( obj ) {

    // Must be an Object.

    // Because of IE, we also have to check the presence of the constructor property.

    // Make sure that DOM nodes and window objects don't pass through, as well

    if ( !obj || jQuery.type(obj) !== "object" || obj.nodeType || jQuery.isWindow( obj ) )

    {

        return false;

    }

    // Not own constructor property must be Object

    if ( obj.constructor &&

        !hasOwn.call(obj, "constructor") &&

        !hasOwn.call(obj.constructor.prototype, "isPrototypeOf") ) {

        return false;

    }

    // Own properties are enumerated firstly, so to speed up,
    // if last one is own, then all properties are own.

    var key;

    for ( key in obj ) {}

    return key === undefined || hasOwn.call( obj, key );

},


isEmptyObject: function( obj ) {

    for ( var name in obj ) {

        return false;

    }

}
```

```
        return true;
    },

    error: function( msg ) {
        throw msg;
    },

    parseJSON: function( data ) {
        if ( typeof data !== "string" || !data ) {
            return null;
        }

        // Make sure leading/trailing whitespace is removed (IE can't handle it)
        data = jQuery.trim( data );

        // Make sure the incoming data is actual JSON
        // Logic borrowed from http://json.org/json2.js
        if ( rvalidchars.test(data.replace(rvalidescape, "@"))
            .replace(rvalidtokens, "]")
            .replace(rvalidbraces, "") ) {

            // Try to use the native JSON parser first
            return window.JSON && window.JSON.parse ?
                window.JSON.parse( data ) :
                (new Function("return " + data))();
        }
    }
}
```

```
},  
  
// Cross-browser xml parsing  
// (xml & tmp used internally)  
parseXML: function( data , xml , tmp ) {  
  
    if ( window.DOMParser ) { // Standard  
  
        tmp = new DOMParser();  
  
        xml = tmp.parseFromString( data , "text/xml" );  
    } else { // IE  
  
        xml = new ActiveXObject( "Microsoft.XMLDOM" );  
  
        xml.async = "false";  
  
        xml.loadXML( data );  
    }  
  
    tmp = xml.documentElement;  
  
    if ( !tmp || !tmp.nodeName || tmp.nodeName === "parsererror" ) {  
  
        jQuery.error( "Invalid XML: " + data );  
    }  
  
    return xml;  
},  
  
noop: function() {},  
  
// Evaluates a script in a global context  
globalEval: function( data ) {  
    if ( data && rnotwhite.test(data) ) {
```

```
// Inspired by code by Andrea Giammarchi
// http://webreflection.blogspot.com/2007/08/global-scope-evaluation-
and-dom.html

    var head = document.getElementsByTagName("head")[0] ||
document.documentElement,
        script = document.createElement("script");

        script.type = "text/javascript";

        if ( jQuery.support.scriptEval() ) {
            script.appendChild( document.createTextNode( data ) );
        } else {
            script.text = data;
        }

        // Use insertBefore instead of appendChild to circumvent an IE6 bug.
        // This arises when a base node is used (#2709).
        head.insertBefore( script, head.firstChild );
        head.removeChild( script );
    }

    nodeName: function( elem, name ) {
        return elem.nodeName && elem.nodeName.toUpperCase() ===
name.toUpperCase();
    },

    // args is for internal usage only
    each: function( object, callback, args ) {
        var name, i = 0,
```

```

length = object.length,
isObj = length === undefined || jQueryisFunction(object);

if ( args ) {
    if ( isObj ) {
        for ( name in object ) {
            if ( callback.apply( object[ name ], args ) === false ) {
                break;
            }
        }
    } else {
        for ( ; i < length; ) {
            if ( callback.apply( object[ i++ ], args ) === false ) {
                break;
            }
        }
    }
}

// A special, fast, case for the most common use of each
} else {
    if ( isObj ) {
        for ( name in object ) {
            if ( callback.call( object[ name ], name, object[ name ] ) ===
false ) {
                break;
            }
        }
    } else {
        for ( var value = object[0];

```

```
i < length && callback.call( value, i, value ) !== false; value =
object[++i] ) {}

}

return object;
},


// Use native String.trim function wherever possible
trim: trim ?
function( text ) {
    return text == null ?
        "" :
        trim.call( text );
}:

// Otherwise use our own trimming functionality
function( text ) {
    return text == null ?
        "" :
        text.toString().replace( trimLeft, "" ).replace( trimRight, "" );
},


// results is for internal usage only
makeArray: function( array, results ) {
    var ret = results || [];
    if ( array != null ) {
        // The window, strings (and functions) also have 'length'

```

```
// The extra typeof function check is to prevent crashes
// in Safari 2 (See: #3039)

// Tweaked logic slightly to handle Blackberry 4.7 RegExp issues #6930

var type = jQuery.type(array);

if ( array.length == null || type === "string" || type === "function" || type
== "regexp" || jQuery.isWindow( array ) ) {
    push.call( ret, array );
} else {
    jQuery.merge( ret, array );
}

}

return ret;
},

inArray: function( elem, array ) {
    if ( array.indexOf ) {
        return array.indexOf( elem );
    }

    for ( var i = 0, length = array.length; i < length; i++ ) {
        if ( array[ i ] === elem ) {
            return i;
        }
    }

    return -1;
},
```

```
merge: function( first, second ) {

    var i = first.length,
        j = 0;

    if ( typeof second.length === "number" ) {

        for ( var l = second.length; j < l; j++ ) {

            first[ i++ ] = second[ j ];

        }

    } else {

        while ( second[j] !== undefined ) {

            first[ i++ ] = second[ j++ ];

        }

    }

    first.length = i;

    return first;
},


grep: function( elems, callback, inv ) {

    var ret = [], retVal;
    inv = !!inv;

    // Go through the array, only saving the items
    // that pass the validator function
    for ( var i = 0, length = elems.length; i < length; i++ ) {

        retVal = !!callback( elems[ i ], i );

    }

}
```

```
        if ( inv !== retVal ) {

            ret.push( elems[ i ] );

        }

    }

    return ret;
},

// arg is for internal usage only
map: function( elems, callback, arg ) {

    var ret = [], value;

    // Go through the array, translating each of the items to their
    // new value (or values).

    for ( var i = 0, length = elems.length; i < length; i++ ) {

        value = callback( elems[ i ], i, arg );

        if ( value != null ) {

            ret[ ret.length ] = value;

        }

    }

    // Flatten any nested arrays

    return ret.concat.apply( [], ret );
},

// A global GUID counter for objects
guid: 1,
```

```
proxy: function( fn, proxy, thisObject ) {

    if ( arguments.length === 2 ) {

        if ( typeof proxy === "string" ) {

            thisObject = fn;

            fn = thisObject[ proxy ];

            proxy = undefined;

        }

    } else if ( proxy && !jQueryisFunction( proxy ) ) {

        thisObject = proxy;

        proxy = undefined;

    }

}

if ( !proxy && fn ) {

    proxy = function() {

        return fn.apply( thisObject || this, arguments );

    };

}

// Set the guid of unique handler to the same of original handler, so it can be
removed

if ( fn ) {

    proxy.guid = fn.guid = fn.guid || proxy.guid || jQuery.guid++;

}

// So proxy can be declared as an argument

return proxy;

},
```

```
// Mutifunctional method to get and set values to a collection
// The value/s can be optionally by executed if its a function
access: function( elems, key, value, exec, fn, pass ) {

    var length = elems.length;

    // Setting many attributes
    if ( typeof key === "object" ) {

        for ( var k in key ) {

            jQuery.access( elems, k, key[k], exec, fn, value );

        }

        return elems;
    }

    // Setting one attribute
    if ( value !== undefined ) {

        // Optionally, function values get executed if exec is true
        exec = !pass && exec && jQueryisFunction(value);

        for ( var i = 0; i < length; i++ ) {

            fn( elems[i], key, exec ? value.call( elems[i], i, fn( elems[i], key ) ) :
value, pass );
        }

        return elems;
    }

    // Getting an attribute
    return length ? fn( elems[0], key ) : undefined;
},
```

```
now: function() {
    return (new Date()).getTime();
},

// Create a simple deferred (one callbacks list)
_Deferred: function() {
    var // callbacks list
        callbacks = [],
        // stored [ context , args ]
        fired,
        // to avoid firing when already doing so
        firing,
        // flag to know if the deferred has been cancelled
        cancelled,
        // the deferred itself
        deferred = {

            // done( f1, f2, ... )
            done: function() {
                if ( !cancelled ) {
                    var args = arguments,
                        i,
                        length,
                        elem,
                        type,
                        _fired;
                    if ( fired ) {
                        _fired = fired;
                    }
                }
            }
        };
    return deferred;
}

// Create a deferred with multiple callbacks
_Deferred: function() {
    var callbacks = [];
    return {
        done: function() {
            var args = arguments;
            callbacks.push(args);
        }
    };
}
```

```

        fired = 0;

    }

    for ( i = 0, length = args.length; i < length; i++ ) {

        elem = args[ i ];

        type = jQuery.type( elem );

        if ( type === "array" ) {

            deferred.done.apply( deferred,
elem );

        } else if ( type === "function" ) {

            callbacks.push( elem );

        }

    }

    if ( _fired ) {

        deferred.resolveWith( _fired[ 0 ], _fired[ 1 ]
);

    }

    return this;

},


// resolve with given context and args

resolveWith: function( context, args ) {

    if ( !cancelled && !fired && !firing ) {

        firing = 1;

        try {

            while( callbacks[ 0 ] ) {

                callbacks.shift().apply( context, args
);

            }

        }

    }

}

```

```
        finally {
            fired = [ context, args ];
            firing = 0;
        }
    }

    return this;
},

// resolve with this as context and given arguments
resolve: function() {
    deferred.resolveWith( jQuery.isFunction( this.promise ) ?
this.promise() : this, arguments );
    return this;
},

// Has this deferred been resolved?
isResolved: function() {
    return !( firing || fired );
},

// Cancel
cancel: function() {
    cancelled = 1;
    callbacks = [];
    return this;
}

};

return deferred;
```

```
},
```

```
// Full fledged deferred (two callbacks list)
```

```
Deferred: function( func ) {
```

```
    var deferred = jQuery._Deferred(),  
        failDeferred = jQuery._Deferred(),  
        promise;
```

```
    // Add errorDeferred methods, then and promise
```

```
    jQuery.extend( deferred, {
```

```
        then: function( doneCallbacks, failCallbacks ) {
```

```
            deferred.done( doneCallbacks ).fail( failCallbacks );
```

```
            return this;
```

```
        },
```

```
        fail: failDeferred.done,
```

```
        rejectWith: failDeferred.resolveWith,
```

```
        reject: failDeferred.resolve,
```

```
        isRejected: failDeferred.isResolved,
```

```
        // Get a promise for this deferred
```

```
        // If obj is provided, the promise aspect is added to the object
```

```
        promise: function( obj , i /* internal */ ) {
```

```
            if ( obj == null ) {
```

```
                if ( promise ) {
```

```
                    return promise;
```

```
                }
```

```
                promise = obj = {};
```

```
            }
```

```
            i = promiseMethods.length;
```

```
            while( i-- ) {
```

```

        obj[ promiseMethods[ i ] ] = deferred[ promiseMethods[ i ] ]
    };

    }

    return obj;
}

};

// Make sure only one callback list will be used

deferred.then( failDeferred.cancel, deferred.cancel );

// Unexpose cancel

delete deferred.cancel;

// Call given func if any

if ( func ) {

    func.call( deferred, deferred );
}

return deferred;
},

// Deferred helper

when: function( object ) {

    var args = arguments,
        length = args.length,
        deferred = length <= 1 && object && jQuery.isFunction( object.promise ) ?
            object :
            jQuery.Deferred(),
        promise = deferred.promise(),
        resolveArray;

    if ( length > 1 ) {

        resolveArray = new Array( length );

```

```

jQuery.each( args, function( index, element ) {

    jQuery.when( element ).then( function( value ) {

        resolveArray[ index ] = arguments.length > 1 ? slice.call(
arguments, 0 ) : value;

        if( ! --length ) {

            deferred.resolveWith( promise, resolveArray );

        }

    }, deferred.reject );

} );

} else if ( deferred !== object ) {

    deferred.resolve( object );

}

return promise;

},


// Use of jQuery.browser is frowned upon.

// More details: http://docs.jquery.com/Utilities/jQuery.browser

uaMatch: function( ua ) {

    ua = ua.toLowerCase();

    var match = rwebkit.exec( ua ) ||
ropera.exec( ua ) ||
rmsie.exec( ua ) ||
ua.indexOf("compatible") < 0 && rmozilla.exec( ua ) ||
[];


return { browser: match[1] || "", version: match[2] || "0" };

},

```

```
sub: function() {

    function jQuerySubclass( selector, context ) {

        return new jQuerySubclass.fn.init( selector, context );

    }

    jQuery.extend( true, jQuerySubclass, this );

    jQuerySubclass.superclass = this;

    jQuerySubclass.fn = jQuerySubclass.prototype = this();

    jQuerySubclass.fn.constructor = jQuerySubclass;

    jQuerySubclass.subclass = this.subclass;

    jQuerySubclass.fn.init = function init( selector, context ) {

        if ( context && context instanceof jQuery && !(context instanceof
jQuerySubclass) ) {

            context = jQuerySubclass(context);

        }

        return jQuery.fn.init.call( this, selector, context, rootjQuerySubclass );

    };

    jQuerySubclass.fn.init.prototype = jQuerySubclass.fn;

    var rootjQuerySubclass = jQuerySubclass(document);

    return jQuerySubclass;

},

browser: {},

});

// Create readyList deferred

readyList = jQuery._Deferred();
```



```
// Populate the class2type map
```

```
jQuery.each("Boolean Number String Function Array Date RegExp Object".split(" "), function(i,
name) {

    class2type[ "[object " + name + "]" ] = name.toLowerCase();

});

browserMatch = jQuery.uaMatch( userAgent );

if ( browserMatch.browser ) {

    jQuery.browser[ browserMatch.browser ] = true;

    jQuery.browser.version = browserMatch.version;

}

// Deprecated, use jQuery.browser.webkit instead

if ( jQuery.browser.webkit ) {

    jQuery.browser.safari = true;

}

if ( indexOf ) {

    jQuery.inArray = function( elem, array ) {

        return indexOf.call( array, elem );

    };

}

// IE doesn't match non-breaking spaces with \s

if ( rnotwhite.test( "\xA0" ) ) {

    trimLeft = /^[^\s\xA0]+/;

    trimRight = /[\s\xA0]+\$/;

}

// All jQuery objects should point back to these
```

```
rootjQuery = jQuery(document);

// Cleanup functions for the document ready method

if ( document.addEventListener ) {

    DOMContentLoaded = function() {

        document.removeEventListener( "DOMContentLoaded", DOMContentLoaded, false
    );

    jQuery.ready();

};

}

} else if ( document.attachEvent ) {

    DOMContentLoaded = function() {

        // Make sure body exists, at least, in case IE gets a little overzealous (ticket #5443).

        if ( document.readyState === "complete" ) {

            document.detachEvent( "onreadystatechange", DOMContentLoaded );

            jQuery.ready();

        }

    };

}

// The DOM ready check for Internet Explorer

function doScrollCheck() {

    if ( jQuery.isReady ) {

        return;

    }

    try {

        // If IE is used, use the trick by Diego Perini
        // http://javascript.nwbox.com/IEContentLoaded/
    }

}
```

```
document.documentElement.doScroll("left");

} catch(e) {
    setTimeout( doScrollCheck, 1 );
    return;
}

// and execute any waiting functions
jQuery.ready();
}

// Expose jQuery to the global object
return (window.jQuery = window.$ = jQuery);

})();

(function() {

jQuery.support = {};

var div = document.createElement("div");

div.style.display = "none";
div.innerHTML = " <link/><table></table><a href='/a' style='color:red;float:left;opacity:.55;'>a</a><input type='checkbox' />";

var all = div.getElementsByTagName("*"),
a = div.getElementsByTagName("a")[0],
select = document.createElement("select"),
```

```
opt = select.appendChild( document.createElement("option") );  
  
// Can't get basic test support  
if ( !all || !all.length || !a ) {  
    return;  
}  
  
jQuery.support = {  
    // IE strips leading whitespace when .innerHTML is used  
    leadingWhitespace: div.firstChild.nodeType === 3,  
  
    // Make sure that tbody elements aren't automatically inserted  
    // IE will insert them into empty tables  
    tbody: !div.getElementsByTagName("tbody").length,  
  
    // Make sure that link elements get serialized correctly by innerHTML  
    // This requires a wrapper element in IE  
    htmlSerialize: !!div.getElementsByTagName("link").length,  
  
    // Get the style information from getAttribute  
    // (IE uses .cssText instead)  
    style: /red/.test( a.getAttribute("style") ),  
  
    // Make sure that URLs aren't manipulated  
    // (IE normalizes it by default)  
    hrefNormalized: a.getAttribute("href") === "/a",  
  
    // Make sure that element opacity exists  
    // (IE uses filter instead)
```

```
// Use a regex to work around a WebKit issue. See #5145
opacity: /^0.55$/ .test( a.style.opacity ),


// Verify style float existence
// (IE uses styleFloat instead of cssFloat)
cssFloat: !!a.style.cssFloat,


// Make sure that if no value is specified for a checkbox
// that it defaults to "on".
// (WebKit defaults to "" instead)
checkOn: div.getElementsByTagName("input")[0].value === "on",


// Make sure that a selected-by-default option has a working selected property.
// (WebKit defaults to false instead of true, IE too, if it's in an optgroup)
optSelected: opt.selected,


// Will be defined later
deleteExpando: true,
optDisabled: false,
checkClone: false,
_scriptEval: null,
noCloneEvent: true,
boxModel: null,
inlineBlockNeedsLayout: false,
shrinkWrapBlocks: false,
reliableHiddenOffsets: true

};

// Make sure that the options inside disabled selects aren't marked as disabled
```

```
// (WebKit marks them as disabled)
select.disabled = true;

jQuery.support.optDisabled = !opt.disabled;

jQuery.support.scriptEval = function() {

    if ( jQuery.support._scriptEval === null ) {

        var root = document.documentElement,
            script = document.createElement("script"),
            id = "script" + jQuery.now();

        script.type = "text/javascript";

        try {

            script.appendChild( document.createTextNode( "window." + id +
"=1;" ) );

        } catch(e) {}

        root.insertBefore( script, root.firstChild );
    }

    // Make sure that the execution of code works by injecting a script
    // tag with appendChild/createTextNode
    // (IE doesn't support this, fails, and uses .text instead)

    if ( window[ id ] ) {

        jQuery.support._scriptEval = true;

        delete window[ id ];

    } else {

        jQuery.support._scriptEval = false;

    }

    root.removeChild( script );
}
```

```
// release memory in IE
root = script = id = null;
}

return jQuery.support._scriptEval;
};

// Test to see if it's possible to delete an expando from an element
// Fails in Internet Explorer
try {
    delete div.test;

} catch(e) {
    jQuery.support.deleteExpando = false;
}

if ( div.attachEvent && div.fireEvent ) {
    div.attachEvent("onclick", function click() {
        // Cloning a node shouldn't copy over any
        // bound event handlers (IE does this)
        jQuery.support.noCloneEvent = false;
        div.detachEvent("onclick", click);
    });
    div.cloneNode(true).fireEvent("onclick");
}

div = document.createElement("div");
div.innerHTML = "<input type='radio' name='radiotest' checked='checked' />";
```

```
var fragment = document.createDocumentFragment();
fragment.appendChild( div.firstChild );

// WebKit doesn't clone checked state correctly in fragments
jQuery.support.checkClone = fragment.cloneNode(true).cloneNode(true).lastChild.checked;

// Figure out if the W3C box model works as expected
// document.body must exist before we can do this
jQuery(function() {
    var div = document.createElement("div"),
        body = document.getElementsByTagName("body")[0];

    // Frameset documents with no body should not run this code
    if ( !body ) {
        return;
    }

    div.style.width = div.style.paddingLeft = "1px";
    body.appendChild( div );
    jQuery.boxModel = jQuery.support.boxModel = div.offsetWidth === 2;

    if ( "zoom" in div.style ) {
        // Check if natively block-level elements act like inline-block
        // elements when setting their display to 'inline' and giving
        // them layout
        // (IE < 8 does this)
        div.style.display = "inline";
        div.style.zoom = 1;
        jQuery.support.inlineBlockNeedsLayout = div.offsetWidth === 2;
    }
})
```

```
// Check if elements with layout shrink-wrap their children
// (IE 6 does this)

div.style.display = "";
div.innerHTML = "<div style='width:4px;'></div>";
jQuery.support.shrinkWrapBlocks = div.offsetWidth !== 2;

}

div.innerHTML = "<table><tr><td
style='padding:0; border:0; display:none'></td><td>t</td></tr></table>";
var tds = div.getElementsByTagName("td");

// Check if table cells still have offsetWidth/Height when they are set
// to display:none and there are still other visible table cells in a
// table row; if so, offsetWidth/Height are not reliable for use when
// determining if an element has been hidden directly using
// display:none (it is still safe to use offsets if a parent element is
// hidden; don safety goggles and see bug #4512 for more information).
// (only IE 8 fails this test)

jQuery.support.reliableHiddenOffsets = tds[0].offsetHeight === 0;

tds[0].style.display = "";
tds[1].style.display = "none";

// Check if empty table cells still have offsetWidth/Height
// (IE < 8 fail this test)

jQuery.support.reliableHiddenOffsets = jQuery.support.reliableHiddenOffsets &&
tds[0].offsetHeight === 0;

div.innerHTML = "";
```

```
body.removeChild( div ).style.display = "none";
div = tds = null;
});

// Technique from Juriy Zaytsev
// http://thinkweb2.com/projects/prototype/detecting-event-support-without-browser-sniffing/
var eventSupported = function( eventName ) {
    var el = document.createElement("div");
    eventName = "on" + eventName;

    // We only care about the case where non-standard event systems
    // are used, namely in IE. Short-circuiting here helps us to
    // avoid an eval call (in setAttribute) which can cause CSP
    // to go haywire. See: https://developer.mozilla.org/en/Security/CSP
    if ( !el.attachEvent ) {
        return true;
    }

    var isSupported = (eventName in el);
    if ( !isSupported ) {
        el.setAttribute(eventName, "return;");
        isSupported = typeof el[eventName] === "function";
    }
    el = null;

    return isSupported;
};
```

```
jQuery.support.submitBubbles = eventSupported("submit");
jQuery.support.changeBubbles = eventSupported("change");

// release memory in IE
div = all = a = null;
}());

var rbrace = /^(?:\{.*\}|\\[.*\\])$/;

jQuery.extend({
cache: {},  

  

// Please use with caution
uuid: 0,  

  

// Unique for each copy of jQuery on the page
// Non-digits removed to match rinlinejQuery
expando: "jQuery" + ( jQuery.fn.jquery + Math.random() ).replace( /\D/g, "" ),  

  

// The following elements throw uncatchable exceptions if you
// attempt to add expando properties to them.
noData: {
    "embed": true,
    // Ban all objects except for Flash (which handle expandos)
    "object": "clsid:D27CDB6E-AE6D-11cf-96B8-444553540000",
    "applet": true
}
```

```
    },  
  
    hasData: function( elem ) {  
  
        elem = elem.nodeType ? jQuery.cache[ elem[jQuery.expando] ] : elem[  
jQuery.expando ];  
  
        return !!elem && !jQuery.isEmptyObject(elem);  
    },  
  
    data: function( elem, name, data, pvt /* Internal Use Only */ ) {  
  
        if ( !jQuery.acceptData( elem ) ) {  
  
            return;  
        }  
  
        var internalKey = jQuery.expando, getByName = typeof name === "string",  
thisCache,  
  
            // We have to handle DOM nodes and JS objects differently because IE6-7  
            // can't GC object references properly across the DOM-JS boundary  
            isNode = elem.nodeType,  
  
            // Only DOM nodes need the global jQuery cache; JS object data is  
            // attached directly to the object so GC can occur automatically  
            cache = isNode ? jQuery.cache : elem,  
  
            // Only defining an ID for JS objects if its cache already exists allows  
            // the code to shortcut on the same path as a DOM node with no cache  
            id = isNode ? elem[ jQuery.expando ] : elem[ jQuery.expando ] &&  
jQuery.expando;
```

```

// Avoid doing any more work than we need to when trying to get data on an
// object that has no data at all

if ( (!id || (pvt && id && !cache[ id ][ internalKey ])) && getByName && data ===
undefined ) {

    return;

}

if ( !id ) {

    // Only DOM nodes need a new unique ID for each element since their data
    // ends up in the global cache

    if ( isNode ) {

        elem[ jQuery.expando ] = id = ++jQuery.uuid;

    } else {

        id = jQuery.expando;

    }

}

if ( !cache[ id ] ) {

    cache[ id ] = {};

}

// An object can be passed to jQuery.data instead of a key/value pair; this gets
// shallow copied over onto the existing cache

if ( typeof name === "object" ) {

    if ( pvt ) {

        cache[ id ][ internalKey ] = jQuery.extend(cache[ id ][ internalKey ],
name);

    } else {

        cache[ id ] = jQuery.extend(cache[ id ], name);

    }

}

```

```
        }

    }

thisCache = cache[ id ];

// Internal jQuery data is stored in a separate object inside the object's data
// cache in order to avoid key collisions between internal data and user-defined
// data
if ( pvt ) {
    if ( !thisCache[ internalKey ] ) {
        thisCache[ internalKey ] = {};
    }
}

thisCache = thisCache[ internalKey ];
}

if ( data !== undefined ) {
    thisCache[ name ] = data;
}

// TODO: This is a hack for 1.5 ONLY. It will be removed in 1.6. Users should
// not attempt to inspect the internal events object using jQuery.data, as this
// internal data object is undocumented and subject to change.
if ( name === "events" && !thisCache[name] ) {
    return thisCache[ internalKey ] && thisCache[ internalKey ].events;
}

return getByName ? thisCache[ name ] : thisCache;
},
```

```
removeData: function( elem, name, pvt /* Internal Use Only */ ) {
    if ( !jQuery.acceptData( elem ) ) {
        return;
    }

    var internalKey = jQuery.expando, isNode = elem.nodeType,
        // See jQuery.data for more information
        cache = isNode ? jQuery.cache : elem,
        // See jQuery.data for more information
        id = isNode ? elem[ jQuery.expando ] : jQuery.expando;

    // If there is already no cache entry for this object, there is no
    // purpose in continuing
    if ( !cache[ id ] ) {
        return;
    }

    if ( name ) {
        var thisCache = pvt ? cache[ id ][ internalKey ] : cache[ id ];
        if ( thisCache ) {
            delete thisCache[ name ];
            // If there is no data left in the cache, we want to continue
            // and let the cache object itself get destroyed
            if ( !jQuery.isEmptyObject(thisCache) ) {

```

```
        return;

    }

}

// See jQuery.data for more information

if ( pvt ) {

    delete cache[ id ][ internalKey ];

    // Don't destroy the parent cache unless the internal data object
    // had been the only thing left in it

    if ( !jQuery.isEmptyObject(cache[ id ]) ) {

        return;

    }

}

var internalCache = cache[ id ][ internalKey ];

// Browsers that fail expando deletion also refuse to delete expandos on
// the window, but it will allow it on all other JS objects; other browsers
// don't care

if ( jQuery.support.deleteExpando || cache != window ) {

    delete cache[ id ];

} else {

    cache[ id ] = null;

}

// We destroyed the entire user cache at once because it's faster than
// iterating through each key, but we need to continue to persist internal
```

```

// data if it existed

if ( internalCache ) {

    cache[ id ] = {};
    cache[ id ][ internalKey ] = internalCache;

}

// Otherwise, we need to eliminate the expando on the node to avoid
// false lookups in the cache for entries that no longer exist

} else if ( isNode ) {

    // IE does not allow us to delete expando properties from nodes,
    // nor does it have a removeAttribute function on Document nodes;
    // we must handle all of these cases

    if ( jQuery.support.deleteExpando ) {

        delete elem[ jQuery.expando ];

    } else if ( elem.removeAttribute ) {

        elem.removeAttribute( jQuery.expando );

    } else {

        elem[ jQuery.expando ] = null;

    }

}

// For internal use only.

_data: function( elem, name, data ) {

    return jQuery.data( elem, name, data, true );

}

// A method for determining if a DOM node can handle the data expando

acceptData: function( elem ) {

    if ( elem.nodeName ) {

```

```
        var match = jQuery.noData[ elem.nodeName.toLowerCase() ];

        if ( match ) {
            return !(match === true || elem.getAttribute("classid") !== match);
        }

    }

    return true;
}

});

jQuery.fn.extend({
    data: function( key, value ) {
        var data = null;

        if ( typeof key === "undefined" ) {
            if ( this.length ) {
                data = jQuery.data( this[0] );
            }

            if ( this[0].nodeType === 1 ) {
                var attr = this[0].attributes, name;
                for ( var i = 0, l = attr.length; i < l; i++ ) {
                    name = attr[i].name;

                    if ( name.indexOf( "data-" ) === 0 ) {
                        name = name.substr( 5 );
                        dataAttr( this[0], name, data[ name ] );
                    }
                }
            }
        }
    }
});
```

```
        }

    }

    return data;

} else if ( typeof key === "object" ) {

    return this.each(function() {

        jQuery.data( this, key );

    });

}

var parts = key.split(".");
parts[1] = parts[1] ? "." + parts[1] : "";

if ( value === undefined ) {

    data = this.triggerHandler("getData" + parts[1] + "!", [parts[0]]);

    // Try to fetch any internally stored data first

    if ( data === undefined && this.length ) {

        data = jQuery.data( this[0], key );
        data = dataAttr( this[0], key, data );
    }

    return data === undefined && parts[1] ?

        this.data( parts[0] ) :

        data;
}

} else {

    return this.each(function() {
```

```
        var $this = jQuery( this ),
            args = [ parts[0], value ];

        $this.triggerHandler( "setData" + parts[1] + "!", args );
        jQuery.data( this, key, value );
        $this.triggerHandler( "changeData" + parts[1] + "!", args );
    });

}

removeData: function( key ) {
    return this.each(function() {
        jQuery.removeData( this, key );
    });
}

function dataAttr( elem, key, data ) {
    // If nothing was found internally, try to fetch any
    // data from the HTML5 data-* attribute
    if ( data === undefined && elem.nodeType === 1 ) {
        data = elem.getAttribute( "data-" + key );
        if ( typeof data === "string" ) {
            try {
                data = data === "true" ? true :
                    data === "false" ? false :
                    data === "null" ? null :
                    !jQuery.isNaN( data ) ? parseFloat( data ) :
                    JSON.parse( data );
            } catch( e ) {
                data = undefined;
            }
        }
    }
}
```

```
rbrace.test( data ) ? jQuery.parseJSON( data ) :  
    data;  
}  
  
} catch( e ) {}  
  
// Make sure we set the data so it isn't changed later  
jQuery.data( elem, key, data );  
  
}  
  
} else {  
    data = undefined;  
}  
}  
  
}  
  
return data;  
}  
  
jQuery.extend({  
    queue: function( elem, type, data ) {  
        if ( !elem ) {  
            return;  
        }  
  
        type = (type || "fx") + "queue";  
        var q = jQuery._data( elem, type );  
  
        // Speed up dequeue by getting out quickly if this is just a lookup  
        if ( !data ) {
```

```
        return q || [];
    }

    if ( !q || jQuery.isArray(data) ) {
        q = jQuery._data( elem, type, jQuery.makeArray(data) );
    } else {
        q.push( data );
    }

    return q;
},

dequeue: function( elem, type ) {
    type = type || "fx";

    var queue = jQuery.queue( elem, type ),
        fn = queue.shift();

    // If the fx queue is dequeued, always remove the progress sentinel
    if ( fn === "inprogress" ) {
        fn = queue.shift();
    }

    if ( fn ) {
        // Add a progress sentinel to prevent the fx queue from being
        // automatically dequeued
        if ( type === "fx" ) {
            queue.unshift("inprogress");
        }
    }
}
```

```
        }

        fn.call(elem, function() {
            jQuery.dequeue(elem, type);
        });
    }

    if ( !queue.length ) {
        jQuery.removeData( elem, type + "queue", true );
    }
}

jQuery.fn.extend({
    queue: function( type, data ) {
        if ( typeof type !== "string" ) {
            data = type;
            type = "fx";
        }

        if ( data === undefined ) {
            return jQuery.queue( this[0], type );
        }

        return this.each(function( i ) {
            var queue = jQuery.queue( this, type, data );

            if ( type === "fx" && queue[0] !== "inprogress" ) {
                jQuery.dequeue( this, type );
            }
        });
    }
});
```

```
});

},
dequeue: function( type ) {
    return this.each(function() {
        jQuery.dequeue( this, type );
    });
},

// Based off of the plugin by Clint Helfers, with permission.
// http://blindsignals.com/index.php/2009/07/jquery-delay/
delay: function( time, type ) {
    time = jQuery.fx ? jQuery.fx.speeds[time] || time : time;
    type = type || "fx";

    return this.queue( type, function() {
        var elem = this;
        setTimeout(function() {
            jQuery.dequeue( elem, type );
        }, time );
    });
}

clearQueue: function( type ) {
    return this.queue( type || "fx", [] );
}
});
```

```
var rclass = /[\\n\\t\\r]/g,
    rspaces = /\\s+/,
    rreturn = /\\r/g,
    rspecialurl = /^(?:href|src|style)$/,
    rtype = /^(?:button|input)$/i,
    rfocusable = /^(?:button|input|object|select|textarea)$/i,
    rclickable = /^a(?:rea)?$/i,
    rradiocheck = /^(?:radio|checkbox)$/i;
```

```
jQuery.props = {

    "for": "htmlFor",
    "class": "className",
    "readonly": "readOnly",
    "maxlength": "maxLength",
    "cellspacing": "cellSpacing",
    "rowspan": "rowSpan",
    "colspan": "colSpan",
    "tabindex": "tabIndex",
    "usemap": "useMap",
    "frameborder": "frameBorder"

};
```

```
jQuery.fn.extend({
    attr: function( name, value ) {
        return jQuery.access( this, name, value, true, jQuery.attr );
    },
    removeAttr: function( name, fn ) {
```

```
        return this.each(function(){
            jQuery.attr( this, name, "" );
            if ( this.nodeType === 1 ) {
                this.removeAttribute( name );
            }
        });
    },

addClass: function( value ) {
    if ( jQuery.isFunction(value) ) {
        return this.each(function(i) {
            var self = jQuery(this);
            self.addClass( value.call(this, i, self.attr("class")) );
        });
    }

    if ( value && typeof value === "string" ) {
        var classNames = (value || "").split( rspaces );

        for ( var i = 0, l = this.length; i < l; i++ ) {
            var elem = this[i];

            if ( elem.nodeType === 1 ) {
                if ( !elem.className ) {
                    elem.className = value;
                } else {
                    var className = " " + elem.className + " ",
                        setClass = elem.className;

```

```

        for ( var c = 0, cl = classNames.length; c < cl; c++ ) {

            if ( className.indexOf( " " + classNames[c] +
" " ) < 0 ) {

                setClass += " " + classNames[c];

            }

        }

        elem.className = jQuery.trim( setClass );

    }

}

return this;
},

removeClass: function( value ) {

    if ( jQuery.isFunction(value) ) {

        return this.each(function(i) {

            var self = jQuery(this);

            self.removeClass( value.call(this, i, self.attr("class")) );

        });

    }

    if ( (value && typeof value === "string") || value === undefined ) {

        var classNames = (value || "").split( rspaces );

        for ( var i = 0, l = this.length; i < l; i++ ) {

            var elem = this[i];

```

```

        if ( elem.nodeType === 1 && elem.className ) {

            if ( value ) {

                var className = (" " + elem.className + " ")
                    .replace(rclass, " ");

                for ( var c = 0, cl = classNames.length; c < cl; c++ ) {

                    className = className.replace(" " +
                        classNames[c] + " ", " ");

                }

                elem.className = jQuery.trim( className );

            } else {

                elem.className = "";

            }

        }

    }

    return this;
}

toggleClass: function( value, stateVal ) {

    var type = typeof value,
        isBool = typeof stateVal === "boolean";

    if ( jQueryisFunction( value ) ) {

        return this.each(function(i) {

            var self = jQuery(this);

            self.toggleClass( value.call(this, i, self.attr("class")), stateVal ),
                stateVal

        });

    }

}

```

```

        });

    }

    return this.each(function() {
        if ( type === "string" ) {

            // toggle individual class names

            var className,
                i = 0,
                self = jQuery( this ),
                state = stateVal,
                classNames = value.split( rspaces );

            while ( (className = classNames[ i++ ]) ) {

                // check each className given, space seperated list

                state = isBool ? state : !self.hasClass( className );
                self[ state ? "addClass" : "removeClass" ]( className );
            }
        } else if ( type === "undefined" || type === "boolean" ) {

            if ( this.className ) {

                // store className if set

                jQuery._data( this, "__className__", this.className );
            }
        }

        // toggle whole className

        this.className = this.className || value === false ? "" :
        jQuery._data( this, "__className__" ) || "";
    });
});
```

,

```
hasClass: function( selector ) {

    var className = " " + selector + " ";

    for ( var i = 0, l = this.length; i < l; i++ ) {

        if ( (" " + this[i].className + " ").replace(rclass, " ").indexOf( className ) > -1
    ) {

        return true;
    }
}
```

```
return false;
},
```

```
val: function( value ) {
```

```
if ( !arguments.length ) {

    var elem = this[0];

    if ( elem ) {

        if ( jQuery.nodeName( elem, "option" ) ) {

            // attributes.value is undefined in Blackberry 4.7 but
            // uses .value. See #6932

            var val = elem.attributes.value;

            return !val || val.specified ? elem.value : elem.text;
        }
    }
}
```

```
// We need to handle select boxes special
```

```
if ( jQuery.nodeName( elem, "select" ) ) {
```

```
    var index = elem.selectedIndex,
```

```

        values = [],

        options = elem.options,
        one = elem.type === "select-one";

        // Nothing was selected
        if ( index < 0 ) {

            return null;
        }

        // Loop through all the selected options
        for ( var i = one ? index : 0, max = one ? index + 1 :
options.length; i < max; i++ ) {

            var option = options[ i ];

            // Don't return options that are disabled or in a
disabled optgroup
            if ( option.selected && (jQuery.support.optDisabled
? !option.disabled : option.getAttribute("disabled") === null) &&
(!option.parentNode.disabled ||
!jQuery.nodeName( option.parentNode, "optgroup" )) ) {

                // Get the specific value for the option
                value = jQuery(option).val();

                // We don't need an array for one selects
                if ( one ) {

                    return value;
                }

                // Multi-Selects return an array
            }
        }
    }
}

```

```
        values.push( value );

    }

}

return values;

}

// Handle the case where in Webkit "" is returned instead of "on" if
a value isn't specified

if ( rradiocheck.test( elem.type ) && !jQuery.support.checkOn ) {

    return elem.getAttribute("value") === null ? "on" :
elem.value;

}

// Everything else, we just grab the value

return (elem.value || "").replace(rreturn, "");

}

return undefined;
}

var isFunction = jQueryisFunction(value);

return this.each(function(i) {

    var self = jQuery(this), val = value;

    if ( this.nodeType !== 1 ) {

        return;
    }

    if ( isFunction(val) ) {
        val = val.call(self);
    }

    if ( val === true ) {
        self.prop("checked", true);
    } else if ( val === false ) {
        self.prop("checked", false);
    } else if ( val === null ) {
        self.removeProp("checked");
    } else {
        self.prop("checked", val);
    }
});
```

```
        }

    if (isFunction) {

        val = value.call(this, i, self.val());

    }

// Treat null/undefined as ""; convert numbers to string

if (val == null) {

    val = "";

} else if (typeof val === "number") {

    val += "";

} else if (jQuery.isArray(val)) {

    val = jQuery.map(val, function (value) {

        return value == null ? "" : value + "";

    });

}

if (jQuery.isArray(val) && rradiocheck.test(this.type)) {

    this.checked = jQuery.inArray(self.val(), val) >= 0;

}

} else if (jQuery.nodeName(this, "select")) {

    var values = jQuery.makeArray(val);

    jQuery("option", this).each(function() {

        this.selected = jQuery.inArray(jQuery(this).val(), values) >= 0;

    });

}

if (!values.length) {
```

```
        this.selectedIndex = -1;

    }

} else {
    this.value = val;
}

});

jQuery.extend({
attrFn: {
    val: true,
    css: true,
    html: true,
    text: true,
    data: true,
    width: true,
    height: true,
    offset: true
},
attr: function( elem, name, value, pass ) {
    // don't get/set attributes on text, comment and attribute nodes
    if ( !elem || elem.nodeType === 3 || elem.nodeType === 8 || elem.nodeType === 2
) {
        return undefined;
    }
}
});
```

```
if ( pass && name in jQuery.attrFn ) {

    return jQuery(elem)[name](value);

}

var notxml = elem.nodeType !== 1 || !jQuery.isXMLDoc( elem ),

    // Whether we are setting (or getting)
    set = value !== undefined;

    // Try to normalize/fix the name
    name = notxml && jQuery.props[ name ] || name;

    // Only do all the following if this is a node (faster for style)
if ( elem.nodeType === 1 ) {

    // These attributes require special treatment
    var special = rspecialurl.test( name );

    // Safari mis-reports the default selected property of an option
    // Accessing the parent's selectedIndex property fixes it
    if ( name === "selected" && !jQuery.support.optSelected ) {

        var parent = elem.parentNode;

        if ( parent ) {

            parent.selectedIndex;

            // Make sure that it also works with optgroups, see #5701
            if ( parent.parentNode ) {

                parent.parentNode.selectedIndex;

            }

        }

    }

} 
```

```

// If applicable, access the attribute via the DOM 0 way

// 'in' checks fail in Blackberry 4.7 #6931

if ( (name in elem || elem[ name ] !== undefined) && notxml && !special ) {

    if ( set ) {

        // We can't allow the type property to be changed (since it
        causes problems in IE)

        if ( name === "type" && rtype.test( elem.nodeName ) &&
        elem.parentNode ) {

            jQuery.error( "type property can't be changed" );

        }

        if ( value === null ) {

            if ( elem.nodeType === 1 ) {

                elem.removeAttribute( name );

            }

        } else {

            elem[ name ] = value;

        }

    }

    // browsers index elements by id/name on forms, give priority to
    attributes.

    if ( jQuery.nodeName( elem, "form" ) &&
    elem.getAttributeNode(name) ) {

        return elem.getAttributeNode( name ).nodeValue;

    }

}

```

```
// elem.tabIndex doesn't always return the correct value when it
hasn't been explicitly set

// http://fluidproject.org/blog/2008/01/09/getting-setting-and-
removing-tabindex-values-with-javascript/

if ( name === "tabIndex" ) {

    var attributeNode = elem.getAttributeNode( "tabIndex" );

    return attributeNode && attributeNode.specified ?

        attributeNode.value :

        rfocusable.test( elem.nodeName ) || rclickable.test(
            elem.nodeName ) && elem.href ?

            0 :

            undefined;

}

return elem[ name ];

}

if ( !jQuery.support.style && notxml && name === "style" ) {

    if ( set ) {

        elem.style.cssText = "" + value;

    }

    return elem.style.cssText;

}

if ( set ) {

    // convert the value to a string (all browsers do this but IE) see
#1070

    elem.setAttribute( name, "" + value );
}
```

```
        }

        // Ensure that missing attributes return undefined
        // Blackberry 4.7 returns "" from getAttribute #6938
        if ( !elem.attributes[ name ] && (elem.hasAttribute && !elem.hasAttribute(
name )) ) {
            return undefined;
        }

        var attr = !jQuery.support.hrefNormalized && notxml && special ?
            // Some attributes require a special call on IE
            elem.getAttribute( name, 2 ) :
            elem.getAttribute( name );

        // Non-existent attributes return null, we normalize to undefined
        return attr === null ? undefined : attr;
    }
}

// Handle everything which isn't a DOM element node
if ( set ) {
    elem[ name ] = value;
}
return elem[ name ];
}

});

var rnamespaces = /\.(\.*$)/,
```

```
rformElems = /(?:textarea|input|select)$/i,
rperiod = /\.g,
rspace = / /g,
rescape = /[^\w\s.|\`]/g,
fcleanup = function( nm ) {
    return nm.replace(rescape, "\\$&");
},
eventKey = "events";

/*
 * A number of helper functions used for managing events.
 * Many of the ideas behind this code originated from
 * Dean Edwards' addEvent library.
 */
jQuery.event = {

    // Bind an event to an element
    // Original by Dean Edwards
    add: function( elem, types, handler, data ) {
        if ( elem.nodeType === 3 || elem.nodeType === 8 ) {
            return;
        }

        // For whatever reason, IE has trouble passing the window object
        // around, causing it to be cloned in the process
        if ( jQuery.isWindow( elem ) && ( elem !== window && !elem.frameElement ) ) {
            elem = window;
        }
    }
}
```

```
if ( handler === false ) {

    handler = returnFalse;

} else if ( !handler ) {

    // Fixes bug #7229. Fix recommended by jdalton

    return;

}

var handleObjIn, handleObj;

if ( handler.handler ) {

    handleObjIn = handler;

    handler = handleObjIn.handler;

}

// Make sure that the function being executed has a unique ID

if ( !handler.guid ) {

    handler.guid = jQuery.guid++;

}

// Init the element's event structure

var elemData = jQuery._data( elem );

// If no elemData is found then we must be trying to bind to one of the

// banned noData elements

if ( !elemData ) {

    return;

}

var events = elemData[ eventKey ],
```

```

eventHandle = elemData.handle;

if ( typeof events === "function" ) {

    // On plain objects events is a fn that holds the the data
    // which prevents this data from being JSON serialized
    // the function does not need to be called, it just contains the data

    eventHandle = events.handle;

    events = events.events;

} else if ( !events ) {

    if ( !elem.nodeType ) {

        // On plain objects, create a fn that acts as the holder
        // of the values to avoid JSON serialization of event data

        elemData[ eventKey ] = elemData = function(){};

    }

    elemData.events = events = {};

}

if ( !eventHandle ) {

    elemData.handle = eventHandle = function() {

        // Handle the second event of a trigger and when
        // an event is called after a page has unloaded

        return typeof jQuery !== "undefined" && !jQuery.event.triggered ?

            jQuery.event.handle.apply( eventHandle.elem, arguments ) :
            undefined;
    };

}

```

```
// Add elem as a property of the handle function
// This is to prevent a memory leak with non-native events in IE.
eventHandle.elem = elem;

// Handle multiple events separated by a space
// jQuery(...).bind("mouseover mouseout", fn);
types = types.split(" ");

var type, i = 0, namespaces;

while ( (type = types[ i++ ]) ) {

    handleObj = handleObjIn ?
        jQuery.extend({}, handleObjIn) :
        { handler: handler, data: data };

    // Namespaced event handlers
    if ( type.indexOf(".") > -1 ) {

        namespaces = type.split(".");
        type = namespaces.shift();

        handleObj.namespace = namespaces.slice(0).sort().join(".");

    } else {

        namespaces = [];
        handleObj.namespace = "";
    }

    handleObj.type = type;
    if ( !handleObj.guid ) {

        handleObj.guid = handler.guid;
    }
}
```

```
}

// Get the current list of functions bound to this event
var handlers = events[ type ],
    special = jQuery.event.special[ type ] || {};

// Init the event handler queue
if ( !handlers ) {
    handlers = events[ type ] = [];

    // Check for a special event handler
    // Only use addEventListener/attachEvent if the special
    // events handler returns false
    if ( !special.setup || special.setup.call( elem, data, namespaces,
eventHandle ) === false ) {
        // Bind the global event handler to the element
        if ( elem.addEventListener ) {
            elem.addEventListener( type, eventHandle, false );
        } else if ( elem.attachEvent ) {
            elem.attachEvent( "on" + type, eventHandle );
        }
    }
}

if ( special.add ) {
    special.add.call( elem, handleObj );

    if ( !handleObj.handler.guid ) {
```

```
        handleObj.handler.guid = handler.guid;

    }

}

// Add the function to the element's handler list
handlers.push( handleObj );

// Keep track of which events have been used, for global triggering
jQuery.event.global[ type ] = true;

}

// Nullify elem to prevent memory leaks in IE
elem = null;

},


global: {},


// Detach an event or set of events from an element
remove: function( elem, types, handler, pos ) {

    // don't do events on text and comment nodes
    if ( elem.nodeType === 3 || elem.nodeType === 8 ) {

        return;
    }

    if ( handler === false ) {

        handler = returnFalse;
    }

}
```

```
var ret, type, fn, j, i = 0, all, namespaces, namespace, special, eventType, handleObj,
origType,

    elemData = jQuery.hasData( elem ) && jQuery._data( elem ),
    events = elemData && elemData[ eventKey ];

if ( !elemData || !events ) {
    return;
}

if ( typeof events === "function" ) {

    elemData = events;
    events = events.events;
}

// types is actually an event object here
if ( types && types.type ) {

    handler = types.handler;
    types = types.type;
}

// Unbind all events for the element
if ( !types || typeof types === "string" && types.charAt(0) === "." ) {

    types = types || "";
    for ( type in events ) {
        jQuery.event.remove( elem, type + types );
    }
}

return;
```

```
}

// Handle multiple events separated by a space
// jQuery(...).unbind("mouseover mouseout", fn);
types = types.split(" ");

while ( (type = types[ i++ ]) ) {

    origType = type;
    handleObj = null;
    all = type.indexOf(".") < 0;
    namespaces = [];

    if ( !all ) {

        // Namespaced event handlers
        namespaces = type.split(".");
        type = namespaces.shift();

        namespace = new RegExp("(^|\\.)" +
            jQuery.map( namespaces.slice(0).sort(), fcleanup
        ).join("\\.(?:.*\\.)?") + "(\\.|$)");
    }

    eventType = events[ type ];

    if ( !eventType ) {
        continue;
    }

    if ( !handler ) {
```

```
        for ( j = 0; j < eventType.length; j++ ) {

            handleObj = eventType[ j ];

            if ( all || namespace.test( handleObj.namespace ) ) {

                jQuery.event.remove( elem, origType,
handleObj.handler, j );

                eventType.splice( j--, 1 );

            }

        }

        continue;

    }

special = jQuery.event.special[ type ] || {};

for ( j = pos || 0; j < eventType.length; j++ ) {

    handleObj = eventType[ j ];

    if ( handler.guid === handleObj.guid ) {

        // remove the given handler for the given type

        if ( all || namespace.test( handleObj.namespace ) ) {

            if ( pos == null ) {

                eventType.splice( j--, 1 );

            }

            if ( special.remove ) {

                special.remove.call( elem, handleObj );

            }

        }

    }

}
```

```

        if ( pos != null ) {
            break;
        }
    }

// remove generic event handler if no more handlers exist

if ( eventType.length === 0 || pos != null && eventType.length === 1 ) {
    if ( !special.teardown || special.teardown.call( elem, namespaces )
===== false ) {
        jQuery.removeEvent( elem, type, elemData.handle );
    }
}

ret = null;
delete events[ type ];
}

}

// Remove the expando if it's no longer used

if ( jQuery.isEmptyObject( events ) ) {
    var handle = elemData.handle;
    if ( handle ) {
        handle.elem = null;
    }
}

delete elemData.events;
delete elemData.handle;

```

```
        if ( typeof elemData === "function" ) {

            jQuery.removeData( elem, eventKey, true );

        } else if ( jQuery.isEmptyObject( elemData ) ) {

            jQuery.removeData( elem, undefined, true );

        }

    },

// bubbling is internal

trigger: function( event, data, elem /*, bubbling */ ) {

    // Event object or event type

    var type = event.type || event,

        bubbling = arguments[3];



    if ( !bubbling ) {

        event = typeof event === "object" ?

            // jQuery.Event object

            event[ jQuery.expando ] ? event :

            // Object literal

            jQuery.extend( jQuery.Event(type), event ) :

            // Just the event type (string)

            jQuery.Event(type);




        if ( type.indexOf("!") >= 0 ) {

            event.type = type = type.slice(0, -1);

            event.exclusive = true;

        }

    }

}
```

```
// Handle a global trigger

if ( !elem ) {

    // Don't bubble custom events when global (to avoid too much
overhead)

    event.stopPropagation();

    // Only trigger if we've ever bound an event for it

    if ( jQuery.event.global[ type ] ) {

        // XXX This code smells terrible. event.js should not be
directly

        // inspecting the data cache

        jQuery.each( jQuery.cache, function() {

            // internalKey variable is just used to make it easier
to find

            // and potentially change this stuff later; currently it
just

            // points to jQuery.expando

            var internalKey = jQuery.expando,
internalCache = this[ internalKey ];

            if ( internalCache && internalCache.events &&
internalCache.events[type] ) {

                jQuery.event.trigger( event, data,
internalCache.handle.elem );

            }

        });

    }

    // Handle triggering a single element

    // don't do events on text and comment nodes
```

```
if ( !elem || elem.nodeType === 3 || elem.nodeType === 8 ) {

    return undefined;

}

// Clean up in case it is reused
event.result = undefined;
event.target = elem;

// Clone the incoming data, if any
data = jQuery.makeArray( data );
data.unshift( event );

}

event.currentTarget = elem;

// Trigger the event, it is assumed that "handle" is a function
var handle = elem.nodeType ?

    jQuery._data( elem, "handle" ) :

    (jQuery._data( elem, eventKey ) || {}).handle;

if ( handle ) {

    handle.apply( elem, data );
}

var parent = elem.parentNode || elem.ownerDocument;

// Trigger an inline bound script
try {
```

```

        if ( !(elem && elem.nodeName &&
jQuery.noData[elem.nodeName.toLowerCase()]) ) {

            if ( elem[ "on" + type ] && elem[ "on" + type ].apply( elem, data )
== false ) {

                event.result = false;

                event.preventDefault();

            }

        }

// prevent IE from throwing an error for some elements with some event types, see
#3533

} catch (inlineError) {}

if ( !event.isPropagationStopped() && parent ) {

    jQuery.event.trigger( event, data, parent, true );

} else if ( !event.isDefaultPrevented() ) {

    var old,

        target = event.target,

        targetType = type.replace( rnamespaces, "" ),

        isClick = jQuery.nodeName( target, "a" ) && targetType === "click",

        special = jQuery.event.special[ targetType ] || {};



if ( (!special._default || special._default.call( elem, event ) === false) &&
!isClick && !(target && target.nodeName &&
jQuery.noData[target.nodeName.toLowerCase()]) ) {

    try {

        if ( target[ targetType ] ) {

```

```
// Make sure that we don't accidentally re-trigger
the onFOO events

    old = target[ "on" + targetType ];

    if ( old ) {

        target[ "on" + targetType ] = null;

    }

jQuery.event.triggered = true;

target[ targetType ]();

}

// prevent IE from throwing an error for some elements with some
event types, see #3533

} catch (triggerError) {}

if ( old ) {

    target[ "on" + targetType ] = old;

}

jQuery.event.triggered = false;

}

},


handle: function( event ) {

    var all, handlers, namespaces, namespace_re, events,
        namespace_sort = [],
        args = jQuery.makeArray( arguments );
}
```

```
event = args[0] = jQuery.event.fix( event || window.event );
event.currentTarget = this;

// Namespaced event handlers
all = event.type.indexOf(".") < 0 && !event.exclusive;

if ( !all ) {
    namespaces = event.type.split(".");
    event.type = namespaces.shift();
    namespace_sort = namespaces.slice(0).sort();
    namespace_re = new RegExp("(^|\\.)" + namespace_sort.join("\\.(?:.*\\.)?") +
+ "(\\.|$)");
}

event.namespace = event.namespace || namespace_sort.join(".");

events = jQuery._data(this, eventKey);

if ( typeof events === "function" ) {
    events = events.events;
}

handlers = (events || {})[ event.type ];

if ( events && handlers ) {
    // Clone the handlers to prevent manipulation
    handlers = handlers.slice(0);
```

```
for ( var j = 0, l = handlers.length; j < l; j++ ) {

    var handleObj = handlers[ j ];

    // Filter the functions by class

    if ( all || namespace_re.test( handleObj.namespace ) ){

        // Pass in a reference to the handler function itself

        // So that we can later remove it

        event.handler = handleObj.handler;

        event.data = handleObj.data;

        event.handleObj = handleObj;

        var ret = handleObj.handler.apply( this, args );

        if ( ret !== undefined ){

            event.result = ret;

            if ( ret === false ){

                event.preventDefault();

                event.stopPropagation();

            }

        }

        if ( event.isImmediatePropagationStopped() ){

            break;

        }

    }

    return event.result;

}
```

```
},
```

```
props: "altKey attrChange attrName bubbles button cancelable charCode clientX clientY  
ctrlKey currentTarget data detail eventPhase fromElement handler keyCode layerX layerY metaKey  
newValue offsetX offsetY pageX pageY prevValue relatedNode relatedTarget screenX screenY  
shiftKey srcElement target toElement view wheelDelta which".split(" "),
```

```
fix: function( event ) {  
    if ( event[ jQuery.expando ] ) {  
        return event;  
    }  
}
```

```
// store a copy of the original event object  
// and "clone" to set read-only properties  
var originalEvent = event;  
event = jQuery.Event( originalEvent );
```

```
for ( var i = this.props.length, prop; i; ) {  
    prop = this.props[ --i ];  
    event[ prop ] = originalEvent[ prop ];  
}
```

```
// Fix target property, if necessary  
if ( !event.target ) {  
    // Fixes #1925 where srcElement might not be defined either  
    event.target = event.srcElement || document;  
}
```

```
// check if target is a textnode (safari)  
if ( event.target.nodeType === 3 ) {
```

```
        event.target = event.target.parentNode;  
    }  
  
    // Add relatedTarget, if necessary  
    if ( !event.relatedTarget && event.fromElement ) {  
        event.relatedTarget = event.fromElement === event.target ?  
            event.toElement : event.fromElement;  
    }  
  
    // Calculate pageX/Y if missing and clientX/Y available  
    if ( event.pageX == null && event.clientX != null ) {  
        var doc = document.documentElement,  
            body = document.body;  
  
        event.pageX = event.clientX + (doc && doc.scrollLeft || body &&  
            body.scrollLeft || 0) - (doc && doc.clientLeft || body && body.clientLeft || 0);  
        event.pageY = event.clientY + (doc && doc.scrollTop || body &&  
            body.scrollTop || 0) - (doc && doc.clientTop || body && body.clientTop || 0);  
    }  
  
    // Add which for key events  
    if ( event.which == null && (event.charCode != null || event.keyCode != null) ) {  
        event.which = event.charCode != null ? event.charCode : event.keyCode;  
    }  
  
    // Add metaKey to non-Mac browsers (use ctrl for PC's and Meta for Macs)  
    if ( !event.metaKey && event.ctrlKey ) {  
        event.metaKey = event.ctrlKey;  
    }  

```

```
// Add which for click: 1 === left; 2 === middle; 3 === right
// Note: button is not normalized, so don't use it
if ( !event.which && event.button !== undefined ) {
    event.which = (event.button & 1 ? 1 : ( event.button & 2 ? 3 : ( event.button
& 4 ? 2 : 0 )));
}

return event;
},

// Deprecated, use jQuery.guid instead
guid: 1E8,

// Deprecated, use jQuery.proxy instead
proxy: jQuery.proxy,

special: {
    ready: {
        // Make sure the ready event is setup
        setup: jQuery.bindReady,
        teardown: jQuery.noop
    },
    live: {
        add: function( handleObj ) {
            jQuery.event.add( this,
                liveConvert( handleObj.origType, handleObj.selector ),
                jQuery.extend({}, handleObj, {handler: liveHandler, guid:
handleObj.handler.guid}) );
        }
    }
}
```

```
        },

remove: function( handleObj ) {

    jQuery.event.remove( this, liveConvert( handleObj.origType,
handleObj.selector ), handleObj );

}

},
beforeunload: {

setup: function( data, namespaces, eventHandle ) {

// We only want to do this special case on windows

if ( jQuery.isWindow( this ) ) {

    this.onbeforeunload = eventHandle;

}

},
teardown: function( namespaces, eventHandle ) {

if ( this.onbeforeunload === eventHandle ) {

    this.onbeforeunload = null;

}

}
}

};

jQuery.removeEventListener = document.removeEventListener ?

function( elem, type, handle ) {

if ( elem.removeEventListener ) {

    elem.removeEventListener( type, handle, false );

```

```

        }
    } :
function( elem, type, handle ) {
    if ( elem.detachEvent ) {
        elem.detachEvent( "on" + type, handle );
    }
};

jQuery.Event = function( src ) {
    // Allow instantiation without the 'new' keyword
    if ( !this.preventDefault ) {
        return new jQuery.Event( src );
    }

    // Event object
    if ( src && src.type ) {
        this.originalEvent = src;
        this.type = src.type;

        // Events bubbling up the document may have been marked as prevented
        // by a handler lower down the tree; reflect the correct value.
        this.isDefaultPrevented = (src.defaultPrevented || src.returnValue === false ||

            src.getPreventDefault && src.getPreventDefault() ) ? returnTrue :
        returnFalse;
    }

    // Event type
} else {
    this.type = src;
}

```

```
// timeStamp is buggy for some events on Firefox(#3843)
// So we won't rely on the native value
this.timeStamp = jQuery.now();

// Mark it as fixed
this[ jQuery.expando ] = true;
};

function returnFalse() {
    return false;
}

function returnTrue() {
    return true;
}

// jQuery.Event is based on DOM3 Events as specified by the ECMAScript Language Binding
// http://www.w3.org/TR/2003/WD-DOM-Level-3-Events-20030331/ecma-script-binding.html
jQuery.Event.prototype = {
    preventDefault: function() {
        this.isDefaultPrevented = returnTrue;

        var e = this.originalEvent;
        if ( !e ) {
            return;
        }

        // if preventDefault exists run it on the original event
        if ( e.preventDefault ) {

```

```
        e.preventDefault();

    // otherwise set the returnValue property of the original event to false (IE)
} else {
    e.returnValue = false;
}

},
stopPropagation: function() {
    this.isPropagationStopped = returnTrue;

    var e = this.originalEvent;
    if ( !e ) {
        return;
    }
    // if stopPropagation exists run it on the original event
    if ( e.stopPropagation ) {
        e.stopPropagation();
    }
    // otherwise set the cancelBubble property of the original event to true (IE)
    e.cancelBubble = true;
},
stopImmediatePropagation: function() {
    this.isImmediatePropagationStopped = returnTrue;
    this.stopPropagation();
},
isDefaultPrevented: returnFalse,
isPropagationStopped: returnFalse,
isImmediatePropagationStopped: returnFalse
};
```

```
// Checks if an event happened on an element within another element
// Used in jQuery.event.special.mouseenter and mouseleave handlers

var withinElement = function( event ) {

    // Check if mouse(over|out) are still within the same parent element
    var parent = event.relatedTarget;

    // Firefox sometimes assigns relatedTarget a XUL element
    // which we cannot access the parentNode property of
    try {

        // Traverse up the tree
        while ( parent && parent !== this ) {

            parent = parent.parentNode;
        }

        if ( parent !== this ) {

            // set the correct event type
            event.type = event.data;

            // handle event if we actually just moused on to a non sub-element
            jQuery.event.handle.apply( this, arguments );
        }
    }

    // assuming we've left the element since we most likely mousedover a xul element
} catch(e) {}

},
// In case of event delegation, we only need to rename the event.type,
// liveHandler will take care of the rest.
```

```
delegate = function( event ) {

    event.type = event.data;

    jQuery.event.handle.apply( this, arguments );

};

// Create mouseenter and mouseleave events

jQuery.each({

    mouseenter: "mouseover",
    mouseleave: "mouseout"

}, function( orig, fix ) {

    jQuery.event.special[ orig ] = {

        setup: function( data ) {

            jQuery.event.add( this, fix, data && data.selector ? delegate :
withinElement, orig );

        },
        teardown: function( data ) {

            jQuery.event.remove( this, fix, data && data.selector ? delegate :
withinElement );

        }
    };

});

// submit delegation

if ( !jQuery.support.submitBubbles ) {

    jQuery.event.special.submit = {

        setup: function( data, namespaces ) {

            if ( this.nodeName && this.nodeName.toLowerCase() !== "form" ) {

                jQuery.event.add(this, "click.specialSubmit", function( e ) {


```

```
        var elem = e.target,
            type = elem.type;

        if ( (type === "submit" || type === "image") && jQuery(
elem ).closest("form").length ) {
            e.liveFired = undefined;
            return trigger( "submit", this, arguments );
        }

    });

jQuery.event.add(this, "keypress.specialSubmit", function( e ) {
    var elem = e.target,
        type = elem.type;

    if ( (type === "text" || type === "password") && jQuery(
elem ).closest("form").length && e.keyCode === 13 ) {
        e.liveFired = undefined;
        return trigger( "submit", this, arguments );
    }

});

} else {
    return false;
}

},


teardown: function( namespaces ) {
    jQuery.event.remove( this, ".specialSubmit" );
}
}
```

```
};

}

// change delegation, happens here so we have bind.

if ( !jQuery.support.changeBubbles ) {

    var changeFilters,

        getVal = function( elem ) {

            var type = elem.type, val = elem.value;

            if ( type === "radio" || type === "checkbox" ) {

                val = elem.checked;

            } else if ( type === "select-multiple" ) {

                val = elem.selectedIndex > -1 ?

                    jQuery.map( elem.options, function( elem ) {

                        return elem.selected;

                    }).join("-") :

                    "";

            }

            } else if ( elem.nodeName.toLowerCase() === "select" ) {

                val = elem.selectedIndex;

            }

            return val;
},
};
```

```
testChange = function testChange( e ) {

    var elem = e.target, data, val;

    if ( !rformElems.test( elem.nodeName ) || elem.readOnly ) {
        return;
    }

    data = jQuery._data( elem, "_change_data" );
    val = getVal(elem);

    // the current data will be also retrieved by beforeactivate
    if ( e.type !== "focusout" || elem.type !== "radio" ) {
        jQuery._data( elem, "_change_data", val );
    }

    if ( data === undefined || val === data ) {
        return;
    }

    if ( data != null || val ) {
        e.type = "change";
        e.liveFired = undefined;
        return jQuery.event.trigger( e, arguments[1], elem );
    }
};

jQuery.event.special.change = {

    filters: {

        focusout: testChange,
```

```
beforedeactivate: testChange,  
  
click: function( e ) {  
    var elem = e.target, type = elem.type;  
  
    if ( type === "radio" || type === "checkbox" ||  
elem.nodeName.toLowerCase() === "select" ) {  
        return testChange.call( this, e );  
    }  
},  
  
// Change has to be called before submit  
  
// Keydown will be called before keypress, which is used in submit-event  
delegation  
keydown: function( e ) {  
    var elem = e.target, type = elem.type;  
  
    if ( (e.keyCode === 13 && elem.nodeName.toLowerCase() !==  
"textarea") ||  
        (e.keyCode === 32 && (type === "checkbox" || type ===  
"radio")) ||  
        type === "select-multiple" ) {  
        return testChange.call( this, e );  
    }  
},  
  
// Beforeactivate happens also before the previous element is blurred  
// with this event you can't trigger a change event, but you can store  
// information
```

```
beforeactivate: function( e ) {
    var elem = e.target;
    jQuery._data( elem, "_change_data", getVal(elem) );
}

},
setup: function( data, namespaces ) {
    if ( this.type === "file" ) {
        return false;
    }

    for ( var type in changeFilters ) {
        jQuery.event.add( this, type + ".specialChange", changeFilters[type] );
    }
}

return rformElems.test( this.nodeName );
};

teardown: function( namespaces ) {
    jQuery.event.remove( this, ".specialChange" );

    return rformElems.test( this.nodeName );
}
};

changeFilters = jQuery.event.special.change.filters;

// Handle when the input is .focus()'d
```

```
changeFilters.focus = changeFilters.beforeactivate;
}

function trigger( type, elem, args ) {
    args[0].type = type;
    return jQuery.event.handle.apply( elem, args );
}

// Create "bubbling" focus and blur events
if ( document.addEventListener ) {

    jQuery.each({ focus: "focusin", blur: "focusout" }, function( orig, fix ) {

        jQuery.event.special[ fix ] = {

            setup: function() {
                this.addEventListener( orig, handler, true );
            },
            teardown: function() {
                this.removeEventListener( orig, handler, true );
            }
        };
    });

    function handler( e ) {
        e = jQuery.event.fix( e );
        e.type = fix;
        return jQuery.event.handle.call( this, e );
    }
};

jQuery.each(["bind", "one"], function( i, name ) {
```

```
jQuery.fn[ name ] = function( type, data, fn ) {

    // Handle object literals

    if ( typeof type === "object" ) {

        for ( var key in type ) {

            this[ name ](key, data, type[key], fn);

        }

        return this;

    }

    if ( jQuery.isFunction( data ) || data === false ) {

        fn = data;

        data = undefined;

    }

    var handler = name === "one" ? jQuery.proxy( fn, function( event ) {

        jQuery( this ).unbind( event, handler );

        return fn.apply( this, arguments );

    }) : fn;

    if ( type === "unload" && name !== "one" ) {

        this.one( type, data, fn );

    } else {

        for ( var i = 0, l = this.length; i < l; i++ ) {

            jQuery.event.add( this[i], type, handler, data );

        }

    }

    return this;

}
```

```
};

});

jQuery.fn.extend({

unbind: function( type, fn ) {

    // Handle object literals

    if ( typeof type === "object" && !type.preventDefault ) {

        for ( var key in type ) {

            this.unbind(key, type[key]);

        }

    } else {

        for ( var i = 0, l = this.length; i < l; i++ ) {

            jQuery.event.remove( this[i], type, fn );

        }

    }

    return this;
},

delegate: function( selector, types, data, fn ) {

    return this.live( types, data, fn, selector );
},

undelegate: function( selector, types, fn ) {

    if ( arguments.length === 0 ) {

        return this.unbind( "live" );

    } else {


```

```
        return this.die( types, null, fn, selector );
    }

},


trigger: function( type, data ) {
    return this.each(function() {
        jQuery.event.trigger( type, data, this );
    });
},


triggerHandler: function( type, data ) {
    if ( this[0] ) {
        var event = jQuery.Event( type );
        event.preventDefault();
        event.stopPropagation();
        jQuery.event.trigger( event, data, this[0] );
        return event.result;
    }
},


toggle: function( fn ) {
    // Save reference to arguments for access in closure
    var args = arguments,
        i = 1;

    // link all the functions, so any of them can unbind this click handler
    while ( i < args.length ) {
        jQuery.proxy( fn, args[ i++ ] );
    }
}
```

```
        return this.click( jQuery.proxy( fn, function( event ) {

            // Figure out which function to execute

            var lastToggle = ( jQuery._data( this, "lastToggle" + fn.guid ) || 0 ) % i;
            jQuery._data( this, "lastToggle" + fn.guid, lastToggle + 1 );

            // Make sure that clicks stop
            event.preventDefault();

            // and execute the function
            return args[ lastToggle ].apply( this, arguments ) || false;
        }));
    },

    hover: function( fnOver, fnOut ) {

        return this.mouseenter( fnOver ).mouseleave( fnOut || fnOver );
    }
};

var liveMap = {

    focus: "focusin",
    blur: "focusout",
    mouseenter: "mouseover",
   mouseleave: "mouseout"
};

jQuery.each(["live", "die"], function( i, name ) {

    jQuery.fn[ name ] = function( types, data, fn, origSelector /* Internal Use Only */ ) {
        var type, i = 0, match, namespaces, preType,
```

```
        selector = origSelector || this.selector,
        context = origSelector ? this : jQuery( this.context );

        if ( typeof types === "object" && !types.preventDefault ) {

            for ( var key in types ) {

                context[ name ]( key, data, types[key], selector );

            }

            return this;
        }

        if ( jQuery.isFunction( data ) ) {

            fn = data;

            data = undefined;

        }

        types = (types || "").split(" ");

        while ( (type = types[ i++ ]) != null ) {

            match = rnamespaces.exec( type );
            namespaces = "";

            if ( match ) {

                namespaces = match[0];
                type = type.replace( rnamespaces, "" );
            }

            if ( type === "hover" ) {
```

```

        types.push( "mouseenter" + namespaces, "mouseleave" +
namespaces );

        continue;

    }

    preType = type;

    if ( type === "focus" || type === "blur" ) {

        types.push( liveMap[ type ] + namespaces );

        type = type + namespaces;

    } else {

        type = (liveMap[ type ] || type) + namespaces;

    }

    if ( name === "live" ) {

        // bind live handler

        for ( var j = 0, l = context.length; j < l; j++ ) {

            jQuery.event.add( context[j], "live." + liveConvert( type,
selector ),

                { data: data, selector: selector, handler: fn, origType:
type, origHandler: fn, preType: preType } );

        }

    } else {

        // unbind live handler

        context.unbind( "live." + liveConvert( type, selector ), fn );

    }

}

```

```
        return this;
    };
});

function liveHandler( event ) {
    var stop, maxLevel, related, match, handleObj, elem, j, i, l, data, close, namespace, ret,
        elems = [],
        selectors = [],
        events = jQuery._data( this, eventKey );

    if ( typeof events === "function" ) {
        events = events.events;
    }

    // Make sure we avoid non-left-click bubbling in Firefox (#3861) and disabled elements in IE
    // (#6911)
    if ( event.liveFired === this || !events || !events.live || event.target.disabled ||
        event.button && event.type === "click" ) {

        return;
    }

    if ( event.namespace ) {
        namespace = new RegExp("(^|\\.)" + event.namespace.split(".").join("\\.(?:.*\\.)?") +
        "(\\.|$)");
    }

    event.liveFired = this;

    var live = events.live.slice(0);
```

```

for ( j = 0; j < live.length; j++ ) {

    handleObj = live[j];

    if ( handleObj.origType.replace( namespaces, "" ) === event.type ) {

        selectors.push( handleObj.selector );

    } else {

        live.splice( j--, 1 );
    }
}

match = jQuery( event.target ).closest( selectors, event.currentTarget );

for ( i = 0, l = match.length; i < l; i++ ) {

    close = match[i];

    for ( j = 0; j < live.length; j++ ) {

        handleObj = live[j];

        if ( close.selector === handleObj.selector && (!namespace ||
namespace.test( handleObj.namespace )) ) {

            elem = close.elem;
            related = null;

            // Those two events require additional checking

            if ( handleObj.preType === "mouseenter" || handleObj.preType ===
"mouseleave" ) {

                event.type = handleObj.preType;
                related = jQuery( event.relatedTarget ).closest(
handleObj.selector )[0];
            }
        }
    }
}

```

```
        }

        if ( !related || related !== elem ) {

            elems.push({ elem: elem, handleObj: handleObj, level:
close.level });

        }

    }

}

for ( i = 0, l = elems.length; i < l; i++ ) {

    match = elems[i];

    if ( maxLevel && match.level > maxLevel ) {

        break;

    }

    event.currentTarget = match.elem;

    event.data = match.handleObj.data;

    event.handleObj = match.handleObj;

    ret = match.handleObj.origHandler.apply( match.elem, arguments );

    if ( ret === false || event.isPropagationStopped() ) {

        maxLevel = match.level;

        if ( ret === false ) {

            stop = false;

        }

    }

}
```

```
        if ( event.isImmediatePropagationStopped() ) {
            break;
        }
    }

    return stop;
}

function liveConvert( type, selector ) {
    return (type && type !== "*" ? type + "." : "") + selector.replace(rperiod, "\\").replace(rspace, "&");
}

jQuery.each( ("blur focus focusin focusout load resize scroll unload click dblclick " +
    "mousedown mouseup mousemove mouseover mouseout mouseenter mouseleave " +
    "change select submit keydown keypress keyup error").split(" "), function( i, name ) {

    // Handle event binding
    jQuery.fn[ name ] = function( data, fn ) {
        if ( fn == null ) {
            fn = data;
            data = null;
        }

        return arguments.length > 0 ?
            this.bind( name, data, fn ) :
            this.trigger( name );
    };
});
```

```

if ( jQuery.attrFn ) {

    jQuery.attrFn[ name ] = true;

}

});

/*!
 * Sizzle CSS Selector Engine
 * Copyright 2011, The Dojo Foundation
 * Released under the MIT, BSD, and GPL Licenses.
 * More information: http://sizzlejs.com/
 */

(function(){

var chunker = /((?:\((?:\(([^()]+)|[^()]+)+\)|\[(?:\[[^\[\]]*\]|["][^"]*["]|[^\\["]+)\|\.\.|[^+~,\\\]+)+|[>+~])(\s*,\s*)?((?:.|\\r|\\n)*))/g,
done = 0,
toString = Object.prototype.toString,
hasDuplicate = false,
baseHasDuplicate = true;

// Here we check if the JavaScript engine is using some sort of
// optimization where it does not always call our comparision
// function. If that is the case, discard the hasDuplicate value.
// Thus far that includes Google Chrome.

[0, 0].sort(function() {
    baseHasDuplicate = false;
    return 0;
}

```



```
parts.push( m[1] );

if ( m[2] ) {
    extra = m[3];
    break;
}

} while ( m );

if ( parts.length > 1 && origPOS.exec( selector ) ) {

    if ( parts.length === 2 && Expr.relative[ parts[0] ] ) {
        set = posProcess( parts[0] + parts[1], context );
    }

} else {
    set = Expr.relative[ parts[0] ] ?
        [ context ] :
        Sizzle( parts.shift(), context );
}

while ( parts.length ) {
    selector = parts.shift();

    if ( Expr.relative[ selector ] ) {
        selector += parts.shift();
    }

    set = posProcess( selector, set );
}
```

```

    }

} else {

    // Take a shortcut and set the context if the root selector is an ID

    // (but not if it'll be faster if the inner selector is an ID)

    if ( !seed && parts.length > 1 && context.nodeType === 9 && !contextXML &&

        Expr.match.ID.test(parts[0]) &&
        !Expr.match.ID.test(parts[parts.length - 1]) ) {

        ret = Sizzle.find( parts.shift(), context, contextXML );
        context = ret.expr ?
            Sizzle.filter( ret.expr, ret.set )[0] :
            ret.set[0];
    }

    if ( context ) {

        ret = seed ?
            { expr: parts.pop(), set: makeArray(seed) } :
            Sizzle.find( parts.pop(), parts.length === 1 && (parts[0] === "~" ||

parts[0] === "+") && context.parentNode ? context.parentNode : context, contextXML );

        set = ret.expr ?
            Sizzle.filter( ret.expr, ret.set ) :
            ret.set;

        if ( parts.length > 0 ) {

            checkSet = makeArray( set );
        }
    }
}

```

```
prune = false;

}

while ( parts.length ) {

    cur = parts.pop();

    pop = cur;

    if ( !Expr.relative[ cur ] ) {

        cur = "";

    } else {

        pop = parts.pop();

    }

    if ( pop == null ) {

        pop = context;

    }

    Expr.relative[ cur ]( checkSet, pop, contextXML );

}

} else {

    checkSet = parts = [];

}

if ( !checkSet ) {

    checkSet = set;

}
```

```
if ( !checkSet ) {

    Sizzle.error( cur || selector );

}

if ( toString.call(checkSet) === "[object Array]" ) {

    if ( !prune ) {

        results.push.apply( results, checkSet );

    } else if ( context && context.nodeType === 1 ) {

        for ( i = 0; checkSet[i] != null; i++ ) {

            if ( checkSet[i] && (checkSet[i] === true || checkSet[i].nodeType ===
1 && Sizzle.contains(context, checkSet[i])) ) {

                results.push( set[i] );

            }

        }

    } else {

        for ( i = 0; checkSet[i] != null; i++ ) {

            if ( checkSet[i] && checkSet[i].nodeType === 1 ) {

                results.push( set[i] );

            }

        }

    }

} else {

    makeArray( checkSet, results );

}

if ( extra ) {
```

```
        Sizzle( extra, origContext, results, seed );

        Sizzle.uniqueSort( results );

    }

    return results;
};

Sizzle.uniqueSort = function( results ) {

    if ( sortOrder ) {

        hasDuplicate = baseHasDuplicate;

        results.sort( sortOrder );

        if ( hasDuplicate ) {

            for ( var i = 1; i < results.length; i++ ) {

                if ( results[i] === results[ i - 1 ] ) {

                    results.splice( i--, 1 );
                }
            }
        }
    }

    return results;
};

Sizzle.matches = function( expr, set ) {

    return Sizzle( expr, null, null, set );
};

Sizzle.matchesSelector = function( node, expr ) {
```

```

        return Sizzle( expr, null, null, [node] ).length > 0;
    };

Sizzle.find = function( expr, context, isXML ) {
    var set;

    if ( !expr ) {
        return [];
    }

    for ( var i = 0, l = Expr.order.length; i < l; i++ ) {
        var match,
            type = Expr.order[i];

        if ( (match = Expr.leftMatch[ type ].exec( expr )) ) {
            var left = match[1];
            match.splice( 1, 1 );

            if ( left.substr( left.length - 1 ) !== "\\" ) {
                match[1] = (match[1] || "").replace(/\\"g, "");
                set = Expr.find[ type ]( match, context, isXML );

                if ( set != null ) {
                    expr = expr.replace( Expr.match[ type ], "" );
                    break;
                }
            }
        }
    }
}

```

```

if ( !set ) {
    set = typeof context.getElementsByTagName !== "undefined" ?
        context.getElementsByTagName( "*" ) :
        [];
}

return { set: set, expr: expr };
};

Sizzle.filter = function( expr, set, inplace, not ) {
    var match, anyFound,
        old = expr,
        result = [],
        curLoop = set,
        isXMLFilter = set && set[0] && Sizzle.isXML( set[0] );

    while ( expr && set.length ) {
        for ( var type in Expr.filter ) {
            if ( (match = Expr.leftMatch[ type ].exec( expr )) != null && match[2] ) {
                var found, item,
                    filter = Expr.filter[ type ],
                    left = match[1];

                anyFound = false;

                match.splice(1,1);

                if ( left.substr( left.length - 1 ) === "\\" ) {

```

```

        continue;

    }

    if ( curLoop === result ) {

        result = [];

    }

    if ( Expr.preFilter[ type ] ) {

        match = Expr.preFilter[ type ]( match, curLoop, inplace,
result, not, isXMLFilter );

        if ( !match ) {

            anyFound = found = true;

        } else if ( match === true ) {

            continue;

        }

    }

    if ( match ) {

        for ( var i = 0; (item = curLoop[i]) != null; i++ ) {

            if ( item ) {

                found = filter( item, match, i, curLoop );
                var pass = not ^ !!found;

                if ( inplace && found != null ) {

                    if ( pass ) {

                        anyFound = true;

                    }

                }

            }

        }

    }

}


```

```
        } else {
            curLoop[i] = false;
        }

    }

} else if ( pass ) {
    result.push( item );
    anyFound = true;
}

}

}

}

if ( found !== undefined ) {
    if ( !inplace ) {
        curLoop = result;
    }

    expr = expr.replace( Expr.match[ type ], "" );

    if ( !anyFound ) {
        return [];
    }

    break;
}

}

// Improper expression
```

```

        if ( expr === old ) {

            if ( anyFound == null ) {

                Sizzle.error( expr );

            } else {

                break;

            }

        }

        old = expr;

    }

    return curLoop;
};

Sizzle.error = function( msg ) {

    throw "Syntax error, unrecognized expression: " + msg;
};

var Expr = Sizzle.selectors = {

    order: [ "ID", "NAME", "TAG" ],

    match: {

        ID: /\#((?:[\w\u00c0-\uFFFF\-\-]|\\.\\.)+)/,
        CLASS: /\.\.((?:[\w\u00c0-\uFFFF\-\-]|\\.\\.)+)/,
        NAME: /\[[name="]*(?:[\w\u00c0-\uFFFF\-\-]|\\.\\.)+)["]*\]/,
        ATTR: /\[\s*((?:[\w\u00c0-\uFFFF\-\-]|\\.\\.)+)\s*(?:(\$?=)\s*(?:(["])(.*?))\3|(#?(?:[\w\u00c0-\uFFFF\-\-]|\\.\\.)*)||)\s*\]/,
        TAG: /(^((?:[\w\u00c0-\uFFFF\-\-]|\\.\\.)+))/,
    }
};

```

```

        CHILD: /:(only|nth|last|first)-child(?:\(\s*(even|odd)(?:[+\-]?\d+|(?:[+\-]
]?\d*)?n\s*(?:[+\-]\s*\d+)?))\s*\))/,
        POS: /:(nth|eq|gt|lt|first|last|even|odd)(?:\((\d*)\))?(?=^|\$)/,
        PSEUDO: /:(?:(\w\u00c0-\uFFFF|-)|\\.)(?:\\(([""]?)((?:\\([^\"])+\\)|[^\\\"]*)+)\2\))?/
    },

leftMatch: {},


attrMap: {
    "class": "className",
    "for": "htmlFor"
},


attrHandle: {
    href: function( elem ) {
        return elem.getAttribute( "href" );
    }
},


relative: {
    "+": function(checkSet, part){
        var isPartStr = typeof part === "string",
            isTag = isPartStr && !/\W/.test( part ),
            isPartStrNotTag = isPartStr && !isTag;

        if ( isTag ) {
            part = part.toLowerCase();
        }
    }
}

```

```

for ( var i = 0, l = checkSet.length, elem; i < l; i++ ) {

    if ( (elem = checkSet[i]) ) {

        while ( (elem = elem.previousSibling) && elem.nodeType !==
1 ) {}

        checkSet[i] = isPartStrNotTag || elem &&
elem.nodeName.toLowerCase() === part ?

            elem || false :

            elem === part;

    }

}

if ( isPartStrNotTag ) {

    Sizzle.filter( part, checkSet, true );

}

},
">": function( checkSet, part ) {

    var elem,
        isPartStr = typeof part === "string",
        i = 0,
        l = checkSet.length;

    if ( isPartStr && !/\W/.test( part ) ) {

        part = part.toLowerCase();

        for ( ; i < l; i++ ) {

            elem = checkSet[i];

```

```

        if ( elem ) {

            var parent = elem.parentNode;

            checkSet[i] = parent.nodeName.toLowerCase() ===
part ? parent : false;

        }

    }

} else {

    for ( ; i < l; i++ ) {

        elem = checkSet[i];

        if ( elem ) {

            checkSet[i] = isPartStr ?

                elem.parentNode :

                elem.parentNode === part;

        }

    }

    if ( isPartStr ) {

        Sizzle.filter( part, checkSet, true );

    }

}

},
"""

: function(checkSet, part, isXML){

    var nodeCheck,
        doneName = done++,
        checkFn = dirCheck;
}

```

```

        if ( typeof part === "string" && !/\W/.test(part) ) {

            part = part.toLowerCase();
            nodeCheck = part;
            checkFn = dirNodeCheck;

        }

        checkFn( "parentNode", part, doneName, checkSet, nodeCheck, isXML );

    },

":~": function( checkSet, part, isXML ) {

    var nodeCheck,
        doneName = done++,
        checkFn = dirCheck;

    if ( typeof part === "string" && !/\W/.test( part ) ) {

        part = part.toLowerCase();
        nodeCheck = part;
        checkFn = dirNodeCheck;

    }

    checkFn( "previousSibling", part, doneName, checkSet, nodeCheck, isXML );

}

},


find: {

    ID: function( match, context, isXML ) {

        if ( typeof context.getElementById !== "undefined" && !isXML ) {

            var m = context.getElementById(match[1]);
            // Check parentNode to catch when Blackberry 4.6 returns

```

```

        // nodes that are no longer in the document #6963
        return m && m.parentNode ? [m] : [];
    }

},

NAME: function( match, context ) {

    if ( typeof context.getElementsByName !== "undefined" ) {

        var ret = [],
            results = context.getElementsByName( match[1] );

        for ( var i = 0, l = results.length; i < l; i++ ) {

            if ( results[i].getAttribute("name") === match[1] ) {

                ret.push( results[i] );
            }
        }

        return ret.length === 0 ? null : ret;
    }

}

TAG: function( match, context ) {

    if ( typeof context.getElementsByTagName !== "undefined" ) {

        return context.getElementsByTagName( match[1] );
    }

}

preFilter: {

    CLASS: function( match, curLoop, inplace, result, not, isXML ) {

        match = " " + match[1].replace(/\V/g, "") + " ";

```

```

if ( isXML ) {

    return match;

}

for ( var i = 0, elem; (elem = curLoop[i]) != null; i++ ) {

    if ( elem ) {

        if ( not ^ (elem.className && (" " + elem.className + ""

").replace(/[\t\n\r]/g, " ").indexOf(match) >= 0 ) {

            if ( !inplace ) {

                result.push( elem );

            }

        } else if ( inplace ) {

            curLoop[i] = false;

        }

    }

    return false;
},
ID: function( match ) {

    return match[1].replace(/\V/g, "");

},
TAG: function( match, curLoop ) {

    return match[1].toLowerCase();

},

```

```

CHILD: function( match ) {

    if ( match[1] === "nth" ) {

        if ( !match[2] ) {

            Sizzle.error( match[0] );

        }

    }

    match[2] = match[2].replace( /\^|+|\s*/g, "" );

    // parse equations like 'even', 'odd', '5', '2n', '3n+2', '4n-1', '-n+6'
    var test = /(-?)(\d*)(?:n([+\-]\d*))?/.exec(
        match[2] === "even" && "2n" || match[2] === "odd" &&
        "2n+1" ||
        !/\D/.test( match[2] ) && "0n+" + match[2] || match[2]);
    // calculate the numbers (first)n+(last) including if they are negative
    match[2] = (test[1] + (test[2] || 1)) - 0;
    match[3] = test[3] - 0;
}

else if ( match[2] ) {

    Sizzle.error( match[0] );
}

// TODO: Move to normal caching system
match[0] = done++;

return match;
},

```

```

ATTR: function( match, curLoop, inplace, result, not, isXML ) {

    var name = match[1] = match[1].replace(/\Vg, "");

    if ( !isXML && Expr.attrMap[name] ) {

        match[1] = Expr.attrMap[name];

    }

    // Handle if an un-quoted value was used

    match[4] = ( match[4] || match[5] || "" ).replace(/\Vg, "");

    if ( match[2] === "~=" ) {

        match[4] = " " + match[4] + " ";

    }

    return match;

},

```

```

PSEUDO: function( match, curLoop, inplace, result, not ) {

    if ( match[1] === "not" ) {

        // If we're dealing with a complex expression, or a simple one

        if ( ( chunker.exec(match[3]) || "" ).length > 1 ||

/^\\w/.test(match[3]) ) {

            match[3] = Sizzle(match[3], null, null, curLoop);

        } else {

            var ret = Sizzle.filter(match[3], curLoop, inplace, true ^ not);

            if ( !inplace ) {

                result.push.apply( result, ret );

            }

        }

    }

}

```

```
        }

    return false;
}

} else if ( Expr.match.POS.test( match[0] ) || Expr.match.CHILD.test(
match[0] ) ) {

    return true;
}

return match;
},


POS: function( match ) {

    match.unshift( true );

    return match;
}

filters: {

    enabled: function( elem ) {

        return elem.disabled === false && elem.type !== "hidden";
    },


    disabled: function( elem ) {

        return elem.disabled === true;
    }
},
```

```
checked: function( elem ) {
    return elem.checked === true;
},


selected: function( elem ) {
    // Accessing this property makes selected-by-default
    // options in Safari work properly
    elem.parentNode.selectedIndex;

    return elem.selected === true;
},


parent: function( elem ) {
    return !!elem.firstChild;
},


empty: function( elem ) {
    return !elem.firstChild;
},


has: function( elem, i, match ) {
    return !!Sizzle( match[3], elem ).length;
},


header: function( elem ) {
    return (/h\d/i).test( elem.nodeName );
},


text: function( elem ) {
```

```
        return "text" === elem.type;  
    },  
  
    radio: function( elem ) {  
  
        return "radio" === elem.type;  
    },  
  
  
    checkbox: function( elem ) {  
  
        return "checkbox" === elem.type;  
    },  
  
  
    file: function( elem ) {  
  
        return "file" === elem.type;  
    },  
  
    password: function( elem ) {  
  
        return "password" === elem.type;  
    },  
  
  
    submit: function( elem ) {  
  
        return "submit" === elem.type;  
    },  
  
  
    image: function( elem ) {  
  
        return "image" === elem.type;  
    },  
  
  
    reset: function( elem ) {  
  
        return "reset" === elem.type;  
    },
```

```
button: function( elem ) {

    return "button" === elem.type || elem.nodeName.toLowerCase() ===
"button";

},


input: function( elem ) {

    return (/input|select|textarea|button/i).test( elem.nodeName );

}

},

setFilters: {

first: function( elem, i ) {

    return i === 0;

},


last: function( elem, i, match, array ) {

    return i === array.length - 1;

},


even: function( elem, i ) {

    return i % 2 === 0;

},


odd: function( elem, i ) {

    return i % 2 === 1;

},


lt: function( elem, i, match ) {

    return i < match[3] - 0;

},
```

```
gt: function( elem, i, match ) {
    return i > match[3] - 0;
},

nth: function( elem, i, match ) {
    return match[3] - 0 === i;
},

eq: function( elem, i, match ) {
    return match[3] - 0 === i;
}

filter: {

PSEUDO: function( elem, match, i, array ) {
    var name = match[1],
        filter = Expr.filters[ name ];

    if ( filter ) {
        return filter( elem, i, match, array );
    }

} else if ( name === "contains" ) {
    return (elem.textContent || elem.innerText || Sizzle.getText([ elem
])) || "").indexOf(match[3]) >= 0;

} else if ( name === "not" ) {
    var not = match[3];
    for ( var j = 0, l = not.length; j < l; j++ ) {


```

```

        if ( not[j] === elem ) {

            return false;

        }

    }

    return true;

} else {

    Sizzle.error( name );

}

},

```

CHILD: function(elem, match) {

```

var type = match[1],
node = elem;

switch ( type ) {

    case "only":


    case "first":


        while ( (node = node.previousSibling) )  {

            if ( node.nodeType === 1 ) {

                return false;

            }

        }

    if ( type === "first" ) {

        return true;

    }

}

```

```
        node = elem;

    case "last":
        while ( (node = node.nextSibling) ) {
            if ( node.nodeType === 1 ) {
                return false;
            }
        }

        return true;

    case "nth":
        var first = match[2],
            last = match[3];

        if ( first === 1 && last === 0 ) {
            return true;
        }

        var doneName = match[0],
            parent = elem.parentNode;

        if ( parent && (parent.sizcache !== doneName || !elem.nodeIndex) ) {
            var count = 0;

            for ( node = parent.firstChild; node; node =
node.nextSibling ) {
                if ( node.nodeType === 1 ) {
```

```
        node.nodeIndex = ++count;

    }

}

parent.sizcache = doneName;

}

var diff = elem.nodeIndex - last;

if ( first === 0 ) {

    return diff === 0;

} else {

    return ( diff % first === 0 && diff / first >= 0 );

}

}

ID: function( elem, match ) {

    return elem.nodeType === 1 && elem.getAttribute("id") === match;

},


TAG: function( elem, match ) {

    return (match === "*" && elem.nodeType === 1) ||
elem.nodeName.toLowerCase() === match;

},


CLASS: function( elem, match ) {

    return (" " + (elem.className || elem.getAttribute("class")) + " ")

}
```

```
.indexOf( match ) > -1;  
},  
  
ATTR: function( elem, match ) {  
    var name = match[1],  
        result = Expr.attrHandle[ name ] ?  
            Expr.attrHandle[ name ]( elem ) :  
            elem[ name ] != null ?  
                elem[ name ] :  
                elem.getAttribute( name ),  
        value = result + "",  
        type = match[2],  
        check = match[4];  
  
    return result == null ?  
        type === "!=" :  
        type === "=" ?  
            value === check :  
            type === "*=" ?  
                value.indexOf(check) >= 0 :  
                type === "~=" ?  
                    (" " + value + " ").indexOf(check) >= 0 :  
                    !check ?  
                        value && result !== false :  
                        type === "!=" ?  
                            value !== check :  
                            type === "^=" ?  
                                value.indexOf(check) === 0 :  
                                type === "$=" ?
```

```

        value.substr(value.length - check.length) === check :
        type === "=" ?
        value === check || value.substr(0, check.length + 1) === check + "-" :
        false;
    },
}

POS: function( elem, match, i, array ) {

    var name = match[2],
        filter = Expr.setFilters[ name ];

    if ( filter ) {
        return filter( elem, i, match, array );
    }
}

};

var origPOS = Expr.match.POS,
fescape = function(all, num){
    return "\\" + (num - 0 + 1);
};

for ( var type in Expr.match ) {

    Expr.match[ type ] = new RegExp( Expr.match[ type ].source +
    (/^(?![^\\[]*\])(?![^\\([]*\\))/.source ) );

    Expr.leftMatch[ type ] = new RegExp( /(^(?:.|\\r|\\n)*?)/.source + Expr.match[ type
    ].source.replace(/\\\(\d+)/g, fescape) );

}

```

```
var makeArray = function( array, results ) {

    array = Array.prototype.slice.call( array, 0 );

    if ( results ) {
        results.push.apply( results, array );
        return results;
    }

    return array;
};

// Perform a simple check to determine if the browser is capable of
// converting a NodeList to an array using builtin methods.
// Also verifies that the returned array holds DOM nodes
// (which is not the case in the Blackberry browser)

try {
    Array.prototype.slice.call( document.documentElement.childNodes, 0 )[0].nodeType;

    // Provide a fallback method if it does not work
} catch( e ) {

    makeArray = function( array, results ) {

        var i = 0,
            ret = results || [];

        if ( toString.call(array) === "[object Array]" ) {
            Array.prototype.push.apply( ret, array );
        }

        } else {
            if ( typeof array.length === "number" ) {
```

```
        for ( var l = array.length; i < l; i++ ) {

            ret.push( array[i] );

        }

    } else {

        for ( ; array[i]; i++ ){

            ret.push( array[i] );

        }

    }

    return ret;
};

}

var sortOrder, siblingCheck;

if ( document.documentElement.compareDocumentPosition ) {

    sortOrder = function( a, b ) {

        if ( a === b ) {

            hasDuplicate = true;

            return 0;

        }

        if ( !a.compareDocumentPosition || !b.compareDocumentPosition ) {

            return a.compareDocumentPosition ? -1 : 1;

        }

        return a.compareDocumentPosition(b) & 4 ? -1 : 1;

    }

}
```

```
};

} else {

    sortOrder = function( a, b ) {

        var al, bl,
            ap = [],
            bp = [],
            aup = a.parentNode,
            bup = b.parentNode,
            cur = aup;

        // The nodes are identical, we can exit early
        if ( a === b ) {

            hasDuplicate = true;

            return 0;

        // If the nodes are siblings (or identical) we can do a quick check
        } else if ( aup === bup ) {

            return siblingCheck( a, b );

        // If no parents were found then the nodes are disconnected
        } else if ( !aup ) {

            return -1;

        } else if ( !bup ) {

            return 1;

        }

        // Otherwise they're somewhere else in the tree so we need
    };
}
```

```

// to build up a full list of the parentNodes for comparison

while ( cur ) {

    ap.unshift( cur );

    cur = cur.parentNode;

}

cur = bup;

while ( cur ) {

    bp.unshift( cur );

    cur = cur.parentNode;

}

al = ap.length;
bl = bp.length;

// Start walking down the tree looking for a discrepancy

for ( var i = 0; i < al && i < bl; i++ ) {

    if ( ap[i] !== bp[i] ) {

        return siblingCheck( ap[i], bp[i] );

    }

}

// We ended someplace up the tree so do a sibling check

return i === al ?


    siblingCheck( a, bp[i], -1 ) :


    siblingCheck( ap[i], b, 1 );


};

```

```
siblingCheck = function( a, b, ret ) {

    if ( a === b ) {
        return ret;
    }

    var cur = a.nextSibling;

    while ( cur ) {
        if ( cur === b ) {
            return -1;
        }

        cur = cur.nextSibling;
    }

    return 1;
};

// Utility function for retrieving the text value of an array of DOM nodes
Sizzle.getText = function( elems ) {

    var ret = "", elem;

    for ( var i = 0; elems[i]; i++ ) {
        elem = elems[i];

        // Get the text from text nodes and CDATA nodes
        if ( elem.nodeType === 3 || elem.nodeType === 4 ) {
            ret += elem.nodeValue;
        }
    }
}
```

```

        // Traverse everything else, except comment nodes
    } else if ( elem.nodeType !== 8 ) {
        ret += Sizzle.getText( elem.childNodes );
    }
}

return ret;
};

// Check to see if the browser returns elements by name when
// querying by getElementById (and provide a workaround)
(function(){

    // We're going to inject a fake input element with a specified name
    var form = document.createElement("div"),
        id = "script" + (new Date()).getTime(),
        root = document.documentElement;

    form.innerHTML = "<a name=\"" + id + "\"/>";

    // Inject it into the root element, check its status, and remove it quickly
    root.insertBefore( form, root.firstChild );

    // The workaround has to do additional checks after a getElementById
    // Which slows things down for other browsers (hence the branching)
    if ( document.getElementById( id ) ) {

        Expr.find.ID = function( match, context, isXML ) {
            if ( typeof context.getElementById !== "undefined" && !isXML ) {
                var m = context.getElementById(match[1]);

```

```

        return m ?

            m.id === match[1] || typeof m.getAttributeNode !==
"undefined" && m.getAttributeNode("id").nodeValue === match[1] ?

                [m] :

                undefined :

            [];

        }

};

Expr.filter.ID = function( elem, match ) {

    var node = typeof elem.getAttributeNode !== "undefined" &&
elem.getAttributeNode("id");

    return elem.nodeType === 1 && node && node.nodeValue === match;

};

root.removeChild( form );

// release memory in IE
root = form = null;

})();

(function(){

// Check to see if the browser returns only elements
// when doing getElementsByTagName("*")

// Create a fake element

```

```
var div = document.createElement("div");
div.appendChild( document.createComment("") );

// Make sure no comments are found
if ( div.getElementsByTagName("*").length > 0 ) {

    Expr.find.TAG = function( match, context ) {

        var results = context.getElementsByTagName( match[1] );

        // Filter out possible comments
        if ( match[1] === "*" ) {

            var tmp = [];

            for ( var i = 0; results[i]; i++ ) {

                if ( results[i].nodeType === 1 ) {
                    tmp.push( results[i] );
                }
            }

            results = tmp;
        }

        return results;
    };
}

// Check to see if an attribute returns normalized href attributes
div.innerHTML = "<a href='#'></a>";

if ( div.firstChild && typeof div.firstChild.getAttribute !== "undefined" &&
```

```
        div.firstChild.getAttribute("href") !== "#" ) {  
  
    Expr.attrHandle.href = function( elem ) {  
        return elem.getAttribute( "href", 2 );  
    };  
}  
  
// release memory in IE  
div = null;  
})();  
  
if ( document.querySelectorAll ) {  
    (function(){  
        var oldSizzle = Sizzle,  
            div = document.createElement("div"),  
            id = "__sizzle__";  
  
        div.innerHTML = "<p class='TEST'></p>";  
  
        // Safari can't handle uppercase or unicode characters when  
        // in quirks mode.  
        if ( div.querySelectorAll && div.querySelectorAll(".TEST").length === 0 ) {  
            return;  
        }  
  
        Sizzle = function( query, context, extra, seed ) {  
            context = context || document;  
  
            // Only use querySelectorAll on non-XML documents
```

```

// (ID selectors don't work in non-HTML documents)

if ( !seed && !Sizzle.isXML(context) ) {

    // See if we find a selector to speed up

    var match = /^(\\w+\\$)|^\\.([\\w\\-]+\\$)|^#([\\w\\-]+\\$)/.exec( query );

    if ( match && (context.nodeType === 1 || context.nodeType === 9) )

    {

        // Speed-up: Sizzle("TAG")

        if ( match[1] ) {

            return makeArray( context.getElementsByTagName(
query ), extra );

        }

        // Speed-up: Sizzle(".CLASS")

        } else if ( match[2] && Expr.find.CLASS &&
context.getElementsByClassName ) {

            return makeArray(
context.getElementsByClassName( match[2] ), extra );

        }

    }

    if ( context.nodeType === 9 ) {

        // Speed-up: Sizzle("body")

        // The body element only exists once, optimize finding it

        if ( query === "body" && context.body ) {

            return makeArray( [ context.body ], extra );

        }

        // Speed-up: Sizzle("#ID")

        } else if ( match && match[3] ) {

            var elem = context.getElementById( match[3] );

```

```

        // Check parentNode to catch when Blackberry 4.6
returns

        // nodes that are no longer in the document #6963
        if ( elem && elem.parentNode ) {

            // Handle the case where IE and Opera
return items

            // by name instead of ID
            if ( elem.id === match[3] ) {

                return makeArray( [ elem ], extra );
            }

        } else {

            return makeArray( [], extra );
        }

    }

try {
    return makeArray( context.querySelectorAll(query),
extra );
} catch(qsaError) {}

// qSA works strangely on Element-rooted queries
// We can work around this by specifying an extra ID on the root
// and working up from there (Thanks to Andrew Dupont for the
technique)

// IE 8 doesn't work on object elements
} else if ( context.nodeType === 1 &&
context.nodeName.toLowerCase() !== "object" ) {

    var old = context.getAttribute( "id" ),
nid = old || id,

```

```

        hasParent = context.parentNode,
        relativeHierarchySelector = /\^\\s*[+~]/.test( query );

        if ( !old ) {
            context.setAttribute( "id", nid );
        } else {
            nid = nid.replace( '/g, "\\$&" );
        }

        if ( relativeHierarchySelector && hasParent ) {
            context = context.parentNode;
        }

    try {
        if ( !relativeHierarchySelector || hasParent ) {
            return makeArray( context.querySelectorAll(
                "[id='" + nid + "'] " + query ), extra );
        }
    }

} catch(pseudoError) {
} finally {
    if ( !old ) {
        context.removeAttribute( "id" );
    }
}

}

return oldSizzle(query, context, extra, seed);
};

```

```

        for ( var prop in oldSizzle ) {

            Sizzle[ prop ] = oldSizzle[ prop ];

        }

        // release memory in IE
        div = null;
    }());
}

(function(){

    var html = document.documentElement,
        matches = html.matchesSelector || html.mozMatchesSelector ||
        html.webkitMatchesSelector || html.msMatchesSelector,
        pseudoWorks = false;

    try {

        // This should fail with an exception
        // Gecko does not error, returns false instead
        matches.call( document.documentElement, "[test!="]:sizzle" );

    } catch( pseudoError ) {

        pseudoWorks = true;
    }

    if ( matches ) {

        Sizzle.matchesSelector = function( node, expr ) {

            // Make sure that attribute selectors are quoted
            expr = expr.replace(/\=\s*([^\"]]*\])*\s*\]/g, "='\$1']");

```

```

if ( !Sizzle.isXML( node ) ) {

    try {

        if ( pseudoWorks || !Expr.match.PSEUDO.test( expr ) &&
!/=/.test( expr ) ) {

            return matches.call( node, expr );

        }

    } catch(e) {}

}

return Sizzle(expr, null, null, [node]).length > 0;

};

}

}());

(function(){

var div = document.createElement("div");

div.innerHTML = "<div class='test e'></div><div class='test'></div>";

// Opera can't find a second classname (in 9.6)

// Also, make sure that getElementsByClassName actually exists

if ( !div.getElementsByClassName || div.getElementsByClassName("e").length === 0 ) {

    return;

}

// Safari caches class attributes, doesn't catch changes (in 3.2)

div.lastChild.className = "e";

```

```
if ( div.getElementsByClassName("e").length === 1 ) {

    return;

}

Expr.order.splice(1, 0, "CLASS");

Expr.find.CLASS = function( match, context, isXML ) {

    if ( typeof context.getElementsByClassName !== "undefined" && !isXML ) {

        return context.getElementsByClassName(match[1]);

    }

};

// release memory in IE
div = null;

})();

function dirNodeCheck( dir, cur, doneName, checkSet, nodeCheck, isXML ) {

    for ( var i = 0, l = checkSet.length; i < l; i++ ) {

        var elem = checkSet[i];

        if ( elem ) {

            var match = false;

            elem = elem[dir];

            while ( elem ) {

                if ( elem.sizcache === doneName ) {

                    match = checkSet[elem.sizset];
                    break;
                }
            }
        }
    }
}
```

```

        if ( elem.nodeType === 1 && !isXML ){

            elem.sizcache = doneName;

            elem.sizset = i;

        }

        if ( elem.nodeName.toLowerCase() === cur ) {

            match = elem;

            break;

        }

        elem = elem[dir];

    }

    checkSet[i] = match;

}

}

function dirCheck( dir, cur, doneName, checkSet, nodeCheck, isXML ) {

    for ( var i = 0, l = checkSet.length; i < l; i++ ) {

        var elem = checkSet[i];

        if ( elem ) {

            var match = false;

            elem = elem[dir];

            while ( elem ) {


```

```
        if ( elem.sizcache === doneName ) {

            match = checkSet[elem.sizset];

            break;

        }

        if ( elem.nodeType === 1 ) {

            if ( !isXML ) {

                elem.sizcache = doneName;

                elem.sizset = i;

            }

            if ( typeof cur !== "string" ) {

                if ( elem === cur ) {

                    match = true;

                    break;

                }

            } else if ( Sizzle.filter( cur, [elem] ).length > 0 ) {

                match = elem;

                break;

            }

            elem = elem[dir];

        }

        checkSet[i] = match;

    }

}
```

```
}
```

```
if ( document.documentElement.contains ) {

    Sizzle.contains = function( a, b ) {

        return a !== b && (a.contains ? a.contains(b) : true);

    };

} else if ( document.documentElement.compareDocumentPosition ) {

    Sizzle.contains = function( a, b ) {

        return !(a.compareDocumentPosition(b) & 16);

    };

} else {

    Sizzle.contains = function() {

        return false;

    };

}
```

```
Sizzle.isXML = function( elem ) {

    // documentElement is verified for cases where it doesn't yet exist
    // (such as loading iframes in IE - #4833)

    var documentElement = (elem ? elem.ownerDocument || elem : 0).documentElement;

    return documentElement ? documentElement.nodeName !== "HTML" : false;

};
```

```
var posProcess = function( selector, context ) {

    var match,
        tmpSet = [],
```

```
later = "",  
root = context.nodeType ? [context] : context;  
  
// Position selectors must be done after the filter  
// And so must :not(positional) so we move all PSEUDOs to the end  
while ( (match = Expr.match.PSEUDO.exec( selector )) ) {  
    later += match[0];  
    selector = selector.replace( Expr.match.PSEUDO, "" );  
}  
  
selector = Expr.relative[selector] ? selector + "*" : selector;  
  
for ( var i = 0, l = root.length; i < l; i++ ) {  
    Sizzle( selector, root[i], tmpSet );  
}  
  
return Sizzle.filter( later, tmpSet );  
};  
  
// EXPOSE  
jQuery.find = Sizzle;  
jQuery.expr = Sizzle.selectors;  
jQuery.expr[":"] = jQuery.expr.filters;  
jQuery.unique = Sizzle.uniqueSort;  
jQuery.text = Sizzle.getText;  
jQuery.isXMLDoc = Sizzle.isXML;  
jQuery.contains = Sizzle.contains;
```

```
})(());

var runtil = /Until$/,
    rparentsprev = /^(?:parents|prevUntil|prevAll)/,
    // Note: This RegExp should be improved, or likely pulled from Sizzle
    rmultiselector = /,/,
    isSimple = /^.[^:#\[\.,]*$/,
    slice = Array.prototype.slice,
    POS = jQuery.expr.match.POS,
    // methods guaranteed to produce a unique set when starting from a unique set
    guaranteedUnique = {
        children: true,
        contents: true,
        next: true,
        prev: true
    };

jQuery.fn.extend({
    find: function( selector ) {
        var ret = this.pushStack( "", "find", selector ),
            length = 0;

        for ( var i = 0, l = this.length; i < l; i++ ) {
            length = ret.length;
            jQuery.find( selector, this[i], ret );

            if ( i > 0 ) {
                // Make sure that the results are unique

```

```
        for ( var n = length; n < ret.length; n++ ) {

            for ( var r = 0; r < length; r++ ) {

                if ( ret[r] === ret[n] ) {

                    ret.splice(n--, 1);

                    break;

                }

            }

        }

    }

    return ret;
},


has: function( target ) {

    var targets = jQuery( target );

    return this.filter(function() {

        for ( var i = 0, l = targets.length; i < l; i++ ) {

            if ( jQuery.contains( this, targets[i] ) ) {

                return true;

            }

        }

    });

},


not: function( selector ) {

    return this.pushStack( winnow(this, selector, false), "not", selector);
},
```

```
filter: function( selector ) {

    return this.pushStack( winnow(this, selector, true), "filter", selector );
},


is: function( selector ) {

    return !!selector && jQuery.filter( selector, this ).length > 0;
},


closest: function( selectors, context ) {

    var ret = [], i, l, cur = this[0];

    if ( jQuery.isArray( selectors ) ) {

        var match, selector,
            matches = {},
            level = 1;

        if ( cur && selectors.length ) {

            for ( i = 0, l = selectors.length; i < l; i++ ) {

                selector = selectors[i];

                if ( !matches[selector] ) {

                    matches[selector] = jQuery.expr.match.POS.test(
                        selector ) ?

                        jQuery( selector, context || this.context ) :
                        selector;

                }
            }
        }

        while ( cur && cur.ownerDocument && cur !== context ) {

```

```

        for ( selector in matches ) {

            match = matches[selector];

                if ( match.jquery ? match.index(cur) > -1 :

jQuery(cur).is(match) ) {

                    ret.push({ selector: selector, elem: cur,
level: level });

                }

            }

            cur = cur.parentNode;
            level++;
        }

    }

    return ret;
}

var pos = POS.test( selectors ) ?

jQuery( selectors, context || this.context ) : null;

for ( i = 0, l = this.length; i < l; i++ ) {

    cur = this[i];

    while ( cur ) {

        if ( pos ? pos.index(cur) > -1 : jQuery.find.matchesSelector(cur,
selectors) ) {

            ret.push( cur );
            break;
        }
    }
}

```

```

        } else {

            cur = cur.parentNode;

            if ( !cur || !cur.ownerDocument || cur === context ) {

                break;

            }

        }

    }

    ret = ret.length > 1 ? jQuery.unique(ret) : ret;

    return this.pushStack( ret, "closest", selectors );

},


// Determine the position of an element within
// the matched set of elements
index: function( elem ) {

    if ( !elem || typeof elem === "string" ) {

        return jQuery.inArray( this[0],
            // If it receives a string, the selector is used
            // If it receives nothing, the siblings are used
            elem ? jQuery( elem ) : this.parent().children() );
    }

    // Locate the position of the desired element
    return jQuery.inArray(
        // If it receives a jQuery object, the first element is used
        elem.jquery ? elem[0] : elem, this );
}
,
```

```
add: function( selector, context ) {

    var set = typeof selector === "string" ?

        jQuery( selector, context ) :

        jQuery.makeArray( selector ),

        all = jQuery.merge( this.get(), set );

    return this.pushStack( isDisconnected( set[0] ) || isDisconnected( all[0] ) ?

        all :

        jQuery.unique( all ) );

},

andSelf: function() {

    return this.add( this.prevObject );

}

});

// A painfully simple check to see if an element is disconnected
// from a document (should be improved, where feasible).

function isDisconnected( node ) {

    return !node || !node.parentNode || node.parentNode.nodeType === 11;

}

jQuery.each({

    parent: function( elem ) {

        var parent = elem.parentNode;

        return parent && parent.nodeType !== 11 ? parent : null;

    },

    parents: function( elem ) {

        return jQuery.dir( elem, "parentNode" );

    }

});
```

```
        },
        parentsUntil: function( elem, i, until ) {
            return jQuery.dir( elem, "parentNode", until );
        },
        next: function( elem ) {
            return jQuery.nth( elem, 2, "nextSibling" );
        },
        prev: function( elem ) {
            return jQuery.nth( elem, 2, "previousSibling" );
        },
        nextAll: function( elem ) {
            return jQuery.dir( elem, "nextSibling" );
        },
        prevAll: function( elem ) {
            return jQuery.dir( elem, "previousSibling" );
        },
        nextUntil: function( elem, i, until ) {
            return jQuery.dir( elem, "nextSibling", until );
        },
        prevUntil: function( elem, i, until ) {
            return jQuery.dir( elem, "previousSibling", until );
        },
        siblings: function( elem ) {
            return jQuery.sibling( elem.parentNode.firstChild, elem );
        },
        children: function( elem ) {
            return jQuery.sibling( elem.firstChild );
        },
        contents: function( elem ) {
```

```
        return jQuery.nodeName( elem, "iframe" ) ?
            elem.contentDocument || elem.contentWindow.document :
            jQuery.makeArray( elem.childNodes );
    }

}, function( name, fn ) {

    jQuery.fn[ name ] = function( until, selector ) {

        var ret = jQuery.map( this, fn, until ),

        // The variable 'args' was introduced in
        // https://github.com/jquery/jquery/commit/52a0238
        // to work around a bug in Chrome 10 (Dev) and should be removed when the bug is fixed.
        // http://code.google.com/p/v8/issues/detail?id=1050

        args = slice.call(arguments);

        if ( !until.test( name ) ) {

            selector = until;

        }

        if ( selector && typeof selector === "string" ) {

            ret = jQuery.filter( selector, ret );

        }

        ret = this.length > 1 && !guaranteedUnique[ name ] ? jQuery.unique( ret ) : ret;

        if ( (this.length > 1 || rmultiselector.test( selector )) && rparentsprev.test( name ) ) {

            ret = ret.reverse();

        }

        return this.pushStack( ret, name, args.join(",") );

    };

}
```

```
});
```

```
jQuery.extend({
```

```
    filter: function( expr, elems, not ) {
```

```
        if ( not ) {
```

```
            expr = ":not(" + expr + ")";
```

```
        }
```

```
        return elems.length === 1 ?
```

```
            jQuery.find.matchesSelector(elems[0], expr) ? [ elems[0] ] : [] :
```

```
            jQuery.find.matches(expr, elems);
```

```
        },
```

```
    dir: function( elem, dir, until ) {
```

```
        var matched = [],
```

```
        cur = elem[ dir ];
```

```
        while ( cur && cur.nodeType !== 9 && (until === undefined || cur.nodeType !== 1 ||  
!jQuery( cur ).is( until )) ) {
```

```
            if ( cur.nodeType === 1 ) {
```

```
                matched.push( cur );
```

```
            }
```

```
            cur = cur[dir];
```

```
        }
```

```
        return matched;
```

```
    },
```

```
    nth: function( cur, result, dir, elem ) {
```

```
        result = result || 1;
```

```

var num = 0;

for ( ; cur; cur = cur[dir] ) {

    if ( cur.nodeType === 1 && ++num === result ) {

        break;
    }
}

return cur;
},

sibling: function( n, elem ) {

    var r = [];

    for ( ; n; n = n.nextSibling ) {

        if ( n.nodeType === 1 && n !== elem ) {

            r.push( n );
        }
    }
}

return r;
};

});

// Implement the identical functionality for filter and not

function winnow( elements, qualifier, keep ) {

    if ( jQueryisFunction( qualifier ) ) {

        return jQuery.grep(elements, function( elem, i ) {

            var retVal = !!qualifier.call( elem, i, elem );

```

```
        return retVal === keep;
    });

} else if ( qualifier.nodeType ) {

    return jQuery.grep(elements, function( elem, i ) {

        return (elem === qualifier) === keep;
    });

} else if ( typeof qualifier === "string" ) {

    var filtered = jQuery.grep(elements, function( elem ) {

        return elem.nodeType === 1;
    });

    if ( isSimple.test( qualifier ) ) {

        return jQuery.filter(qualifier, filtered, !keep);
    } else {

        qualifier = jQuery.filter( qualifier, filtered );
    }

}

return jQuery.grep(elements, function( elem, i ) {

    return (jQuery.inArray( elem, qualifier ) >= 0) === keep;
});

}

var rinlinejQuery = / jQuery\\d+="(?:\\d+|null)"/g,
```

```

rleadingWhitespace = /^\s+/,
rxhtmlTag = /<(?![area|br|col|embed|hr|img|input|link|meta|param)(([\w:]+)[^>]* )\/>/ig,
rtagName = /<([\w:]+)/,
rtbody = /<tbody/i,
rhtml = /<|&#?\\w+;/,
rnocache = /<(?:script|object|embed|option|style)/i,
// checked="checked" or checked (html5)
rchecked = /checked\s*(?:[^=]|=\s*.checked.)/i,
wrapMap = {
    option: [ 1, "<select multiple='multiple>", "</select>" ],
    legend: [ 1, "<fieldset>", "</fieldset>" ],
    thead: [ 1, "<table>", "</table>" ],
    tr: [ 2, "<table><tbody>", "</tbody></table>" ],
    td: [ 3, "<table><tbody><tr>", "</tr></tbody></table>" ],
    col: [ 2, "<table><tbody></tbody><colgroup>", "</colgroup></table>" ],
    area: [ 1, "<map>", "</map>" ],
    _default: [ 0, "", "" ]
};

wrapMap.optgroup = wrapMap.option;
wrapMap.tbody = wrapMap.tfoot = wrapMap.colgroup = wrapMap.caption = wrapMap.thead;
wrapMap.th = wrapMap.td;

// IE can't serialize <link> and <script> tags normally
if ( !jQuery.support.htmlSerialize ) {
    wrapMap._default = [ 1, "div<div>", "</div>" ];
}

jQuery.fn.extend({

```

```
text: function( text ) {
    if ( jQuery.isFunction(text) ) {
        return this.each(function(i) {
            var self = jQuery( this );
            self.text( text.call(this, i, self.text()) );
        });
    }

    if ( typeof text !== "object" && text !== undefined ) {
        return this.empty().append( (this[0] && this[0].ownerDocument ||
document).createTextNode( text ) );
    }

    return jQuery.text( this );
},

wrapAll: function( html ) {
    if ( jQuery.isFunction( html ) ) {
        return this.each(function(i) {
            jQuery(this).wrapAll( html.call(this, i) );
        });
    }

    if ( this[0] ) {
        // The elements to wrap the target around
        var wrap = jQuery( html, this[0].ownerDocument ).eq(0).clone(true);

        if ( this[0].parentNode ) {
```

```
        wrap.insertBefore( this[0] );
    }

    wrap.map(function() {
        var elem = this;

        while ( elem.firstChild && elem.firstChild.nodeType === 1 ) {
            elem = elem.firstChild;
        }

        return elem;
    }).append(this);
}

return this;
},

wrapInner: function( html ) {
    if ( jQuery.isFunction( html ) ) {
        return this.each(function(i) {
            jQuery(this).wrapInner( html.call(this, i) );
        });
    }

    return this.each(function() {
        var self = jQuery( this ),
            contents = self.contents();

        if ( contents.length ) {

```

```
        contents.wrapAll( html );

    } else {
        self.append( html );
    }
});

},
wrap: function( html ) {
    return this.each(function() {
        jQuery( this ).wrapAll( html );
    });
},
unwrap: function() {
    return this.parent().each(function() {
        if ( !jQuery.nodeName( this, "body" ) ) {
            jQuery( this ).replaceWith( this.childNodes );
        }
    }).end();
},
append: function() {
    return this.domManip(arguments, true, function( elem ) {
        if ( this.nodeType === 1 ) {
            this.appendChild( elem );
        }
    });
},
};
```

```

prepend: function() {
    return this.domManip(arguments, true, function( elem ) {
        if ( this.nodeType === 1 ) {
            this.insertBefore( elem, this.firstChild );
        }
    });
},

before: function() {
    if ( this[0] && this[0].parentNode ) {
        return this.domManip(arguments, false, function( elem ) {
            this.parentNode.insertBefore( elem, this );
        });
    } else if ( arguments.length ) {
        var set = jQuery(arguments[0]);
        set.push.apply( set, this.toArray() );
        return this.pushStack( set, "before", arguments );
    }
},

after: function() {
    if ( this[0] && this[0].parentNode ) {
        return this.domManip(arguments, false, function( elem ) {
            this.parentNode.insertBefore( elem, this.nextSibling );
        });
    } else if ( arguments.length ) {
        var set = this.pushStack( this, "after", arguments );
        set.push.apply( set, jQuery(arguments[0]).toArray() );
    }
}

```

```
        return set;
    }

},


// keepData is for internal use only--do not document
remove: function( selector, keepData ) {

    for ( var i = 0, elem; (elem = this[i]) != null; i++ ) {

        if ( !selector || jQuery.filter( selector, [ elem ] ).length ) {

            if ( !keepData && elem.nodeType === 1 ) {

                jQuery.cleanData( elem.getElementsByTagName("*") );
                jQuery.cleanData( [ elem ] );
            }

        }

        if ( elem.parentNode ) {

            elem.parentNode.removeChild( elem );
        }

    }

}

return this;
},


empty: function() {

    for ( var i = 0, elem; (elem = this[i]) != null; i++ ) {

        // Remove element nodes and prevent memory leaks

        if ( elem.nodeType === 1 ) {

            jQuery.cleanData( elem.getElementsByTagName("*") );
        }

    }

}
```

```
// Remove any remaining nodes
while ( elem.firstChild ) {
    elem.removeChild( elem.firstChild );
}

}

return this;
},

clone: function( dataAndEvents, deepDataAndEvents ) {
    dataAndEvents = dataAndEvents == null ? true : dataAndEvents;
    deepDataAndEvents = deepDataAndEvents == null ? dataAndEvents :
deepDataAndEvents;

    return this.map( function () {
        return jQuery.clone( this, dataAndEvents, deepDataAndEvents );
    });
}

html: function( value ) {
    if ( value === undefined ) {
        return this[0] && this[0].nodeType === 1 ?
            this[0].innerHTML.replace(rinlinejQuery, "") :
            null;
    }

    // See if we can take a shortcut and just use innerHTML
} else if ( typeof value === "string" && !rnocache.test( value ) &&
(jQuery.support.leadingWhitespace || !leadingWhitespace.test( value )) &&
```

```
!wrapMap[ (rtagName.exec( value ) || [ "", ""])[1].toLowerCase() ] ) {  
  
    value = value.replace(rxhtmlTag, "<$1></$2>");  
  
    try {  
  
        for ( var i = 0, l = this.length; i < l; i++ ) {  
  
            // Remove element nodes and prevent memory leaks  
  
            if ( this[i].nodeType === 1 ) {  
  
                jQuery.cleanData(  
this[i].getElementsByTagName("*"));  
  
                this[i].innerHTML = value;  
  
            }  
  
        }  
  
        // If using innerHTML throws an exception, use the fallback method  
  
    } catch(e) {  
  
        this.empty().append( value );  
  
    }  
  
    } else if ( jQueryisFunction( value ) ) {  
  
        this.each(function(i){  
  
            var self = jQuery( this );  
  
            self.html( value.call(this, i, self.html()) );  
  
        });  
  
    } else {  
  
        this.empty().append( value );  
  
    }  

```

```
return this;  
},  
  
replaceWith: function( value ) {  
    if ( this[0] && this[0].parentNode ) {  
        // Make sure that the elements are removed from the DOM before they are  
        // inserted  
        // this can help fix replacing a parent with child elements  
        if ( jQuery.isFunction( value ) ) {  
            return this.each(function(i) {  
                var self = jQuery(this), old = self.html();  
                self.replaceWith( value.call( this, i, old ) );  
            });  
        }  
  
        if ( typeof value !== "string" ) {  
            value = jQuery( value ).detach();  
        }  
  
        return this.each(function() {  
            var next = this.nextSibling,  
                parent = this.parentNode;  
  
            jQuery( this ).remove();  
  
            if ( next ) {  
                jQuery(next).before( value );  
            } else {  
                // If there is no next sibling, we need to move the parent up.  
                // This is a bit of a hack, but it works.  
                parent.appendChild( value );  
            }  
        });  
    }  
};
```

```

                jQuery(parent).append( value );

            }

        });

    } else {

        return this.pushStack( jQuery(jQuery.isFunction(value) ? value() : value),
"replaceWith", value );
    }
},


detach: function( selector ) {

    return this.remove( selector, true );
},


domManip: function( args, table, callback ) {

    var results, first, fragment, parent,
        value = args[0],
        scripts = [];



    // We can't cloneNode fragments that contain checked, in WebKit
    if ( !jQuery.support.checkClone && arguments.length === 3 && typeof value ===
"string" && rchecked.test( value ) ) {

        return this.each(function() {

            jQuery(this).domManip( args, table, callback, true );
        });
    }

    if ( jQueryisFunction(value) ) {

        return this.each(function(i) {
            var self = jQuery(this);

```

```
        args[0] = value.call(this, i, table ? self.html() : undefined);

        self.domManip( args, table, callback );

    });

}

if ( this[0] ) {

    parent = value && value.parentNode;

    // If we're in a fragment, just use that instead of building a new one
    if ( jQuery.support.parentNode && parent && parent.nodeType === 11 &&
parent.childNodes.length === this.length ) {

        results = { fragment: parent };

    } else {

        results = jQuery.buildFragment( args, this, scripts );
    }

    fragment = results.fragment;

    if ( fragment.childNodes.length === 1 ) {

        first = fragment = fragment.firstChild;

    } else {

        first = fragment.firstChild;

    }

    if ( first ) {

        table = table && jQuery.nodeName( first, "tr" );

        for ( var i = 0, l = this.length, lastIndex = l - 1; i < l; i++ ) {
```

```
        callback.call(  
            table ?  
                root(this[i], first) :  
                this[i],  
            // Make sure that we do not leak memory by  
            inadvertently discarding  
            // the original fragment (which might have attached  
            data) instead of  
            // using it; in addition, use the original fragment  
            object for the last  
            // item instead of first because it can end up being  
            emptied incorrectly  
            // in certain situations (Bug #8070).  
            // Fragments from the fragment cache must always  
            be cloned and never used  
            // in place.  
            results.cacheable || (l > 1 && i < lastIndex) ?  
                jQuery.clone( fragment, true, true ) :  
                fragment  
            );  
        }  
  
        if ( scripts.length ) {  
            jQuery.each( scripts, evalScript );  
        }  
  
        return this;  
    }  

```

```
});
```

```
function root( elem, cur ) {
    return jQuery.nodeName(elem, "table") ?
        (elem.getElementsByTagName("tbody")[0] ||
         elem.appendChild(elem.ownerDocument.createElement("tbody"))):
        elem;
}
```

```
function cloneCopyEvent( src, dest ) {
```

```
if ( dest.nodeType !== 1 || !jQuery.hasData( src ) ) {
    return;
}
```

```
var internalKey = jQuery.expando,
    oldData = jQuery.data( src ),
    curData = jQuery.data( dest, oldData );
```

```
// Switch to use the internal data object, if it exists, for the next
// stage of data copying
```

```
if ( (oldData = oldData[ internalKey ]) ) {
    var events = oldData.events;
```

```
    curData = curData[ internalKey ] = jQuery.extend({}, oldData);
```

```
if ( events ) {
    delete curData.handle;
    curData.events = {};
```

```
        for ( var type in events ) {

            for ( var i = 0, l = events[ type ].length; i < l; i++ ) {

                jQuery.event.add( dest, type, events[ type ][ i ], events[ type
][ i ].data );

            }

        }

    }

}

function cloneFixAttributes(src, dest) {

    // We do not need to do anything for non-Elements

    if ( dest.nodeType !== 1 ) {

        return;

    }

    var nodeName = dest.nodeName.toLowerCase();

    // clearAttributes removes the attributes, which we don't want,
    // but also removes the attachEvent events, which we *do* want
    dest.clearAttributes();

    // mergeAttributes, in contrast, only merges back on the
    // original attributes, not the events
    dest.mergeAttributes(src);

    // IE6-8 fail to clone children inside object elements that use
    // the proprietary classid attribute value (rather than the type
    // attribute) to identify the type of content to display
}
```

```
if ( nodeName === "object" ) {

    dest.outerHTML = src.outerHTML;

} else if ( nodeName === "input" && (src.type === "checkbox" || src.type === "radio") ) {

    // IE6-8 fails to persist the checked state of a cloned checkbox

    // or radio button. Worse, IE6-7 fail to give the cloned element

    // a checked appearance if the defaultChecked value isn't also set

    if ( src.checked ) {

        dest.defaultChecked = dest.checked = src.checked;

    }

    // IE6-7 get confused and end up setting the value of a cloned

    // checkbox/radio button to an empty string instead of "on"

    if ( dest.value !== src.value ) {

        dest.value = src.value;

    }

// IE6-8 fails to return the selected option to the default selected

// state when cloning options

} else if ( nodeName === "option" ) {

    dest.selected = src.defaultSelected;

    // IE6-8 fails to set the defaultValue to the correct value when

    // cloning other types of input fields

} else if ( nodeName === "input" || nodeName === "textarea" ) {

    dest.defaultValue = src.defaultValue;

}

// Event data gets referenced instead of copied if the expando
```

```
// gets copied too
dest.removeAttribute( jQuery.expando );

}

jQuery.buildFragment = function( args, nodes, scripts ) {
    var fragment, cacheable, cacheresults,
        doc = (nodes && nodes[0] ? nodes[0].ownerDocument || nodes[0] : document);

    // Only cache "small" (1/2 KB) HTML strings that are associated with the main document
    // Cloning options loses the selected state, so don't cache them
    // IE 6 doesn't like it when you put <object> or <embed> elements in a fragment
    // Also, WebKit does not clone 'checked' attributes on cloneNode, so don't cache
    if ( args.length === 1 && typeof args[0] === "string" && args[0].length < 512 && doc ===
document &&
        args[0].charAt(0) === "<" && !rnocache.test( args[0] ) &&
        (jQuery.support.checkClone || !rchecked.test( args[0] )) ) {

        cacheable = true;
        cacheresults = jQuery.fragments[ args[0] ];
        if ( cacheresults ) {
            if ( cacheresults !== 1 ) {
                fragment = cacheresults;
            }
        }
    }

    if ( !fragment ) {
        fragment = doc.createDocumentFragment();
        jQuery.clean( args, doc, fragment, scripts );
    }
}
```

```
        }

    if ( cacheable ) {

        jQuery.fragments[ args[0] ] = cacheresults ? fragment : 1;

    }

    return { fragment: fragment, cacheable: cacheable };

};

jQuery.fragments = {};
```

```
jQuery.each({  
    appendTo: "append",  
    prependTo: "prepend",  
    insertBefore: "before",  
    insertAfter: "after",  
    replaceAll: "replaceWith"  
}, function( name, original ) {  
    jQuery.fn[ name ] = function( selector ) {  
        var ret = [],  
            insert = jQuery( selector ),  
            parent = this.length === 1 && this[0].parentNode;  
  
        if ( parent && parent.nodeType === 11 && parent.childNodes.length === 1 && insert.length === 1 ) {  
            insert[ original ]( this[0] );  
            return this;  
        } else {
```

```

        for ( var i = 0, l = insert.length; i < l; i++ ) {

            var elems = (i > 0 ? this.clone(true) : this).get();

            jQuery( insert[i] )[ original ]( elems );

            ret = ret.concat( elems );

        }

        return this.pushStack( ret, name, insert.selector );
    }
};

jQuery.extend({


clone: function( elem, dataAndEvents, deepDataAndEvents ) {

    var clone = elem.cloneNode(true),
        srcElements,
        destElements,
        i;

    if ( !jQuery.support.noCloneEvent && (elem.nodeType === 1 || elem.nodeType ===
11) && !jQuery.isXMLDoc(elem) ) {

        // IE copies events bound via attachEvent when using cloneNode.

        // Calling detachEvent on the clone will also remove the events

        // from the original. In order to get around this, we use some

        // proprietary methods to clear the events. Thanks to MooTools

        // guys for this hotness.

        // Using Sizzle here is crazy slow, so we use getElementsByTagName

        // instead

        srcElements = elem.getElementsByTagName("*");
    }
}
});
```

```

destElements = clone.getElementsByTagName("*");

// Weird iteration because IE will replace the length property
// with an element if you are cloning the body and one of the
// elements on the page has a name or id of "length"
for ( i = 0; srcElements[i]; ++i ) {

    cloneFixAttributes( srcElements[i], destElements[i] );

}

cloneFixAttributes( elem, clone );

}

// Copy the events from the original to the clone
if ( dataAndEvents ) {

    cloneCopyEvent( elem, clone );

    if ( deepDataAndEvents && "getElementsByTagName" in elem ) {

        srcElements = elem.getElementsByTagName("*");
        destElements = clone.getElementsByTagName("*");

        if ( srcElements.length ) {

            for ( i = 0; srcElements[i]; ++i ) {

                cloneCopyEvent( srcElements[i], destElements[i] );

            }

        }

    }

}

```

```
// Return the cloned set

    return clone;
}

clean: function( elems, context, fragment, scripts ) {

    context = context || document;

    // !context.createElement fails in IE with an error but returns typeof 'object'

    if ( typeof context.createElement === "undefined" ) {

        context = context.ownerDocument || context[0] &&
context[0].ownerDocument || document;

    }

    var ret = [];

    for ( var i = 0, elem; (elem = elems[i]) != null; i++ ) {

        if ( typeof elem === "number" ) {

            elem += "";

        }

        if ( !elem ) {

            continue;

        }

        // Convert html string into DOM nodes

        if ( typeof elem === "string" && !rhtml.test( elem ) ) {

            elem = context.createTextNode( elem );

        }

    } else if ( typeof elem === "string" ) {

        // Fix "XHTML"-style tags in all browsers
```

```
elem = elem.replace(rxhtmlTag, "<$1></$2>");

// Trim whitespace, otherwise indexOf won't work as expected
var tag = (rtagName.exec( elem ) || [ "", "" ])[1].toLowerCase(),
    wrap = wrapMap[ tag ] || wrapMap._default,
    depth = wrap[0],
    div = context.createElement("div");

// Go to html and back, then peel off extra wrappers
div.innerHTML = wrap[1] + elem + wrap[2];

// Move to the right depth
while ( depth-- ) {
    div = div.lastChild;
}

// Remove IE's autoinserted <tbody> from table fragments
if ( !jQuery.support.tbody ) {

    // String was a <table>, *may* have spurious <tbody>
    var hasBody = tbody.test(elem),
        tbody = tag === "table" && !hasBody ?
            div.firstChild && div.firstChild.childNodes :
            null;

    if ( hasBody ) {
        div.removeChild(tbody);
    }
}

// String was a bare <thead> or <tfoot>
wrap[1] === "<table>" && !hasBody ?
    div.childNodes :
    [];
```

```

        for ( var j = tbody.length - 1; j >= 0 ; --j ) {

            if ( jQuery.nodeName( tbody[ j ], "tbody" ) &&
tbody[ j ].childNodes.length ) {

                tbody[ j ].parentNode.removeChild( tbody[ j
] );

            }

        }

    }

// IE completely kills leading whitespace when innerHTML is used

if ( !jQuery.support.leadingWhitespace && rleadingWhitespace.test(
elem ) ) {

    div.insertBefore( context.createTextNode(
rleadingWhitespace.exec(elem)[0] ), div.firstChild );

}

elem = div.childNodes;

}

if ( elem.nodeType ) {

    ret.push( elem );

} else {

    ret = jQuery.merge( ret, elem );

}

}

if ( fragment ) {

    for ( i = 0; ret[i]; i++ ) {

```

```

        if ( scripts && jQuery.nodeName( ret[i], "script" ) && (!ret[i].type ||

ret[i].type.toLowerCase() === "text/javascript") ) {

            scripts.push( ret[i].parentNode ?

ret[i].parentNode.removeChild( ret[i] ) : ret[i] );


        } else {

            if ( ret[i].nodeType === 1 ) {

                ret.splice.apply( ret, [i + 1,
0].concat(jQuery.makeArray(ret[i].getElementsByTagName("script"))));

            }

            fragment.appendChild( ret[i] );

        }

    }

}

return ret;
},


cleanData: function( elems ) {

    var data, id, cache = jQuery.cache, internalKey = jQuery.expando, special =
jQuery.event.special,

        deleteExpando = jQuery.support.deleteExpando;

    for ( var i = 0, elem; (elem = elems[i]) != null; i++ ) {

        if ( elem.nodeName && jQuery.noData[elem.nodeName.toLowerCase()] ) {

            continue;

        }

        id = elem[ jQuery.expando ];


```

```
if ( id ) {

    data = cache[ id ] && cache[ id ][ internalKey ];




    if ( data && data.events ) {

        for ( var type in data.events ) {

            if ( special[ type ] ) {

                jQuery.event.remove( elem, type );




                // This is a shortcut to avoid jQuery.event.remove's
overhead

            } else {

                jQuery.removeEvent( elem, type,
data.handle );
            }
        }
    }

    // Null the DOM reference to avoid IE6/7/8 leak (#7054)

    if ( data.handle ) {

        data.handle.elem = null;
    }
}

if ( deleteExpando ) {

    delete elem[ jQuery.expando ];
}

} else if ( elem.removeAttribute ) {

    elem.removeAttribute( jQuery.expando );
}

}
```

```
        delete cache[ id ];

    }

}

});

function evalScript( i, elem ) {

if ( elem.src ) {

jQuery.ajax({


    url: elem.src,


    async: false,


    dataType: "script"

});


} else {


jQuery.globalEval( elem.text || elem.textContent || elem.innerHTML || "" );


}

if ( elem.parentNode ) {

elem.parentNode.removeChild( elem );


}

var ralpha = /alpha\(([^\)]*)\)/i,
ropacity = /opacity=([^\)]*)/,
rdashAlpha = /-([a-z])/ig,
rupper = /([A-Z])/g,
```

```
rnumpx = /^-?\d+(:px)?$/i,  
rnum = /^-?\d/,  
  
cssShow = { position: "absolute", visibility: "hidden", display: "block" },  
cssWidth = [ "Left", "Right" ],  
cssHeight = [ "Top", "Bottom" ],  
curCSS,  
  
getComputedStyle,  
currentStyle,  
  
fcamelCase = function( all, letter ) {  
    return letter.toUpperCase();  
};  
  
jQuery.fn.css = function( name, value ) {  
    // Setting 'undefined' is a no-op  
    if ( arguments.length === 2 && value === undefined ) {  
        return this;  
    }  
  
    return jQuery.access( this, name, value, true, function( elem, name, value ) {  
        return value !== undefined ?  
            jQuery.style( elem, name, value ) :  
            jQuery.css( elem, name );  
    });  
};  
  
jQuery.extend({
```

```
// Add in style property hooks for overriding the default
// behavior of getting and setting a style property

cssHooks: {

    opacity: {

        get: function( elem, computed ) {

            if ( computed ) {

                // We should always get a number back from opacity

                var ret = curCSS( elem, "opacity", "opacity" );

                return ret === "" ? "1" : ret;

            } else {

                return elem.style.opacity;

            }

        }

    }

},

// Exclude the following css properties to add px

cssNumber: {

    "zIndex": true,
    "fontWeight": true,
    "opacity": true,
    "zoom": true,
    "lineHeight": true
}

},

// Add in properties whose names you wish to fix before
// setting or getting the value

cssProps: {
```

```
// normalize float css property
"float": jQuery.support.cssFloat ? "cssFloat" : "styleFloat"
},


// Get and set the style property on a DOM Node
style: function( elem, name, value, extra ) {

    // Don't set styles on text and comment nodes

    if ( !elem || elem.nodeType === 3 || elem.nodeType === 8 || !elem.style ) {

        return;
    }

    // Make sure that we're working with the right name
    var ret, origName = jQuery.camelCase( name ),
        style = elem.style, hooks = jQuery.cssHooks[ origName ];

    name = jQuery.cssProps[ origName ] || origName;

    // Check if we're setting a value
    if ( value !== undefined ) {

        // Make sure that NaN and null values aren't set. See: #7116
        if ( typeof value === "number" && isNaN( value ) || value === null ) {

            return;
        }

        // If a number was passed in, add 'px' to the (except for certain CSS
        properties)
        if ( typeof value === "number" && !jQuery.cssNumber[ origName ] ) {

            value += "px";
        }
    }
}
```

```

        // If a hook was provided, use that value, otherwise just set the specified
value

if ( !hooks || !( "set" in hooks ) || ( value = hooks.set( elem, value ) ) !==
undefined ) {

    // Wrapped to prevent IE from throwing errors when 'invalid' values
are provided

    // Fixes bug #5509

    try {

        style[ name ] = value;

    } catch(e) {}

}

} else {

    // If a hook was provided get the non-computed value from there

    if ( hooks && "get" in hooks && ( ret = hooks.get( elem, false, extra ) ) !==
undefined ) {

        return ret;

    }

    // Otherwise just get the value from the style object

    return style[ name ];

}

},

```

```

css: function( elem, name, extra ) {

    // Make sure that we're working with the right name

    var ret, origName = jQuery.camelCase( name ),

        hooks = jQuery.cssHooks[ origName ];

```

```
name = jQuery.cssProps[ origName ] || origName;

// If a hook was provided get the computed value from there
if ( hooks && "get" in hooks && (ret = hooks.get( elem, true, extra )) !== undefined )
{
    return ret;

// Otherwise, if a way to get the computed value exists, use that
} else if ( curCSS ) {

    return curCSS( elem, name, origName );
}

},
// A method for quickly swapping in/out CSS properties to get correct calculations
swap: function( elem, options, callback ) {

    var old = {};

    // Remember the old values, and insert the new ones
    for ( var name in options ) {

        old[ name ] = elem.style[ name ];
        elem.style[ name ] = options[ name ];
    }

    callback.call( elem );

    // Revert the old values
    for ( name in options ) {

        elem.style[ name ] = old[ name ];
    }
}
```

```
},  
  
camelCase: function( string ) {  
    return string.replace( rdashAlpha, fcamelCase );  
}  
});  
  
// DEPRECATED, Use jQuery.css() instead  
jQuery.curCSS = jQuery.css;  
  
jQuery.each(["height", "width"], function( i, name ) {  
    jQuery.cssHooks[ name ] = {  
        get: function( elem, computed, extra ) {  
            var val;  
  
            if ( computed ) {  
                if ( elem.offsetWidth !== 0 ) {  
                    val = getWH( elem, name, extra );  
  
                } else {  
                    jQuery.swap( elem, cssShow, function() {  
                        val = getWH( elem, name, extra );  
                    });  
                }  
  
                if ( val <= 0 ) {  
                    val = curCSS( elem, name, name );  
  
                    if ( val === "0px" && currentStyle ) {  

```

```
        val = currentStyle( elem, name, name );

    }

    if ( val != null ) {

        // Should return "auto" instead of 0, use 0 for
        // temporary backwards-compat

        return val === "" || val === "auto" ? "0px" : val;

    }

}

if ( val < 0 || val == null ) {

    val = elem.style[ name ];

    // Should return "auto" instead of 0, use 0 for
    // temporary backwards-compat

    return val === "" || val === "auto" ? "0px" : val;

}

return typeof val === "string" ? val : val + "px";
}

set: function( elem, value ) {

    if ( rnumpx.test( value ) ) {

        // ignore negative width and height values #1599
        value = parseFloat(value);

        if ( value >= 0 ) {

            return value + "px";
        }
    }
}
```

```
        }

    } else {
        return value;
    }
}

};

if ( !jQuery.support.opacity ) {
    jQuery.cssHooks.opacity = {
        get: function( elem, computed ) {
            // IE uses filters for opacity
            return ropacity.test((computed && elem.currentStyle ?
                elem.currentStyle.filter : elem.style.filter) || "") ?
                (parseFloat(RegExp.$1) / 100) + "" :
                computed ? "1" : "";
        },
        set: function( elem, value ) {
            var style = elem.style;
            // IE has trouble with opacity if it does not have layout
            // Force it by setting the zoom level
            style.zoom = 1;

            // Set the alpha filter to set the opacity
            var opacity = jQuery.isNaN(value) ?
                "" :

```

```
        "alpha(opacity=" + value * 100 + ")",
        filter = style.filter || "";

    style.filter = ralpha.test(filter) ?
        filter.replace(ralpha, opacity) :
        style.filter + ' ' + opacity;
    }

};

}

if ( document.defaultView && document.defaultView.getComputedStyle ) {

    getComputedStyle = function( elem, newName, name ) {

        var ret, defaultView, computedStyle;

        name = name.replace( rupper, "-$1" ).toLowerCase();

        if ( !(defaultView = elem.ownerDocument.defaultView) ) {

            return undefined;
        }

        if ( (computedStyle = defaultView.getComputedStyle( elem, null )) ) {

            ret = computedStyle.getPropertyValue( name );

            if ( ret === "" && !jQuery.contains(
elem.ownerDocument.documentElement, elem ) ) {

                ret = jQuery.style( elem, name );
            }
        }
    }

    return ret;
}
```

```
};

}

if ( document.documentElement.currentStyle ) {

    currentStyle = function( elem, name ) {

        var left,

            ret = elem.currentStyle && elem.currentStyle[ name ],
            rsLeft = elem.runtimeStyle && elem.runtimeStyle[ name ],
            style = elem.style;

        // From the awesome hack by Dean Edwards
        // http://erik.eae.net/archives/2007/07/27/18.54.15/#comment-102291

        // If we're not dealing with a regular pixel number
        // but a number that has a weird ending, we need to convert it to pixels
        if ( !rnumpx.test( ret ) && rnum.test( ret ) ) {

            // Remember the original values
            left = style.left;

            // Put in the new values to get a computed value out
            if ( rsLeft ) {

                elem.runtimeStyle.left = elem.currentStyle.left;
            }

            style.left = name === "fontSize" ? "1em" : (ret || 0);
            ret = style.pixelLeft + "px";

            // Revert the changed values
            style.left = left;
            if ( rsLeft ) {
```

```
        elem.runtimeStyle.left = rsLeft;
    }

}

return ret === "" ? "auto" : ret;
};

}

curCSS = getComputedStyle || currentStyle;

function getWH( elem, name, extra ) {

    var which = name === "width" ? cssWidth : cssHeight,
        val = name === "width" ? elem.offsetWidth : elem.offsetHeight;

    if ( extra === "border" ) {
        return val;
    }

jQuery.each( which, function() {
    if ( !extra ) {
        val -= parseFloat(jQuery.css( elem, "padding" + this )) || 0;
    }

    if ( extra === "margin" ) {
        val += parseFloat(jQuery.css( elem, "margin" + this )) || 0;
    } else {
        val -= parseFloat(jQuery.css( elem, "border" + this + "Width" )) || 0;
    }
}
}
```

```
});

return val;

}

if ( jQuery.expr && jQuery.expr.filters ) {

jQuery.expr.filters.hidden = function( elem ) {

    var width = elem.offsetWidth,
        height = elem.offsetHeight;

    return (width === 0 && height === 0) || (!jQuery.support.reliableHiddenOffsets &&
(elem.style.display || jQuery.css( elem, "display" )) === "none");
};

jQuery.expr.filters.visible = function( elem ) {

    return !jQuery.expr.filters.hidden( elem );
};

}

var r20 = /%20/g,
rbracket = /\[\]$/,
rCRLF = /\r?\n/g,
rhash = /#.*/$/,
rheaders = /^(.*)\s*(.*?)\r?$/mg, // IE leaves an \r character at EOL
rinput =
/^(:color|date|datetime|email|hidden|month|number|password|range|search|tel|text|time|url|week)$/i,
```

```

rnoContent = /^(?:GET|HEAD)$/,
rprotocol = /^\/\//,
rquery = /\?/,
rscript = /<script\b[^<]*(?:?!</script>)(<[^<]*></script>)/gi,
rselectTextarea = /^(?:select|textarea)/i,
rspacesAjax = /\s+/,  

rts = /(?:&)_=[^&]*/,  

rurl = /^(\w+:)\//([^\?#]+)(?:(\d+))?/,  

  

// Keep a copy of the old load method
_load = jQuery.fn.load,  

  

/* Prefilters
 * 1) They are useful to introduce custom dataType (see ajax/jsonp.js for an example)
 * 2) These are called:
 *    - BEFORE asking for a transport
 *    - AFTER param serialization (s.data is a string if s.processData is true)
 * 3) key is the dataType
 * 4) the catchall symbol "*" can be used
 * 5) execution will start with transport dataType and THEN continue down to "*" if needed
 */
prefilters = {},  

  

/* Transports bindings
 * 1) key is the dataType
 * 2) the catchall symbol "*" can be used
 * 3) selection will start with transport dataType and THEN go to "*" if needed
 */
transports = {};

```

```
// Base "constructor" for jQuery.ajaxPrefilter and jQuery.ajaxTransport
function addToPrefiltersOrTransports( structure ) {

    // dataTypeExpression is optional and defaults to "*"
    return function( dataTypeExpression, func ) {

        if ( typeof dataTypeExpression !== "string" ) {

            func = dataTypeExpression;
            dataTypeExpression = "*";
        }

        if ( jQueryisFunction( func ) ) {

            var dataTypes = dataTypeExpression.toLowerCase().split( rspacesAjax ),
                i = 0,
                length = dataTypes.length,
                dataType,
                list,
                placeBefore;

            // For each dataType in the dataTypeExpression
            for( ; i < length; i++ ) {

                dataType = dataTypes[ i ];

                // We control if we're asked to add before
                // any existing element
                placeBefore = /^\\+/.test( dataType );

                if ( placeBefore ) {

                    dataType = dataType.substr( 1 ) || "*";
                }
            }
        }
    }
}
```

```

        list = structure[ dataType ] = structure[ dataType ] || [];
        // then we add to the structure accordingly
        list[ placeBefore ? "unshift" : "push" ]( func );
    }
}

};

//Base inspection function for prefilters and transports
function inspectPrefiltersOrTransports( structure, options, originalOptions, jXHR,
    dataType /* internal */, inspected /* internal */ ) {

    dataType = dataType || options.dataTypes[ 0 ];
    inspected = inspected || {};

    inspected[ dataType ] = true;

    var list = structure[ dataType ],
        i = 0,
        length = list ? list.length : 0,
        executeOnly = ( structure === prefilters ),
        selection;

    for( i < length && ( executeOnly || !selection ); i++ ) {
        selection = list[ i ]( options, originalOptions, jXHR );
        // If we got redirected to another dataType
        // we try there if not done already
        if ( typeof selection === "string" ) {
            if ( inspected[ selection ] ) {

```

```

        selection = undefined;

    } else {

        options.dataTypes.unshift( selection );

        selection = inspectPrefiltersOrTransports(
            structure, options, originalOptions, jXHR, selection,
            inspected );
    }

}

// If we're only executing or nothing was selected
// we try the catchall dataType if not done already

if ( ( executeOnly || !selection ) && !inspected[ "*" ] ) {

    selection = inspectPrefiltersOrTransports(
        structure, options, originalOptions, jXHR, "*", inspected );

}

// unnecessary when only executing (prefilters)
// but it'll be ignored by the caller in that case

return selection;
}

```

```

jQuery.fn.extend({
    load: function( url, params, callback ) {

        if ( typeof url !== "string" && _load ) {

            return _load.apply( this, arguments );
        }

        // Don't do a request if no elements are being requested
    } else if ( !this.length ) {

        return this;
    }
}

```

```
var off = url.indexOf( " " );

if ( off >= 0 ) {

    var selector = url.slice( off, url.length );
    url = url.slice( 0, off );
}

// Default to a GET request

var type = "GET";


// If the second parameter was provided

if ( params ) {

    // If it's a function

    if ( jQueryisFunction( params ) ) {

        // We assume that it's the callback

        callback = params;

        params = null;
    }

    // Otherwise, build a param string

} else if ( typeof params === "object" ) {

    params = jQuery.param( params, jQuery.ajaxSettings.traditional );

    type = "POST";
}

}

var self = this;

// Request the remote document

jQuery.ajax({
```

```

url: url,
type: type,
dataType: "html",
data: params,
// Complete callback (responseText is used internally)
complete: function( jXHR, status, responseText ) {
    // Store the response as specified by the jXHR object
    responseText = jXHR.responseText;
    // If successful, inject the HTML into all the matched elements
    if ( jXHR.isResolved() ) {
        // #4825: Get the actual response in case
        // a dataFilter is present in ajaxSettings
        jXHR.done(function( r ) {
            responseText = r;
        });
        // See if a selector was specified
        self.html( selector ?
            // Create a dummy div to hold the results
            jQuery("<div>")
            // inject the contents of the document in,
            removing the scripts
            // to avoid any 'Permission Denied' errors in
            IE
            .append(responseText.replace(rscript, ""))
            // Locate the specified elements
            .find(selector) :
            // If not, just inject the full result
    }
}

```

```
        responseText );
    }

    if ( callback ) {
        self.each( callback, [ responseText, status, jXHR ] );
    }
}

});

return this;
},

serialize: function() {
    return jQuery.param( this.serializeArray() );
}

serializeArray: function() {
    return this.map(function(){
        return this.elements ? jQuery.makeArray( this.elements ) : this;
    })
    .filter(function(){
        return this.name && !this.disabled &&
            ( this.checked || rselectTextarea.test( this.nodeName ) ||
                rinput.test( this.type ) );
    })
    .map(function( i, elem ){
        var val = jQuery( this ).val();

        return val == null ?

```

```

        null :

        jQuery.isArray( val ) ?

            jQuery.map( val, function( val, i ){

                return { name: elem.name, value: val.replace( rCRLF,
"\r\n" ) };

            }) :

            { name: elem.name, value: val.replace( rCRLF, "\r\n" ) };

        }).get();

    }

});

// Attach a bunch of functions for handling common AJAX events

jQuery.each( "ajaxStart ajaxStop ajaxComplete ajaxError ajaxSuccess ajaxSend".split( " " ), function( i,
o ){

    jQuery.fn[ o ] = function( f ){

        return this.bind( o, f );

    };

} );

jQuery.each( [ "get", "post" ], function( i, method ) {

    jQuery[ method ] = function( url, data, callback, type ) {

        // shift arguments if data argument was omitted

        if ( jQueryisFunction( data ) ) {

            type = type || callback;

            callback = data;

            data = null;

        }

        return jQuery.ajax({
```

```
        type: method,
        url: url,
        data: data,
        success: callback,
        dataType: type
    });
};

} );

jQuery.extend({


getScript: function( url, callback ) {

    return jQuery.get( url, null, callback, "script" );
},


getJSON: function( url, data, callback ) {

    return jQuery.get( url, data, callback, "json" );
},


ajaxSetup: function( settings ) {

    jQuery.extend( true, jQuery.ajaxSettings, settings );
    if ( settings.context ) {

        jQuery.ajaxSettings.context = settings.context;
    }
},


ajaxSettings: {


    url: location.href,
    global: true,
}
```

```
    type: "GET",
    contentType: "application/x-www-form-urlencoded",
    processData: true,
    async: true,
    /*
    timeout: 0,
    data: null,
    dataType: null,
    username: null,
    password: null,
    cache: null,
    traditional: false,
    headers: {},
    crossDomain: null,
    */
    accepts: {
        xml: "application/xml, text/xml",
        html: "text/html",
        text: "text/plain",
        json: "application/json, text/javascript",
        "*": "*/*"
    },
    contents: {
        xml: /xml/,
        html: /html/,
        json: /json/
    }
}
```

```
responseFields: {

    xml: "responseXML",
    text: "responseText"
},


// List of data converters

// 1) key format is "source_type destination_type" (a single space in-between)
// 2) the catchall symbol "*" can be used for source_type

converters: {

    // Convert anything to text
    "* text": window.String,


    // Text to html (true = no transformation)
    "text html": true,


    // Evaluate text as a json expression
    "text json": jQuery.parseJSON,


    // Parse text as xml
    "text xml": jQuery.parseXML
}

},


ajaxPrefilter: addToPrefiltersOrTransports( prefilters ),
ajaxTransport: addToPrefiltersOrTransports( transports ),


// Main method
```

```
ajax: function( url, options ) {

    // If options is not an object,
    // we simulate pre-1.5 signature
    if ( typeof options !== "object" ) {

        options = url;
        url = undefined;
    }

    // Force options to be an object
    options = options || {};

    var // Create the final options object
        s = jQuery.extend( true, {}, jQuery.ajaxSettings, options ),
        // Callbacks contexts
        // We force the original context if it exists
        // or take it from jQuery.ajaxSettings otherwise
        // (plain objects used as context get extended)
        callbackContext =
            ( s.context = ( "context" in options ? options : jQuery.ajaxSettings
        ).context ) || s,
        globalEventContext = callbackContext === s ? jQuery.event : jQuery(
        callbackContext ),
        // Deferreds
        deferred = jQuery.Deferred(),
        completeDeferred = jQuery._Deferred(),
        // Status-dependent callbacks
        statusCode = s.statusCode || {},
        // Headers (they are sent all at once)
```

```
requestHeaders = {},  
    // Response headers  
    responseHeadersString,  
    responseHeaders,  
    // transport  
    transport,  
    // timeout handle  
    timeoutTimer,  
    // Cross-domain detection vars  
    loc = document.location,  
    protocol = loc.protocol || "http:",  
    parts,  
    // The jXHR state  
    state = 0,  
    // Loop variable  
    i,  
    // Fake xhr  
    jXHR = {  
  
        readyState: 0,  
  
        // Caches the header  
        setRequestHeader: function( name, value ) {  
            if ( state === 0 ) {  
                requestHeaders[ name.toLowerCase() ] = value;  
            }  
            return this;  
        },
```

```

// Raw string

getAllResponseHeaders: function() {
    return state === 2 ? responseHeadersString : null;
},


// Builds headers hashtable if needed

getResponseHeader: function( key ) {

    var match;

    if ( state === 2 ) {

        if ( !responseHeaders ) {

            responseHeaders = {};
            while( ( match = rheaders.exec(
                responseHeadersString ) ) ) {

                responseHeaders[
                    match[1].toLowerCase() ] = match[ 2 ];
            }
        }

        match = responseHeaders[ key.toLowerCase() ];
    }

    return match || null;
},


// Cancel the request

abort: function( statusText ) {

    statusText = statusText || "abort";

    if ( transport ) {

        transport.abort( statusText );
    }

    done( 0, statusText );
}

```

```
        return this;

    }

};

// Callback for when everything is done
// It is defined here because jslint complains if it is declared
// at the end of the function (which would be more logical and readable)
function done( status, statusText, responses, headers ) {

    // Called once
    if ( state === 2 ) {

        return;

    }

    // State is "done" now
    state = 2;

    // Clear timeout if it exists
    if ( timeoutTimer ) {

        clearTimeout( timeoutTimer );

    }

    // Dereference transport for early garbage collection
    // (no matter how long the jXHR object will be used)
    transport = undefined;

    // Cache response headers
    responseHeadersString = headers || "";

}
```

```
// Set readyState
jXHR.readyState = status ? 4 : 0;

var isSuccess,
    success,
    error,
    response = responses ? ajaxHandleResponses( s, jXHR, responses ) :
undefined,
    lastModified,
    etag;

// If successful, handle type chaining
if ( status >= 200 && status < 300 || status === 304 ) {

    // Set the If-Modified-Since and/or If-None-Match header, if in
    ifModified mode.

    if ( s.ifModified ) {

        if ( ( lastModified = jXHR.getResponseHeader( "Last-
Modified" ) ) ) {

            jQuery.lastModified[ s.url ] = lastModified;

        }

        if ( ( etag = jXHR.getResponseHeader( "Etag" ) ) ) {

            jQuery.etag[ s.url ] = etag;

        }

    }

    // If not modified

    if ( status === 304 ) {
```

```
        statusText = "notmodified";
        isSuccess = true;

        // If we have data
    } else {

        try {
            success = ajaxConvert( s, response );
            statusText = "success";
            isSuccess = true;
        } catch(e) {
            // We have a parsererror
            statusText = "parsererror";
            error = e;
        }
    }

} else {
    // We extract error from statusText
    // then normalize statusText and status for non-aborts
    error = statusText;
    if( status ) {
        statusText = "error";
        if ( status < 0 ) {
            status = 0;
        }
    }
}

// Set data for the fake xhr object
```

```
jXHR.status = status;
jXHR.statusText = statusText;

// Success/Error
if ( isSuccess ) {
    deferred.resolveWith( callbackContext, [ success, statusText, jXHR ] );
} else {
    deferred.rejectWith( callbackContext, [ jXHR, statusText, error ] );
}

// Status-dependent callbacks
jXHR.statusCode( statusCode );
statusCode = undefined;

if ( s.global ) {
    globalEventContext.trigger( "ajax" + ( isSuccess ? "Success" : "Error" ),
),
    [ jXHR, s, isSuccess ? success : error ] );
}

// Complete
completeDeferred.resolveWith( callbackContext, [ jXHR, statusText ] );

if ( s.global ) {
    globalEventContext.trigger( "ajaxComplete", [ jXHR, s ] );
    // Handle the global AJAX counter
    if ( !( --jQuery.active ) ) {
        jQuery.event.trigger( "ajaxStop" );
    }
}
```

```

        }

    }

}

// Attach deferreds

deferred.promise( jXHR );

jXHR.success = jXHR.done;

jXHR.error = jXHR.fail;

jXHR.complete = completeDeferred.done;

// Status-dependent callbacks

jXHR.statusCode = function( map ) {

    if ( map ) {

        var tmp;

        if ( state < 2 ) {

            for( tmp in map ) {

                statusCode[ tmp ] = [ statusCode[tmp], map[tmp] ];

            }
        } else {

            tmp = map[ jXHR.status ];

            jXHR.then( tmp, tmp );

        }
    }

    return this;
};

// Remove hash character (#7531: and string promotion)

// Add protocol if not provided (#5866: IE7 issue with protocol-less urls)

// We also use the url parameter if available

```

```
s.url = ( "" + ( url || s.url ) ).replace( rhash, "" ).replace( rprotocol, protocol + "//" );

// Extract dataTypes list
s.dataTypes = jQuery.trim( s.dataType || "*" ).toLowerCase().split( rspacesAjax );

// Determine if a cross-domain request is in order
if ( !s.crossDomain ) {

    parts = rurl.exec( s.url.toLowerCase() );
    s.crossDomain = !( parts &&
        ( parts[ 1 ] != protocol || parts[ 2 ] != loc.hostname ||
        ( parts[ 3 ] || ( parts[ 1 ] === "http:" ? 80 : 443 ) ) !=
        ( loc.port || ( protocol === "http:" ? 80 : 443 ) ) )
    );
}

// Convert data if not already a string
if ( s.data && s.processData && typeof s.data !== "string" ) {
    s.data = jQuery.param( s.data, s.traditional );
}

// Apply prefilters
inspectPrefiltersOrTransports( prefilters, s, options, jXHR );

// Uppercase the type
s.type = s.type.toUpperCase();

// Determine if request has content
s.hasContent = !rnoContent.test( s.type );
```

```

// Watch for a new set of requests

if ( s.global && jQuery.active++ === 0 ) {

    jQuery.event.trigger( "ajaxStart" );
}

// More options handling for requests with no content

if ( !s.hasContent ) {

    // If data is available, append data to url

    if ( s.data ) {

        s.url += ( rquery.test( s.url ) ? "&" : "?" ) + s.data;

    }

    // Add anti-cache in url if needed

    if ( s.cache === false ) {

        var ts = jQuery.now(),

            // try replacing _= if it is there

            ret = s.url.replace( rts, "$1_= " + ts );

        // if nothing was replaced, add timestamp to the end

        s.url = ret + ( (ret === s.url) ? ( rquery.test( s.url ) ? "&" : "?" ) + "_=" + ts : "" );

    }

}

// Set the correct header, if data is being sent

if ( s.data && s.hasContent && s.contentType !== false || options.contentType ) {

    requestHeaders[ "content-type" ] = s.contentType;
}

```

```

}

// Set the If-Modified-Since and/or If-None-Match header, if in ifModified mode.

if ( s.ifModified ) {

    if ( jQuery.lastModified[ s.url ] ) {

        requestHeaders[ "if-modified-since" ] = jQuery.lastModified[ s.url ];

    }

    if ( jQuery.etag[ s.url ] ) {

        requestHeaders[ "if-none-match" ] = jQuery.etag[ s.url ];

    }

}

// Set the Accepts header for the server, depending on the dataType

requestHeaders.accept = s.dataTypes[ 0 ] && s.accepts[ s.dataTypes[0] ] ?

    s.accepts[ s.dataTypes[0] ] + ( s.dataTypes[ 0 ] !== "*" ? ", */*; q=0.01" : "" ) :

    s.accepts[ "*" ];



// Check for headers option

for ( i in s.headers ) {

    requestHeaders[ i.toLowerCase() ] = s.headers[ i ];

}

// Allow custom headers/mimetypes and early abort

if ( s.beforeSend && ( s.beforeSend.call( callbackContext, jXHR, s ) === false || state

== 2 ) ) {

    // Abort if not done already

    done( 0, "abort" );

    // Return false

    jXHR = false;

}

```

```

} else {

    // Install callbacks on deferreds
    for ( i in { success: 1, error: 1, complete: 1 } ) {
        jXHR[ i ]( s[ i ] );
    }

    // Get transport
    transport = inspectPrefiltersOrTransports( transports, s, options, jXHR );

    // If no transport, we auto-abort
    if ( !transport ) {
        done( -1, "No Transport" );
    } else {
        // Set state as sending
        state = jXHR.readyState = 1;
        // Send global event
        if ( s.global ) {
            globalEventContext.trigger( "ajaxSend", [ jXHR, s ] );
        }
        // Timeout
        if ( s.async && s.timeout > 0 ) {
            timeoutTimer = setTimeout( function(){
                jXHR.abort( "timeout" );
            }, s.timeout );
        }
    }

    try {

```

```

        transport.send( requestHeaders, done );

    } catch (e) {
        // Propagate exception as error if not done
        if ( status < 2 ) {
            done( -1, e );
        }
        // Simply rethrow otherwise
    } else {
        jQuery.error( e );
    }
}

}

return jXHR;
},

// Serialize an array of form elements or a set of
// key/values into a query string
param: function( a, traditional ) {

    var s = [],
        add = function( key, value ) {
            // If value is a function, invoke it and return its value
            value = jQueryisFunction( value ) ? value() : value;
            s[ s.length ] = encodeURIComponent( key ) + "=" +
            encodeURIComponent( value );
        };
}

// Set traditional to true for jQuery <= 1.3.2 behavior.
if ( traditional === undefined ) {
    traditional = jQuery.ajaxSettings.traditional;
}

```

```

}

// If an array was passed in, assume that it is an array of form elements.

if ( jQuery.isArray( a ) || a.jquery ) {

    // Serialize the form elements

    jQuery.each( a, function() {

        add( this.name, this.value );

    });

}

} else {

    // If traditional, encode the "old" way (the way 1.3.2 or older
    // did it), otherwise encode params recursively.

    for ( var prefix in a ) {

        buildParams( prefix, a[ prefix ], traditional, add );

    }

}

// Return the resulting serialization

return s.join( "&" ).replace( r20, "+" );

}

});

function buildParams( prefix, obj, traditional, add ) {

    if ( jQuery.isArray( obj ) && obj.length ) {

        // Serialize array item.

        jQuery.each( obj, function( i, v ) {

            if ( traditional || rbracket.test( prefix ) ) {

                // Treat each array item as a scalar.

                add( prefix, v );

            }

        });

    }

}

```

```

} else {

    // If array item is non-scalar (array or object), encode its
    // numeric index to resolve deserialization ambiguity issues.

    // Note that rack (as of 1.0.0) can't currently deserialize
    // nested arrays properly, and attempting to do so may cause
    // a server error. Possible fixes are to modify rack's
    // deserialization algorithm or to provide an option or flag
    // to force array serialization to be shallow.

    buildParams( prefix + "[" + ( typeof v === "object" ||

jQuery.isArray(v) ? i : "" ) + "]", v, traditional, add );

}

});

} else if ( !traditional && obj != null && typeof obj === "object" ) {

    // If we see an array here, it is empty and should be treated as an empty
    // object

    if ( jQuery.isArray( obj ) || jQuery.isEmptyObject( obj ) ) {

        add( prefix, "" );

        // Serialize object item.

    } else {

        jQuery.each( obj, function( k, v ) {

            buildParams( prefix + "[" + k + "]", v, traditional, add );

        });

    }

} else {

    // Serialize scalar item.
}

```

```
        add( prefix, obj );
    }

}

// This is still on the jQuery object... for now
// Want to move this to jQuery.ajax some day
jQuery.extend({

    // Counter for holding the number of active queries
    active: 0,

    // Last-Modified header cache for next request
    lastModified: {},

    etag: {}

});

/* Handles responses to an ajax request:
 * - sets all responseXXX fields accordingly
 * - finds the right dataType (mediates between content-type and expected dataType)
 * - returns the corresponding response
 */
function ajaxHandleResponses( s, jXHR, responses ) {

    var contents = s.contents,
        dataTypes = s.dataTypes,
        responseFields = s.responseFields,
        ct,
        type,
```

```
finalDataType,  
firstDataType;  
  
// Fill responseXXX fields  
for( type in responseFields ) {  
    if ( type in responses ) {  
        jXHR[ responseFields[type] ] = responses[ type ];  
    }  
}  
  
// Remove auto dataType and get content-type in the process  
while( dataTypes[ 0 ] === "*" ) {  
    dataTypes.shift();  
    if ( ct === undefined ) {  
        ct = jXHR.getResponseHeader( "content-type" );  
    }  
}  
  
// Check if we're dealing with a known content-type  
if ( ct ) {  
    for ( type in contents ) {  
        if ( contents[ type ] && contents[ type ].test( ct ) ) {  
            dataTypes.unshift( type );  
            break;  
        }  
    }  
}  
  
// Check to see if we have a response for the expected dataType
```

```

if ( dataTypes[ 0 ] in responses ) {

    finalDataType = dataTypes[ 0 ];

} else {

    // Try convertible dataTypes

    for ( type in responses ) {

        if ( !dataTypes[ 0 ] || s.converters[ type + " " + dataTypes[0] ] ) {

            finalDataType = type;

            break;

        }

        if ( !firstDataType ) {

            firstDataType = type;

        }

    }

    // Or just use first one

    finalDataType = finalDataType || firstDataType;

}

// If we found a dataType

// We add the dataType to the list if needed

// and return the corresponding response

if ( finalDataType ) {

    if ( finalDataType !== dataTypes[ 0 ] ) {

        dataTypes.unshift( finalDataType );

    }

    return responses[ finalDataType ];

}

// Chain conversions given the request and the original response

```

```
function ajaxConvert( s, response ) {

    // Apply the dataFilter if provided
    if ( s.dataFilter ) {

        response = s.dataFilter( response, s	dataType );
    }

    var dataTypes = s.dataTypes,
        converters = s.converters,
        i,
        length = dataTypes.length,
        tmp,
        // Current and previous dataTypes
        current = dataTypes[ 0 ],
        prev,
        // Conversion expression
        conversion,
        // Conversion function
        conv,
        // Conversion functions (transitive conversion)
        conv1,
        conv2;

    // For each dataType in the chain
    for( i = 1; i < length; i++ ) {

        // Get the dataTypes
        prev = current;
        current = dataTypes[ i ];
    }
}
```

```

// If current is auto dataType, update it to prev
if( current === "*" ) {

    current = prev;

// If no auto and dataTypes are actually different
} else if ( prev !== "*" && prev !== current ) {

    // Get the converter
    conversion = prev + " " + current;
    conv = converters[ conversion ] || converters[ "* " + current ];

    // If there is no direct converter, search transitively
    if ( !conv ) {

        conv2 = undefined;
        for( conv1 in converters ) {

            tmp = conv1.split( " " );
            if ( tmp[ 0 ] === prev || tmp[ 0 ] === "*" ) {
                conv2 = converters[ tmp[1] + " " + current ];
                if ( conv2 ) {
                    conv1 = converters[ conv1 ];
                    if ( conv1 === true ) {
                        conv = conv2;
                    } else if ( conv2 === true ) {
                        conv = conv1;
                    }
                    break;
                }
            }
        }
    }
}

```

```

        }

        // If we found no converter, dispatch an error

        if ( !( conv || conv2 ) ){

            jQuery.error( "No conversion from " + conversion.replace( " ", " to " )
);

        }

        // If found converter is not an equivalence

        if ( conv !== true ){

            // Convert with 1 or 2 converters accordingly

            response = conv ? conv( response ) : conv2( conv1(response) );

        }

    }

    return response;
}

```

```

var jsc = jQuery.now(),
jsre = /(\\=)\\?(\\$)|()\\?\\?()/i;

// Default jsonp settings

jQuery.ajaxSetup({
    jsonp: "callback",
    jsonpCallback: function() {

        return jQuery.expando + "_" + ( jsc++ );
    }
});

```

```
// Detect, normalize options and install callbacks for jsonp requests

jQuery.ajaxPrefilter( "json jsonp", function( s, originalSettings, datasString /* internal */ ) {

    datasString = ( typeof s.data === "string" );

    if ( s.dataTypes[ 0 ] === "jsonp" ||
        originalSettings.jsonpCallback ||
        originalSettings.jsonp != null ||
        s.jsonp !== false && ( jsre.test( s.url ) ||
        datasString && jsre.test( s.data ) ) ) {

        var responseContainer,
            jsonpCallback = s.jsonpCallback =
                jQueryisFunction( s.jsonpCallback ) ? s.jsonpCallback() :
            s.jsonpCallback,
            previous = window[ jsonpCallback ],
            url = s.url,
            data = s.data,
            replace = "$1" + jsonpCallback + "$2";

        if ( s.jsonp !== false ) {
            url = url.replace( jsre, replace );
            if ( s.url === url ) {
                if ( datasString ) {
                    data = data.replace( jsre, replace );
                }
                if ( s.data === data ) {
                    // Add callback manually
                }
            }
        }
    }
});
```

```
        url += (/^?/.test( url ) ? "&" : "?") + s.jsonp + "=" +
jsonpCallback;
    }

}

}

s.url = url;
s.data = data;

window[ jsonpCallback ] = function( response ) {
    responseContainer = [ response ];
};

s.complete = [ function() {

    // Set callback back to previous value
    window[ jsonpCallback ] = previous;

    // Call if it was a function and we have a response
    if ( previous) {
        if ( responseContainer && jQueryisFunction( previous ) ) {
            window[ jsonpCallback ] ( responseContainer[ 0 ] );
        }
    } else {
        // else, more memory leak avoidance
        try{
            delete window[ jsonpCallback ];
        } catch( e ) {}
    }
}
```

```
    }, s.complete ];
```



```
// Use data converter to retrieve json after script execution
```

```
s.converters["script json"] = function() {
```

```
    if ( ! responseContainer ) {
```

```
        jQuery.error(jsonpCallback + " was not called" );
```

```
    }
```

```
    return responseContainer[ 0 ];
```

```
};
```



```
// force json dataType
```

```
s.dataTypes[ 0 ] = "json";
```



```
// Delegate to script
```

```
return "script";
```

```
}
```

```
});
```



```
// Install script dataType
```

```
jQuery.ajaxSetup({
```

```
    accepts: {
```

```
        script: "text/javascript, application/javascript"
```

```
    },
```

```
    contents: {
```

```
        script: /javascript/
```

```
        },
        converters: {
            "text script": function( text ) {
                jQuery.globalEval( text );
                return text;
            }
        }
    });

// Handle cache's special case and global
jQuery.ajaxPrefilter( "script", function( s ) {
    if ( s.cache === undefined ) {
        s.cache = false;
    }
    if ( s.crossDomain ) {
        s.type = "GET";
        s.global = false;
    }
});

// Bind script tag hack transport
jQuery.ajaxTransport( "script", function(s) {

    // This transport only deals with cross domain requests
    if ( s.crossDomain ) {

        var script,
            head = document.getElementsByTagName( "head" )[ 0 ] ||
document.documentElement;
```

```
return {  
  
    send: function( _, callback ) {  
  
        script = document.createElement( "script" );  
  
        script.async = "async";  
  
        if ( s.scriptCharset ) {  
            script.charset = s.scriptCharset;  
        }  
  
        script.src = s.url;  
  
        // Attach handlers for all browsers  
        script.onload = script.onreadystatechange = function( _, isAbort ) {  
  
            if ( !script.readyState || /loaded|complete/.test(  
                script.readyState ) ) {  
  
                // Handle memory leak in IE  
                script.onload = script.onreadystatechange = null;  
  
                // Remove the script  
                if ( head && script.parentNode ) {  
                    head.removeChild( script );  
                }  
            }  
        };  
    };  
};
```

```
// Dereference the script
script = undefined;

// Callback if not abort
if ( !isAbort ) {
    callback( 200, "success" );
}

};

// Use insertBefore instead of appendChild to circumvent an IE6
bug.

// This arises when a base node is used (#2709 and #4378).
head.insertBefore( script, head.firstChild );
},

abort: function() {
    if ( script ) {
        script.onload( 0, 1 );
    }
}

};

var // Next active xhr id
xhrId = jQuery.now(),
```

```
// active xhrs

xhrs = {},


// #5280: see below
xhrUnloadAbortInstalled,


// XHR used to determine supports properties
testXHR;


// Create the request object
// (This is still attached to ajaxSettings for backward compatibility)
jQuery.ajaxSettings.xhr = window.ActiveXObject ?

/* Microsoft failed to properly
 * implement the XMLHttpRequest in IE7 (can't request local files),
 * so we use the ActiveXObject when it is available
 * Additionally XMLHttpRequest can be disabled in IE7/IE8 so
 * we need a fallback.

*/
function() {
    if ( window.location.protocol !== "file:" ) {

        try {
            return new window.XMLHttpRequest();
        } catch( xhrError ) {}

    }

    try {
        return new window.ActiveXObject("Microsoft.XMLHTTP");
    } catch( activeError ) {}
}
```

```
}:  
// For all other browsers, use the standard XMLHttpRequest object  
function() {  
    return new window.XMLHttpRequest();  
};  
  
// Test if we can create an xhr object  
try {  
    testXHR = jQuery.ajaxSettings.xhr();  
} catch( xhrCreationException ) {}  
  
// Does this browser support XHR requests?  
jQuery.support.ajax = !!testXHR;  
  
// Does this browser support crossDomain XHR requests  
jQuery.support.cors = testXHR && ( "withCredentials" in testXHR );  
  
// No need for the temporary xhr anymore  
testXHR = undefined;  
  
// Create transport if the browser can provide an xhr  
if ( jQuery.support.ajax ) {  
  
    jQuery.ajaxTransport(function( s ) {  
        // Cross domain only allowed if supported through XMLHttpRequest  
        if ( !s.crossDomain || jQuery.support.cors ) {  
  
            var callback;
```

```
return {

    send: function( headers, complete ) {

        // #5280: we need to abort on unload or IE will keep
        connections alive

        if ( !xhrUnloadAbortInstalled ) {

            xhrUnloadAbortInstalled = 1;

            jQuery(window).bind( "unload", function() {

                // Abort all pending requests
                jQuery.each( xhrs, function( _, xhr ) {

                    if ( xhr.onreadystatechange ) {
                        xhr.onreadystatechange( 1
);

                }
            });

            } );

        }

        // Get a new xhr
        var xhr = s.xhr(),
            handle;

        // Open the socket
        // Passing null username, generates a login popup on Opera
        (#2865)

        if ( s.username ) {
```

```

        xhr.open( s.type, s.url, s.async, s.username,
s.password );

    } else {

        xhr.open( s.type, s.url, s.async );

    }

// Requested-With header

// Not set for crossDomain requests with no content

// (see why at http://trac.dojotoolkit.org/ticket/9486)

// Won't change header if already provided

if ( !( s.crossDomain && !s.hasContent ) && !headers["x-
requested-with"] ) {

    headers[ "x-requested-with" ] = "XMLHttpRequest";

}

// Need an extra try/catch for cross domain requests in
Firefox 3

try {

    jQuery.each( headers, function( key, value ) {

        xhr.setRequestHeader( key, value );

    });

} catch( _ ) {}

// Do send the request

// This may raise an exception which is actually
// handled in jQuery.ajax (so no try/catch here)

xhr.send( ( s.hasContent && s.data ) || null );

// Listener

callback = function( _, isAbort ) {

```

```
// Was never called and is aborted or complete
if ( callback && ( isAbort || xhr.readyState === 4 ) ){

    // Only called once
    callback = 0;

    // Do not keep as active anymore
    if ( handle ) {

        xhr.onreadystatechange =
            delete xhrs[ handle ];

    }

    // If it's an abort
    if ( isAbort ) {

        // Abort it manually if needed
        if ( xhr.readyState !== 4 ) {

            xhr.abort();

        }

    } else {

        // Get info
        var status = xhr.status,
            statusText,
            responseHeaders =
                xhr.getAllResponseHeaders(),
                responses = {},
                xml = xhr.responseXML;
```

```

// Construct response list

if ( xml && xml.documentElement

/* #4958 */ ) {

    responses.xml = xml;

}

responses.text = xhr.responseText;

// Firefox throws an exception when
accessing

// statusText for faulty cross-
domain requests

try {

    statusText = xhr.statusText;

} catch( e ) {

    // We normalize with

    Webkit giving an empty statusText

    statusText = "";

}

// Filter status for non standard
behaviours

status =

// Opera returns 0 when it
should be 304

// Webkit returns 0 for
failing cross-domain no matter the real status

status === 0 ?

()

// Webkit,
Firefox: filter out faulty cross-domain requests

!s.crossDomain || statusText ?

```

```
(  
//  
Opera: filter out real aborts #6060  
  
responseHeaders ?  
304  
:  
0  
):  
// We  
assume 302 but could be anything cross-domain related  
302  
):  
(  
// IE  
sometimes returns 1223 when it should be 204 (see #1450)  
status ==  
1223 ?  
204  
:  
  
status  
);  
  
// Call complete  
complete( status, statusText,  
responses, responseHeaders );  
}  
}  
};  
  
// if we're in sync mode or it's in cache
```

```

// and has been retrieved directly (IE6 & IE7)

// we need to manually fire the callback

if ( !s.async || xhr.readyState === 4 ) {

    callback();

} else {

    // Add to list of active xhrs

    handle = xhrId++;

    xhrs[ handle ] = xhr;

    xhr.onreadystatechange = callback;

}

},


abort: function() {

    if ( callback ) {

        callback(0,1);

    }

}

};

}

});

}

var elemdisplay = {},  

rfxtypes = /^(:toggle|show|hide)$/,  

rfxnum = /^[+\-]=)?([\d+\.\-]+)([a-z%]*$)/i,  

timerId,

```

```

fxAttrs = [
    // height animations
    [ "height", "marginTop", "marginBottom", "paddingTop", "paddingBottom" ],
    // width animations
    [ "width", "marginLeft", "marginRight", "paddingLeft", "paddingRight" ],
    // opacity animations
    [ "opacity" ]
];

jQuery.fn.extend({
    show: function( speed, easing, callback ) {
        var elem, display;

        if ( speed || speed === 0 ) {
            return this.animate( genFx("show", 3), speed, easing, callback );
        }

        } else {
            for ( var i = 0, j = this.length; i < j; i++ ) {
                elem = this[i];
                display = elem.style.display;

                // Reset the inline display of this element to learn if it is
                // being hidden by cascaded rules or not
                if ( !jQuery._data(elem, "olddisplay") && display === "none" ) {
                    display = elem.style.display = "";
                }

                // Set elements which have been overridden with display: none
                // in a stylesheet to whatever the default browser style is
            }
        }
    }
});

```

```

        // for such an element

        if ( display === "" && jQuery.css( elem, "display" ) === "none" ) {

            jQuery._data(elem, "olddisplay",
defaultDisplay(elem.nodeName));

        }

    }

    // Set the display of most of the elements in a second loop
    // to avoid the constant reflow
    for ( i = 0; i < j; i++ ) {

        elem = this[i];

        display = elem.style.display;

        if ( display === "" || display === "none" ) {

            elem.style.display = jQuery._data(elem, "olddisplay") || "";

        }

    }

    return this;
}

},
hide: function( speed, easing, callback ) {

    if ( speed || speed === 0 ) {

        return this.animate( genFx("hide", 3), speed, easing, callback);

    }

} else {

    for ( var i = 0, j = this.length; i < j; i++ ) {

        var display = jQuery.css( this[i], "display" );

```

```

        if ( display !== "none" && !jQuery._data( this[i], "olddisplay" ) ) {
            jQuery._data( this[i], "olddisplay", display );
        }
    }

    // Set the display of the elements in a second loop
    // to avoid the constant reflow
    for ( i = 0; i < j; i++ ) {
        this[i].style.display = "none";
    }

    return this;
}

// Save the old toggle function
_toggle: jQuery.fn.toggle,

toggle: function( fn, fn2, callback ) {
    var bool = typeof fn === "boolean";

    if ( jQueryisFunction(fn) && jQueryisFunction(fn2) ) {
        this._toggle.apply( this, arguments );
    } else if ( fn == null || bool ) {
        this.each(function() {
            var state = bool ? fn : jQuery(this).is(":hidden");
            jQuery(this)[ state ? "show" : "hide" ]();
        });
    }
}

```

```
        });

    } else {
        this.animate(genFx("toggle", 3), fn, fn2, callback);
    }

    return this;
},

fadeTo: function( speed, to, easing, callback ) {
    return this.filter(":hidden").css("opacity", 0).show().end()
        .animate({opacity: to}, speed, easing, callback);
},

animate: function( prop, speed, easing, callback ) {
    var optall = jQuery.speed(speed, easing, callback);

    if ( jQuery.isEmptyObject( prop ) ) {
        return this.each( optall.complete );
    }

    return this[ optall.queue === false ? "each" : "queue" ](function() {
        // XXX 'this' does not always have a nodeName when running the
        // test suite

        var opt = jQuery.extend({}, optall), p,
            isElement = this.nodeType === 1,
            hidden = isElement && jQuery(this).is(":hidden"),
            self = this;
```

```

for ( p in prop ) {

    var name = jQuery.camelCase( p );

    if ( p !== name ) {

        prop[ name ] = prop[ p ];

        delete prop[ p ];

        p = name;

    }

}

if ( prop[p] === "hide" && hidden || prop[p] === "show" && !hidden
) {

    return opt.complete.call(this);

}

if ( isElement && ( p === "height" || p === "width" ) ) {

    // Make sure that nothing sneaks out

    // Record all 3 overflow attributes because IE does not

    // change the overflow attribute when overflowX and

    // overflowY are set to the same value

    opt.overflow = [ this.style.overflow, this.style.overflowX,
this.style.overflowY ];



    // Set display property to inline-block for height/width

    // animations on inline elements that are having

width/height

    // animated

    if ( jQuery.css( this, "display" ) === "inline" &&

jQuery.css( this, "float" ) === "none" ) {

        if ( !jQuery.support.inlineBlockNeedsLayout ) {

```

```
        this.style.display = "inline-block";  
  
    } else {  
  
        var display =  
defaultDisplay(this.nodeName);  
  
        // inline-level elements accept inline-block;  
        // block-level elements need to be inline  
with layout  
  
        if ( display === "inline" ) {  
  
            this.style.display = "inline-block";  
  
        } else {  
  
            this.style.display = "inline";  
            this.style.zoom = 1;  
  
        }  
  
    }  
  
}  
  
if ( jQuery.isArray( prop[p] ) ) {  
  
    // Create (if needed) and add to specialEasing  
    (opt.specialEasing = opt.specialEasing || {})[p] = prop[p][1];  
    prop[p] = prop[p][0];  
  
}  
  
}  
  
if ( opt.overflow != null ) {  
  
    this.style.overflow = "hidden";
```

```
        }

opt.curAnim = jQuery.extend({}, prop);

jQuery.each( prop, function( name, val ) {

    var e = new jQuery.fx( self, opt, name );

    if ( rfxtypes.test(val) ) {
        e[ val === "toggle" ? hidden : "show" : "hide" ]( prop );
    }

} else {

    var parts = rfxnum.exec(val),
        start = e.cur() || 0;

    if ( parts ) {
        var end = parseFloat( parts[2] ),
            unit = parts[3] || "px";

        // We need to compute starting value
        if ( unit !== "px" ) {
            jQuery.style( self, name, (end || 1) + unit);
            start = ((end || 1) / e.cur()) * start;
            jQuery.style( self, name, start + unit);
        }
    }

    // If a +=/-= token was provided, we're doing a
    relative animation

    if ( parts[1] ) {
```

```

        end = ((parts[1] === "-=" ? -1 : 1) * end) +
start;

    }

e.custom( start, end, unit );

} else {
    e.custom( start, val, "" );
}

}

});

// For JS strict compliance
return true;
});

},
stop: function( clearQueue, gotoEnd ) {
    var timers = jQuery.timers;

    if ( clearQueue ) {
        this.queue([]);
    }

    this.each(function() {
        // go in reverse order so anything added to the queue during the loop is
ignored
        for ( var i = timers.length - 1; i >= 0; i-- ) {
            if ( timers[i].elem === this ) {

```

```

        if (gotoEnd) {
            // force the next step to be the last
            timers[i](true);
        }

        timers.splice(i, 1);
    }

});

// start the next in the queue if the last step wasn't forced
if ( !gotoEnd ) {
    this.dequeue();
}

return this;
}

});

function genFx( type, num ) {
    var obj = {};

    jQuery.each( fxAttrs.concat.apply([], fxAttrs.slice(0,num))), function() {
        obj[ this ] = type;
    });

    return obj;
}

```

```

// Generate shortcuts for custom animations

jQuery.each({
    slideDown: genFx("show", 1),
    slideUp: genFx("hide", 1),
    slideToggle: genFx("toggle", 1),
    fadeIn: { opacity: "show" },
    fadeOut: { opacity: "hide" },
    fadeToggle: { opacity: "toggle" }
}, function( name, props ) {

    jQuery.fn[ name ] = function( speed, easing, callback ) {
        return this.animate( props, speed, easing, callback );
    };
});

jQuery.extend({
    speed: function( speed, easing, fn ) {
        var opt = speed && typeof speed === "object" ? jQuery.extend({}, speed) : {
            complete: fn || !fn && easing ||

                jQueryisFunction( speed ) && speed,
            duration: speed,
            easing: fn && easing || easing && !jQueryisFunction(easing) && easing
        };
        opt.duration = jQuery.fx.off ? 0 : typeof opt.duration === "number" ? opt.duration :
            opt.duration in jQuery.fx.speeds ? jQuery.fx.speeds[opt.duration] :
            jQuery.fx.speeds._default;
    }
});

```

```
    opt.old = opt.complete;

    opt.complete = function() {
        if ( opt.queue !== false ) {
            jQuery(this).dequeue();
        }

        if ( jQuery.isFunction( opt.old ) ) {
            opt.old.call( this );
        }
    };

    return opt;
},

easing: {
    linear: function( p, n, firstNum, diff ) {
        return firstNum + diff * p;
    },
    swing: function( p, n, firstNum, diff ) {
        return ((-Math.cos(p*Math.PI)/2) + 0.5) * diff + firstNum;
    }
},
timers: [],

fx: function( elem, options, prop ) {
    this.options = options;
    this.elem = elem;
    this.prop = prop;
```

```
        if ( !options.orig ) {

            options.orig = {};

        }

    });

jQuery.fx.prototype = {

    // Simple function for setting a style value

    update: function() {

        if ( this.options.step ) {

            this.options.step.call( this.elem, this.now, this );

        }

        (jQuery.fx.step[this.prop] || jQuery.fx.step._default)( this );

    },

    // Get the current size

    cur: function() {

        if ( this.elem[this.prop] != null && (!this.elem.style || this.elem.style[this.prop] == null) ) {

            return this.elem[ this.prop ];

        }

        var r = parseFloat( jQuery.css( this.elem, this.prop ) );

        return r || 0;

    },

    // Start an animation from one number to another
}
```

```
custom: function( from, to, unit ) {

    var self = this,
        fx = jQuery.fx;

    this.startTime = jQuery.now();
    this.start = from;
    this.end = to;
    this.unit = unit || this.unit || "px";
    this.now = this.start;
    this.pos = this.state = 0;

    function t( gotoEnd ) {
        return self.step(gotoEnd);
    }

    t.elem = this.elem;

    if ( t() && jQuery.timers.push(t) && !timerId ) {
        timerId = setInterval(fx.tick, fx.interval);
    }
},

// Simple 'show' function

show: function() {
    // Remember where we started, so that we can go back to it later
    this.options.orig[this.prop] = jQuery.style( this.elem, this.prop );
    this.options.show = true;

    // Begin the animation
```

```

// Make sure that we start at a small width/height to avoid any
// flash of content

this.custom(this.prop === "width" || this.prop === "height" ? 1 : 0, this.cur());

// Start by showing the element
jQuery( this.elem ).show();

},


// Simple 'hide' function
hide: function() {

    // Remember where we started, so that we can go back to it later
    this.options.orig[this.prop] = jQuery.style( this.elem, this.prop );
    this.options.hide = true;

    // Begin the animation
    this.custom(this.cur(), 0);

},


// Each step of an animation
step: function( gotoEnd ) {

    var t = jQuery.now(), done = true;

    if ( gotoEnd || t >= this.options.duration + this.startTime ) {

        this.now = this.end;
        this.pos = this.state = 1;
        this.update();

        this.options.curAnim[ this.prop ] = true;
    }
}

```

```

for ( var i in this.options.curAnim ) {

    if ( this.options.curAnim[i] !== true ) {

        done = false;

    }

}

if ( done ) {

    // Reset the overflow

    if ( this.options.overflow != null &&
jQuery.support.shrinkWrapBlocks ) {

        var elem = this.elem,
options = this.options;

        jQuery.each( [ "", "X", "Y" ], function (index, value) {

            elem.style[ "overflow" + value ] =
options.overflow[index];

        });

    }

    // Hide the element if the "hide" operation was done

    if ( this.options.hide ) {

        jQuery(this.elem).hide();

    }

    // Reset the properties, if the item has been hidden or shown

    if ( this.options.hide || this.options.show ) {

        for ( var p in this.options.curAnim ) {

            jQuery.style( this.elem, p, this.options.orig[p] );

        }

    }

}

```

```
        }

        // Execute the complete function
        this.options.complete.call( this.elem );

    }

    return false;

} else {

    var n = t - this.startTime;
    this.state = n / this.options.duration;

    // Perform the easing function, defaults to swing
    var specialEasing = this.options.specialEasing &&
this.options.specialEasing[this.prop];
    var defaultEasing = this.options.easing || (jQuery.easing.swing ? "swing" :
"linear");
    this.pos = jQuery.easing[specialEasing || defaultEasing](this.state, n, 0, 1,
this.options.duration);
    this.now = this.start + ((this.end - this.start) * this.pos);

    // Perform the next step of the animation
    this.update();
}

return true;
};

jQuery.extend( jQuery.fx, {
```

```
tick: function() {

    var timers = jQuery.timers;

    for ( var i = 0; i < timers.length; i++ ) {

        if ( !timers[i]() ) {

            timers.splice(i--, 1);

        }

    }

    if ( !timers.length ) {

        jQuery.fx.stop();

    }

},


interval: 13,


stop: function() {

    clearInterval( timerId );

    timerId = null;

},


speeds: {

    slow: 600,

    fast: 200,

    // Default speed

    _default: 400

},


step: {
```

```

opacity: function( fx ) {
    jQuery.style( fx.elem, "opacity", fx.now );
},
}

_default: function( fx ) {
    if ( fx.elem.style && fx.elem.style[ fx.prop ] != null ) {
        fx.elem.style[ fx.prop ] = (fx.prop === "width" || fx.prop ===
        "height" ? Math.max(0, fx.now) : fx.now) + fx.unit;
    } else {
        fx.elem[ fx.prop ] = fx.now;
    }
}
});

if ( jQuery.expr && jQuery.expr.filters ) {
    jQuery.expr.filters.animated = function( elem ) {
        return jQuery.grep(jQuery.timers, function( fn ) {
            return elem === fn.elem;
        }).length;
    };
}

function defaultDisplay( nodeName ) {
    if ( !elemdisplay[ nodeName ] ) {
        var elem = jQuery("<" + nodeName + ">").appendTo("body"),
            display = elem.css("display");
        elem.remove();
    }
}

```

```
        if ( display === "none" || display === "" ) {

            display = "block";

        }

        elemdisplay[ nodeName ] = display;

    }

    return elemdisplay[ nodeName ];

}

var rtable = /^t(?:able|d|h)$/i,
rroot = /^(?:body|html)$/i;

if ( "getBoundingClientRect" in document.documentElement ) {

    jQuery.fn.offset = function( options ) {

        var elem = this[0], box;

        if ( options ) {

            return this.each(function( i ) {

                jQuery.offset.setOffset( this, options, i );

            });

        }

        if ( !elem || !elem.ownerDocument ) {

            return null;

        }

        var rect = elem.getBoundingClientRect();

        box = {
            top: rect.top + ( window.pageYOffset || document.documentElement.scrollTop ),
            left: rect.left + ( window.pageXOffset || document.documentElement.scrollLeft ),
            width: rect.width,
            height: rect.height
        };

        if ( elem.offsetWidth !== rect.width || elem.offsetHeight !== rect.height ) {

            box.width = elem.offsetWidth;
            box.height = elem.offsetHeight;

        }

        return box;

    }

}

jQuery.extend( true, {

    offset: function( elem, options ) {

        var rect = elem.getBoundingClientRect(),
            box = {
                top: rect.top + ( window.pageYOffset || document.documentElement.scrollTop ),
                left: rect.left + ( window.pageXOffset || document.documentElement.scrollLeft ),
                width: rect.width,
                height: rect.height
            };

        if ( elem.offsetWidth !== rect.width || elem.offsetHeight !== rect.height ) {

            box.width = elem.offsetWidth;
            box.height = elem.offsetHeight;

        }

        return box;

    }

});
```

```
}

if ( elem === elem.ownerDocument.body ) {

    return jQuery.offset.bodyOffset( elem );
}

try {

    box = elem.getBoundingClientRect();

} catch(e) {}

var doc = elem.ownerDocument,
    docElem = doc.documentElement;

// Make sure we're not dealing with a disconnected DOM node

if ( !box || !jQuery.contains( docElem, elem ) ) {

    return box ? { top: box.top, left: box.left } : { top: 0, left: 0 };
}

var body = doc.body,
    win = getWindow(doc),
    clientTop = docElem.clientTop || body.clientTop || 0,
    clientLeft = docElem.clientLeft || body.clientLeft || 0,
    scrollTop = (win.pageYOffset || jQuery.support.boxModel &&
docElem.scrollTop || body.scrollTop ),
    scrollLeft = (win.pageXOffset || jQuery.support.boxModel &&
docElem.scrollLeft || body.scrollLeft),
    top = box.top + scrollTop - clientTop,
    left = box.left + scrollLeft - clientLeft;
```

```
        return { top: top, left: left };

    };

} else {

jQuery.fn.offset = function( options ) {

    var elem = this[0];

    if ( options ) {

        return this.each(function( i ) {

            jQuery.offset.setOffset( this, options, i );

        });

    }

    if ( !elem || !elem.ownerDocument ) {

        return null;

    }

    if ( elem === elem.ownerDocument.body ) {

        return jQuery.offset.bodyOffset( elem );

    }

    jQuery.offset.initialize();

}

var computedStyle,
    offsetParent = elem.offsetParent,
    prevOffsetParent = elem,
    doc = elem.ownerDocument,
    docElem = doc.documentElement,
    body = doc.body,
```

```
        defaultView = doc.defaultView,  
  
        prevComputedStyle = defaultView ? defaultView.getComputedStyle( elem,  
null ) : elem.currentStyle,  
  
        top = elem.offsetTop,  
  
        left = elem.offsetLeft;  
  
  
        while ( (elem = elem.parentNode) && elem !== body && elem !== docElem ) {  
  
            if ( jQuery.offset.supportsFixedPosition && prevComputedStyle.position ===  
"fixed" ) {  
  
                break;  
  
            }  
  
  
            computedStyle = defaultView ? defaultView.getComputedStyle(elem, null) :  
elem.currentStyle;  
  
            top -= elem.scrollTop;  
  
            left -= elem.scrollLeft;  
  
  
            if ( elem === offsetParent ) {  
  
                top += elem.offsetTop;  
  
                left += elem.offsetLeft;  
  
  
                if ( jQuery.offset.doesNotAddBorder &&  
!(jQuery.offset.doesAddBorderForTableAndCells && rtable.test(elem.nodeName)) ) {  
  
                    top += parseFloat( computedStyle.borderTopWidth ) || 0;  
  
                    left += parseFloat( computedStyle.borderLeftWidth ) || 0;  
  
                }  
  
  
                prevOffsetParent = offsetParent;  
  
                offsetParent = elem.offsetParent;  
  
            }  
        }
```

```
        if ( jQuery.offset.subtractsBorderForOverflowNotVisible &&
computedStyle.overflow !== "visible" ) {

            top += parseFloat( computedStyle.borderTopWidth ) || 0;
            left += parseFloat( computedStyle.borderLeftWidth ) || 0;

        }

        prevComputedStyle = computedStyle;
    }

    if ( prevComputedStyle.position === "relative" || prevComputedStyle.position ===
"static" ) {

        top += body.offsetTop;
        left += body.offsetLeft;

    }

    if ( jQuery.offset.supportsFixedPosition && prevComputedStyle.position === "fixed" )
{

        top += Math.max( docElem.scrollTop, body.scrollTop );
        left += Math.max( docElem.scrollLeft, body.scrollLeft );
    }

    return { top: top, left: left };
};

}

jQuery.offset = {

    initialize: function() {

        var body = document.body, container = document.createElement("div"), innerDiv,
checkDiv, table, td, bodyMarginTop = parseFloat( jQuery.css(body, "marginTop") ) || 0,
```

```
html = "<div style='position:absolute;top:0;left:0;margin:0;border:5px solid #000;padding:0;width:1px;height:1px;'><div></div></div><table style='position:absolute;top:0;left:0;margin:0;border:5px solid #000;padding:0;width:1px;height:1px;' cellpadding='0' cellspacing='0'><tr><td></td></tr></table>";

jQuery.extend( container.style, { position: "absolute", top: 0, left: 0, margin: 0, border: 0, width: "1px", height: "1px", visibility: "hidden" } );

container.innerHTML = html;
body.insertBefore( container, body.firstChild );
innerDiv = container.firstChild;
checkDiv = innerDiv.firstChild;
td = innerDiv.nextSibling.firstChild.firstChild;

this.doesNotAddBorder = (checkDiv.offsetTop !== 5);
this.doesAddBorderForTableAndCells = (td.offsetTop === 5);

checkDiv.style.position = "fixed";
checkDiv.style.top = "20px";

// safari subtracts parent border width here which is 5px
this.supportsFixedPosition = (checkDiv.offsetTop === 20 || checkDiv.offsetTop === 15);
checkDiv.style.position = checkDiv.style.top = "";

innerDiv.style.overflow = "hidden";
innerDiv.style.position = "relative";

this.subtractsBorderForOverflowNotVisible = (checkDiv.offsetTop === -5);
```

```
this.doesNotIncludeMarginInBodyOffset = (body.offsetTop !== bodyMarginTop);  
  
body.removeChild( container );  
body = container = innerDiv = checkDiv = table = td = null;  
jQuery.offset.initialize = jQuery.noop;  
},  
  
bodyOffset: function( body ) {  
    var top = body.offsetTop,  
        left = body.offsetLeft;  
  
    jQuery.offset.initialize();  
  
    if ( jQuery.offset.doesNotIncludeMarginInBodyOffset ) {  
        top += parseFloat( jQuery.css(body, "marginTop") ) || 0;  
        left += parseFloat( jQuery.css(body, "marginLeft") ) || 0;  
    }  
  
    return { top: top, left: left };  
},setOffset: function( elem, options, i ) {  
    var position = jQuery.css( elem, "position" );  
    // set position first, in-case top/left are set even on static elem  
    if ( position === "static" ) {  
        elem.style.position = "relative";  
    }  
  
    var curElem = jQuery( elem ),  
        curOffset = curElem.offset(),  
        curCSTop = jQuery.css( elem, "top" ),
```

```

        curCSSLeft = jQuery.css( elem, "left" ),

        calculatePosition = (position === "absolute" && jQuery.inArray('auto',
[curCSSTop, curCSSLeft]) > -1),

        props = {}, curPosition = {}, curTop, curLeft;

// need to be able to calculate position if either top or left is auto and position is
absolute

if ( calculatePosition ) {

    curPosition = curElem.position();

}

curTop = calculatePosition ? curPosition.top : parseInt( curCSSTop, 10 ) || 0;
curLeft = calculatePosition ? curPosition.left : parseInt( curCSSLeft, 10 ) || 0;

if ( jQueryisFunction( options ) ) {

    options = options.call( elem, i, curOffset );

}

if (options.top != null) {

    props.top = (options.top - curOffset.top) + curTop;

}

if (options.left != null) {

    props.left = (options.left - curOffset.left) + curLeft;

}

if ( "using" in options ) {

    options.using.call( elem, props );

} else {

    curElem.css( props );
}

```

```
        }

    }

};

jQuery.fn.extend({


    position: function() {

        if ( !this[0] ) {

            return null;

        }

        var elem = this[0],



            // Get *real* offsetParent

            offsetParent = this.offsetParent(),



            // Get correct offsets

            offset      = this.offset(),



            parentOffset = rroot.test(offsetParent[0].nodeName) ? { top: 0, left: 0 } :

            offsetParent.offset();



            // Subtract element margins

            // note: when an element has margin: auto the offsetLeft and marginLeft

            // are the same in Safari causing offset.left to incorrectly be 0

            offset.top  -= parseFloat( jQuery.css(elem, "marginTop") ) || 0;

            offset.left -= parseFloat( jQuery.css(elem, "marginLeft") ) || 0;



            // Add offsetParent borders

```

```
parentOffset.top += parseFloat( jQuery.css(offsetParent[0], "borderTopWidth") ) ||  
0;  
  
parentOffset.left += parseFloat( jQuery.css(offsetParent[0], "borderLeftWidth") ) ||  
0;  
  
// Subtract the two offsets  
  
return {  
    top: offset.top - parentOffset.top,  
    left: offset.left - parentOffset.left  
};  
  
,  
  
offsetParent: function() {  
    return this.map(function() {  
        var offsetParent = this.offsetParent || document.body;  
  
        while ( offsetParent && (!rroot.test(offsetParent.nodeName) &&  
jQuery.css(offsetParent, "position") === "static") ) {  
            offsetParent = offsetParent.offsetParent;  
        }  
  
        return offsetParent;  
    });  
}  
});  
  
// Create scrollLeft and scrollTop methods  
  
jQuery.each( ["Left", "Top"], function( i, name ) {  
    var method = "scroll" + name;  
  
    jQuery.fn[ method ] = function(val) {  
        if ( val === undefined ) {  
            return this[ method ]();  
        }  
        return this.each(function() {  
            this[ method ](val);  
        });  
    };  
});
```

```
var elem = this[0], win;

if ( !elem ) {
    return null;
}

if ( val !== undefined ) {
    // Set the scroll offset
    return this.each(function() {
        win = getWindow( this );

        if ( win ) {
            win.scrollTo(
                !i ? val : jQuery(win).scrollLeft(),
                i ? val : jQuery(win).scrollTop()
            );
        }
    });
}

} else {
    this[ method ] = val;
}
});

} else {
    win = getWindow( elem );

    // Return the scroll offset
    return win ? ("pageXOffset" in win) ? win[ i ? "pageYOffset" : "pageXOffset" ]
    :
    jQuery.support.boxModel && win.document.documentElement[
method ] ||
```

```
        win.document.body[ method ] :  
            elem[ method ];  
        }  
    };  
});  
  
function getWindow( elem ) {  
    return jQuery.isWindow( elem ) ?  
        elem :  
        elem.nodeType === 9 ?  
            elem.defaultView || elem.parentWindow :  
            false;  
}  
  
// Create innerHeight, innerWidth, outerHeight and outerWidth methods  
jQuery.each([ "Height", "Width" ], function( i, name ) {  
  
    var type = name.toLowerCase();  
  
    // innerHeight and innerWidth  
    jQuery.fn["inner" + name] = function() {  
        return this[0] ?  
            parseFloat( jQuery.css( this[0], type, "padding" ) ) :  
            null;  
    };  
});
```

```

// outerHeight and outerWidth

jQuery.fn["outer" + name] = function( margin ) {

    return this[0] ?

        parseFloat( jQuery.css( this[0], type, margin ? "margin" : "border" ) ) :

        null;

};

jQuery.fn[ type ] = function( size ) {

    // Get window width or height

    var elem = this[0];

    if ( !elem ) {

        return size == null ? null : this;

    }

    if ( jQueryisFunction( size ) ) {

        return this.each(function( i ) {

            var self = jQuery( this );

            self[ type ]( size.call( this, i, self[ type ]() ) );

        });

    }

    if ( jQuery.isWindow( elem ) ) {

        // Everyone else use document.documentElement or document.body
        depending on Quirks vs Standards mode

        // 3rd condition allows Nokia support, as it supports the docElem prop but
        not CSS1Compat

        var docElemProp = elem.document.documentElement[ "client" + name ];

        return elem.document.compatMode === "CSS1Compat" && docElemProp

        ||

        elem.document.body[ "client" + name ] || docElemProp;

    }

};

```

```

// Get document width or height

} else if ( elem.nodeType === 9 ) {

    // Either scroll[Width/Height] or offset[Width/Height], whichever is greater
    return Math.max(
        elem.documentElement["client" + name],
        elem.body["scroll" + name], elem.documentElement["scroll" +
name],
        elem.body["offset" + name], elem.documentElement["offset" +
name]
    );
}

// Get or set width or height on the element

} else if ( size === undefined ) {

    var orig = jQuery.css( elem, type ),
        ret = parseFloat( orig );

    return jQuery.isNaN( ret ) ? orig : ret;
}

// Set the width or height on the element (default to pixels if value is unitless)

} else {

    return this.css( type, typeof size === "string" ? size : size + "px" );
}
};

})(window);

```

Jquery.js

```
(function(a,b){function G(a){var b=F[a]={};return p.each(a.split(s),function(a,c){b[c]=!0}),b}function J(a,c,d){if(d==b&&a.nodeType==1){var e="data-"+c.replace(l,"-");$1").toLowerCase();d=a.getAttribute(e);if(typeof d=="string"){try{d=d=="true"?!0:d=="false"?!1:d=="null"?null:+d+"":d?+d:H.test(d)?p.parseJSON(d):d}catch(f){}p.data(a,c,d)}else d=b}return d}function K(a){var b;for(b in a){if(b=="data"&&!p.isEmptyObject(a[b]))continue;if(b=="toJSON")return!0}function ba(){return!1}function bb(){return!0}function bh(a){return!a||!a.parentNode||a.parentNode.nodeType==11}function bi(a,b){do a=a[b];while(a&&a.nodeType!=1);return a}function bj(a,b,c){b=b||0;if(pisFunction(b))return p.grep(a,function(a,d){var e=!!b.call(a,d,a);return e==c});if(b.nodeType) return p.grep(a,function(a,d){return a==b==c});if(typeof b=="string"){var d=p.grep(a,function(a){return a.nodeType==1});if(be.test(b))return p.filter(b,d,!c);b=p.filter(b,d)}return p.grep(a,function(a,d){return p.inArray(a,b)>=0==c})}function bk(a){var b=bl.split(" | "),c=a.createDocumentFragment();if(c.createElement)while(b.length)c.createElement(b.pop());return c}function bC(a,b){return a.getElementsByTagName(b)[0]||a.appendChild(a.ownerDocument.createElement(b))}function bD(a,b){if(b.nodeType==1||!p.hasData(a))return;var c,d,e,f=p._data(a),g=p._data(b,f),h=f.events;if(h){delete g.handle,g.events={};for(c in h)for(d=0,e=h[c].length;d<e;d++)p.event.add(b,c,h[c][d])}g.data&&(g.data=p.extend({},g.data))}function bE(a,b){var c;if(b.nodeType==1)return;b.clearAttributes&&b.clearAttributes(),b.mergeAttributes&&b.mergeAttributes(a),c=b.nodeName.toLowerCase(),c=="object"?((b.parentNode&&(b.outerHTML=a.outerHTML),p.support.html5Clone&&a.innerHTML&&!p.trim(b.innerHTML))&&(b.innerHTML=a.innerHTML)):c=="input"&&bv.test(a.type)?(b.defaultChecked=b.checked,a.value!=a.value&&(b.value=a.value)):c=="option"?b.selected=a.defaultSelected:c=="input"||c=="textarea"?b.defaultValue=a.defaultValue:c=="script"&&(b.text!=a.text&&(b.text=a.text),b.removeAttribute(p.expando))}function bF(a){return typeof a.getElementsByTagName!="undefined"?a.getElementsByTagName("*"):typeof a.querySelectorAll!="undefined"?a.querySelectorAll("*"):[]}function bG(a){bv.test(a.type)&&(a.defaultChecked=a.checked)}function bY(a,b){if(b in a)return b;var c=b.charAt(0).toUpperCase()+b.slice(1),d=b,e=bW.length;while(e--){b=bW[e]+c;if(b in a) return b}return d}function bZ(a,b){return a=b||a,p.css(a,"display")=="none"||!p.contains(a.ownerDocument,a)}function b$(a,b){var c,d,e=[],f=0,g=a.length;for(;f<g;f++){c=a[f];if(!c.style)continue;e[f]=p._data(c,"olddisplay"),b?(!e[f]&&c.style.display=="none"&&(c.style.display=""),c.style.display=""&&bZ(c)&&(e[f]=p._data(c,"olddisplay",cc(c.nodeName)))):(d=bH(c,"display"),!e[f]&&d=="none"&&(p._data(c,"olddisplay",d))}for(f=0;f<g;f++){c=a[f];if(!c.style)continue;if(!b||c.style.display=="none"||c.style.display=="")c.style.display=b?e[f]||"":";none"}return a}function b_(a,b,c){var d=bP.exec(b);return d?Math.max(0,d[1]-c||0)+(d[2]||"px"):b}function ca(a,b,c,d){var e=c==(d?"border":"content")?4:b=="width"?1:0,f=0;for(;e<4;e+=2)c=="margin"&&(f+=p.css(a,c+bV[e],!0)),d?(c=="content"&&(f-=parseFloat(bH(a,"padding"+bV[e])))||0),c!="margin"&&(f-
```

```

=parseFloat(bH(a,"border"+bV[e]+"Width"))||0):(f+=parseFloat(bH(a,"padding"+bV[e]))||0,c!="pa
dding"&&(f+=parseFloat(bH(a,"border"+bV[e]+"Width"))||0));return f}function cb(a,b,c){var
d=b==="width"?a.offsetWidth:a.offsetHeight,e=!0,f=p.support.boxSizing&&p.css(a,"boxSizing")==""
border-box";if(d<=0||d==null){d=bH(a,b);if(d<0||d==null)d=a.style[b];if(bQ.test(d))return
d;e=f&&(p.support.boxSizingReliable||d==a.style[b]),d=parseFloat(d)||0}return
d+ca(a,b,c||(f?"border":"content"),e)+"px"}function cc(a){if(bS[a])return bS[a];var
b=p("<"+"a+">").appendTo(e.body),c=b.css("display");b.remove();if(c==="none"||c==""){bI=e.body.
appendChild(bI)||p.extend(e.createElement("iframe"),{frameBorder:0,width:0,height:0});if(!bJ||!bI.
createElement)bJ=(bI.contentWindow||bI.contentDocument).document,bJ.write("<!doctype
html><html><body>"),bJ.close();b=bJ.body.appendChild(bJ.createElement(a)),c=bH(b,"display"),e.bo
dy.removeChild(bI)}return bS[a]=c,c}function ci(a,b,c,d){var
e;if(p.isArray(b))p.each(b,function(b,e){c||ce.test(a)?d(a,e):ci(a+"["+typeof
e=="object"?b:"")+"]",e,c,d)};else if(!c&&p.type(b)=="object")for(e in
b)ci(a+"["+e+"]",b[e],c,d);else d(a,b)}function cz(a){return function(b,c){typeof
b!="string"&&(c=b,b="*");var
d,e,f,g=b.toLowerCase().split(s),h=0,i=g.length;if(pisFunction(c))for(;h<i;h++)d=g[h],f=/^\+\./.test(d),f
&&(d=d.substr(1)||"*"),e=a[d]=a[d]||[],e[f? "unshift": "push"]([c])}function
cA(a,c,d,e,f,g){f=f||c.dataTypes[0],g=g||[],g[f]=!0;var
h,i=a[f],j=0,k=i?i.length:0,l=a==="cv;for(j<k&&(l||!h);j++)h=i[j](c,d,e),typeof
h=="string"&&(!l||!g[h]?h=b:(c.dataTypes.unshift(h),h=cA(a,c,d,e,h,g)));return(l||!h)&&!g["*"]&&(h=
cA(a,c,d,e,"*",g)),h}function cB(a,c){var d,e,f=p.ajaxSettings.flatOptions||{};for(d in
c)c[d]!==b&&((f[d]?a:e||(e={}))[d]=c[d]);e&&p.extend(!0,a,e)}function cC(a,c,d){var
e,f,g,h,i=a.contents,j=a.dataTypes,k=a.responseFields;for(f in k)f in
d&&(c[k[f]]=d[f]);while(j[0]==="*")j.shift(),e==="b"&&(e=a.mimeType||c.getResponseHeader("conen
t-type"));if(e)for(f in i)if(i[f]&&i[f].test(e)){j.unshift(f);break}if(j[0]in d)g=j[0];else{for(f in
d){if(!j[0]||!a.converters[f+" "+j[0]]){g=f;break}h||(h=f)}g=g||h}if(g)return
g!=j[0]&&j.unshift(g),d[g]}function cD(a,b){var
c,d,e,f,g=a.dataTypes.slice(),h=g[0],i={},j=0;a.dataFilter&&(b=a.dataFilter(b,a.dataType));if(g[1])for(c
in
a.converters)i[c.toLowerCase()]=a.converters[c];for(;e=g[++j];)if(e=="*"){if(h!=="*">&&h!=e){c=i[h+
" "+e]||i["* "+e];if(!c)for(d in i){f=d.split(" ");if(f[1]===e){c=i[h+" "+f[0]]||i["*
"+f[0]]};if(c){c===""?c=i[d]:i[d]!==!0&&(e=f[0],g.splice(j-
,0,e));break}}}}if(c===""?c:a["throws"])b=c(b);else
try{b=c(b)}catch(k){return{state:"parsererror",error:c?k:"No conversion from "+h+" to
"+e}}h=e}return{state:"success",data:b}function cL(){try{return new
a.XMLHttpRequest}catch(b){}function cM(){try{return new
a.ActiveXObject("Microsoft.XMLHTTP")}catch(b){}}function cU(){try{return
setTimeout(function(){cN=b},0),cN=p.now()}function cV(a,b){p.each(b,function(b,c){var
d=(cT[b]||[]).concat(cT["*"]),e=0,f=d.length;for(;e<f;e++)if(d[e].call(a,b,c))return})}function
cW(a,b,c){var d,e=0,f=0,g=cS.length,h=p.Deferred().always(function(){delete i.elem}),i=function(){var
b=cN||cU(),c=Math.max(0,j.startTime+j.duration-b),d=1-
(c/j.duration||0),e=0,f=j.tweens.length;for(;e<f;e++)j.tweens[e].run(d);return
h.notifyWith(a,[j,d,c]),d<1&&f?c:(h.resolveWith(a,[j]),!1)},j=h.promise({elem:a,props:p.extend({},b),o

```

```

pts:p.extend(!0,{specialEasing:{}},c),originalProperties:b,originalOptions:c,startTime:cN||cU(),duration:c.duration,tweens:[],createTween:function(b,c,d){var
e=p.Tween(a,j.opts,b,c,j.opts.specialEasing[b]||j.opts.easing);return
j.tweens.push(e),e},stop:function(b){var
c=0,d=b?j.tweens.length:0;for(;c<d;c++)j.tweens[c].run(1);return
b?h.resolveWith(a,[j,b]):h.rejectWith(a,[j,b]),this}},k=j.props;cX(k,j.opts.specialEasing);for(;e<g;e++){d=cS[e].call(j,a,k,j.opts);if(d)return d}return
cV(j,k),pisFunction(j.opts.start)&&j.opts.start.call(a,j),p.fx.timer(p.extend(i,{anim:j,queue:j.opts.queue,elem:a})),j.progress(j.opts.progress).done(j.opts.done,j.opts.complete).fail(j.opts.fail).always(j.opts.always)}function cX(a,b){var c,d,e,f,g;for(c in
a){d=p.camelCase(c),e=b[d],f=a[c],p.isArray(f)&&(e=f[1],f=a[c]=f[0]),c!==d&&(a[d]=f,delete
a[c]),g=p.cssHooks[d];if(g&&"expand"in g){f=g.expand(f),delete a[d];for(c in f)c in
a||(a[c]=f[c],b[c]=e)}else b[d]=e}}function cY(a,b,c){var
d,e,f,g,h,i,j,k,l=this,m=a.style,n={},o=[],q=a.nodeType&&bZ(a);c.queue|||j=p._queueHooks(a,"fx"),j.unqueued==null&&(j.unqueued=0,k=j.empty.fire,j.empty.fire=function(){j.unqueued||k()}),j.unqueued
d++,l.always(function(){l.always(function(){j.unqueued--
,p.queue(a,"fx").length||j.empty.fire()))}),a.nodeType==1&&("height"in b||"width"in
b)&&(c.overflow=[m.overflow,m.overflowX,m.overflowY],p.css(a,"display")=="inline"&&p.css(a,"float")=="none"&&(!p.support.inlineBlockNeedsLayout||cc(a.nodeName)=="inline"?m.display="inlin
e-
block":m.zoom=1)),c.overflow&&(m.overflow="hidden",p.support.shrinkWrapBlocks||l.done(function()
{m.overflow=c.overflow[0],m.overflowX=c.overflow[1],m.overflowY=c.overflow[2]}));for(d in
b){f=b[d];if(cP.exec(f)){delete
b[d];if(f==(q?"hide":"show"))continue;o.push(d)}}g=o.length;if(g){h=p._data(a,"fxshow")||p._data(
a,"fxshow",{}),q?p(a).show():l.done(function(){p(a).hide()}),l.done(function(){var
b;p.removeData(a,"fxshow",!0);for(b in
n)p.style(a,b,n[b]);}));for(d=0;d<g;d++)e=o[d],i=l.createTween(e,q?h[e]:0),n[e]=h[e]||p.style(a,e),e in
h||(h[e]=i.start,q&&(i.end=i.start,i.start=e=="width"||e=="height"?1:0))}function
cZ(a,b,c,d,e){return new cZ.prototype.init(a,b,c,d,e)}function c$(a,b){var
c,d={height:a},e=0;b=b?1:0;for(;e<4;e+=2-b)c=bV[e],d["margin"+c]=d["padding"+c]=a;return
b&&(d.opacity=d.width=a),d}function da(a){return
p.isWindow(a)?a:a.nodeType==9?a.defaultView||a.parentWindow:!1}var
c,d,e=a.document,f=a.location,g=a.navigator,h=a.jQuery,i=a.$,j=Array.prototype.push,k=Array.proto
type.slice,l=Array.prototype.indexOf,m=Object.prototype.toString,n=Object.prototype.hasOwnProperty
,o=String.prototype.trim,p=function(a,b){return new p.fn.init(a,b,c)},q=/[\-\
+]?(\?:\d*\.\.)|\d+(?:[eE][\-\
+])?\d+/g,r=/\$/,\$=/\$+/,\t=/^[\s\uFEFF\xA0]+|[\s\uFEFF\xA0]+\$/,\u=/^(\?:[^#\<]*(<[\w\W]+>)[\>]*\$|\#([\w\-\
+])$)/,\v=/^<(\w+)\s*\v?>(\?:<\v1>)\$/,\w=/^[\v],:{\}\s]*$/,\x=/(?:^\v|:|,)(?:\s*\v)+/g,y=/\v(\?:["\\\'\\bfnrt]|u
[\da-fA-F]{4})/,\g,z=/[^"\\"r\n]*"/,true|false|null|-?(?:\d\dx*\.\.)\d+(?:[eE][\-\?]\d+\|)/,\A=/^ms-/
,B=-([\da-
z])/gi,C=function(a,b){return(b+"").toUpperCase()},D=function(){e.addEventListener?(e.removeEventListener("DOMContentLoaded",D,!1),p.ready()):e.readyState=="complete"&&(e.detachEvent("onre

```

```
adystatechange",D),p.ready()),E={};p.fn=p.prototype={constructor:p,init:function(a,c,d){var f,g,h,i;if(!a) return this;if(a.nodeType) return this.context=this[0]=a,this.length=1,this;if(typeof a=="string"){a.charAt(0)=="<"&&a.charAt(a.length-1)==">>"&&a.length>=3?f=[null,a,null]:f=u.exec(a);if(f&&(f[1]||!c)){if(f[1])return c=c instanceof p?c[0]:c,i=c&&c.nodeType?c.ownerDocument||c:e,a=p.parseHTML(f[1],i,!0),v.test(f[1])&&p.isPlainObject(c)&&this.attr.call(a,c,!0),p.merge(this,a);g=e.getElementById(f[2]);if(g&&g.parentNode){if(g.id==f[2])return d.find(a);this.length=1,this[0]=g}return this.context=e,this.selector=a,this}return!c||c.jquery?(c||d).find(a):this.constructor(c).find(a)}return pisFunction(a)?d.ready(a):(a.selector!=b&&(this.selector=a.selector,this.context=a.context),p.makeArray(a,this)),selector:"",jquery:"1.8.2",length:0,size:function(){return this.length},toArray:function(){return k.call(this)},get:function(a){return a==null?this.toArray():a<0?this[this.length+a]:this[a]},pushStack:function(a,b,c){var d=p.merge(this.constructor(),a);return d.prevObject=this,d.context=this.context,b==="find"?d.selector=this.selector+(this.selector?"."+""):+c:b&&(d.selector=this.selector+"."+b+"("+c+")),d},each:function(a,b){return p.each(this,a,b)},ready:function(a){return p.ready.promise().done(a),this},eq:function(a){return a+=a,a===-1?this.slice(a):this.slice(a,a+1)},first:function(){return this.eq(0)},last:function(){return this.eq(-1)},slice:function(){return this.pushStack(k.apply(this,arguments),"slice",k.call(arguments).join(",")),map:function(a){return this.pushStack(p.map(this,function(b,c){return a.call(b,c,b)})),end:function(){return this.prevObject||this.constructor(null)},push:j,sort:[].sort,splice:[].splice},p.fn.init.prototype=p.fn,p.extend=p.fn.extend=function(){var a,c,d,e,f,g,h=arguments[0]||{},i=1,j=arguments.length,k=!1,typeof h=="boolean"&&(k=h,h=arguments[1]||{}),i=2,typeof h!="object"&&!pisFunction(h)&&(h={}),j==i&&(h=this,-i);for(;i<j;i++)if((a=arguments[i])!=null)for(c in a){d=h[c],e=a[c];if(h==e)continue;k&&e&&(p.isPlainObject(e)||!(f=p.isArray(e)))?(f?(f=!1,g=d&&p.isArray(d)?d:[]):g=d&&p.isPlainObject(d)?d:{}),h[c]=p.extend(k,g,e)):e!=b&&(h[c]=e)}return h},p.extend({noConflict:function(b){return a.$==p&&(a.$=i),b&&a.jQuery==p&&(a.jQuery=h),p},isReady:!1,readyWait:1,holdReady:function(a){a?p.readyWait++:p.ready(!0)},ready:function(a){if(a==!=!0?--p.readyWait:p.isReady)return;if(!e.body) return setTimeout(p.ready,1);p.isReady=!0;if(a!=!=!0&&--p.readyWait>0) return;d.resolveWith(e,[p]),p.fn.trigger&&p(e).trigger("ready").off("ready"),isFunction:a{return p.type(a)=="function"},isArray:Array.isArray||function(a){return p.type(a)=="array"},isWindow:function(a){return a!=null&&a==a.window},isNumeric:function(a){return!isNaN(parseFloat(a))&&isFinite(a)},type:function(a){return a==null?String(a):E[m.call(a)]||"object"},isPlainObject:function(a){if(!a||p.type(a)!=="object"||a.nodeType||p.isWindow(a))return!1;try{if(a.constructor&&!n.call(a,"constructor")&&!n.call(a.constructor.prototype,"isPrototypeOf"))return!1}catch(c){return!1}}var d;for(d in a);return d==b||n.call(a,d)},isEmptyObject:function(a){var b;for(b in a) return!1;return!0},error:function(a){throw new Error(a)},parseHTML:function(a,b,c){var d;return!a||typeof a!="string"?null:(typeof b=="boolean"&&(c=b,b=0),b=b||e,(d=v.exec(a))?[b.createElement(d[1])]:d=p.buildFragment([a],b,c))}}
```

```

?null:[]),p.merge([],(d.cacheable?p.clone(d.fragment):d.fragment).childNodes))),parseJSON:function(b){if(!b||typeof b!="string")return null;b=p.trim(b);if(a.JSON&&a.JSON.parse)return a.JSON.parse(b);if(w.test(b.replace(y,"@").replace(z,"]").replace(x,""))))return(new Function("return "+b))();p.error("Invalid JSON: "+b)},parseXML:function(c){var d,e;if(!c||typeof c!="string")return null;try{a.DOMParser?(e=new DOMParser,d=e.parseFromString(c,"text/xml")):(d=new ActiveXObject("Microsoft.XMLDOM"),d.async="false",d.loadXML(c))}catch(f){d=b}return(!d||!d.documentElement||d.getElementsByTagName("parsererror").length)&&p.error("Invalid XML: "+c),d},noop:function(){},globalEval:function(b){b&&r.test(b)&&(a.execScript||function(b){a.eval.call(a,b)})(b)},camelCase:function(a){return a.replace(A,"ms-").replace(B,C)},nodeName:function(a,b){return a.nodeName&&a.nodeName.toLowerCase()===b.toLowerCase()},each:function(a,c,d){var e,f=0,g=a.length,h=g==b||pisFunction(a);if(d){if(h){for(e in a){if(c.apply(a[e],d)==-1)break;}else for(;f<g;){if(c.apply(a[f++],d)==-1)break;}else if(h){for(e in a){if(c.call(a[e],e,a[e])==-1)break;}else for(;f<g;){if(c.call(a[f],f,a[f++])==-1)break;}return a}}},trim:o&&lo.call(" ")?function(a){return a==null?"":o.call(a)}:function(a){return a==null?"":(a+"").replace(t,"")},makeArray:function(a,b){var c,d=b||[];return a!=null&&(c=p.type(a),a.length==null||c==="string"||c==="function"||c==="regexp"||p.isWindow(a)?j.call(d,a):p.merge(d,a)),inArray:function(a,b,c){var d;if(b){if(l){call(b,a,c);d=b.length,c=c?c<0?Math.max(0,d+c):c:0;for(;c<d;c++)if(c in b&&b[c]==a)return c}return-1},merge:function(a,c){var d=c.length,e=a.length,f=0;if(typeof d=="number")for(;f<d;f++)a[e++]=c[f];else while(c[f]!==b)a[e++]=c[f++];return a.length=e,a},grep:function(a,b,c){var d,e=[],f=0,g=a.length,h=c==!1;c;for(;f<g;f++)d=!b(a[f],f),c==d&&e.push(a[f]);return e},map:function(a,c,d){var e,f,g=[],h=0,i=a.length,j=a instanceof p||i==b&&typeof i=="number"&&(i>0&&a[0]&&a[i-1]||i==0||p.isArray(a));if(j){for(h<i;h++)e=c(a[h],h,d),e!=null&&(g[g.length]=e);else for(f in a)e=c(a[f],f,d),e!=null&&(g[g.length]=e);return g.concat.apply([],g)},guid:1,proxy:function(a,c){var d,e,f;return typeof c=="string"&&(d=a[c],c=a,a=d),pisFunction(a)?(e=k.call(arguments,2),f=function(){return a.apply(c,e.concat(k.call(arguments))))},f.guid=a.guid||p.guid++,f):b},access:function(a,c,d,e,f,g,h){var i,j=d==null,k=0,l=a.length;if(d&&typeof d=="object"){for(k in d)p.access(a,c,k,d[k],1,g,e);f=1}else if(e!=b){i=h==b&&pisFunction(e),j&&(i?(i=c,c=function(a,b,c){return i.call(p(a),c)}):(c.call(a,e),c=null));if(c){for(k<l;k++)c(a[k],d,i?e.call(a[k],k,c(a[k],d)):e,h);f=1}return f?a:j?c.call(a):!c(a[0],d):g},now:function(){return(new Date).getTime()}},p.ready.promise=function(b){if(!d){d=p.Deferred();if(e.readyState=="complete")setTimeout(p.ready,1);else if(e.addEventListener)e.addEventListener("DOMContentLoaded",D,!1),a.addEventListener("load",p.ready,!1);else e.attachEvent("onreadystatechange",D),a.attachEvent("onload",p.ready);var c=!1;try{c=a.frameElement==null&&e.documentElement}catch(f){c&&c.doScroll&&function g(){if(!p.isReady){try{c.doScroll("left")}catch(a){return setTimeout(g,50)}}p.ready()}()}return d.promise(b)},p.each("Boolean Number String Function Array Date RegExp Object".split("")),function(a,b){E"[object "+b+"]]=b.toLowerCase()},c=p(e);var

```

F={};p.Callbacks=function(a){a=typeof a=="string"?F[a]||G(a):p.extend({},a);var c,d,e,f,g,h,i=[],j=!a.once&&[],k=function(b){c=a.memory&&b,d=!0,h=f||0,f=0,g=i.length,e=!0;for(;i<&h<g;h++)if(i[h].apply(b[0],b[1])==!=1&&a.stopOnFalse){c=!1;break}e=!1,i&&(j?j.length&&k(j.shift()):c?i=[]:l.disable())},l={add:function(){if(i){var b=i.length;(function d(b){p.each(b,function(b,c){var e=p.type(c);e==="function"&&(!a.unique||!l.has(c))?i.push(c):c&&c.length&&e=="string"&&d(c)}))(arguments),e?g=i.length:c&&(f=b,k(c))}return this},remove:function(){return i&&p.each(arguments,function(a,b){var c;while((c=p.inArray(b,i,c))>-1)i.splice(c,1),e&&(c<=g&&g--,c<=h&&h--)}),this},has:function(a){return p.inArray(a,i)>-1},empty:function(){return i=[]},this},disable:function(){return i=j=c=b,this},disabled:function(){return !i},lock:function(){return j=b,c||l.disable()},this},locked:function(){return !j},fireWith:function(a,b){return b=b||[],b=[a,b.slice?b.slice():b],i&&(!d||j)&&(e?j.push(b):k(b)),this},fire:function(){return l.fireWith(this,arguments)},this},fired:function(){return !!d}};return l},p.extend({Deferred:function(a){var b=[["resolve","done"],p.Callbacks("once memory"),["resolved"],["reject","fail"],p.Callbacks("once memory"),["rejected"],["notify","progress"],p.Callbacks("memory")]],c="pending",d={state:function(){return c},always:function(){return e.done(arguments).fail(arguments)},then:function(){var a=arguments;return p.Deferred(function(c){p.each(b,function(b,d){var f=d[0],g=a[b];e[d[1]](p.isFunction(g)?function(){var a=g.apply(this,arguments);a&&pisFunction(a.promise)?a.promise().done(c.resolve).fail(c.reject).progress(c.notify):c[f+"With"]((this==e?c:this,[a]):c[f])),a=null}):promise:function(a){return a!=null?p.extend(a,d):d},e={};return d.pipe=d.then,p.each(b,function(a,f){var g=f[2],h=f[3];d[f[1]]=g.add,h&&g.add(function(){c=h},b[a^1][2].disable,b[2][2].lock),e[f[0]]=g.fire,e[f[0]+With]=g.fireWith}),d.promise(e),a&&a.call(e,e),e},when:function(a){var b=0,c=k.call(arguments),d=c.length,e=d!==1||a&&pisFunction(a.promise)?d:0,f=e==1?a:p.Deferre d(),g=function(a,b,c){return function(d){b[a]=this,c[a]=arguments.length>1?k.call(arguments):d,c==h?f.notifyWith(b,c):--e||f.resolveWith(b,c)},h,i,j;if(d>1){h=new Array(d),i=new Array(d),j=new Array(d);for(;b<d;b++)c[b]&&pisFunction(c[b].promise)?c[b].promise().done(g(b,j,c)).fail(f.reject).progress(g(b,i,h)):--e}return e||f.resolveWith(j,c).f.promise()}},p.support=function(){var b,c,d,f,g,h,i,j,k,l,m,n=e.createElement("div");n.setAttribute("className","t"),n.innerHTML="<link/><table></table>a<input type='checkbox' />",c=n.getElementsByTagName("*"),d=n.getElementsByTagName("a")[0],d.style.cssText="top:1px;float:left;opacity:.5";if(!c||!c.length) return{};f=e.createElement("select"),g=f.appendChild(e.createElement("option")),h=n.getElementsByTagName("input")[0],b={leadingWhitespace:n.firstChild.nodeType==3,tbody:ln.getElementsByTagName("tbody").length,htmlSerialize:!ln.getElementsByTagName("link").length,style:/top/.test(d.getAttribute("style")),hrefNormalized:d.getAttribute("href")=="a",opacity:/^0.5/.test(d.style.opacity),cssFloat:!!d.style.cssFloat,checkOn:h.value=="on",optSelected:g.selected,getAttribute:n.className=="t",enctype:!!e.createElement("form").encoding,html5Clone:e.createElement("nav").cloneNode(!0).outerHTML!="<:nav></:nav>",boxModel:e.compatMode=="CSS1Compat",submitBubbles:!0,changeBubbles:!0,focusinBubbles:!1,deleteExpand:o:!0,noCloneEvent:!0,inlineBlockNeedsLayout:!1,shrinkWrapBlocks:!1,reliableMarginRight:!0,boxSizingReliable:!0,pixelPosition:!1},h.checked=!0,b.noCloneChecked=h.cloneNode(!0).checked,f.disabled=!0,b.optDisabled=!g.disabled;try{delete

```
n.test}catch(o){b.deleteExpando=!1}!n.addEventListener&&n.attachEvent&&n.fireEvent&&(n.attachEvent("onclick",m=function(){b.noCloneEvent=!1}),n.cloneNode(!0).fireEvent("onclick"),n.detachEvent("onclick",m)),h=e.createElement("input"),h.value="t",h.setAttribute("type","radio"),b.radioValue=h.value==="t",h.setAttribute("checked","checked"),h.setAttribute("name","t"),n.appendChild(h),i=e.createDocumentFragment(),i.appendChild(n.lastChild),b.checkClone=i.cloneNode(!0).cloneNode(!0).lastChild.checked,b.appendChecked=h.checked,i.removeChild(h),i.appendChild(n);if(n.attachEvent)for(k in{submit:!0,change:!0,focusin:!0})j="on"+k,l=j in n,l||(n.setAttribute(j,"return;"),l=typeof n[j]=="function"),b[k+"Bubbles"]=l;return p(function(){var c,d,f,g,h="padding:0;margin:0;border:0;display:block;overflow:hidden;",i=e.getElementsByTagName("body")[0];if(!i)return;c=e.createElement("div"),c.style.cssText="visibility:hidden;border:0;width:0;height:0;position:static;top:0;margin-top:1px",i.insertBefore(c,i.firstChild),d=e.createElement("div"),c.appendChild(d),d.innerHTML=<table><tr><td></td><td>t</td></tr></table>,f=d.getElementsByTagName("td"),f[0].style.cssText="padding:0;margin:0;border:0;display:none",l=f[0].offsetHeight==0,f[0].style.display="",f[1].style.display="none",b.reliableHiddenOffsets=l&&f[0].offsetHeight==0,d.innerHTML="",d.style.cssText="box-sizing:border-box;-moz-box-sizing:border-box;-webkit-box-sizing:border-box;padding:1px;border:1px;display:block;width:4px;margin-top:1%;position:absolute;top:1%;",b.boxSizing=d.offsetWidth==4,b.doesNotIncludeMarginInBodyOffset=i.offsetTop==1,a.getComputedStyle&&(b.pixelPosition=(a.getComputedStyle(d,null)||{}).top!="1%",b.boxSizingReliable=(a.getComputedStyle(d,null)||{width:"4px"}).width=="4px",g=e.createElement("div"),g.style.cssText=d.style.cssText=h,g.style.marginRight=g.style.width="0",d.style.width="1px",d.appendChild(g),b.reliableMarginRight=!parseFloat((a.getComputedStyle(g,null)||{}).marginRight)),typeof d.style.zoom!="undefined"&&(d.innerHTML="",d.style.cssText=h+"width:1px;padding:1px;display:inline;zoom:1",b.inlineBlockNeedsLayout=d.offsetWidth==3,d.style.display="block",d.style.overflow="visible",d.innerHTML=<div></div>,d.firstChild.style.width="5px",b.shrinkWrapBlocks=d.offsetWidth!=3,c.style.zoom=1),i.removeChild(c),c=d=f=g=null},i.removeChild(n),c=d=f=g=h=i=n=null,b})();var H=/(?:\{\s\S*\}|\\[\s\S]*\})$/;l=/([A-Z])/g;p.extend({cache:{},deletedIds:[],uuid:0,expando:"jQuery"+(p.fn.jquery+Math.random()).replace(/\D/g,""),noData:{embed:!0,object:"clsid:D27CDB6E-AE6D-11cf-96B8-444553540000",applet:!0},hasData:function(a){return a=a.nodeType?p.cache[a[p.expando]]:a[p.expando],!!a&&!K(a)},data:function(a,c,d,e){if(!p.acceptData(a))return;var f,g,h=p.expando,i=typeof c=="string",j=a.nodeType,k=j?p.cache:a[p.expando],l=j?a[h]:a[h]&&h;if((!l||!k[l])||!e&&!k[l].data)&&i&&d==b{return;l|| (j?a[h]=l=p.deletedIds.pop()||p.guid++:l=h),k[l]||(k[l]={},j||(k[l].toJSON=p.noop));if(typeof c=="object"||typeof c=="function")e?k[l]=p.extend(k[l],c):k[l].data=p.extend(k[l].data,c);return f=k[l],e||(f.data||(f.data={}),f=f.data),d==b&&(f[p.camelCase(c)]=d),i?(g=f[c],g==null&&(g=f[p.camelCase(c)])):g=f,g},removeData:function(a,b,c){if(!p.acceptData(a))return;var d,e,f,g=a.nodeType,h=g?p.cache:a,i=g?a[p.expando]:p.expando;if(!h[i])return;if(b){d=c?h[i]:h[i].data;if(d){p.isArray(b)|| (b in d)?b=[b]:b=p.camelCase(b),b in d?b=[b]:b=b.split(""));for(e=0,f=b.length;e<f;e++)delete d[b[e]];if(!(c?K:p.isEmptyObject)(d))return}}if(!c){delete h[i].data;if(!K(h[i]))return}g?p.cleanData([a],!0):p.support.deleteExpando||h!=h.window?delete h[i]:h[i]=null},_data:function(a,b,c){return p.data(a,b,c,!0)},acceptData:function(a){var
```

```

b=a.nodeName&&p.noData[a.nodeName.toLowerCase()];return!b||b==!0&&a.getAttribute("classi
d")===b}},p.fn.extend({data:function(a,c){var
d,e,f,g,h,i=this[0],j=0,k=null;if(a==b){if(this.length){k=p.data(i);if(i.nodeType==1&&!p._data(i,"pars
edAttrs")){f=i.attributes;for(h=f.length;j<h;j++)g=f[j].name,g.indexOf("data-")
||(g=p.camelCase(g.substring(5)),J(i,g,k[g]));p._data(i,"parsedAttrs",!0)}}return k}return typeof
a=="object"?this.each(function(){p.data(this,a)}):(d=a.split(".",2),d[1]=d[1]?"."+d[1]:"",e=d[1]+"!",p.a
ccess(this,function(c){if(c==b)return
k=this.triggerHandler("getData"+e,[d[0]]),k==b&&i&&(k=p.data(i,a),k=J(i,a,k)),k==b&&d[1]?this.da
ta(d[0]):k;d[1]=c,this.each(function(){var
b=p(this);b.triggerHandler("setData"+e,d),p.data(this,a,c),b.triggerHandler("changeData"+e,d)}),null
,c.arguments.length>1,null,!1)}},removeData:function(a){return
this.each(function(){p.removeData(this,a)})),p.extend({queue:function(a,b,c){var d;if(a)retur
n b=(b||"fx")+"queue",d=p._data(a,b),c&&(!d||p.isArray(c)?d=p._data(a,b,p.makeArray(c)):d.push(c)),
d||[]},dequeue:function(a,b){b=b||"fx";var
c=p.queue(a,b),d=c.length,e=c.shift(),f=p._queueHooks(a,b),g=function(){p.dequeue(a,b)};e=="inpr
ogress"&&(e=c.shift(),d--),e&&(b=="fx"&&c.unshift("inprogress"),delete
f.stop,e.call(a,g,f)),!d&&f&&f.empty.fire(),_queueHooks:function(a,b){var
c=b+"queueHooks";return p._data(a,c)||p._data(a,c,{empty:p.Callbacks("once
memory").add(function(){p.removeData(a,b+"queue",!0),p.removeData(a,c,!0)}))}),p.fn.extend({qu
ue:function(a,c){var d=2;return typeof a!="string"&&(c=a,a="fx",d-
),arguments.length<d?p.queue(this[0],a):c==b?this.each(function(){var
b=p.queue(this,a);p._queueHooks(this,a),a=="fx"&&!b[0]!="inprogress"&&!p.dequeue(this,a)}),d
equeue:function(a){return this.each(function(){p.dequeue(this,a)}),delay:function(a,b){return
a=p.fx?p.fx.speeds[a]||a:a,b=b||"fx",this.queue(b,function(b,c){var
d=setTimeout(b,a);c.stop=function(){clearTimeout(d)}},clearQueue:function(a){return
this.queue(a||"fx",[])},promise:function(a,c){var
d,e=1,f=p.Deferred(),g=this,h=this.length,i=function(){--e|f.resolveWith(g,[g]);typeof
a!="string"&&(c=a,a=b),a=a||"fx";while(h-
)d=p._data(g[h],a+"queueHooks"),d&&d.empty&&(e++,d.empty.add(i));return i(),f.promise(c)});var
L,M,N,O=/[\t\r\n]/g,P=/\r/g,Q=/^(?:button|input)$/,R=/^(?:button|input|object|select|textarea)$/
,i,S=/^a(?:rea)$/,T=/^(?:autofocus|autoplay|async|checked|controls|defer|disabled|hidden|loop
|multiple|open|readonly|required|scoped|selected)$/,U=p.support.getSetAttribute;p.fn.extend({a
ttr:function(a,b){return p.access(this,p.attr,a,b,arguments.length>1)},removeAttr:function(a){return
this.each(function(){p.removeAttr(this,a)}),prop:function(a,b){return
p.access(this,p.prop,a,b,arguments.length>1)},removeProp:function(a){return
a=p.propFix[a]||a,this.each(function(){try{this[a]=b,delete
this[a]}catch(c){}}),addClass:function(a){var b,c,d,e,f,g,h;if(p.isFunction(a))return
this.each(function(b){p(this).addClass(a.call(this,b,this.className))});if(a&&typeof
a=="string"){b=a.split(s);for(c=0,d=this.length;c<d;c++){e=this[c];if(e.nodeType==1){if(!e.className
&&b.length==1)e.className=a;else{f=" "+e.className+" ";for(g=0,h=b.length;g<h;g++)f.indexOf(
"+b[g]+")<0&&(f+=b[g]+");e.className=p.trim(f)}}}return this},removeClass:function(a){var
c,d,e,f,g,h,i;if(p.isFunction(a))return
this.each(function(b){p(this).removeClass(a.call(this,b,this.className))});if(a&&typeof

```

```

a=="string" || a==="">{c=(a || "").split(s);for(h=0,i=this.length;h<i;h++){e=this[h];if(e.nodeType==1&&e.className){d=(" "+e.className+" ").replace(O," ");for(f=0,g=c.length;f<g,f++)while(d.indexOf(" "+c[f]+" ")>=0)d=d.replace(" "+c[f]+" "," ");e.className=a?p.trim(d):""}}}>return this},toggleClass:function(a,b){var c=typeof a,d=typeof b=="boolean";return p.isFunction(a)?this.each(function(c){p(this).toggleClass(a.call(this,c,this.className,b),b)}):this.each(function(){if(c=="string"){var e,f=0,g=p(this),h=b,i=a.split(s);while(e=i[f++])h=d?h:!g.hasClass(e),g[h?"addClass":"removeClass"](e)}else if(c=="undefined"||c=="boolean")this.className&&p._data(this,"__className__",this.className),this.className=this.className||a=="!":p._data(this,"__className__")||""}),hasClass:function(a){var b=" "+a+" ",c=0,d=this.length;for(;c<d;c++)if(this[c].nodeType==1&&(" "+this[c].className+" ").replace(O," ").indexOf(b)>=0) return!0;return!1},val:function(a){var c,d,e,f=this[0];if(!arguments.length){if(f) return c=p.valHooks[f.type]||p.valHooks[f.nodeName.toLowerCase()],c&&"get"in c&&(d=c.get(f,"value"))!=b?d:(d=f.value,typeof d=="string"?d.replace(P,""):d==null?"":d);return}e=p.isFunction(a),this.each(function(d){var f,g=p(this);if(this.nodeType!=1) return;e?f=a.call(this,d,g.val()):f=a,f==null?f:"":typeof f=="number"?f+="":p.isArray(f)&&(f=p.map(f,function(a){return a==null?"":a+""})),c=p.valHooks[this.type]||p.valHooks[this.nodeName.toLowerCase()];if(!c||!("set"in c)||c.set(this,f,"value")==b)this.value=f}})},p.extend({valHooks:{option:{get:function(a){var b=a.attributes.value;return!b||b.specified?a.value:a.text}},select:{get:function(a){var b,c,d,e,f=a.selectedIndex,g=[],h=a.options,i=a.type=="select-one"?if(f<0) return null;c=i:f:0,d=i:f+1:h.length;for(;c<d;c++)e=h[c];if(e.selected&&(p.support.optDisabled?!(e.disabled:e.getAttribute("disabled"))==null)&&(!e.parentNode.disabled||!p.nodeName(e.parentNode,"optgroup"))){b=p(e).val();if(i) return b;g.push(b)}}}>return i&&!g.length&&h.length?p(h[f]).val():g},set:function(a,b){var c=p.makeArray(b);return p(a).find("option").each(function(){this.selected=p.inArray(p(this).val(),c)>=0}),c.length||(a.selectedIndex=-1),c}},attrFn:{},attr:function(a,c,d,e){var f,g,h,i=a.nodeType;if(!a||i==3||i==8||i==2) return;if(e&&p.isFunction(p.fn[c])) return p(a)[c](d);if(typeof a.getAttribute=="undefined") return p.prop(a,c,d);h=i==1||!p.isXMLDoc(a),h&&(c=c.toLowerCase()),g=p.attrHooks[c]||(T.test(c)?M:L);if(d!=b){if(d==null){p.removeAttr(a,c);return}g&&"set"in g&&h&&(f=g.set(a,d,c))!=b?f:(a.setAttribute(c,d+""),d)}>return g&&"get"in g&&h&&(f=g.get(a,c))!=null?f:(f=a.getAttribute(c),f==null?b:f)},removeAttr:function(a,b){var c,d,e,f,g=0;if(b&&a.nodeType==1){d=b.split(s);for(;g<d.length;g++)e=d[g],e&&(c=p.propFix[e]||e,f=T.test(e),f||p.attr(a,e,"")),a.removeAttribute(U?e:c),f&&c in a&&(a[c]!=1)}},attrHooks:{type:{set:function(a,b){if(Q.test(a.nodeName)&&a.parentNode)p.error("type property can't be changed");else if(!p.support.radioValue&&b=="radio"&&p.nodeName(a,"input")){var c=a.value;return a.setAttribute("type",b),c&&(a.value=c),b}}},value:{get:function(a,b){return L&&p.nodeName(a,"button")?L.get(a,b):b in a?a.value:null},set:function(a,b,c){if(L&&p.nodeName(a,"button")) return L.set(a,b,c);a.value=b}}},propFix:{tabIndex:"tabIndex",readonly:"readOnly","for":"htmlFor","class":"c"

```



```

tListener?a.addEventListener(l,h,!1):a.attachEvent&&a.attachEvent("on"+l,h)}r.add&&(r.add.call(a,n
),n.handler.guid||(n.handler.guid=d.guid)),f?q.splice(q.delegateCount++,0,n):q.push(n),p.event.glob
al[l]=!0}a=null},global:{}},remove:function(a,b,c,d,e){var
f,g,h,i,j,k,l,m,n,o,q,r=p.hasData(a)&&p._data(a);if(!r||!(m=r.events))return;b=p.trim(_(b|""")).split(
");for(f=0;f<b.length;f++){g=W.exec(b[f])||[],h=i=g[1],j=g[2];if(!h){for(h in
m)p.event.remove(a,h+b[f],c,d,!0);continue}n=p.event.special[h]||{},h=(d?n.delegateType:n.bindTy
pe)||h,o=m[h]||[],k=o.length,j=j?new
RegExp("(^|\\".)"+j.split(".").sort().join("\\".(?:*\\".|"")+"(\\".|$)":null;for(l=0;l<o.length;l++)q=o[l],(e|i
==q.origType)&&(!c||c.guid==q.guid)&&(!j||j.test(q.namespace))&&(!d||d==q.selector||d==""
***"&&q.selector)&&(o.splice(l--,1),q.selector&&o.delegateCount--
,n.remove&&n.remove.call(a,q));o.length==0&&k==o.length&&(!n.teardown||n.teardown.call(a,j
,r.handle)==!=!1)&&p.removeEventListener(a,h,r.handle),delete m[h]}p.isEmptyObject(m)&&(delete
r.handle,p.removeData(a,"events",!0))},customEvent:{getData:!0,setData:!0,changeData:!0},trigger:f
unction(c,d,f,g){if(!f||f.nodeType!=3&&f.nodeType!=8){var
h,i,j,k,l,m,n,o,q,r,s=c.type||c,t=[];if($.test(s+p.event.triggered))return;s.indexOf("!")>=0&&(s=s.slice(
0,-
1),i=!0),s.indexOf(".")>=0&&(t=s.split("."),s=t.shift(),t.sort());if((!f||p.event.customEvent[s])&&!p.eve
nt.global[s])return;c=typeof c=="object"?c[p.expando]?c:new p.Event(s,c):new
p.Event(s),c.type=s,c.isTrigger=!0,c.exclusive=i,c.namespace=t.join("."),c.namespace_re=c.namespace
e?new
RegExp("(^|\\".)"+t.join("\\".(?:*\\".|"")+"(\\".|$)":null,m=s.indexOf(":")<0?"on"+s:"";if(!f){h=p.cache;f
or(j in
h)h[j].events&&h[j].events[s]&&p.event.trigger(c,d,h[j].handle.elem,!0);return}c.result=b,c.target||(c.target=f),d=d!=null?p.makeArray(d):[],d.unshift(c),n=p.event.special[s]||{};if(n.trigger&&n.trigger.
apply,f,d)==!=!1)return;q=[[f,n.bindType||s]];if(!g&&!n.noBubble&&!p.isWindow(f)){r=n.delegateTyp
e||s,k=$.test(r+s)?f:f.parentNode;for(l=f;k=k.parentNode)q.push([k,r]),l=k;l==(f.ownerDocument|
|e)&&q.push([l.defaultView||l.parentWindow||a,r])}for(j=0;j<q.length&&!c.isPropagationStopped()
;j++)k=q[j][0],c.type=q[j][1],o=(p._data(k,"events")||{})[c.type]&&p._data(k,"handle"),o&&o.apply(k,
d),o=m&&k[m],o&&p.acceptData(k)&&o.apply&&o.apply(k,d)==!=1&&c.preventDefault();return
c.type=s,!g&&!c.isDefaultPrevented()&&(!n._default||n._default.apply(f.ownerDocument,d)==!=!1)
&&(s!="click"||!p.nodeName(f,"a"))&&p.acceptData(f)&&m&&f[s]&&(s!="focus"&&s!="blur"||c
.target.offsetWidth!=0)&&!p.isWindow(f)&&(l=f[m],l&&(f[m]==null),p.event.triggered=s,f[s](),p.eve
nt.triggered=b,l&&(f[m]==l)),c.result}return},dispatch:function(c){c=p.event.fix(c||a.event);var
d,e,f,g,h,i,j,l,m,n,o=(p._data(this,"events")||{})[c.type]||[],q=o.delegateCount,r=k.call(arguments),s=
!c.exclusive&&!c.namespace,t=p.event.special[c.type]||{},u=[];r[0]=c,c.delegateTarget=this;if(t.preDi
spatch&&t.preDispatch.call(this,c)==!=!1)return;if(q&&(!c.button||c.type!="click"))for(f=c.target,f!=
this;f=f.parentNode||this)if(f.disabled==!=!0||c.type!="click"){h={},j=[];for(d=0;d<q;d++)l=o[d],m=l.s
elector,h[m]===b&&(h[m]==l.needsContext?p(m,this).index(f)>=0:p.find(m,this,null,[f]).length),h[m]&
&j.push(l);j.length&&u.push({elem:f,matches:j})}o.length>q&&u.push({elem:this,matches:o.slice(q)})}
;for(d=0;d<u.length&&!c.isPropagationStopped();d++){i=u[d],c.currentTarget=i.elem;for(e=0;e<i.mat
ches.length&&!c.isImmediatePropagationStopped();e++)l=i.matches[e];if(s||!c.namespace&&!.na
mespace||c.namespace_re&&c.namespace_re.test(l.namespace))c.data=l.data,c.handleObj=l,g=((p.
event.special[l.origType]||{}).handle||l.handler).apply(i.elem,r),g==b&&(c.result=g,g==!=!1&&(c.pre

```

```
ventDefault(),c.stopPropagation()))}}return
t.postDispatch&&t.postDispatch.call(this,c),c.result},props:"attrChange attrName relatedNode
srcElement altKey bubbles cancelable ctrlKey currentTarget eventPhase metaKey relatedTarget
shiftKey target timeStamp view which".split(" "),fixHooks:{},keyHooks:{props:"char charCode key
keyCode".split(" "),filter:function(a,b){return
a.which==null&&(a.which=b.charCode!=null?b.charCodeAt:b.keyCode),a}},mouseHooks:{props:"butto
n buttons clientX clientY fromElement offsetX offsetY pageX pageY screenX screenY
toElement".split(" "),filter:function(a,c){var d,f,g,h=c.button,i=c.fromElement;return
a.pageX==null&&c.clientX!=null&&(d=a.target.ownerDocument||e,f=d.documentElement,g=d.body,
a.pageX=c.clientX+(f&&f.scrollLeft||g&&g.scrollLeft||0)-
(f&&f.clientLeft||g&&g.clientLeft||0),a.pageY=c.clientY+(f&&f.scrollTop||g&&g.scrollTop||0)-
(f&&f.clientTop||g&&g.clientTop||0)),!a.relatedTarget&&i&&(a.relatedTarget=i==a.target?c.toEle
ment:i),!a.which&&h==b&&(a.which=h&1?1:h&2?3:h&4?2:0),a}},fix:function(a){if(a[p.expando])ret
urn a;var
b,c,d=a,f=p.event.fixHooks[a.type]||{},g=f.props?this.props.concat(f.props):this.props;a=p.Event(d);f
or(b=g.length;b;)c=g[--b],a[c]=d[c];return
a.target||(a.target=d.srcElement||e),a.target.nodeType==3&&(a.target=a.target.parentNode),a.m
etaKey=!!a.metaKey,f.filter?f.filter(a,d):a,special:{load:{noBubble:!0},focus:{delegateType:"focusin"}
,blur:{delegateType:"focusout"},beforeunload:{setup:function(a,b,c){p.isWindow(this)&&(this.onbef
oreunload=c)},teardown:function(a,b){this.onbeforeunload==b&&(this.onbeforeunload=null)}},sim
ulate:function(a,b,c,d){var e=p.extend(new
p.Event,c,{type:a,isSimulated:!0,originalEvent:{}});d?p.event.trigger(e,null,b):p.event.dispatch.call(b,
e),e.isDefaultPrevented()&&c.preventDefault()},p.event.handle=p.event.dispatch,p.removeEventListener=e.
removeEventListener?function(a,b,c){a.removeEventListener&&a.removeEventListener(b,c,!1)}:func
tion(a,b,c){var d="on"+b;a.detachEvent&&(typeof
a[d]=="undefined"&&(a[d]==null),a.detachEvent(d,c)),p.Event=function(a,b){if(this instanceof
p.Event)a&&a.type?(this.originalEvent=a,this.type=a.type,this.isDefaultPrevented=a.defaultPreven
ted||a.returnValue==!1||a.getPreventDefault&&a.getPreventDefault()?bb:ba):this.type=a,b&&p.ext
end(this,b),this.timeStamp=a&&a.timeStamp||p.now(),this[p.expando]=!0;else return new
p.Event(a,b)},p.Event.prototype={preventDefault:function(){this.isDefaultPrevented=bb;var
a=this.originalEvent;if(!a)return;a.preventDefault?a.preventDefault():a.returnValue=!1},stopPropaga
tion:function(){this.isPropagationStopped=bb;var
a=this.originalEvent;if(!a)return;a.stopPropagation&&a.stopPropagation(),a.cancelBubble=!0},stopI
mmediatePropagation:function(){this.isImmediatePropagationStopped=bb,this.stopPropagation()},is
DefaultPrevented:ba,isPropagationStopped:ba,isImmediatePropagationStopped:ba},p.each({mousee
nter:"mouseover",mouseleave:"mouseout"},function(a,b){p.event.special[a]={delegateType:b,bindT
ype:b,handle:function(a){var
c,d=this,e=a.relatedTarget,f=a.handleObj,g=f.selector;if(!e||e!==d&&!p.contains(d,e))a.type=f.origT
ype,c=f.handler.apply(this,arguments),a.type=b;return
c}}},p.support.submitBubbles||(p.event.special.submit={setup:function(){if(p.nodeName(this,"form
"))return!1;p.event.add(this,"click._submit keypress._submit",function(a){var
c=a.target,d=p.nodeName(c,"input")||p.nodeName(c,"button")?c.form:b;d&&!p._data(d,"_submit_
attached")&&(p.event.add(d,"submit._submit",function(a){a._submit_bubble=!0}),p._data(d,"_subm
```

```
itAttached",!0))}),postDispatch:function(a){a._submit_bubble&&(delete
a._submit_bubble,this.parentNode&&!a.isTrigger&&p.event.simulate("submit",this.parentNode,a,!0
)),teardown:function(){if(p.nodeName(this,"form"))return!1;p.event.remove(this,"._submit")}},p.su
pport.changeBubbles|||p.event.special.change={setup:function(){if(V.test(this.nodeName)){if(this.ty
pe=="checkbox"|||this.type=="radio")p.event.add(this,"propertychange._change",function(a){a.or
iginalEvent.propertyName==="checked"&&(this._just_changed=!0)},p.event.add(this,"click._change
",function(a){this._just_changed&&!a.isTrigger&&(this._just_changed=!1),p.event.simulate("change
",this,a,!0)});return!1}p.event.add(this,"beforeactivate._change",function(a){var
b=a.target;V.test(b.nodeName)&&!p._data(b,"_change_attached")&&(p.event.add(b,"change._chan
ge",function(a){this.parentNode&&!a.isSimulated&&!a.isTrigger&&p.event.simulate("change",this.p
arenNode,a,!0)},p._data(b,"_change_attached",!0))}),handle:function(a){var
b=a.target;if(this!==b||a.isSimulated||a.isTrigger||b.type!="radio"|||b.type=="checkbox")return
a.handleObj.handler.apply(this,arguments)},teardown:function(){return
p.event.remove(this,"._change"),!V.test(this.nodeName)}},p.support.focusinBubbles||p.each({focu
s:"focusin",blur:"focusout"},function(a,b){var
c=0,d=function(a){p.event.simulate(b,a.target,p.event.fix(a,!0));p.event.special[b]={setup:function()
{c++==0&&e.addEventListener(a,d,!0)},teardown:function(){--c==0&&e.removeEventListener(a,d,!0)}},p.fn.extend({on:function(a,c,d,e,f){var g,h;if(typeof
a=="object"){typeof c!="string"&&(d=d||c,c=b);for(h in a)this.on(h,c,d,a[h],f);return
this}d==null&&e==null?(e=c,d=c=b):e==null&&(typeof
c=="string"?{e=d,d=b}:{e=d,d=c,c=b});if(e==!=!1)e=ba;else if(!e)return this;return
f==1&&(g=e,e=function(a){return
p().off(a),g.apply(this,arguments)},e.guid=g.guid||{g.guid=p.guid++}),this.each(function(){p.event.ad
d(this,a,e,d,c)}),one:function(a,b,c,d){return this.on(a,b,c,d,1)},off:function(a,c,d){var
e,f;if(a&&a.preventDefault&&a.handleObj)return
e=a.handleObj,p(a.delegateTarget).off(e.namespace?e.origType+"."+e.namespace:e.origType,e.sele
ctor,e.handler),this;if(typeof a=="object"){for(f in a)this.off(f,c,a[f]);return this}if(c==!=!1|||typeof
c=="function")d=c,c=b;return
d==!=!1&&(d=ba),this.each(function(){p.event.remove(this,a,d,c)}),bind:function(a,b,c){return
this.on(a,null,b,c)},unbind:function(a,b){return this.off(a,null,b)},live:function(a,b,c){return
p(this.context).on(a,this.selector,b,c),this},die:function(a,b){return
p(this.context).off(a,this.selector||"**",b),this},delegate:function(a,b,c,d){return
this.on(b,a,c,d)},undelegate:function(a,b,c){return
arguments.length==!=1?this.off(a,"**"):this.off(b,a||"**",c)},trigger:function(a,b){return
this.each(function(){p.event.trigger(a,b,this)}),triggerHandler:function(a,b){if(this[0])return
p.event.trigger(a,b,[this[0],!0]),toggle:function(a){var
b=arguments,c=a.guid||p.guid++,d=0,e=function(c){var
e=(p._data(this,"lastToggle"+a.guid)||0)%d;return
p._data(this,"lastToggle"+a.guid,e+1),c.preventDefault(),b[e].apply(this,arguments)||!1};e.guid=c;w
hile(d<b.length)b[d++].guid=c;return this.click(e)},hover:function(a,b){return
this.mouseenter(a).mouseleave(b||a)},p.each("blur focus focusin focusout load resize scroll unload
click dblclick mousedown mouseup mousemove mouseover mouseout mouseenter mouseleave
change select submit keydown keypress keyup error contextmenu".split("
```

```

"),function(a,b){p.fn[b]=function(a,c){return
c==null&&(c=a,a=null),arguments.length>0?this.on(b,null,a,c):this.trigger(b)},Y.test(b)&&(p.event.fix
Hooks[b]=p.event.keyHooks),Z.test(b)&&(p.event.fixHooks[b]=p.event.mouseHooks)}},function(a,b){
function bc(a,b,c,d){c=c||[],b=b||r;var e,f,i,j,k=b.nodeType;if(!a||typeof a!="string")return
c;if(k!=1&&k!=9)return[];i=g(b);if(!i&&!d)if(e=P.exec(a))if(j=e[1])if(k==9){f=b.getElementById(j);if
(!f||!f.parentNode) return c;if(f.id==j) return c.push(f),c}else
if(b.ownerDocument&&(f=b.ownerDocument.getElementById(j))&&h(b,f)&&f.id==j) return
c.push(f),c}else{if(e[2])return
w.apply(c,x.call(b.getElementsByTagName(a,0)),c);if((j=e[3])&&_&&b.getElementsByClassName)retu
rn w.apply(c,x.call(b.getElementsByClassName(j,0)),c)}return bp(a.replace(L,"$1"),b,c,d,i)}function
bd(a){return function(b){var c=b.nodeName.toLowerCase();return
c==="input"&&b.type==a}}function be(a){return function(b){var
c=b.nodeName.toLowerCase();return(c==="input"||c==="button")&&b.type==a}}function
bf(a){return z(function(b){return b+=b,z(function(c,d){var e,f=a[],c.length,b),g=f.length;while(g--)
)c[e=f[g]]&&(c[e]!=(d[e]==c[e]))}})}function bg(a,b,c){if(a==b) return c;var
d=a.nextSibling;while(d){if(d==b) return -1;d=d.nextSibling}return 1}function bh(a,b){var
c,d,f,g,h,i,j,k=C[o][a];if(k) return
b?0:k.slice(0);h=a,i=[],j=e.preFilter;while(h){if(!c||(d=M.exec(h)))d&&(h=h.slice(d[0].length)),i.push(f
=[]>);c=!1;if(d=N.exec(h))f.push(c=new q(d.shift())),h=h.slice(c.length),c.type=d[0].replace(L," ");for(g
in e.filter)(d=W[g].exec(h))&&(!j[g]||(d=j[g](d,r,!0)))&&(f.push(c=new
q(d.shift())),h=h.slice(c.length),c.type=g,c.matches=d);if(!c)break}return
b?h.length:h?bc.error(a):C(a,i).slice(0)}function bi(a,b,d){var
e=b.dir,f=d&&b.dir=="parentNode",g=u++;return
b.first?function(b,c,d){while(b=b[e])if(f||b.nodeType==1) return a(b,c,d)}:function(b,d,h){if(!h){var
i,j=t+" "+g+" ",k=j+c;while(b=b[e])if(f||b.nodeType==1){if((i=b[o])==k) return b.sizset;if(typeof
i=="string"&&i.indexOf(j)==0){if(b.sizset) return b}else{b[o]=k;if(a(b,d,h))return
b.sizset!=0,b;b.sizset=!1}}}}else while(b=b[e])if(f||b.nodeType==1)if(a(b,d,h))return b}}function
bj(a){return a.length>1?function(b,c,d){var e=a.length;while(e--
)if(!a[e](b,c,d))return !1;return !0}:a[0]}function bk(a,b,c,d,e){var
f,g=[],h=0,i=a.length,j=b!=null;for(;h<i;h++)if(f=a[h])if(!c||c(f,d,e))g.push(f),j&&b.push(h);return
g}function bl(a,b,c,d,e,f){return
d&&!d[o]&&(d=bl(d)),e&&!e[o]&&(e=bl(e,f)),z(function(f,g,h,i){if(f&&e) return;var
j,k,l,m=[],n=[],o=g.length,p=f||bo(b)||"",h.nodeType?[h]:h,[],f,q=a&&(f||!b)?bk(p,m,a,h,i):p,r=c?e|
|{(f?a:o||d)?[]:g:q};c&&c(q,r,h,i);if(d){l=bk(r,n),d(l,[],h,i),j=l.length;while(j--
)if(k=l[j])r[n[j]]!=!(q[n[j]]=k)if(f){j=a&&r.length;while(j--)if(k=r[j])f[m[j]]!=!(g[m[j]]=k)}else
r=bk(r==g?r.splice(o,r.length):r),e?e(null,g,r,i):w.apply(g,r)}})function bm(a){var
b,c,d,f=a.length,g=e.relative[a[0].type],h=g||e.relative[""],i=g?1:0,j=bi(function(a){return
a==b},h,!0),k=bi(function(a){return y.call(b,a)>-
1}),h,!0),m=[function(a,c,d){return!g&&(d||c==l)||((b=c).nodeType?j(a,c,d):k(a,c,d))}];for(;i<f;i++)if(c
=e.relative[a[i].type])m=[bi(bj(m),c)];else{c=e.filter[a[i].type].apply(null,a[i].matches);if(c[o]){d=++i;f
or(;d<f;d++)if(e.relative[a[d].type])break;return bl(i>1&&bj(m),i>1&&a.slice(0,i-
1).join("")?.replace(L,"$1"),c,i<d&&bm(a.slice(i,d)),d<f&&bm(a=a.slice(d)),d<f&&a.join(""))}m.push(c)}
return bj(m)}function bn(a,b){var d=b.length>0,f=a.length>0,g=function(h,i,j,k,m){var

```

```

n,o,p,q=[],s=0,u="0",x=h&&[],y=m!=null,z=l,A=h|f&&e.find.TAG("*",m&&i.parentNode| i),B=t+=z=
=null?1:Math.E;y&&(l=i==r&&i,c=g.el);for(;(n=A[u])!=null;u++){if(f&&n){for(o=0;p=a[o];o++)if(p(n,i,j)
){k.push(n);break}y&&(t=B,c=++g.el)}d&&((n!=p&&n)&&s--
,h&&x.push(n))s+=u;if(d&&u==s){for(o=0;p=b[o];o++)p(x,q,i,j);if(h){if(s>0)while(u--
)!x[u]&&!q[u]&&(q[u]=v.call(k));q=bk(q)}w.apply(k,q),y&&!h&&q.length>0&&s+b.length>1&&bc.uni
queSort(k)}return y&&(t=B,l=z),x};return g.el=0,d?z(g):g}function bo(a,b,c,d){var
e=0,f=b.length;for(;e<f;e++)bc(a,b[e],c,d);return c}function bp(a,b,c,d,f){var
g,h,j,k,l,m=bh(a),n=m.length;if(!d&&m.length==1){h=m[0]=m[0].slice(0);if(h.length>2&&(j=h[0]).typ
e=="ID"&&b.nodeType==9&&!f&&e.relative[h[1].type]){b=e.find.ID(j.matches[0].replace(V,""),b,f)
[0];if(!b)return c;a=a.slice(h.shift().length)}for(g=W.POS.test(a)?-1:h.length-1;g>=0;g--)
{j=h[g];if(e.relative[k=j.type])break;if(l=e.find[k])if(d=l(j.matches[0].replace(V,""),R.test(h[0].type)&
&b.parentNode| b,f)){h.splice(g,1),a=d.length&&h.join("");if(!a)return
w.apply(c,x.call(d,0)),c;break}}}}return i(a,m)(d,b,f,c,R.test(a)),c}function bq(){var
c,d,e,f,g,h,i,j,k,l,m=!0,n="undefined",o="sizcache"+Math.random().replace(".","");
,q=String,r=a.docu
ment,s=r.documentElement,t=0,u=0,v=[].pop,w=[].push,x=[].slice,y=[].indexOf| function(a){var
b=0,c=this.length;for(;b<c;b++)if(this[b]===a)return b;return -1},z=function(a,b){return
a[o]=b==null|| b,a},A=function(){var a={},b=[];return z(function(c,d){return
b.push(c)>e.cacheLength&&delete
a[b.shift()],a[c]=d},a)},B=A(),C=A(),D=A(),E="[\x20\t\r\n\f]",F="(?:\\\\.|[-\\w]|[^\\x00-
\\xa0])+",G=F.replace("w","w#"),H="([^\$|!~]?="),I="\\["+"E+"*(+"F+")"+E+"*(?:"+H+E+"*(?:([^\"])(?:\\\.
|[^\\\"])*?)\\3|("G+"))|)+"E+"*\\"],J=":"+F+"(?:(?:([^\"])(?:\\\.|[^\\\"])*?)\\2|([^\()\\])*(?:
(?::+|+)|[^:|\\\\.]*|.*))|)",K=":(even|odd|eq|gt|lt|nth|first|last)(?:\\("+E+"*(?:-
\\d)?\\d*")"+E+"*\\"))(?=\\[-]|$)",L=new
RegExp("^\\"+E+"+|((?:^|[^\\"\\\"])(?:\\\\.)*)"+E+"+$","g"),M=new RegExp("^\\"+E+"*","+E+"*"),N=new
RegExp("^\\"+E+"*([\x20\t\r\n\f>+~])"+E+"*"),O=new RegExp(J),P=/^(?:#([\\w-]+)|(\\w+)|\.(\\w-
+))/,Q=/^:not/,R=/[\x20\t\r\n\f]*[+~]/,S=/:not\($/,T=/h\d/i,U=/input|select|textarea|button/i,V=/
\\(?!\\\)/g,W={ID:new RegExp("^#(\"F+)"),CLASS:new RegExp("^\\.(\"F+)"),NAME:new
RegExp("^\\"\\[name=[^\"]?(\"F+)\"][^\"]?\\""),TAG:new RegExp("^\\"+F.replace("w","w*")+"")),ATTR:new
RegExp("^\\"+I),PSEUDO:new RegExp("^\\"+J),POS:new RegExp(K,"i"),CHILD:new
RegExp("^\\":(only|nth|first|last)-child(?:\\/"+E+"*(even|odd|([+-]|(\\\d*)n|))"+E+"*(?:([+-]
|)+E+"*(\\d+))|"+E+"*\\"))","i"),needsContext:new
RegExp("^\\"+E+"*[>+~]|"+K,"i"),X=function(a){var b=r.createElement("div");try{return
a(b)}catch(c){return!1}finally{b=null}},Y=X(function(a){return
a.appendChild(r.createComment(""))},!a.getElementsByTagName("*").length),Z=X(function(a){retur
n a.innerHTML=<a href="#"></a>,a.firstChild&&typeof
a.firstChild.getAttribute!==n&&a.firstChild.getAttribute("href")==="#"},$=X(function(a){a.innerHTML
="

```

```
h;return
d=!r.getElementById(o),s.removeChild(a,b});try{x.call(s.childNodes,0)[0].nodeType}catch(bb){x=func
tion(a){var b,c=[];for(;b=this[a];a++)c.push(b);return c}}bc.matches=function(a,b){return
bc(a,null,null,b)},bc.matchesSelector=function(a,b){return
bc(b,null,null,[a]).length>0},f=bc.getText=function(a){var
b,c="",d=0,e=a.nodeType;if(e){if(e==1||e==9||e==11){if(typeof a.textContent=="string")return
a.textContent;for(a=a.firstChild;a;a=a.nextSibling)c+=f(a)}else if(e==3||e==4)return
a.nodeValue}else for(;b=a[d];d++)c+=f(b);return c},g=bc.isXML=function(a){var
b=a&&(a.ownerDocument||a.documentElement);return
b?b.nodeName!="HTML":!1},h=bc.contains=s.contains=function(a,b){var
c=a.nodeType==9?a.documentElement:a,d=b&&b.parentNode;return
a==d||!|(d&&d.nodeType==1&&c.contains&&c.contains(d))}:s.compareDocumentPosition?functi
on(a,b){return
b&&!|(a.compareDocumentPosition(b)&16)}:function(a,b){while(b=b.parentNode)if(b==a)return!0;
return!1},bc.attr=function(a,b){var c,d=g(a);return
d||(b.toLowerCase(),(c=e.getAttributeHandle[b])?c(a):d||$?a.getAttribute(b):(c=a.getAttributeNode(b),c?
typeof
a[b]=="boolean"?a[b]?b:null:c.specified?c.value:null:null)},e=bc.selectors={cacheLength:50,createPs
eudo:z,match:W,attrHandle:Z:{}:{href:function(a){return
a.getAttribute("href",2)},type:function(a){return
a.getAttribute("type")}},find:{ID:d?function(a,b,c){if(typeof b.getElementById!=n&&!c){var
d=b.getElementById(a);return d&&d.parentNode?[d]:[]}}:function(a,c,d){if(typeof
c.getElementById!=n&&!d){var e=c.getElementById(a);return e?e.id==a||typeof
e.getAttributeNode!=n&&e.getAttributeNode("id").value==a:[e]:[]}},TAG:Y?function(a,b){if(type
of b.getElementsByTagName!=n)return b.getElementsByTagName(a)}:function(a,b){var
c=b.getElementsByTagName(a);if(a=="*"){var
d,e=[],f=0;for(;d=c[f];f++)d.nodeType==1&&e.push(d);return e}return
c},NAME:ba&&function(a,b){if(typeof b.getElementsByName!=n)return
b.getElementsByName(name)},CLASS:_&&function(a,b,c){if(typeof
b.getElementsByClassName!=n&&!c) return
b.getElementsByClassName(a)},relative:>:{dir:"parentNode",first:!0},"
":{dir:"parentNode"},"+:{dir:"previousSibling",first:!0}, "~:{dir:"previousSibling"}},preFilter:{ATTR:fu
nction(a){return a[1]=a[1].replace(V,""),a[3]=(a[4]||a[5]||"").replace(V,""),a[2]===~="&&(a[3]=="
"+a[3]+" "),a.slice(0,4)},CHILD:function(a){return
a[1]=a[1].toLowerCase(),a[1]==="nth"?([a[2]]||bc.error(a[0]),a[3]+=(a[3]?a[4]+(a[5]||1):2*(a[2]==="e
ven"||a[2]==="odd")),a[4]+=(a[6]+a[7]||a[2]==="odd")):a[2]&&bc.error(a[0]),a},PSEUDO:function(a)
{var b,c;if(W.CHILD.test(a[0]))return null;if(a[3])a[2]=a[3];else
if(b=a[4])O.test(b)&&(c=bh(b,!0))&&(c=b.indexOf(")",b.length-c)-
b.length)&&(b=b.slice(0,c),a[0]=a[0].slice(0,c)),a[2]=b;return
a.slice(0,3)}},filter:{ID:d?function(a){return a=a.replace(V,""),function(b){return
b.getAttribute("id")==a}}:function(a){return a=a.replace(V,""),function(b){var c=typeof
b.getAttributeNode!=n&&b.getAttributeNode("id");return
c&&c.value==a}}},TAG:function(a){return
```

```

a==="*"?function(){return!0}:(a=a.replace(V,"").toLowerCase(),function(b){return
b.nodeName&&b.nodeName.toLowerCase()===a)},CLASS:function(a){var b=B[o][a];return
b||(b=B(a,new RegExp("(^|"+E+"")+a+"("+E+"|$)")),function(a){return b.test(a.className||typeof
a.getAttribute!==n&&a.getAttribute("class")|| "")}),ATTR:function(a,b,c){return function(d,e){var
f=bc.attr(d,a);return
f==null?b=="!":b?(f+="",b=="?"f==c:b=="!="?f==c:b=="^="?c&&f.indexOf(c)==0:b=="*="?
c&&f.indexOf(c)>-1:b=="$"?(c&&f.substr(f.length-c.length)===c:b=="~=?(" "+f+" ").indexOf(c)>-
1:b=="!="?f==c||f.substr(0,c.length+1)===c+"-":!1):!0}},CHILD:function(a,b,c,d){return
a=="nth"?function(a){var
b,e,f=a.parentNode;if(c==1&&d==0)return!0;if(f){e=0;for(b=f.firstChild;b;b=b.nextSibling)if(b.node
Type==1){e++;if(a==b)break}}return e-d,e==c||e%c==0&&e/c>0}:function(b){var
c=b;switch(a){case"only":case"first":while(c=c.previousSibling)if(c.nodeType==1)return!1;if(a=="fir
st")return!0;c=b;case"last":while(c=c.nextSibling)if(c.nodeType==1)return!1;return!0}}},PSEUDO:fu
nction(a,b){var c,d=e.pseudos[a]||e.setFilters[a.toLowerCase()]||bc.error("unsupported pseudo:
"+a);return
d[o]?d(b):d.length>1?(c=[a,a,"",b],e.setFilters.hasOwnProperty(a.toLowerCase())?z(function(a,c){var
e,f=d(a,b),g=f.length;while(g--)e=y.call(a,f[g]),a[e]!=(c[e]=f[g])}):function(a){return
d(a,0,c)}:d),pseudos:{not:z(function(a){var b=[],c[],d=i(a.replace(L,"$1"));return
d[o]?z(function(a,b,c,e){var f,g=d(a,null,e,[]),h=a.length;while(h--
)if(f=g[h])a[h]!=(b[h]=f)):function(a,e,f){return
b[0]=a,d(b,null,f,c).pop()}},has:z(function(a){return function(b){return
bc(a,b).length>0}}),contains:z(function(a){return
function(b){return(b.textContent||b.innerText||f(b)).indexOf(a)>-1}}),enabled:function(a){return
a.disabled==!1},disabled:function(a){return a.disabled==!0},checked:function(a){var
b=a.nodeName.toLowerCase();return
b=="input"&&!a.checked||b=="option"&&!a.selected},selected:function(a){return
a.parentNode&&a.parentNode.selectedIndex,a.selected==!0},parent:function(a){return!e.pseudos.
empty(a)},empty:function(a){var
b=a.firstChild;while(a){if(a.nodeName=="@"||!(b=a.nodeType)==3||b==4)return!1;a=a.nextSiblin
g}return!0},header:function(a){return T.test(a.nodeName)},text:function(a){var b,c;return
a.nodeName.toLowerCase()=="input"&&(b=a.type)=="text"&&((c=a.getAttribute("type"))==null||
c.toLowerCase()===b)},radio:bd("radio"),checkbox:bd("checkbox"),file:bd("file"),password:bd("pass
word"),image:bd("image"),submit:be("submit"),reset:be("reset"),button:function(a){var
b=a.nodeName.toLowerCase();return
b=="input"&&a.type=="button"||b=="button"},input:function(a){return
U.test(a.nodeName)},focus:function(a){var b=a.ownerDocument;return
a==b.activeElement&&(!b.hasFocus||b.hasFocus())&&(!a.type||!a.href)},active:function(a){retu
n
a==a.ownerDocument.activeElement},first:bf(function(a,b,c){return[0]}),last:bf(function(a,b,c){retu
rn[b-1]}),eq:bf(function(a,b,c){return[c<0?c+b:c]}),even:bf(function(a,b,c){for(var
d=0;d<b;d+=2)a.push(d);return a}),odd:bf(function(a,b,c){for(var d=1;d<b;d+=2)a.push(d);return
a}),lt:bf(function(a,b,c){for(var d=c<0?c+b:c;-d>=0;)a.push(d);return a}),gt:bf(function(a,b,c){for(var
d=c<0?c+b:c;++d<b;)a.push(d);return a}}),j=s.compareDocumentPosition?function(a,b){return

```

```

a==>(k!=0,0):(!a.compareDocumentPosition||!b.compareDocumentPosition?a.compareDocumentPosition:a.compareDocumentPosition(b)&4)?-1:1}:function(a,b){if(a==>b) return k!=0,0;if(a.sourceIndex&&b.sourceIndex) return a.sourceIndex-b.sourceIndex;var c,d,e=[],f=[],g=a.parentNode,h=b.parentNode,i=g;if(g==>h) return bg(a,b);if(!g) return -1;if(!h) return 1;while(i)e.unshift(i),i=i.parentNode;i=h;while(i)f.unshift(i),i=i.parentNode;c=e.length,d=f.length;for(var j=0;j<c&&j<d;j++) if(e[j]!==f[j]) return bg(e[j],f[j]);return j==>c?bg(a,f[j],-1):bg(e[j],b,1)},[0,0].sort(j),m=Ik,bc.uniqueSort=function(a){var b,c=1;k=m,a.sort(j);if(k) for(;b=a[c];c++) b==>a[c-1]&&a.splice(c--,1);return a},bc.error=function(a){throw new Error("Syntax error, unrecognized expression: "+a)},i=bc.compile=function(a,b){var c,d=[],e=[],f=D[o][a];if(!f){b| |(b=bh(a)),c=b.length;while(c-->) f=bm(b[c]),f[o]?d.push(f):e.push(f);f=D(a, bn(e,d))}return f},r.querySelectorAll&&&function(){var a,b=bp,c='|\n\\g,d=/^=[\x20\t\r\n\f]*([^\n\f]*[\x20\t\r\n\f]*\n/g,e=[":focus"],f=[":active",":focus"],h=s.matchesSelector||s.mozMatchesSelector||s.webkitMatchesSelector||s.oMatchesSelector||s.msMatchesSelector;X(function(a){a.innerHTML=<select><option selected=></option></select>,a.querySelectorAll("[selected]").length| | e.push("\\"+E+"*(?:checked|disabled|ismap|multiple|readonly|selected|value)"),a.querySelectorAll(":checked").length| | e.push(":checked"))}),X(function(a){a.innerHTML=<p test=></p>,a.querySelectorAll("[test^="]).length&&e.push("*^$]="+E+"*(?:\"|")"),a.innerHTML=<input type='hidden'>",a.querySelectorAll(":enabled").length| | e.push(":enabled","disabled")),e=new RegExp(e.join(" | ")),bp=function(a,d,f,g,h){if(!g&&!h&&(!e| | e.test(a))) {var i,j,k=!0,l=0,m=d,n=d.nodeType==>9&&a;if(d.nodeType==>1&&d.nodeName.toLowerCase()!=="object") {i=bh(a),(k=d.getAttribute("id"))?l=k.replace(c,"\\$&"):d.setAttribute("id",l),l="[id='"+l+"']",j=i.length;while(j--) i[j]=l+i[j].join("");m=R.test(a)&&d.parentNode| | d,n=i.join(",")}if(n) try{w.apply(f,x.call(m.querySelectorAll(n,0)),f)}catch(p){}finally{k| | d.removeAttribute("id")}}return b(a,d,f,g,h)},h&&(X(function(b){a=h.call(b,"div");try{h.call(b,"[test!="]:sizzle"),f.push("!=",J)}catch(c){}},f=new RegExp(f.join(" | ")),bc.matchesSelector=function(b,c){c=c.replace(d,"=$1"]);if(!g(b)&&!f.test(c)&&(!e| | e.test(c))) try{var i=h.call(b,c);if(i| | a| | b.document&&b.document.nodeType!=>11) return i} catch(j){}return bc(c,null,null,[b]).length>0})}(),e.pseudos.nth=e.pseudos.eq,e.filters=bq.prototype=e.pseudos,e.setFilters=new bq,bc.attr=p.attr,p.find=bc,p.expr=bc.selectors,p.expr[":"]=p.expr.pseudos,p.unique=bc.uniqueSort,p.text=bc.getText,p.isXMLDoc=bc.isXML,p.contains=bc.contains}(a);var bc=/Until$/ ,bd=/^(?:parents|prev(?:Until|All))/,be=/^.[^:#\[\.\.]*$/,bf=p.expr.match.needsContext,bg={children:!0,contents:!0,next:!0,prev:!0};p.fn.extend({find:function(a){var b,c,d,e,f,g,h=this;if(typeof a!="string") return p(a).filter(function(){for(b=0,c=h.length;b<c;b++) if(p.contains(h[b],this)) return !0});g=this.pushStack("", "find",a);for(b=0,c=this.length;b<c;b++){d=g.length,p.find(a,this[b],g);if(b>0) for(e=d;e<g.length;e++) for(f=0;f<d;f++) if(g[f]==>g[e]) {g.splice(e--,1);break}}return g},has:function(a){var b,c=p(a,this),d=c.length;return this.filter(function(){for(b=0;b<d;b++) if(p.contains(this,c[b])) return !0}),not:function(a){return this.pushStack(bj(this,a,!1),"not",a)},filter:function(a){return

```

```

this.pushStack(bj(this,a,!0),"filter",a)},is:function(a){return!!a&&(typeof
a=="string"?bf.test(a)?p(a,this.context).index(this[0])>=0:p.filter(a,this).length>0:this.filter(a).length
>0),closest:function(a,b){var c,d=0,e=this.length,f=[],g=bf.test(a)||typeof
a!="string"?p(a,b||this.context):0;for(;d<e;d++){c=this[d];while(c&&c.ownerDocument&&c!=b&&c.
nodeType!==11){if(g?g.index(c)>
1:p.find.matchesSelector(c,a)){f.push(c);break}c=c.parentNode}}return
f=f.length>1?p.unique(f):f,this.pushStack(f,"closest",a)},index:function(a){return a?typeof
a=="string"?p.inArray(this[0],p(a)):p.inArray(a.jquery?a[0]:a,this):this[0]&&(this[0].parentNode?this.
prevAll().length:-1},add:function(a,b){var c=typeof
a=="string"?p(a,b):p.makeArray(a&&a.nodeType?[a]:a),d=p.merge(this.get(),c);return
this.pushStack(bh(c[0])||bh(d[0])?d:p.unique(d))),addBack:function(a){return
this.add(a==null?this.prevObject:this.prevObject.filter(a))}),p.fn.andSelf=p.fn.addBack,p.each({pare
nt:function(a){var b=a.parentNode;return b&&b.nodeType!==11?b:null},parents:function(a){return
p.dir(a,"parentNode")},parentsUntil:function(a,b,c){return
p.dir(a,"parentNode",c)},next:function(a){return bi(a,"nextSibling")},prev:function(a){return
bi(a,"previousSibling")},nextAll:function(a){return p.dir(a,"nextSibling")},prevAll:function(a){return
p.dir(a,"previousSibling")},nextUntil:function(a,b,c){return
p.dir(a,"nextSibling",c)},prevUntil:function(a,b,c){return
p.dir(a,"previousSibling",c)},siblings:function(a){return
p.sibling((a.parentNode||{}).firstChild,a)},children:function(a){return
p.sibling(a.firstChild)},contents:function(a){return
p.nodeName(a,"iframe")?a.contentDocument||a.contentWindow.document:p.merge([],a.childNodes
)},function(a,b){p.fn[a]=function(c,d){var e=p.map(this,b,c);return bc.test(a)||!(d=c),d&&typeof
d=="string"&&(e=p.filter(d,e)),e=this.length>1&&!bg[a]?p.unique(e):e,this.length>1&&bd.test(a)&&
e==e.reverse(),this.pushStack(e,a,k.call(arguments).join(",")||{})),p.extend({filter:function(a,b,c){return
c&&(a=":not("+a+"))},b.length==1?p.find.matchesSelector(b[0],a)?[b[0]]:[]:p.find.matches(a,b)},dir:
function(a,c,d){var
e=[],f=a[c];while(f&&f.nodeType==9&&(d==b||f.nodeType==1||!p(f).is(d)))f.nodeType==1&&e.
push(f),f=f[c];return e},sibling:function(a,b){var
c=[];for(;a;a=a.nextSibling)a.nodeType==1&&a==b&&c.push(a);return c}});var
bl="abbr|article|aside|audio|bdi|canvas|data|datalist|details|figcaption|figure|footer|header|hgroup|mark|m
eter|nav|output|progress|section|summary|time|video",bm=/
jQuery\d+="(?:\n|\d+)/g, bn=/^\s+/bo=<(?!\area|br|col|embed|hr|img|input|link|meta|param)
(([\w:]+)[^>]*\)\>/gi, bp=<([\w:]+)/, bq=<tbody/i, br=<|#\w+/, bs=<(?script|style|link)/i, bt=<(
?:script|object|embed|option|style)/i, bu=new
RegExp("<(?:"+bl+"|[\s/>]", "i"), bv=/^(:checkbox|radio)$/, bw=/checked\s*(?:[^=]|=\s*.checked.)/i,
bx=/\|(java|ecma)script/i, by=/^\s*<(!?:\[CDATA\[|\-\-)|[\]\-]{2}\]>\s*/g, bz={option:[1,"<select
multiple='multiple'>","</select>"],legend:[1,"<fieldset>","</fieldset>"],thead:[1,"<table>","</table>
"],tr:[2,"<table><tbody>","</tbody></table>"],td:[3,"<table><tbody><tr>","</tr></tbody></table>"],c
ol:[2,"<table><tbody></tbody><colgroup>","</colgroup></table>"],area:[1,"<map>","</map>"],_def
ault:[0,""],bA=bk(e),bB=bA.appendChild(e.createElement("div"));bz.optgroup=bz.option,bz.tbody
=bz.tfoot=bz.colgroup=bz.caption=bz.thead,bz.th=bz.td,p.support.htmlSerialize||(bz._default=[1,"X<
div>","</div>"]),p.fn.extend({text:function(a){return p.access(this,function(a){return

```

```

a==>p.text(this):this.empty().append((this[0]&&this[0].ownerDocument||e).createTextNode(a))),  

null,a,arguments.length)},wrapAll:function(a){if(pisFunction(a))return  

this.each(function(b){p(this).wrapAll(a.call(this,b))});if(this[0])var  

b=p(a,this[0].ownerDocument).eq(0).clone(!0);this[0].parentNode&&b.insertBefore(this[0]),b.map(f  

unction(){var a=this;while(a.firstChild&&a.firstChild.nodeType==>1)a=a.firstChild;return  

a}).append(this),wrapInner:function(a){return  

pisFunction(a)?this.each(function(b){p(this).wrapInner(a.call(this,b))}):this.each(function(){var  

b=p(this),c=b.contents();c.length?c.wrapAll(a):b.append(a)}),wrap:function(a){var  

b=pisFunction(a);return  

this.each(function(c){p(this).wrapAll(b?a.call(this,c):a)}),unwrap:function(){return  

this.parent().each(function(){p.nodeName(this,"body")||p(this).replaceWith(this.childNodes)}).end()  

},append:function(){return  

this.domManip(arguments,!0,function(a){(this.nodeType==>1||this.nodeType==>11)&&this.append  

Child(a)}),prepend:function(){return  

this.domManip(arguments,!0,function(a){(this.nodeType==>1||this.nodeType==>11)&&this.insertB  

efore(a,this.firstChild)}),before:function(){if(!bh(this[0]))return  

this.domManip(arguments,!1,function(a){this.parentNode.insertBefore(a,this)});if(arguments.length)  

{var a=p.clean(arguments);return  

this.pushStack(p.merge(a,this),"before",this.selector)}},after:function(){if(!bh(this[0]))return  

this.domManip(arguments,!1,function(a){this.parentNode.insertBefore(a,this.nextSibling)});if(argum  

ents.length){var a=p.clean(arguments);return  

this.pushStack(p.merge(this,a),"after",this.selector)}},remove:function(a,b){var  

c,d=0;for(;(c=this[d])!=null;d++)if(!a||p.filter(a,[c]).length)!b&&c.nodeType==>1&&(p.cleanData(c.ge  

tElementsByTagName("*")),p.cleanData([c])),c.parentNode&&c.parentNode.removeChild(c);return  

this},empty:function(){var  

a,b=0;for(;(a=this[b])!=null;b++){a.nodeType==>1&&p.cleanData(a.getElementsByTagName("*"));wh  

ile(a.firstChild)a.removeChild(a.firstChild)}return this},clone:function(a,b){return  

a==>null?1:a,b==>null?a:b,this.map(function(){return p.clone(this,a,b)}),html:function(a){return  

p.access(this,function(a){var c=this[0]||{},d=0,e=this.length;if(a==>b)return  

c.nodeType==>1?c.innerHTML.replace(bm,""):b;if(typeof  

a=="string"&&!bs.test(a)&&(p.support.htmlSerialize||!bu.test(a))&&(p.support.leadingWhitespace|  

|!bn.test(a))&&!bz[(bp.exec(a)||["","",""])[1].toLowerCase()]]{a=a.replace(bo,"<$1></>");try{for(;d<  

e;d++)c=this[d]||{},c.nodeType==>1&&(p.cleanData(c.getElementsByTagName("*")),c.innerHTML=a)  

;c=0}catch(f){}c&&this.empty().append(a),null,a,arguments.length)},replaceWith:function(a){return  

bh(this[0])?this.length?this.pushStack(p(p.isFunction(a)?a():a),"replaceWith",a):this:p.isFunction(a)?  

this.each(function(b){var c=p(this),d=c.html();c.replaceWith(a.call(this,b,d))}):(typeof  

a!="string"&&(a=p(a).detach()),this.each(function(){var  

b=this.nextSibling,c=this.parentNode;p(this).remove(),b?p(b).before(a):p(c).append(a)}),detach:fun  

ction(a){return this.remove(a,!0)},domManip:function(a,c,d){a=[];a.concat.apply([],a);var  

e,f,g,h,i=0,j=a[0],k=[],l=this.length;if(!p.support.checkClone&&l>1&&typeof  

j=="string"&&bw.test(j))return  

this.each(function(){p(this).domManip(a,c,d)});if(p.isFunction(j))return this.each(function(e){var  

f=p(this);a[0]=j.call(this,e,c?f.html():b),f.domManip(a,c,d)});if(this[0])e=p.buildFragment(a,thi
s,k),g=

```

```
e.fragment,f=g.firstChild,g.childNodes.length==1&&(g=f);if(f){c=c&&p.nodeName(f,"tr");for(h=e.cacheable|!l-1;i<l;i++)d.call(c&&p.nodeName(this[i],"table")?bC(this[i],"tbody"):this[i],i==h?g:p.clone(g,!0,!0))}g=f=null,k.length&&p.each(k,function(a,b){b.src?p.ajax?p.ajax({url:b.src,type:"GET",dataType:"script",async:!1,global:!1,"throws":!0}):p.error("no ajax"):p.globalEval((b.text||b.textContent||b.innerHTML||"").replace(by,"")),b.parentNode&&b.parentNode.removeChild(b)});p.buildFragment=function(a,c,d){var f,g,h,i=a[0];return c=c||e,c!=c.nodeType&&c[0]||c,c=c.ownerDocument||c,a.length==1&&typeof i=="string"&&i.length<512&&c==e&&i.charAt(0)==<"&&!bt.test(i)&&(p.support.checkClone||!bw.test(i))&&(p.support.html5Clone||!bu.test(i))&&(g=!0,f=p.fragments[i],h=f!=b),f||(f=c.createDocumentFragment()),p.clean(a,c,f,d),g&&(p.fragments[i]=h&&f),{fragment:f,cacheable:g},p.fragments={},p.each({appendTo:"append",prependTo:"prepend",insertBefore:"before",insertAfter:"after",replaceAll:"replaceWith"},function(a,b){p.fn[a]=function(c){var d,e=0,f=[],g=p(c),h=g.length,i=this.length==1&&this[0].parentNode;if((i==null||i&&i.nodeType==1&&i.childNodes.length==1)&&h==1)return g[b](this[0]),this;for(;e<h;e++)d=(e>0?this.clone(!0):this).get(),p(g[e])[b](d),f=f.concat(d);return this.pushStack(f,a,g.selector)}}),p.extend({clone:function(a,b,c){var d,e,f,g;p.support.html5Clone||p.isXMLDoc(a)||!bu.test("<"+a.nodeName+"")?g=a.cloneNode(!0):(bB.innerHTML=a.outerHTML,bB.removeChild(g=bB.firstChild));if((!p.support.noCloneEvent||!p.support.noCloneChecked)&&(a.nodeType==1||a.nodeType==11)&&!p.isXMLDoc(a)){bE(a,g),d=bF(a),e=bF(g);for(f=0;d[f];++f)e[f]&&bE(d[f],e[f]);if(b){bD(a,g);if(c){d=bF(a),e=bF(g);for(f=0;d[f];++f)bD(d[f],e[f])}};return d=e=null,g};clean:function(a,b,c){var f,g,h,i,j,k,l,m,n,o,q,r,s=b==e&&#xA,t=[];if(!b||typeof b.createDocumentFragment=="undefined")b=e;for(f=0;(h=a[f])!=null;f++){typeof h=="number"&&(h+="");if(!h)continue;if(typeof h=="string")if(!br.test(h))h=b.createTextNode(h);else{s=s||bk(b),l=b.createElement("div"),s.appendChild(l),h=h.replace(br,<$1>/<$2>"),i=(bp.exec(h)||["","",""])[1].toLowerCase(),j=bz[i]||bz._default,k=j[0],l.innerHTML=j[1]+h+j[2];while(k--)l=l.lastChild;if(!p.support.tbody){m=bq.test(h),n=i=="table"&&!m?l.firstChild&&l.firstChild.childNodes:j[1]==<table>"&&!m?l.childNodes:[];for(g=n.length-1;g>=0;--g)p.nodeName(n[g],"tbody")&&!n[g].childNodes.length&&n[g].parentNode.removeChild(n[g])}!p.support.leadingWhitespace&&bn.test(h)&&l.insertBefore(b.createTextNode(bn.exec(h)[0]),l.firstChild),h=l.childNodes,l.parentNode.removeChild(l)};h.nodeType?t.push(h):p.merge(t,h)}!&&(h=l=s=null);if(!p.support.appendChecked)for(f=0;(h=t[f])!=null;f++)p.nodeName(h,"input")?bG(h):typeof h.getElementsByTagName!="undefined"&&p.grep(h.getElementsByTagName("input"),bG);if(c){q=function(a){if(!a.type||bx.test(a.type))return d?d.push(a.parentNode?a.parentNode.removeChild(a):a):c.appendChild(a);for(f=0;(h=t[f])!=null;f++)if(!p.nodeName(h,"script")||!q(h))c.appendChild(h),typeof h.getElementsByTagName!="undefined"&&(r=p.grep(p.merge([],h.getElementsByTagName("script"))),q),t.splice.apply(t,[f+1,0].concat(r)),f+=r.length}};return t},cleanData:function(a,b){var c,d,e,f,g=0,h=p.expando,i=p.cache,j=p.support.deleteExpando,k=p.event.special;for(;(e=a[g])!=null;g++)if(b||p.acceptData(e)){d=e[h],c=d&&i[d];if(c){if(c.events)for(f in c.events)k[f]?p.event.remove(e,f):p.removeEvent(e,f,c.handle);i[d]&&(delete i[d],j?delete
```

```
e[h]:e.removeAttribute?e.removeAttribute(h):e[h]=null,p.deletedIds.push(d))}}}),function(){var  
a,b;p.uaMatch=function(a){a=a.toLowerCase();var b=/chrome|[ ]/.exec(a)||/webkit|[ ]/.exec(a)||/opera|version|[ ]/.exec(a)||/msie|[ ]/.exec(a)||a.indexOf("compatible")<0&&/mozilla|version|[ ]/.exec(a)||[];return{browser:b[1]||"",version:b[2]||"0"},a=p.uaMatch(g.userAgent),b={},a.browser&&(b[a.browser]!=0,b.version=a.version),b.chrome?b.webkit!=0:b.webkit&&(b.safari!=0),p.browser=b,p.sub=function(){function a(b,c){return new  
a.fn.init(b,c)}p.extend(!0,a,this),a.superclass=this,a.fn.prototype=this(),a.fn.constructor=a,a.sub=thi  
s.sub,a.fn.init=function c(c,d){return d&&d instanceof p&&!d instanceof  
a)&&(d=a(d)),p.fn.init.call(this,c,d,b)},a.fn.init.prototype=a.fn;var b=a(e);return a}());var  
bH,bI,bJ,bK=/alpha\([^\)]*\)/i,bL=/opacity=(\d+\.\d+)|(\d+)\%/,bM=/^(\top|\right|\bottom|\left)$/,bN=/^(none|tabl  
e|c|ea)\.\+\)/,bO=/^margin/,bP=new RegExp("^\d+(px|em|pt|in|cm|mm|%)"),bQ=new RegExp("^\d+(px|em|pt|in|cm|mm|%)|a  
z%]+$"),bR=new RegExp("^\d+([-  
+])=(\d+px|em|pt|in|cm|mm|%)"),bS={},bT={position:"absolute",visibility:"hidden",display:"block"},bU={letterSpacing:  
0,fontWeight:400},bV=["Top","Right","Bottom","Left"],bW=["Webkit","O","Moz","ms"],bX=p.fn.toggle;  
le;p.fn.extend({css:function(a,c){return p.access(this,function(a,c,d){return  
d==b?p.style(a,c,d):p.css(a,c)},a,c,arguments.length>1)},show:function(){return  
b$(this,!0)},hide:function(){return b$(this)},toggle:function(a,b){var c=typeof a=="boolean";return  
pisFunction(a)&&p.isFunction(b)?bX.apply(this,arguments):this.each(function(){(c?a:bZ(this))?p(this  
).show():p(this).hide()}))},p.extend({cssHooks:{opacity:{get:function(a,b){var  
c=bH(a,"opacity");return  
c===""?"1":c}}},cssNumber:{fillOpacity:!0,fontWeight:!0,lineHeight:!0,opacity:!0,orphans:!0,widows  
:!0,zIndex:!0,zoom:!0},cssProps:{"float":p.support.cssFloat?"cssFloat":"styleFloat"},style:function(a,c  
,d,e){if(!a||a.nodeType==3||a.nodeType==8||!a.style) return;var  
f,g,h,i=p.camelCase(c),j=a.style;c=p.cssProps[i]||(p.cssProps[i]=bY(j,i)),h=p.cssHooks[c]||p.cssHooks[  
i];if(d==b) return h&&"get"in h&&(f=h.get(a,!1,e))!=b?f:j[c];g=typeof  
d,g=="string"&&(f=bR.exec(d))&&(d=(f[1]+1)*f[2]+parseFloat(p.css(a,c)),g="number");if(d==null||!g  
=="number"&&isNaN(d)) return;g=="number"&&!p.cssNumber[i]&&(d+="px");if(!h||!("set"in  
h)||!(d=h.set(a,d,e))!=b) try{j[c]=d} catch(k){},css:function(a,c,d,e){var f,g,h,i=p.camelCase(c);return  
c=p.cssProps[i]||(p.cssProps[i]=bY(a.style,i)),h=p.cssHooks[c]||p.cssHooks[i],h&&"get"in  
h&&(f=h.get(a,!0,e)),f==b&&(f=bH(a,c)),f=="normal"&&c in  
bU&&(f=bU[c]),d||e!=b?(g=parseFloat(f),d||p.isNumeric(g)?g||0:f),swap:function(a,b,c){var  
d,e,f={};for(e in b)f[e]=a.style[e],a.style[e]=b[e];d=c.call(a);for(e in b)a.style[e]=f[e];return  
d}},a.getComputedStyle?bH=function(b,c){var d,e,f,g,h=a.getComputedStyle(b,null),i=b.style;return  
h&&(d=h[c],d=="")&&!p.contains(b.ownerDocument,b)&&(d=p.style(b,c)),bQ.test(d)&&bO.test(c)&  
&(e=i.width,f=i.minWidth,g=i.maxWidth,i.minWidth=i.maxWidth=i.width=d,d=h.width,i.width=e,i.mi  
nWidth=f,i.maxWidth=g),d}:e.documentElement.currentStyle&&(bH=function(a,b){var  
c,d,e=a.currentStyle&&a.currentStyle[b],f=a.style;return  
e==null&&f&&f[b]&&(e=f[b]),bQ.test(e)&&!bM.test(b)&&(c=f.left,d=a.runtimeStyle&&a.runtimeStyl  
e.left,d&&(a.runtimeStyle.left=a.currentStyle.left),f.left=b=="fontSize"?1em:e,e=f.pixelLeft+"px",f  
.left=c,d&&(a.runtimeStyle.left=d),e=="auto":e},p.each(["height","width"],function(a,b){p.cssH  
ooks[b]={get:function(a,c,d){if(c) return  
a.offsetWidth==0&&bN.test(bH(a,"display"))?p.swap(a,bT,function(){return
```

```
cb(a,b,d}}):cb(a,b,d}),set:function(a,c,d){return
b_(a,c,d?ca(a,b,d,p.support.boxSizing&&p.css(a,"boxSizing")==="border-
box":0)}},p.support.opacity| |(p.cssHooks.opacity={get:function(a,b){return
bL.test((b&&a.currentStyle?a.currentStyle.filter:a.style.filter)||"")?01*parseFloat(RegExp.$1)+"":b?
"1":""},set:function(a,b){var
c=a.style,d=a.currentStyle,e=p.isNumeric(b)?"alpha(opacity="+b*100+)": "",f=d&&d.filter||c.filter|| ""
;c.zoom=1;if(b>=1&&p.trim(f.replace(bK,""))==="")&&c.removeAttribute}{c.removeAttribute("filter");
};if(d&&!d.filter)return}c.filter=bK.test(f)?f.replace(bK,e):f+
"+e}},p(function(){p.support.reliableMarginRight| |(p.cssHooks.marginRight={get:function(a,b){retur
n p.swap(a,{display:"inline-block"},function(){if(b) return
bH(a,"marginRight")})}}),!p.support.pixelPosition&&p.fn.position&&p.each(["top","left"],function(a,
b){p.cssHooks[b]={get:function(a,c){if(c){var d=bH(a,b);return
bQ.test(d)?p(a).position()[b]+"px":d}}}}),p.expr&&p.expr.filters&&(p.expr.filters.hidden=function(a)
{return
a.offsetWidth==0&&a.offsetHeight==0| | !p.support.reliableHiddenOffsets&&(a.style&&a.style.dis
play||bH(a,"display"))=="none"},p.expr.filters.visible=function(a){return!p.expr.filters.hidden(a)}),p
.each({margin:"",padding:"",border:"Width"},function(a,b){p.cssHooks[a+b]={expand:function(c){var
d,e=typeof c=="string"?c.split(" "):[c],f={};for(d=0;d<4;d++)f[a+bV[d]+b]=e[d]| |e[d-2]| |e[0];return
f}},bO.test(a)| |(p.cssHooks[a+b].set=b_));var
cd=/%20/g,ce=/\[\]$/,cf=/r?\n/g,cg=/^(?:color|date|datetime|datetimel
ocal|email|hidden|month|number|password|range|search|tel|text|time|url|week)$/i,ch=/^(?:se
lect|textarea)/i;p.fn.extend({serialize:function(){return
p.param(this.serializeArray())},serializeArray:function(){return this.map(function(){return
this.elements?p.makeArray(this.elements):this}).filter(function(){return
this.name&&!this.disabled&&(this.checked||ch.test(this.nodeName)||cg.test(this.type))}).map(func
tion(a,b){var c=p(this).val();return
c==null?null:p.isArray(c)?p.map(c,function(a,c){return{name:b.name,value:a.replace(cf,"\\r\\n")}}):{na
me:b.name,value:c.replace(cf,"\\r\\n")}).get()}},p.param=function(a,c){var
d,e=[],f=function(a,b){b=pisFunction(b)?b():b==null?"":b,e[e.length]=encodeURIComponent(a)+"+"+
encodeURIComponent(b)};c==b&&(c=p.ajaxSettings&&p.ajaxSettings.traditional);if(p.isArray(a)||a.
jquery&&!p.isPlainObject(a))p.each(a,function(){f(this.name,this.value)});else for(d in
a)ci(d,a[d],c,f);return e.join("&").replace(cd,"+");var cj,ck,cl=/#.*$/i,cm=/^(.*)?:[
\ t]*([^\r\n]*)\r?$/mg,cn=/^(?:about|app|app\storage|.+|\-
extension|file|res|widget):$/i,co=/^(?:GET|HEAD)$/i,cp=/^\//,cq=/?/,cr=/<script\b[^<]*(?:(?!</sc
ript>)[^<])*</script>/gi,cs=/([?&])_=[^&]*/i,ct=/^([\\w\\+\\.\\-
]+):(?:\\V|([\\V?#:]*)(?:\\(\\d+)\\)|\\))/i,cu=p.fn.load,sv={},cw={},cx=["/"]+["*"];try{ck=f.href}catch(cy){ck=
e.createElement("a"),ck.href="",ck.href=cj=ct.exec(ck.toLowerCase())||[],p.fn.load=function(a,c,d
){if(typeof a!="string"&&cu)return cu.apply(this,arguments);if(!this.length)return this;var
e,f,g,h=this,i=a.indexOf(" ");return
i>=0&&(e=a.slice(i,a.length),a=a.slice(0,i)),pisFunction(c)?(d=c,c=b):c&&typeof
c=="object"&&(f="POST"),p.ajax({url:a,type:f,dataType:"html",data:c,complete:function(a,b){d&&h.
each(d,g|[a.responseText,b,a])}}).done(function(a){g=arguments,h.html(e?p("
<div>").append(a.replace(cr,"")).find(e):a)}),this},p.each("ajaxStart ajaxStop ajaxComplete ajaxError ajaxSuccess
```

```
ajaxSend".split(" "),function(a,b){p.fn[b]=function(a){return
this.on(b,a)}},p.each(["get","post"],function(a,c){p[c]=function(a,d,e,f){return
pisFunction(d)&&(f=f|e,e=d,d=b),p.ajax({type:c,url:a,data:d,success:e,dataType:f})}}),p.extend({get
Script:function(a,c){return p.get(a,b,c,"script")},getJSON:function(a,b,c){return
p.get(a,b,c,"json")},ajaxSetup:function(a,b){return
b?cB(a,p.ajaxSettings):(b=a,a=p.ajaxSettings),cB(a,b,a),ajaxSettings:{url:ck,isLocal:cn.test(cj[1]),glob
al:!0,type:"GET",contentType:"application/x-www-form-urlencoded; charset=UTF-
8",processData:!0,async:!0,accepts:{xml:"application/xml,
text/xml",html:"text/html",text:"text/plain",json:"application/json,
text/javascript","*":cx},contents:{xml:/xml/,html:/html/,json:/json/},responseFields:{xml:"responseX
ML",text:"responseText"},converters:{'* text':a.String,"text html":!0,"text json":p.parseJSON,"text
xml":p.parseXML},flatOptions:{context:!0,url:!0}},ajaxPrefilter:cz(cv),ajaxTransport:cz(cw),ajax:functi
on(a,c){function y(a,c,f,i){var
k,s,t,u,w,y=c;if(v==2)return;v=2,h&&clearTimeout(h),g=b,e=i||"",x.readyState=a>0?4:0,f&&(u=cC(l,
x,f));if(a>=200&&a<300||a==304)l.ifModified&&(w=x.getResponseHeader("Last-
Modified"),w&&(p.lastModified[d]=w),w=x.getResponseHeader("Etag"),w&&(p.etag[d]=w)),a==304
?(y="notmodified",k=!0):(k=cD(l,u),y=k.state,s=k.data,t=k.error,k!=t);else{t=y;if(!y||a)y="error",a<0&
&(a=0)x.status=a,x.statusText=(c||y)||"",k?o.resolveWith(m,[s,y,x]):o.rejectWith(m,[x,y,t]),x.statusC
ode(r),r=b,j&&n.trigger("ajax"+(k?"Success":"Error"),[x,l,k?s:t]),q.fireWith(m,[x,y]),j&&(n.trigger("aja
xComplete",[x,l]),--p.active||p.event.trigger("ajaxStop"))}typeof a=="object"&&(c=a,a=b),c=c||{};var
d,e,f,g,h,i,j,k,l=p.ajaxSetup({},c),m=l.context||l,n=m==l&&(m.nodeType||m instanceof
p)?p(m):p.event,o=p.Deferred(),q=p.Callbacks("once
memory"),r=l.statusCode||{},t={},u={},v=0,w="canceled",x={readyState:0,setRequestHeader:functio
n(a,b){if(!v){var c=a.toLowerCase();a=u[c]=u[c]||a,t[a]=b}return
this},getAllResponseHeaders:function(){return v==2?e:null},getResponseHeader:function(a){var
c;if(v==2){if(!f){f={};while(c=cm.exec(e))f[c[1].toLowerCase()]=c[2]}c=f[a.toLowerCase()]}return
c==b?null:c},overrideMimeType:function(a){return
v||(l.mimeType=a),this},abort:function(a){return
a=a||w,g&&g.abort(a),y(0,a),this}};o.promise(x),x.success=x.done,x.error=x.fail,x.complete=q.add,x.
statusCode=function(a){if(a){var b;if(v<2)for(b in a)r[b]=[r[b],a[b]];else
b=a[x.status],x.always(b)}return
this},l.url=((a||l.url)+"").replace(cl,"").replace(cp,cj[1]+"\//"),l.dataTypes=p.trim(l.dataType||"*").toL
owerCase().split(s),l.crossDomain==null&&(i=ct.exec(l.url.toLowerCase())||!1,l.crossDomain=i&&i.joi
n(":")+i[3]?"":i[1]==="http:"?80:443)!=cj.join(":")+(cj[3]?"":cj[1]==="http:"?80:443)),l.data&&l.proc
essData&&typeof l.data!="string"&&(l.data=p.param(l.data,l.traditional)),cA(cv,l,c,x);if(v==2)return
x;j=l.global,l.type=l.type.toUpperCase(),l.hasContent!=co.test(l.type),j&&p.active++==0&&p.event.t
rigger("ajaxStart");if(!l.hasContent){l.data&&(l.url+=(cq.test(l.url)?&:"?")||l.url),l.data.delete
l.data},d=l.url;if(l.cache==!1){var
z=p.now(),A=l.url.replace(cs,"$1_="+z);l.url=A+(A==l.url?(cq.test(l.url)?&:"?")+"_= "+z:"")}(l.data&
&l.hasContent&&l.contentType!=!1||c.contentType)&&x.setRequestHeader("Content-
Type",l.contentType),l.ifModified&&(d=d||l.url,p.lastModified[d]&&x.setRequestHeader("If-
Modified-Since",p.lastModified[d]),p.etag[d]&&x.setRequestHeader("If-None-
Match",p.etag[d])),x.setRequestHeader("Accept",l.dataTypes[0]&&l.accepts[l.dataTypes[0]]?l.accept
```

```

s[l.dataTypes[0]]+(l.dataTypes[0]!=="*"? " "+cx+"; q=0.01":""):l.accepts["*"]);for(k in
l.headers)x.setRequestHeader(k,l.headers[k]);if(!l.beforeSend||l.beforeSend.call(m,x,l)!==!1&&v!=
2){w="abort";for(k in{success:1,error:1,complete:1})x[k](l[k]);g=cA(cx,l,c,x);if(!g)y(-1,"No
Transport");else{x.readyState=1,j&&n.trigger("ajaxSend",[x,l]),l.async&&l.timeout>0&&(h=setTimeo
ut(function(){x.abort("timeout"),l.timeout});try{v=1,g.send(t,y)}catch(B){if(v<2)y(-1,B);else throw
B}}};return x};return x.abort(),active:0,lastModified:{},etag:{});var
cE=[],cF=/\?/,cG=/(=\)\?(?=(&|\$))|\?\?/,cH=p.now();p.ajaxSetup({jsonp:"callback",jsonpCallback:functi
on(){var a=cE.pop()|p.expando+"_"+cH++;return this[a]=!0,a}}),p.ajaxPrefilter("json
jsonp",function(c,d,e){var f,g,h,i=c.data,j=c.url,k=c.jsonp!=!1,l=k&&cG.test(j),m=k&&!l&&typeof
i=="string"&&!(c.contentType||"").indexOf("application/x-www-form-
urlencoded")&&cG.test(i);if(c.dataTypes[0]==="jsonp"||l|m) return
f=c.jsonpCallback=pisFunction(c.jsonpCallback)?c.jsonpCallback():c.jsonpCallback,g=a[f],l?c.url=j.rep
lace(cG,"$1"+f):m?c.data=i.replace(cG,"$1"+f):k&&(c.url+=(cF.test(j)||":?")"+c.jsonp+"="+f),c.conv
erters["script json"]=function(){return h||p.error(f+" was not
called"),h[0]},c.dataTypes[0]="json",a[f]=function(){h=arguments},e.always(function(){a[f]=g,c[f]&&
c.jsonpCallback=d.jsonpCallback,cE.push(f),h&&pisFunction(g)&&g(h[0]),h=g=b}),"script"},p.ajaxSe
tup({accepts:{script:"text/javascript, application/javascript, application/ecmascript, application/x-
ecmascript"},contents:{script:/javascript|ecmascript/},converters:{"text script":function(a){return
p.globalEval(a,a)}},p.ajaxPrefilter("script",function(a){a.cache==b&&(a.cache=!1),a.crossDomain&
&(a.type=="GET",a.global=!1)},p.ajaxTransport("script",function(a){if(a.crossDomain){var
c,d=e.head||e.getElementsByTagName("head")[0]||e.documentElement;return{send:function(f,g){c
=e.createElement("script"),c.async="async",a.scriptCharset&&(c.charset=a.scriptCharset),c.src=a.url,
c.onload=c.onreadystatechange=function(a,e){if(e||!c.readyState||/loaded|complete/.test(c.readyState))c.onload=c.onreadystatechange=null,d&&c.parentNode&&d.removeChild(c),c=b,e||g(200,"suc
cess"),d.insertBefore(c,d.firstChild)},abort:function(){c&&c.onload(0,1)}}};var
cl,cJ=a.ActiveXObject?function(){for(var a in
cl)cl[a](0,1)}:!1,cK=0;p.ajaxSettings.xhr=a.ActiveXObject?function(){return!this.isLocal&&cL()||cM()}:
cL, function(a){p.extend(p.support,{ajax:!!a,cors:!!a&&"withCredentials"in
a})(p.ajaxSettings.xhr()),p.support.ajax&&p.ajaxTransport(function(c){if(!c.crossDomain||p.support.
cors){var d;return{send:function(e,f){var
g,h,i=c.xhr();c.username?i.open(c.type,c.url,c.async,c.username,c.password):i.open(c.type,c.url,c.asy
nc);if(c.xhrFields)for(h in
c.xhrFields)i[h]=c.xhrFields[h];c.mimeType&&i.overrideMimeType&&i.overrideMimeType(c.mimeTy
pe),!c.crossDomain&&!e["X-Requested-With"]&&(e["X-Requested-
With"]="XMLHttpRequest");try{for(h in
e)i.setRequestHeader(h,e[h])}catch(j){i.send(c.hasContent&&c.data||null),d=function(a,e){var
h,j,k,l,m;try{if(d&&(e||i.readyState==4)){d=b,g&&(i.onreadystatechange=p.noop,cJ&&delete
cI[g]);if(e)i.readyState!=4&&i.abort();else{h=i.status,k=i.getAllResponseHeaders(),l={},m=i.response
XML,m&&m.documentElement&&(l.xml=m);try{l.text=i.responseText}catch(a){}try{j=i.statusText}cat
ch(n){j=""}!h&&c.isLocal&&!c.crossDomain?h=l.text?200:404:h==1223&&(h=204)}{catch(o){e||f(-
1,o)}!&&f(h,j,l,k)},c.async?i.readyState==4?setTimeout(d,0):(g=++cK,cJ&&(cI||(cI={},p(a).unload(cJ))
,cI[g]=d),i.onreadystatechange=d):d()},abort:function(){d&&d(0,1)}}}};var
cN,cP=/^(?:toggle|show|hide)$/,cQ=new RegExp("^(?:([-]+)=|)(["+q+"])([a-

```

```

z%]*$","i"),cR=/queueHooks$/;cS=[cY],cT={"*":[function(a,b){var
c,d,e=this.createTween(a,b),f=cQ.exec(b),g=e.cur(),h=+g|10,i=1,j=20;if(f){c+=f[2],d=f[3]||(p.cssNumbe
r[a]?"":"px");if(d!=="px"&&h){h=p.css(e.elem,a,!0)||c||1;do
i=i||".5",h=h/i,p.style(e.elem,a,h+d);while(i!==i=e.cur()/g)&&i!=1&&--
j)}e.unit=d,e.start=h,e.end=f[1]?h+(f[1]+1)*c:c}return
e]}];p.Animation=p.extend(cW,{tweener:function(a,b){pisFunction(a)?(b=a,a=["*"]):a=a.split(" ");var
c,d=0,e=a.length;for(;d<e;d++)c=a[d],cT[c]=cT[c]||[],cT[c].unshift(b)},prefilter:function(a,b){b?cS.uns
hift(a):cS.push(a)}},p.Tween=cZ,cZ.prototype={constructor:cZ,init:function(a,b,c,d,e,f){this.elem=a,t
his.prop=c,this.easing=e||"swing",this.options=b,this.start=this.now=this.cur(),this.end=d,this.unit=f
||(p.cssNumber[c]?"":"px"),cur:function(){var a=cZ.propHooks[this.prop];return
a&&a.get?a.get(this):cZ.propHooks._default.get(this)},run:function(a){var
b,c=cZ.propHooks[this.prop];return
this.options.duration?this.pos=b=p.easing[this.easing](a,this.options.duration*a,0,1,this.options.dur
ation):this.pos=b=a,this.now=(this.end-
this.start)*b+this.start,this.options.step&&this.options.step.call(this.elem,this.now,this),c&&c.set?c.
set(this):cZ.propHooks._default.set(this,this)},cZ.prototype.init.prototype=cZ.prototype,cZ.propHoo
ks=_default:{get:function(a){var b;return
a.elem[a.prop]==null||!a.elem.style&&a.elem.style[a.prop]!=null?(b=p.css(a.elem,a.prop,!1,""),!b|
|b==="auto"?0:b):a.elem[a.prop]},set:function(a){p.fx.step[a.prop]?p.fx.step[a.prop](a):a.elem.style
&&(a.elem.style[p.cssProps[a.prop]]!=null||p.cssHooks[a.prop])?p.style(a.elem,a.prop,a.now+a.unit
):a.elem[a.prop]=a.now}},cZ.propHooks.scrollTop=cZ.propHooks.scrollLeft={set:function(a){a.elem.n
odeType&&a.elem.parentNode&&(a.elem[a.prop]=a.now)},p.each(["toggle","show","hide"],functio
n(a,b){var c=p.fn[b];p.fn[b]=function(d,e,f){return d==null||typeof
d=="boolean"||!a&&pisFunction(d)&&pisFunction(e)?c.apply(this,arguments):this.animate(c$(b,!0
),d,e,f)}},p.fn.extend({fadeTo:function(a,b,c,d){return
this.filter(bZ).css("opacity",0).show().end().animate({opacity:b},a,c,d)},animate:function(a,b,c,d){var
e=p.isEmptyObject(a),f=p.speed(b,c,d),g=function(){var
b=cW(this,p.extend({},a)),f;e&&b.stop(!0);return
e||f.queue==!=1?this.each(g):this.queue(f.queue,g)},stop:function(a,c,d){var e=function(a){var
b=a.stop;delete a.stop,b(d)};return typeof
a!="string"&&(d=c,c=a,a=b),c&&a==!=1&&this.queue(a||"fx",[]),this.each(function(){var
b=!0,c=a=null&&a+"queueHooks",f=p.timers,g=p._data(this);if(c)g[c]&&g[c].stop&&e(g[c]);else
for(c in g)g[c]&&g[c].stop&&cR.test(c)&&e(g[c]);for(c=f.length;c--
;)f[c].elem==this&&(a==null||f[c].queue==a)&&(f[c].anim.stop(d),b=!1,f.splice(c,1));(b||!d)&&p.d
equeue(this,a)}},p.each({slideDown:c$("show"),slideUp:c$("hide"),slideToggle:c$("toggle"),faeln:
{opacity:"show"},fadeOut:{opacity:"hide"},fadeToggle:{opacity:"toggle"}},function(a,b){p.fn[a]=functi
on(a,c,d){return this.animate(b,a,c,d)}},p.speed=function(a,b,c){var d=a&&typeof
a=="object"?p.extend({},a):{complete:c||!c&&b||pisFunction(a)&&a,duration:a,easing:c&&b||b&
&!pisFunction(b)&&b};d.duration=p.fx.off?0:typeof d.duration=="number"?d.duration:d.duration in
p.fx.speeds?p.fx.speeds[d.duration]:p.fx.speeds._default;if(d.queue==null||d.queue==!=0)d.queue=
"fx";return
d.old=d.complete,d.complete=function(){pisFunction(d.old)&&d.old.call(this),d.queue&&p.dequeue
(this,d.queue)},d},p.easing={linear:function(a){return a},swing:function(a){return 5-

```

```

Math.cos(a*Math.PI)/2}},p.timers=[],p.fx=cZ.prototype.init,p.fx.tick=function(){var
a,b=p.timers,c=0;for(;c<b.length;c++)a=b[c],!a()&&b[c]===a&&b.splice(c--
,1);b.length||p.fx.stop()},p.fx.timer=function(a){a()&&p.timers.push(a)&&!cO&&(cO=setInterval(p.fx
.tick,p.fx.interval))),p.fx.interval=13,p.fx.stop=function(){clearInterval(cO),cO=null},p.fx.speeds={slow
:600,fast:200,_default:400},p.fx.step={},p.expr&&p.expr.filters&&(p.expr.filters.animated=function(a
){return p.grep(p.timers,function(b){return a===(b.elem)}.length});var
c_=/^(:body|html)$/:i;p.fn.offset=function(a){if(arguments.length)return
a===(b?this:this.each(function(b){p.offset.setOffset(this,a,b)}));var
c,d,e,f,g,h,i,j={top:0,left:0},k=this[0],l=k&&k.ownerDocument;if(!l)return;return(d=l.body)===k?p.off
set.bodyOffset(k):(c=l.documentElement,p.contains(c,k)?(typeof
k.getBoundingClientRect!="undefined"&&(j=k.getBoundingClientRect()),e=da(l),f=c.clientTop||d.cle
ntTop||0,g=c.clientLeft||d.clientLeft||0,h=e.pageYOffset||c.scrollTop,i=e.pageXOffset||c.scrollLeft,
{top:j.top+h-f,left:j.left+i-g}:j),p.offset={bodyOffset:function(a){var
b=a.offsetTop,c=a.offsetLeft;return
p.support.doesNotIncludeMarginInBodyOffset&&(b+=parseFloat(p.css(a,"marginTop")))||0,c+=parse
Float(p.css(a,"marginLeft"))||0,{top:b,left:c}.setOffset:function(a,b,c){var
d=p.css(a,"position");d==="static"&&(a.style.position="relative");var
e=p(a),f=e.offset(),g=p.css(a,"top"),h=p.css(a,"left"),i=(d==="absolute"||d==="fixed")&&p.inArray("a
uto",[g,h])>-
1,j={},k={},l,m;i?(k=e.position(),l=k.top,m=k.left):(l=parseFloat(g)||0,m=parseFloat(h)||0),p.isFunc
tion(b)&&(b=b.call(a,c,f)),b.top!=null&&(j.top=b.top-f.top+l),b.left!=null&&(j.left=b.left-
f.left+m),"using"in b?b.using.call(a,j):e.css(j)},p.fn.extend({position:function(){if(!this[0])return;var
a=this[0],b=this.offsetParent(),c=this.offset(),d=c_.test(b[0].nodeName)?{top:0,left:0}:b.offset();retu
rn c.top-=parseFloat(p.css(a,"marginTop"))||0,c.left-
=parseFloat(p.css(a,"marginLeft"))||0,d.top+=parseFloat(p.css(b[0],"borderTopWidth"))||0,d.left+=
parseFloat(p.css(b[0],"borderLeftWidth"))||0,{top:c.top-d.top,left:c.left-
d.left}),offsetParent:function(){return this.map(function(){var
a=this.offsetParent||e.body;while(a&&!c_.test(a.nodeName)&&p.css(a,"position")=="static")a=a.o
ffsetParent;return
a||e.body}}}),p.each({scrollLeft:"pageXOffset",scrollTop:"pageYOffset"},function(a,c){var
d=Y/.test(c);p.fn[a]=function(e){return p.access(this,function(a,e,f){var g=da(a);if(f==b)return g?c
in
g?g[c]:g.documentElement.documentElement[e]:a[e];g?g.scrollTo(d?p(g).scrollLeft():f,d?f:p(g).scrollTop()):a[
e]=f},a,e,arguments.length,null)}},p.each({Height:"height",Width:"width"},function(a,c){p.each({pad
ding:"inner"+a,content:c,"":"outer"+a},function(d,e){p.fn[e]=function(e,f){var
g=arguments.length&&(d||typeof e!="boolean"),h=d||(e==!=0||f==!=0?"margin":"border");return
p.access(this,function(c,d,e){var f;return
p.isWindow(c)?c.documentElement.documentElement["client"+a]:c.nodeType==9?(f=c.documentElement,
Math.max(c.body["scroll"+a],f["scroll"+a],c.body["offset"+a],f["offset"+a],f["client"+a]):e==b?p.css
(c,d,e,h):p.style(c,d,e,h)},c,g?e:b,g,null)}},a.jQuery=a.$=p.typeof
define=="function"&&(define.amd&&define.amd.jQuery&&define("jquery",[],function(){return
p}))(window);

```

Js1.js

```
(function(){

var data = {

"resource": {

"version":"1",

"macros":[{"function":"__e"}, {"function":"__cid"}],


"tags":[{"function":"__rep","once_per_event":true,"vtp_containerId":["macro",1],"tag_id":1}],


"predicates":[{"function":"_eq","arg0":["macro",0],"arg1":"gtm.js"}],


"rules":[[["if",0],["add",0]]]

},


"runtime":[]

};

var aa,ba=function(a){var b=0;return function(){return
b<a.length?{done:!1,value:a[b++]}:{done:!0}}},ca="function"==typeof
Object.create?Object.create:function(a){var b=function(){};b.prototype=a;return new
b},da;if("function"==typeof Object.setPrototypeOf)da=Object.setPrototypeOf;else{var ea;a:{var
fa={a:!0},ha={};try{ha.__proto__=fa;ea=ha.a;break
}a}catch(a){}ea=!1}da=ea?function(a,b){a.__proto__=b;if(a.__proto__!==b)throw new TypeError(a+
" is not extensible");return a}:null}

var ja=da,ka=function(a,b){a.prototype=ca(b.prototype);a.prototype.constructor=a;if(ja)ja(a,b);else
for(var c in b)if("prototype"!=c)if(Object.defineProperties){var
d=Object.getOwnPropertyDescriptor(b,c);d&&Object.defineProperty(a,c,d)}else
a[c]=b[c];a.Fk=b.prototype},la=this||self,ma=function(a){return a};var
na=function(){},oa=function(a){return"function"==typeof a},h=function(a){return"string"==typeof
a},pa=function(a){return"number"==typeof
a&&!isNaN(a)},qa=Array.isArray,ra=function(a,b){if(a&&qa(a))for(var
c=0;c<a.length;c++)if(a[c]&&b(a[c]))return
a[c]},sa=function(a,b){if(!pa(a)||!pa(b)||a>b)a=0,b=2147483647;return
Math.floor(Math.random()*(b-a+1)+a)},ua=function(a,b){for(var c=new
ta,d=0;d<a.length;d++)c.set(a[d],!0);for(var
e=0;e<b.length;e++)if(c.get(b[e]))return!0;return!1},k=function(a,
b){for(var c in
a)Object.prototype.hasOwnProperty.call(a,c)&&b(c,a[c])},xa=function(a){return!!a&&("[object
Arguments]"==Object.prototype.toString.call(a)||Object.prototype.hasOwnProperty.call(a,"callee"))}
```

```
)},za=function(a){return
Math.round(Number(a))|0},Aa=function(a){return"false"==String(a).toLowerCase()?1:!a},Ba=fun
ction(a){var b=[];if(qa(a))for(var c=0;c<a.length;c++)b.push(String(a[c]));return
b},Ca=function(a){return a?a.replace(/\s+|\s+$/"":"""},Da=function(){return new
Date(Date.now())},

z=function(){return
Da().getTime()},ta=function(){this.prefix="gtm.";this.values={};ta.prototype.set=function(a,b){this.va
lues[this.prefix+a]=b};ta.prototype.get=function(a){return this.values[this.prefix+a]};

var Ea=function(a,b,c){return a&&a.hasOwnProperty(b)?a[b]:c},Fa=function(a){var b=a;return
function(){if(b){var c=b;b=void 0;try{c()}catch(d){}}},Ga=function(a,b){for(var c in
b)b.hasOwnProperty(c)&&(a[c]=b[c])},Ha=function(a){for(var b in
a)if(a.hasOwnProperty(b))return!0;return!1},Ia=function(a,b){for(var
c=[],d=0;d<a.length;d++)c.push(a[d]),c.push.apply(c,b[a[d]]||[]);return c},Ja=function(a,b){for(var
c={},d=c,e=a.split("."),f=0;f<e.length-1;f++)d=d[e[f]]={};d[e[e.length-1]]=b;return c},Ka=/^\w{1,9}$/,
La=function(a,b){a=a||{};b=b||";";var c=[];k(a,function(d,e){Ka.test(d)&&e&&c.push(d)});return
c.join(b)},Ma=function(a,b){function c(){++d==b&&(e=null,c.done=!0)}var
d=0,e=a;c.done=!1;return c};function Pa(){for(var a=Qa,b={},c=0;c<a.length;++c)b[a[c]]=c;return
b};function Ra(){var a="ABCDEFGHIJKLMNPQRSTUVWXYZ";a+=a.toLowerCase()+"0123456789-
_";return a+"."}var Qa,Sa;function Ta(a){Qa=Qa||Ra();Sa=Sa||Pa();for(var
b=[],c=0;c<a.length;c+=3){var
d=c+1<a.length,e=c+2<a.length,f=a.charCodeAt(c),g=d?a.charCodeAt(c+1):0,l=e?a.charCodeAt(c+2):
0,m=f>>2,n=(f&3)<<4|g>>4,p=(g&15)<<2|l>>6,q=l&63;e||(q=64,d||(p=64));b.push(Qa[m],Qa[n],Qa[
p],Qa[q])}return b.join("")}

function Ua(a){function b(m){for(;d<a.length;){var n=a.charCodeAt(d++),p=Sa[n];if(null!=p)return
p;if(!/^[\s\xA0]*$/_.test(n))throw Error("Unknown base64 encoding at char: "+n);return
m}Qa=Qa||Ra();Sa=Sa||Pa();for(var c="";d=0;;){var e=b(-1),f=b(0),g=b(64),l=b(64);if(64==l&&
1==e)return
c;c+=String.fromCharCode(e<<2|f>>4),64!=g&&(c+=String.fromCharCode(f<<4&240|g>>2),64!=l&&
c+=String.fromCharCode(g<<6&192|l)))}};var
Va={},Wa=function(a,b){Va[a]=Va[a]||[];Va[a][b]=!0},Xa=function(){delete
Va.GA4_EVENT},Ya=function(a){var b=Va[a];if(!b||0==b.length) return"";for(var
c=[],d=0,e=0;e<b.length;e++)0==e%8&&0<e&&(c.push(String.fromCharCode(d)),d=0),b[e]&&(d|=1
<<e%8);0<d&&c.push(String.fromCharCode(d));return Ta(c.join("")).replace(/\.\+\$/,"")};var
Za=Array.prototype.indexOf?function(a,b){return Array.prototype.indexOf.call(a,b,void
0)}:function(a,b){if("string"==typeof a) return "string"!=typeof b||1!=b.length?-1:a.indexOf(b,0);for(var
c=0;c<a.length;c++)if(c in a&&a[c]==b) return c;return -1};var
$ab=function(){if(void 0==$a){var
a=null,b=la.trustedTypes;if(b&&b.createPolicy){try{a=b.createPolicy("goog#html",{createHTML:ma,
createScript:ma,createScriptURL:ma})}catch(c){la.console&&la.console.error(c.message)}$a=a}else
$a=a}return $a};var cb=function(a,b){this.h=b==bb?a:""};cb.prototype.toString=function(){return
this.h+""};var bb={};var db=/^(?:https?|mailto|ftp):[^:/?#]*(?:[/?#]|$))/i;function eb(){var
```

```
a=la.navigator;if(a){var b=a.userAgent;if(b)return b}return""}function fb(a){return  
1!=eb().indexOf(a)}function gb(){return fb("Firefox")||fb("FxiOS")}function  
hb(){return(fb("Chrome")||fb("CriOS"))&&!fb("Edge")||fb("Silk")};var  
ib={},jb=function(a,b){this.h=b==ib?a:""};jb.prototype.toString=function(){return  
this.h.toString()};var kb=function(a){return a instanceof  
jb&&a.constructor==jb?a.h:"type_error:SafeHtml"},lb=function(a){var  
b=a,c=ab(),d=c?c.createHTML(b):b;return new jb(d,ib)};/*
```

SPDX-License-Identifier: Apache-2.0

```
*/  
  
function mb(a){if("script"===a.tagName.toLowerCase())throw Error("Use setTextContent with a  
SafeScript.");if("style"===a.tagName.toLowerCase())throw Error("Use setTextContent with a  
SafeStyleSheet."});var  
E=window,F=document,nb=navigator,ob=F.currentScript&&F.currentScript.src,pb=function(a,b){var  
c=E[a];E[a]=void 0==c?b:c;return  
E[a]},qb=function(a,b){b&&(a.addEventListener?a.onload=b:a.onreadystatechange=function(){a.read  
yState  
in{loaded:1,complete:1}&&(a.onreadystatechange=null,b())}),rb={async:1,nonce:1,onerror:1,.onload  
:1,src:1,type:1},sb={onload:1,src:1,width:1,height:1,style:1};function  
tb(a,b,c){b&&k(b,function(d,e){d=d.toLowerCase();c.hasOwnProperty(d)||a.setAttribute(d,e))}  
  
var ub=function(a,b,c,d,e){var  
f=F.createElement("script");tb(f,d,rb);f.type="text/javascript";f.async=!0;var  
g,l=a,m=ab(),n=m?m.createScriptURL(l):l;g=new cb(n,bb);f.src=g instanceof  
cb&&g.constructor==cb?g.h:"type_error:TrustedResourceUrl";var  
p,q,t,u=null==(t=(q=(f.ownerDocument&&f.ownerDocument.defaultView||window).document).que  
rySelector)?void  
0:t.call(q,"script[nonce]");(p=u?u.nonce||u.getAttribute("nonce")||"":")")&&f.setAttribute("nonce",  
p);qb(f,b);c&&(f.onerror=c);if(e)e.appendChild(f);else{var r=  
F.getElementsByTagName("script")[0]||F.body||F.head;r.parentNode.insertBefore(f,r)}return  
f},vb=function(){if(ob){var a=ob.toLowerCase();if(0==a.indexOf("https://"))return  
2;if(0==a.indexOf("http://"))return 3}return 1},wb=function(a,b,c,d,e){var f,f=void 0==f?!0:f;var  
g=e,l=!1;g||(g=F.createElement("iframe"),l=!0);tb(g,c,sb);d&&k(d,function(n,p){g.dataset[n]=p});f&&  
(g.height="0",g.width="0",g.style.display="none",g.style.visibility="hidden");if(l){var  
m=F.body&&F.body.lastChild||F.body||F.head;  
  
m.parentNode.insertBefore(g,m)}qb(g,b);void 0!=a&&(g.src=a);return g},xb=function(a,b,c){var  
d=new  
Image(1,1);d.onload=function(){d.onload=null;b&&b());d.onerror=function(){d.onerror=null;c&&c());  
d.src=a},yb=function(a,b,c){a.addEventListener?a.addEventListener(b,c,!1):a.attachEvent&&a.att  
achEvent("on"+b,c)},zb=function(a,b,c){a.removeEventListener?a.removeEventListener(b,c,!1):a.deta
```

```

chEvent&&a.detachEvent("on"+b,c)},G=function(a){E.setTimeout(a,0)},Ab=function(a,b){return
a&&b&&a.attributes&&

a.attributes[b]?a.attributes[b].value:null},Bb=function(a){var
b=a.innerText|a.textContent|"";b&&
"!=b&&(b=b.replace(/^(s\xa0)+(\s\xa0)+$/g,""));b&&(b=b.replace(/(\xa0+|\s{2,})|\n|\r\t/g,
"));return b},Cb=function(a){var b=F.createElement("div"),c=b,d=lb("A<div>" + a + "</div>");void
0!==c.tagName&&mb(c);c.innerHTML=kb(d);b=b.lastChild;for(var
e=[];b.firstChild;)e.push(b.removeChild(b.firstChild));return e},Db=function(a,b,c){c=c|100;for(var
d={},e=0;e

```

```

l;a:{var m=b.index;if(null==m){l="";}else{var n;switch(b.type){case 2:n=jc[m];break;case
1:n=mc[m];break;

default:l="";break a}}var
p=n&&n[Mb.Ue];l=p?String(p)":""}}b.name=l}e&&(f.vtp_gtmEntityIndex=b.index,f.vtp_gtmEntityNam
e=b.name)}return void 0!==e?e(f):ic(c,f,b)},wc=function(a,b,c){c=c||[];var d={};e;for(e in
a)a.hasOwnProperty(e)&&(d[e]=vc(a[e],b,c));return d},vc=function(a,b,c){if(qa(a)){var
d;switch(a[0]){case "function_id":return a[1];case "list":d=[];for(var
e=1;e<a.length;e++)d.push(vc(a[e],b,c));return d;case "macro":var f=a[1];if(c[f])return;var
g=jc[f];if(!g||b.nf(g))return;c[f]=!0;var l=
String(g[Mb.Ue]);try{var
m=wc(g,b,c);m.vtp_gtmEventId=b.id;b.priorityId&&(m.vtp_gtmPriorityId=b.priorityId);d=uc(m,{even
t:b,index:f,type:2,name:l});tc&&(d=tc.Yi(d,m))}catch(x){b.qh&&b.qh(x,Number(f),l),d=!1}c[f]=!1;retur
n d;case "map":d={};for(var n=1;n<a.length;n+=2)d[vc(a[n],b,c)]=vc(a[n+1],b,c);return d;case
"template":d=[];for(var p=!1,q=1;q<a.length;q++){var
t=vc(a[q],b,c);qc&&(p=p||t==qc.Rd);d.push(t)}return qc&&p?qc.Zi(d):d.join("");}case
"escape":d=vc(a[1],b,c);if(qc&&qa(a[1])&&"macro"===
a[1][0]&&qc.yj(a))return qc.Qj(d);d=String(d);for(var
u=2;u<a.length;u++)Nb[a[u]]&&(d=Nb[a[u]](d));return d;case "tag":var r=a[1];if(!mc[r])throw
Error("Unable to resolve tag reference "+r+".");return d={ih:a[2],index:r};case "zb":var
v={arg0:a[2],arg1:a[3],ignore_case:a[5]};v["function"]=a[1];var w=xc(v,b,c),y=!!a[4];return
y||2!=w?y!==(w=null)?null:throw Error("Attempting to expand unknown Value type:
"+a[0]+".");}return a},xc=function(a,b,c){try{return pc(wc(a,b,c))}catch(d){JSON.stringify(a)}return
2};var Ac=function(a){function b(t){for(var u=0;u<t.length;u++)d[t[u]]=!0}for(var
c=[],d=[],e=yc(a),f=0;f<kc.length;f++){var g=kc[f],l=zc(g,e);if(l){for(var
m=g.add||[],n=0;n<m.length;n++)c[m[n]]=!0;b(g.block||[])}}else null==l&&b(g.block||[]);}for(var
p=[],q=0;q<mc.length;q++)c[q]&&!d[q]&&(p[q]=!0);return p},zc=function(a,b){for(var
c=a["if"]||[],d=0;d<c.length;d++){var e=b(c[d]);if(0==e)return!1;if(2==e)return null}for(var f=
a.unless||[],g=0;g<f.length;g++){var l=b(f[g]);if(2==l)return
null;if(1==l)return!0},yc=function(a){var b=[];return function(c){void
0==b[c]&&(b[c]=xc(lc[c],a));return b[c]}},var Bc={Yi:function(a,b){b[Mb.Kf]&&"string"===typeof
a&&&(a=1==b[Mb.Kf]?a.toLowerCase():a.toUpperCase());b.hasOwnProperty(Mb.Mf)&&null==a&&&(a
=b[Mb.Mf]);b.hasOwnProperty(Mb.Of)&&&void
0==a&&&(a=b[Mb.Of]);b.hasOwnProperty(Mb.Nf)&&!0==a&&&(a=b[Mb.Nf]);b.hasOwnProperty(Mb.
Lf)&&!1==a&&&(a=b[Mb.Lf]);return a}};var Dc=[];Dc[7]=!0;Dc[9]=!0;Dc[27]=!0;
Dc[6]=!0;Dc[12]=!0;Dc[11]=!0;
Dc[15]=!0;Dc[18]=!0;Dc[23]=!0;Dc[29]=!0;Dc[33]=!0;Dc[35]=!0;
Dc[36]=!0;Dc[38]=!0;Dc[43]=!0;Dc[44]=!0;Ec(46,47);Dc[51]=!0;
Dc[54]=!0;Dc[57]=!0;

```

```
function Ec(a,b){for(var c,d,e=0;c==d;)if(c=Math.floor(2*Math.random()),d=Math.floor(2*Math.random()),e++,20<e)return;c?Dc[a]!=0:Dc[b]!=0;}var N=function(a){return!!Dc[a]};var Zc=/^1-9a-zA-Z_-][1-9a-c][1-9a-v]/d$/;function $c(a,b){return"0123456789abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNOPQRSTUVWXYZ_-"[a<<2|b]};var ed=function(a){return ad?F.querySelectorAll(a):null},fd=function(a,b){if(!ad)return null;if(Element.prototype.closest)try{return a.closest(b)}catch(e){return null}}var c=Element.prototype.matches||Element.prototype.webkitMatchesSelector||Element.prototype.msMatchesSelector||Element.prototype.oMatchesSelector,d=a;if(!F.documentElement.contains(d))return null;do{try{if(c.call(d,b))return d}catch(e){break}}d=d.parentNode}while(null!==d&&1==d.nodeType);return null},gd=!1;if(F.querySelectorAll)try{var hd=F.querySelectorAll(":root");hd&&1==hd.length&&hd[0]==F.documentElement&&(gd!=!0)}catch(a){}var ad=gd;var P=function(a){Wa("GTM",a)};var R={g:{F:"ad_storage",R:"analytics_storage",Hf:"region",If:"consent_updated",Jf:"wait_for_update",Sh:"app_remove",Th:"app_store_refund",Uh:"app_store_subscription_cancel",Vh:"app_store_subscription_convert",Wh:"app_store_subscription_renew",Pf:"add_payment_info",Qf:"add_shipping_info",kc:"add_to_cart",mc:"remove_from_cart",Rf:"view_cart",Ib:"begin_checkout",nc:"select_item",sb:"view_item_list",Jb:"select_promotion",tb:"view_promotion",Ba:"purchase",oc:"refund",Ha:"view_item",Sf:"add_to_wishlist",Xh:"first_open",Yh:"first_visit",va:"gtag.config",Ca:"gtag.get",Zh:"in_app_purchase",qc:"page_view",ai:"session_start",we:"user_engagement",Kb:"gclid",ia:"ads_data_redaction",X:"allow_ad_personalization_signals",xe:"allow_custom_scripts",bi:"allow_display_features",sc:"allow_enhanced_conversations",uc:"allow_google_signals",wa:"allow_interest_groups",vd:"auid",ci:"auto_detection_enabled",Wa:"aw_remarketing",wd:"aw_remarketing_only",vc:"discount",wc:"aw_feed_country",xc:"aw_fee_d_language",Z:"items",yc:"aw_merchant_id",Tf:"aw_basket_type",xd:"campaign_content",yd:"campaign_id",zd:"campaign_medium",Ad:"campaign_name",zc:"campaign",Bd:"campaign_source",Cd:"campaign_term",kb:"client_id",di:"content_group",ei:"content_type",Da:"conversion_cookie_prefix",Ac:"conversion_id",Xa:"conversion_label",qa:"conversion_linker",ye:"conversion_api",Ya:"cookie_domain",la:"cookie_expires",Za:"cookie_flags",Bc:"cookie_name",ze:"cookie_path",Pa:"cookie_prefix",ub:"cookie_update",Lb:"country",ma:"currency",Cc:"customer_lifetime_value",Dc:"custom_map",fi:"debug_mode",aa:"developer_id",Uf:"disable_merchant_reported_purchases",gi:"dc_custom_params",hi:"dc_natural_search",Ae:"dynamic_event_settings",ii:"affiliation",Vf:"checkout_option",Wf:"checkout_step",ji:"coupon",Xf:"item_list_name",Yf:"list_name",ki:"promotions",Ec:"shipping",Zf:"tax",Dd:"engagement_time_msec",Fc:"enhanced_client_id",Gc:"enhanced_conversations",ag:"enhanced_conversions_automatic_settings",Hc:"estimated_delivery_date",Be:"euid_logged_in_state",Mb:"event_callback",Nb:"event_developer_id_string",cg:"event",Ed:"event_settings",Fd:"event_timeout",li:"experiments",Ce:"firebase_id",Gd:"first_party_collection",Hd:"_x_20",vb:"_x_19",dg:"fledge",eg:"flight_error_co
```

de",fg:"flight_error_message",gg:"gac_gclid",Id:"gac_wbraid",hg:"gac_wbraid_multiple_conversions",Ic:"ga_restrict_domain",De:"ga_temp_client_id",ig:"gdpr_applies",jg:"geo_granularity",ab:"value_callback",Qa:"value_key",Ob:"global_developer_id_string",tk:"google_ono",lb:"google_signals",Jd:"google_tld",Kd:"groups",

kg:"gsa_experiment_id",lg:"iframe_state",Ld:"ignore_referrer",Ee:"internal_traffic_results",Md:"is_Legeacy_loaded",mg:"is_passthrough",Ja:"language",Fe:"legacy_developer_id_string",ra:"linker",Pb:"accept_incoming",Qb:"decorate_forms",T:"domains",Jc:"url_position",ng:"method",Rb:"new_customer",og:"non_interaction",mi:"optimize_id",Ka:"page_location",Ge:"page_path",La:"page_referrer",Sb:"page_title",pg:"passengers",qg:"phone_conversion_callback",ni:"phone_conversion_country_code",rg:"phone_conversion_css_class",

oi:"phone_conversion_ids",sg:"phone_conversion_number",ug:"phone_conversion_options",vg:"quantity",Kc:"redact_device_info",He:"redact_enhanced_user_id",ri:"redact_ga_client_id",si:"redact_user_id",Nd:"referral_exclusion_definition",nb:"restricted_data_processing",ui:"retoken",wg:"screen_name",wb:"screen_resolution",vi:"search_term",xa:"send_page_view",xb:"send_to",Lc:"session_duration",Od:"session_engaged",le:"session_engaged_time",ob:"session_id",Pd:"session_number",Tb:"delivery_postal_code",xg:"tc_privacy_string",

yg:"temporary_client_id",wi:"tracking_id",Je:"traffic_type",Ea:"transaction_id",na:"transport_url",zg :"trip_type",Mc:"update",cb:"url_passthrough",Ke:"_user_agent_architecture",Le:"_user_agent_bitness",Me:"_user_agent_full_version_list",Ag:"_user_agent_mobile",Ne:"_user_agent_model",Oe:"_user_agent_platform",Pe:"_user_agent_platform_version",Bg:"_user_agent_wait",Qe:"_user_agent_wow64",ca:"user_data",Cg:"user_data_auto_latency",Dg:"user_data_auto_meta",Eg:"user_data_auto_multi",Fg:"user_data_auto_selectors",

Gg:"user_data_auto_status",Hg:"user_data_mode",Re:"user_data_settings",sa:"user_id",Ma:"user_properties",lg:"us_privacy_string",ka:"value",Qd:"wbraid",Jg:"wbraid_multiple_conversions",Mg:"host_name",Ng:"_in_page_command",Og:"_is_linker_valid",Pg:"_is_passthrough_cid",Qg:"non_personalized_ads"}},Fd={},Gd=Object.freeze({Fd[R.g.X]=1,Fd[R.g.sc]=1,Fd[R.g.uc]=1,Fd[R.g.Z]=1,Fd[R.g.Ya]=1,Fd[R.g.Ia]=1,Fd[R.g.Za]=1,Fd[R.g.Bc]=1,Fd[R.g.ze]=1,Fd[R.g.Pa]=1,Fd[R.g.ub]=1,Fd[R.g.Dc]=1,Fd[R.g.aa]=1,Fd[R.g.Ae]=1,

Fd[R.g.Mb]=1,Fd[R.g.Ed]=1,Fd[R.g.Fd]=1,Fd[R.g.Gd]=1,Fd[R.g.Ic]=1,Fd[R.g.Ib]=1,Fd[R.g.Jd]=1,Fd[R.g.Kd]=1,Fd[R.g.Ee]=1,Fd[R.g.Md]=1,Fd[R.g.ra]=1,Fd[R.g.He]=1,Fd[R.g.Nd]=1,Fd[R.g.nb]=1,Fd[R.g.xa]=1,Fd[R.g.xb]=1,Fd[R.g.Lc]=1,Fd[R.g.le]=1,Fd[R.g.Tb]=1,Fd[R.g.na]=1,Fd[R.g.Mc]=1,Fd[R.g.Re]=1,Fd[R.g.Ma]=1,Fd));Object.freeze([R.g.Ka,R.g.La,R.g.Sb,R.g.Ja,R.g.wg,R.g.sa,R.g.Ce,R.g.di]);

var

Hd={},Id=Object.freeze({Hd[R.g.Sh]=1,Hd[R.g.Th]=1,Hd[R.g.Uh]=1,Hd[R.g.Vh]=1,Hd[R.g.Wh]=1,Hd[R.g.Xh]=1,Hd[R.g.Yh]=1,Hd[R.g.Zh]=1,Hd[R.g.ai]=1,Hd[R.g.we]=1,Hd}),Jd={},Kd=Object.freeze({Jd[R.g.Pf]=1,Jd[R.g.Qf]=1,Jd[R.g.kc]=1,Jd[R.g.mc]=1,Jd[R.g.Rf]=1,Jd[R.g.Ib]=1,Jd[R.g.nc]=1,Jd[R.g.sb]=1,Jd[R.g.Jb]=1,Jd[R.g.tb]=1,Jd[R.g.Ba]=1,Jd[R.g.oc]=1,Jd[R.g.Ha]=1,Jd[R.g.Sf]=1,Jd}),Md=Object.freeze([R.g.X,R.g.uc,R.g.ub]),Nd=Object.freeze([]),Od=Object.freeze([R.g.Ia,R.g.Fd,R.g.Lc,R.g.le,R.g.Dd]),

Pd=Object.freeze([]).concat(Od)),Qd={},Rd=(Qd[R.g.F]=="1",Qd[R.g.R]=="2",Qd),Sd={},Td=Object.freeze({Sd[R.g.X]=1,Sd[R.g.sc]=1,Sd[R.g.wa]=1,Sd[R.g.Wa]=1,Sd[R.g.wd]=1,Sd[R.g.vc]=1,Sd[R.g.wc]=1,Sd[R.g.xc]=1,Sd[R.g.Z]=1,Sd[R.g.yc]=1,Sd[R.g.Da]=1,Sd[R.g.qa]=1,Sd[R.g.Ya]=1,Sd[R.g.Ia]=1,Sd[R.g.Za]=1,Sd[R.g.Pa]=1,Sd[R.g.ma]=1,Sd[R.g.Cc]=1,Sd[R.g.aa]=1,Sd[R.g.Uf]=1,Sd[R.g.Gc]=1,Sd[R.g.Hc]=1,Sd[R.g.Ce]=1,Sd[R.g.Gd]=1,Sd[R.g.Md]=1,Sd[R.g.Ja]=1,Sd[R.g.Rb]=1,Sd[R.g.Ka]=1,Sd[R.g.La]=1,Sd[R.g.qg]=1,Sd[R.g.rg]=1,Sd[R.g.sg]=1,Sd[R.g.ug]=1,Sd[R.g.nb]=1,Sd[R.g.xa]=1,Sd[R.g.xb]=1,Sd[R.g.Tb]=1,Sd[R.g.Ea]=1,Sd[R.g.na]=1,Sd[R.g.Mc]=1,Sd[R.g.cb]=1,Sd[R.g.ca]=1,Sd[R.g.sa]=1,Sd[R.g.ka]=1,Sd));Object.freeze(R.g);var Ud={},Vd=E.google_tag_manager=E.google_tag_manager||{},Wd=Math.random();Ud.Pc="b20";Ud.Xe=Number("0")||0;Ud.fa="dataLayer";Ud.Qh="ChAlgPaimwYQ0/2g7fDY7Y01EicAziKf1NQS1Ak+BJoEx/Lu72brj2NFqK+Ik8qS+uWmtUQlrbNs1saAg/c";var Xd={__cl:!0,__ecl:!0,__ehl:!0,__evl:!0,__fal:!0,__fil:!0,__fsl:!0,__hl:!0,__jel:!0,__lcl:!0,__sdl:!0,__tl:!0,__ytl:!0},Yd={__paused:!0,__tg:!0},Zd;for(Zd in Xd)Xd.hasOwnProperty(Zd)&&(Yd[Zd]=!0);var \$d=Aa(""),ae=Aa(""),be,ce=!1;ce=!0;be=ce;var de,ee=!1;de=ee;var fe,ge=!1;fe=ge;var he,ie=!1;he=ie;Ud.ud="www.googletagmanager.com";var je=""+"+Ud.ud+(be?"/gtag/js":"/gtm.js"),ke=null,le=null,me={},ne={},oe={},pe=function(){var a=Vd.sequence||1;Vd.sequence=a+1;return a};Ud.Ph="";var qe="";Ud.Vd=qe;var re=new ta,se={},te={},we={name:Ud.fa,set:function(a,b){J(Ja(a,b),se);ue()},get:function(a){return ve(a,2)},reset:function(){re=new ta;se={};ue()}},ve=function(a,b){return 2!=b?re.get(a):xe(a)},xe=function(a){var b,c=a.split(".");b=b||[];for(var d=se,e=0;e<c.length;e++){if(null==d) return !1;if(void 0==d) break;d=d[c[e]];if(-1!==b.indexOf(d)) return }d},ye=function(a,b){te.hasOwnProperty(a)|| (re.set(a,b),J(Ja(a,b),se),ue())},ue=function(a){k(te,function(b,c){re.set(b,c);J(Ja(b),se);J(Ja(b,c),se);a&&delete te[b]}),ze=function(a,b){var c,d=1==(void 0==b?2:b)?xe(a):re.get(a);"array"===(b=d)|| "object"===(b=d)?c=J(d):c=d;return c};var Ae,Be=!1,Ce=function(a){if(!Be){Be=!0;Ae=Ae||{}}return Ae[a]};var De=function(){var a=E.screen;return{width:a.width,height:a.height:0}},Ee=function(a){if(F.hidden) return !0;var b=a.getBoundingClientRect();if(b.top==b.bottom||b.left==b.right||!E.getComputedStyle) return !0;var r=c=E.getComputedStyle(a,null);if("hidden"==c.visibility) return !0;for(var d=a,e=c;d;){if("none"==e.display) return !0;var f=e.opacity,g=e.filter;if(g){var l=g.indexOf("opacity(");0<=l&&(g=g.substring(l+8,g.indexOf(")",l))), "%"==g.charAt(g.length-1)&&(g=g.substring(0,g.length-1)),f=Math.min(g,f))}if(void 0==f&&0>=f) return !0;(d=d.parentElement)&&(e=E.getComputedStyle(d,null))}return !1};var Pe=/:[0-9]+\$/,Qe=function(a,b,c){for(var d=a.split("&"),e=0;e<d.length;e++){var f=d[e].split("=");if(decodeURIComponent(f[0]).replace(/\+/g," ")==b){var g=f.slice(1).join("=");return c?g:decodeURIComponent(g).replace(/\+/g,"")}}},Te=function(a,b,c,d,e){b&&(b=String(b).toLowerCase());if("protocol"==b||"port"==b)a.protocol

```

ol=Re(a.protocol)||Re(E.location.protocol); "port" === b ? a.port = String(Number(a.hostname ? a.port : E.location.port)) || ("http" === a.protocol ? 80 : "https" === a.protocol ? 443 : "") : "host" ===
b && (a.hostname = (a.hostname || E.location.hostname).replace(Pe, "")).toLowerCase(); return
Se(a, b, c, d, e), Se = function(a, b, c, d, e) { var
f, g = Re(a.protocol); b && (b = String(b).toLowerCase()); switch(b){case
"url_no_fragment": f = Ue(a); break; case "protocol": f = g; break; case
"host": f = a.hostname.replace(Pe, "").toLowerCase(); if(c){var
l = /^www\d*\./.exec(f); l && l[0] && (f = f.substr(l[0].length))}break; case
"port": f = String(Number(a.port)) || ("http" === g ? 80 : "https" === g ? 443 : ""); break; case
"path": a.pathname || a.hostname || Wa("TAGGING",
1); f = "/" === a.pathname.substr(0, 1) ? a.pathname : "/" + a.pathname; var
m = f.split("/"); 0 <= (d || []).indexOf(m[m.length - 1]) && (m[m.length - 1] = ""); f = m.join("/"); break; case
"query": f = a.search.replace("?", ""); e && (f = Qe(f, e)); break; case "extension": var
n = a.pathname.split("."); f = 1 < n.length ? n[n.length - 1] : ""; f = f.split("/")[0]; break; case
"fragment": f = a.hash.replace("#", ""); break; default: f = a && a.href ? return f, Re = function(a){return
a ? a.replace(":", "").toLowerCase() : ""}, Ue = function(a){var b = ""; if(a && a.href){var
c = a.href.indexOf("#");
b = 0 > c ? a.href.substr(0, c) : return b}, Ve = function(a){var
b = F.createElement("a"); a && (b.href = a); var
c = b.pathname; "/" != c[0] && (a || Wa("TAGGING", 1), c = "/" + c); var
d = b.hostname.replace(Pe, ""); return {href: b.href, protocol: b.protocol, host: b.host, hostname: d, pathname: c, search: b.search, hash: b.hash, port: b.port}}, We = function(a){function b(n){var
p = n.split("=")[0]; return 0 > d.indexOf(p) ? n : p + "=" + 0}function c(n){return
n.split("&").map(b).filter(function(p){return void 0 !== p}).join("&")}var d = "gclid dclid gbraid wbraid
gclaw gcldc gclha gclgf gclgb _gl".split(" "),
e = Ve(a), f = a.split(/[#?]/)[0], g = e.search, l = e.hash, "?" === g[0] && (g = g.substring(1)); "#" === l[0] && (l = l.substring(1)); g = c(g); l = c(l); "" != g && (g = "?" + g); "" != l && (l = "#" + l); var m = "" + f + g + l; "/" === m[m.length - 1] && (m = m.substring(0, m.length - 1)); return m}; var Xe = {}}, var
zf = {}, Af = function(a, b){if(E._gtmexpgrp && E._gtmexpgrp.hasOwnProperty(a)) return
E._gtmexpgrp[a]; void 0 === zf[a] && (zf[a] = Math.floor(Math.random() * b)); return zf[a]}, var
Cf = {eh: "IN", Wj: "IN-TN"}, var Df = new function(a, b){this.h = a; this.defaultValue = void
0 === b ? !1 : b}(1933), var Ef = function(a){Ef[" "](a); return a}, Ef[" "] = function(){}, var Gf = function(){var
a = Ff, b = "kf"; if(a.kf && a.hasOwnProperty(b)) return a.kf; var c = new a; return a.kf = c}, var
Ff = function(){var a = {}; this.h = function(){var b = Df.h, c = Df.defaultValue; return
null != a[b] ? a[b] : c}; this.m = function(){a[Df.h] = !0}; var Hf = []; function If(){var
a = pb("google_tag_data", {}); a.ics || (a.ics = {entries: {}, set: Jf, update: Kf, addListener: Lf, notifyListeners: Mf
, active: !1, usedDefault: !1, usedUpdate: !1, accessedDefault: !1, accessedAny: !1, wasSetLate: !1}); return
a.ics}
function Jf(a, b, c, d, e, f){var
g = If(); g.usedDefault || !g.accessedDefault && !g.accessedAny || (g.wasSetLate = !0); g.active = !0; g.usedD

```

```

efault=!0;if(void 0!=b){var l=g.entries,m=l[a]||{},n=m.region,p=c&&h(c)?c.toUpperCase():void
0;d=d.toUpperCase();e=e.toUpperCase();if("")==d||p==e||(p==d?n==e:p&&!n)){var
q=!!(f&&0<f&&void
0==m.update),t={region:p,initial:"granted"==b,update:m.update,quiet:q};if("")!=d||!1==m.initial
)|l[a]=t;q&&E.setTimeout(function(){l[a]==t&&t.quiet&&(t.quiet!=1,Nf(a),Mf(),Wa("TAGGING",
2))},f)}]}function Kf(a,b){var
c=If();c.usedDefault||c.usedUpdate||c.accessedAny||(c.wasSetLate=!0);c.active=!0;c.usedUpdate=
!0;if(void 0!=b){var d=Of(c,a),e=c.entries,f=e[a]||{};f.update="granted"==b;var
g=Of(c,a);f.quiet?(f.quiet!=1,Nf(a)):g!=d&&Nf(a)}function Lf(a,b){Hf.push({bf:a,ij:b})}function
Nf(a){for(var b=0;b<Hf.length;++b){var c=Hf[b];qa(c.bf)&&-1==c.bf.indexOf(a)&&(c.vh!=0)}}

function Mf(a,b){for(var c=0;c<Hf.length;++c){var
d=Hf[c];if(d.vh!=1;try{d.ij({consentEventId:a,consentPriorityId:b})}catch(e){})}function
Of(a,b){var c=a.entries[b]||{};return void 0!=c.update?c.update:c.initial}

var Pf=function(a){var b=If();b.accessedAny=!0;return Of(b,a)},Qf=function(a){var
b=If();b.accessedDefault=!0;return(b.entries[a]||{}).initial},Rf=function(a){var
b=If();b.accessedAny=!0;return!(b.entries[a]||{}).quiet},Sf=function(){if(!Gf().h())return!1;var
a=If();a.accessedAny=!0;return a.active},Tf=function(){var a=If();a.accessedDefault=!0;return
a.usedDefault},Uf=function(a,b){If().addListener(a,b)},Vf=function(a,b){If().notifyListeners(a,b)},Wf=f
unction(a,b){function c(){for(var e=0;e<b.length;e++)if(!Rf(b[e]))return!0;

return!1}if(c()){var d=!1;Uf(b,function(e){d||c()||(d=!0,a(e))});else a({});Xf=function(a,b){function
c(){for(var f=[],g=0;g<d.length;g++){var l=d[g];!1==Pf(l)||e[l]||(f.push(l),e[l]!=0)}return f}var
d=h(b)?[b]:b,e={};c().length!=d.length&&Uf(d,function(f){var
g=c();0<g.length&&(f.bf=g,a(f))});function Yf(){}}function Zf(){}}function $f(a){for(var
b=[],c=0;c<a.length;c++){var d=a(ag[c]);b[c]!=0==d?"1":1==d?"0":"-"}return b.join("")}

var ag=[R.g.F,R.g.R],bg=function(a){var b=a[R.g.Hf];b&&P(40);var c=a[R.g.Jf];c&&P(41);for(var
d=qa(b)?b:[b],e={hc:0};e.hc<d.length;e={hc:e.hc},++e.hc)k(a,function(f){return
function(g,l){if(g!=R.g.Hf&&g!=R.g.Jf){var
m=d[f.hc],n=Cf.eh,p=Cf.Wj;If().set(g,l,m,n,p,c)})(e)}),cg=0,dg=function(a,b){k(a,function(e,f){If().upda
te(e,f)});Vf(b.eventId,b.priorityId);var c=z(),d=c-
cg;cg&&0<=d&&1E3>d&&P(66);cg=c},eg=function(a){var b=Pf(a);return void
0!=b?b:!0},fg=function(){return"G1"+$f(Pf)},gg=function(a,
b){Xf(a,b)},hg=function(a,b){Wf(a,b)};var ig=function(a){var b=1,c,d,e;if(a){for(b=0,d=a.length-
1;0<=d;d--)
e=a.charCodeAt(d),b=(b<<6&268435455)+e+(e<<14),c=b&266338304,b=0!=c?b^c>>21:b;return
b};var jg=function(a,b,c){for(var d=[],e=b.split(";"),f=0;f<e.length;f++){var
g=e[f].split("="),l=g[0].replace(/\^|\s*/|\s*\$/g,"");if(l&&l==a){var
m=g.slice(1).join("=").replace(/\^|\s*/|\s*\$/g,"");m&&c&&(m=decodeURIComponent(m));d.push(m)}}r
eturn d};var kg=function(a,b){var c=function(){};c.prototype=a.prototype;var d=new
c;a.apply(d,Array.prototype.slice.call(arguments,1));return d},lg=function(a){var b=a;return
function(){if(b){var c=b;b=null;c()}}};function mg(a){return"null"!=a.origin};var

```

```

pg=function(a,b,c,d){return ng(d)?jg(a,String(b||og()),c):[]},sg=function(a,b,c,d,e){if(ng(e)){var
f=qg(a,d,e);if(1==f.length) return f[0].id;if(0!=f.length){f=rg(f,function(g){return
g.be},b);if(1==f.length) return f[0].id;f=rg(f,function(g){return g.fd},c);return f[0]?f[0].id:void
0}}};function Ag(a,b,c,d){var e=og(),f=window;mg(f)&&(f.document.cookie=a);var g=og();return
e!=g||void 0!=c&&0<=pg(b,g,!1,d).indexOf(c)}

var Eg=function(a,b,c){function d(u,r,v){if(null==v) return delete g[r],u;g[r]=v;return u+";
"+r+"="+v}function e(u,r){if(null==r) return delete g[r],u;g[r]!=""?u+"; "+r:if(!ng(c.rb))return
2;var f;void 0==b?f=a+="deleted":expires="+(new
Date(0)).toUTCString():(c.encode&&(b=encodeURIComponent(b)),b=Bg(b),f=a+="+"+b);var
g={};f=d(f,"path",c.path);var l;c.expires instanceof
Date?l=c.expires.toUTCString():null!=c.expires&&(l=""+c.expires);f=d(f,"expires",l);f=d(f,"max-
age",c.Ck);f=d(f,"samesite",
c.Dk);c.Ek&&(f=e(f,"secure"));var m=c.domain;if(m&&"auto"==m.toLowerCase()){for(var
n=Cg(),p=0;p<n.length;++p){var q="none"!=n[p]?n[p]:void
0,t=d(f,"domain",q);t=e(t,c.flags);if(!Dg(q,c.path)&&Ag(t,a,b,c.rb))return 0}return
1}m&&"none"!=m.toLowerCase()&&(f=d(f,"domain",m));f=e(f,c.flags);return
Dg(m,c.path)?1:Ag(f,a,b,c.rb)?0:1},Fg=function(a,b,c){null==c.path&&(c.path="/");c.domain||(c.dom
ain="auto");return Eg(a,b,c)};

function rg(a,b,c){for(var d=[],e=[],f,g=0;g<a.length;g++) {var l=a[g],m=b(l);m==c?d.push(l):void
0==f||m<f?(e=[l],f=m):m==f&&e.push(l)}return 0<d.length?d:e}function qg(a,b,c){for(var
d=[],e=pg(a,void 0,void 0,c),f=0;f<e.length;f++) {var g=e[f].split("."),l=g.shift();if(!b||l|
|1!=b.indexOf(l)){var m=g.shift();m&&(m=m.split("-"
)),d.push({id:g.join("."),be:1*m[0]||1,fd:1*m[1]||1})}}}return d}

var Bg=function(a){a&&1200<a.length&&(a=a.substring(0,1200));return
a},Gg=/^(www\.)?google(\.com?)?(\.[a-
z]{2})?$/ ,Hg=(^|\.)doubleclick\.net$/i,Dg=function(a,b){return
Hg.test(window.document.location.hostname)||"/"==b&&Gg.test(a)},og=function(){return
mg(window)?window.document.cookie":""},Cg=function(){var
a[],b=window.document.location.hostname.split(".");if(4==b.length){var c=b[b.length-
1];if(parseInt(c,10).toString()==c) return["none"]}for(var d=b.length-2;0<=d;d--)
a.push(b.slice(d).join("."));

var e=window.document.location.hostname;Hg.test(e)||Gg.test(e)||a.push("none");return
a},ng=function(a){if(!Gf().h()||!a||!Sf())return!0;if(!Rf(a))return!1;var b=Pf(a);return
null==b?!0:!1};var Ig=function(a){var b=Math.round(2147483647*Math.random());return
a?String(b^ig(a)&2147483647):String(b)},Jg=function(a){return[Ig(a),Math.round(z()/1E3)].join(".")},Mg=
function(a,b,c,d,e){var f=Kg(b);return sg(a,f,Lg(c),d,e)},Ng=function(a,b,c,d){var
e=""+Kg(c),f=Lg(d);1<f&&(e="-"+f);return[b,e,a].join(".")},Kg=function(a){if(!a) return
1;a=0==a.indexOf(".")?a.substr(1):a;return a.split(".").length},Lg=function(a){if(!a||"/"==a) return
1;"/"!=a[0]&&(a="/"+a);"/"!=a[a.length-1]&&(a+="");return a.split("/").length}

```

```

1};var Og=function(){Vd.dedupe_gclid||(Vd.dedupe_gclid=""+Jg());return Vd.dedupe_gclid};var
Pg=function(){var a=!1;return a};var Qg={M:"UA-141135819-1",Hb:"",Rg={sh:"UA-141135819-
1",th:"UA-141135819-1"};Qg.Ve=Aa("")};

var Sg=function(){return Rg.sh?Rg.sh.split(" | "):[Qg.M]},Tg=function(){if(Rg.th) return
Rg.th.split(" | ");P(84);return[]},Ug=function(){this.container={};this.destination={};this.canonical={}},
Wg=function(){for(var a=Vg(),b=Sg(),c=0;c<b.length;c++){var
d=a.container[b[c]];!d||pa(d)?a.container[b[c]]={state:2}:d.state=2}for(var
e=Tg(),f=0;f<e.length;f++){var
g=a.destination[e[f]];g&&0==g.state&&P(93);g?g.state=2:a.destination[e[f]]={state:2}}a.canonical[
Qg.Hb]=2},Xg=function(a){return!Vg().container[a]},

Yg=function(){var a=Vg().container,b;for(b in a)if(a.hasOwnProperty(b)){var
c=a[b];if(pa(c)){if(1==c) return!0}else if(1==c.state) return!0}return!1},Zg=function(){var
a={};k(Vg().destination,function(b,c){0==c.state&&(a[b]=c)});return a};function Vg(){var
a=Vd.tidr;a||(a=new Ug,Vd.tidr=a);return a}var
$g={" ":"n",UA:"u",AW:"a",DC:"d",G:"e",GF:"f",GT:"t",HA:"h",MC:"m",GTM:"g",OPT:"o"},ah={UA:1,A
W:2,DC:3,G:4,GF:5,GT:12,GTM:14,HA:6,MC:7},bh=function(a){var b=Qg.M.split("-"),
c=b[0].toUpperCase();if(N(45)){var
d={};d.aj=Qg.M;d.bk=Ud.Xe;d.fk=Ud.Pc;d.Hj=Qg.Ve?2:1;be?(d.pe=ah[c],d.pe||(d.pe=0)):d.pe=he?13:
10;fe?d.ph=1:Pg()&&(d.ph=2);var e;var f=d.pe,g=d.ph;void
0==f?e="":(g||(g=0),e=""+$c(1,1)+"0123456789abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNP
QRSTUVWXYZ-_"[f<<2|g]);var l=d.zk,m=4+e+(l?" "+$c(2,1)+
"0123456789abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNPQRSTUVWXYZ-
_-["[l]:""),n,p=d.fk;n=p&&Zc.test(p)?""+$c(3,2)+p:"";var
q,t=d.bk;q=t?""+$c(4,1)+"0123456789abcdefghijklmnopqrstuvwxyzABCDEFGHIJKLMNPQRSTUVWXYZ-
YZ-_"[t]:"";var u;var r=d.aj;if(r&&a){var v=r.split("-",
"),w=v[0].toUpperCase();if("GTM"!=w&&"OPT"!=w)u="";else{var
y=v[1];u=""+$c(5,3)+(1+y.length)+(d.Hj||0)+y}else u="";return m+n+q+u}var
x=$g[c]||"i",A=a&&"GTM"==c?b[1]:"OPT"==c?b[1]:"",B="w";be&&(B=Pg()?"o":"o");de?("w"==B&
&(B="x"),"o"==B&&

(B="q")):fe?("w"==B&&(B="y"),"o"==B&&(B="r")):he&&(B="z");return"2"+B+x+(4==Ud.Pc.length
?Ud.Pc.slice(1):Ud.Pc)+A};function ch(a,b){if("n"==a) return b;var c=Number(a);return
isNaN(c)?b:c};var dh=function(a,b,c){a.addEventListener&&a.addEventListener(b,c,!1)};function
eh(){return fb("iPhone")&&!fb("iPod")&&!fb("iPad")}function
fh(){eh()||fb("iPad")||fb("iPod");fb("Opera");fb("Trident")||fb("MSIE");fb("Edge");!fb("Gecko")||-
1!=eb().toLowerCase().indexOf("webkit")&&!fb("Edge")||fb("Trident")||fb("MSIE")||fb("Edge");-
1!=eb().toLowerCase().indexOf("webkit")&&!fb("Edge")&&fb("Mobile");fb("Macintosh");fb("Wind
ows");fb("Linux")||fb("CrOS");var
gh=la.navigator||null;gh&&(gh.appVersion||"").indexOf("X11");fb("Android");eh();fb("iPad");fb("iPo
d");fh();eb().toLowerCase().indexOf("kaios");var hh=function(a,b,c,d){for(var
e=b,f=c.length;0<=(e=a.indexOf(c,e))&&e<d){var g=a.charCodeAt(e-1);if(38==g||63==g){var
l=a.charCodeAt(e+f);if(l|61==l||38==l||35==l) return e}e+=f+1}return-

```

```

1},ih=/#|$/;jh=function(a,b){var c=a.search(ih),d=hh(a,0,b,c);if(0>d) return null;var
e=a.indexOf("&",d);if(0>e || e>c)e=c;d+=b.length+1;return decodeURIComponent(a.slice(d,-
1!==e?e:0).replace(/\+/g," ")}},kh=/[?&]($|#)/,lh=function(a,b,c){for(var
d,e=a.search(ih),f=0,g=[],l=[];0<=(g=hh(a,f,b,e));)l.push(a.substring(f,
g)),f=Math.min(a.indexOf("&",g)+1||e,e);l.push(a.slice(f));d=l.join("").replace(kh,"$1");var
m,n=null!=c?"-"+encodeURIComponent(String(c)):"";var p=b+n;if(p){var
q,t=d.indexOf("#");0>t&&(t=d.length);var
u=d.indexOf("?"),r;0>u || u>t?(u=t,r=""):r=d.substring(u+1,t);q=[d.slice(0,u),r,d.slice(t)];var
v=q[1];q[1]=p?v?v+"&"+p:p:v;m=q[0]+(q[1]?"?" +q[1]:"") +q[2]}else m=d;return m};var
mh=function(a,b){if(a)for(var c in
a)Object.prototype.hasOwnProperty.call(a,c)&&b(a[c],c,a)};function nh(a){if(!a || !F.head) return
null;var b=oh("META");F.head.appendChild(b);b.httpEquiv="origin-trial";b.content=a;return b}

var ph=function(){if(E.top==E) return 0;var a=E.location.ancestorOrigins;if(a) return a[a.length-
1]==E.location.origin?1:2;var b;var c=E.top;try{var
d;if(d==!c&&null!=c.location.href)b:{try{Ef(c.foo);d!=!0;break
b}catch(e){}d=!1}b=d}catch(e){}b=!1}return b?1:2},oh=function(a,b){b=void
0==b?document:b;return b.createElement(String(a).toLowerCase())};function
qh(a,b,c){a.google_image_requests||(a.google_image_requests=[])};var
d=oh("IMG",a.document);if(c){var e=function(){if(c){var
f=a.google_image_requests,g=Za(f,d);0<=g&&Array.prototype.splice.call(f,g,1)}d.removeEventListener
&&d.removeEventListener("load",e,!1);d.removeEventListener&&d.removeEventListener("error",
e,!1)};dh(d,"load",e);dh(d,"error",e)}d.src=b;a.google_image_requests.push(d)}

var sh=function(a){var b;b=void 0==b?!1:b;var
c="https://pagead2.googlesyndication.com/pagead/gen_204?id=tcfe";mh(a,function(d,e){d&&(c+="
&"+e)+"+"+encodeURIComponent(d)});rh(c,b)},rh=function(a,b){var c=window;b=void
0==b?!1:b;c.fetch?c.fetch(a,{keepalive:!0,credentials:"include",redirect:"follow",method:"get",mod
e:"no-cors"}):qh(c,a,void 0==b?!1:b)};var th=function(){},uh=function(a){void
0==a.addtlConsent&&"string"!=typeof a.addtlConsent&&(a.addtlConsent=void 0);void
0==a.gdprApplies&&"boolean"!=typeof a.gdprApplies&&(a.gdprApplies=void 0);return void
0==a.tcString&&"string"!=typeof a.tcString||void 0!=a.listenerId&&"number"!=typeof
a.listenerId?2:a.cmpStatus&&"error"!=a.cmpStatus?0:3},vh=function(a,b,c){this.m=a;this.h=null;thi
s.K={};this.Ga=0;this.P=void 0==b?500:b;this.D=void 0==c?!1:c;this.B=null};ka(vh,th);

vh.prototype.addEventListener=function(a){var
b=this,c={internalBlockOnErrors:this.D},d=lg(function(){return a(c)}),e=0;-
1==this.P&&(e=setTimeout(function(){c.tcString="tcunavailable";c.internalErrorState=1;d()},this.P));
var
f=function(g,l){clearTimeout(e);g?(c=g,c.internalErrorState=uh(c),c.internalBlockOnErrors=b.D,l&&0=
==c.internalErrorState || (c.tcString="tcunavailable",l || (c.internalErrorState=3))):(c.tcString="tcunava
ilable",c.internalErrorState=3);a(c)};try{wh(this,"addEventListener",f)}catch(g){c.tcString=

```

```

"tcunavailable",c.internalErrorState=3,e&&(clearTimeout(e),e=0),d()}},vh.prototype.removeEventListener=function(a){a&&a.listenerId&&wh(this,"removeEventListener",null,a.listenerId)};

var yh=function(a,b,c){var d;d=void 0==>"755":d;var
e;a:{if(a.publisher&&a.publisher.restrictions){var f=a.publisher.restrictions[b];if(void 0!=f){e=f[void
0==>"755":d];break a}}e=void 0}var g=e;if(0==>g)return!1;var
l=c;2==>c?(l=0,2==>g&&(l=1)):3==>c&&(l=1,1==>g&&(l=0));var
m;if(0==>l)if(a.purpose&&a.vendor){var n=xh(a.vendor.consent,void
0==>"755":d);m=n&&"1==>b&&a.purposeOneTreatment&&"CH"==>a.publisherCC?!0:n&&xh(a.p
urpose.consent,b)}else m=!0;else
m=1==>l?a.purpose&&a.vendor?xh(a.purpose.legitimateInterests,
b)&&xh(a.vendor.legitimateInterests,void 0==>"755":d):!0:!0;return
m},xh=function(a,b){return!(!a||!a[b])},wh=function(a,b,c,d){c||(c=function(){});if("function"==>type
of a.m.__tcfapi){var e=a.m.__tcfapi;e(b,2,c,d)}else if(zh(a)){Ah(a);var f=++a.Ga;a.K[f]=c;if(a.h){var
g={};a.h.postMessage({g.__tcfapiCall={command:b,version:2,callId:f,parameter:d},g},"*")}}else
c({},!1)},zh=function(a){if(a.h)return a.h;var b;a:{for(var c=a.m,d=0;50>d;++d){var
e;try{e=!(!c.frames||!c.frames.__tcfapiLocator)}catch(l){e=
!1}if(e){b=c;break a}var f;b:{try{var g=c.parent;if(g&&g!=c){f=g;break
b}}catch(l){f=null}if(!!(c=f))break}b=null}a.h=b;return
a.h},Ah=function(a){a.B|| (a.B=function(b){try{var c;c=("string"==>typeof
b.data?JSON.parse(b.data):b.data).__tcfapiReturn;a.K[c.callId](c.returnValue,c.success)}catch(d){}},d
h(a.m,"message",a.B)),Bh=function(a){if(!1==>a.gdprApplies) return!0;void
0==>a.internalErrorState&&(a.internalErrorState=uh(a));return"error"==>a.cmpStatus||0==>a.intern
alErrorState?a.internalBlockOnErrors?

(sh({e:String(a.internalErrorState)}),!1):!0:"loaded"!=>a.cmpStatus||"tcloaded"!=>a.eventStatus&&
"useractioncomplete"!=>a.eventStatus?!1:!0};var Ch=!0;Ch=!1;var
Dh={1:0,3:0,4:0,7:3,9:3,10:3},Eh=ch("",550),Fh=ch("",500);function Gh(){var a=Vd.tcf||{};return
Vd.tcf=a}

var Lh=function(){var a=Gh(),b=new vh(E,Ch?3E3:-
1);if(!0==>E.gtag_enable_tcf_support&&!a.active&&("function"==>typeof
E.__tcfapi||"function"==>typeof b.m.__tcfapi||null!=zh(b))){a.active=!0;a.hd={};Hh();var
c=null;Ch?c=E.setTimeout(function(){lh(a);Jh(a);c=null},Fh):a.tcString="tcunavailable";try{b.addEventListener
Listener(function(d){c&&(clearTimeout(c),c=null);if(0!=>d.internalErrorState)lh(a),Jh(a);else{var
e;a.gdprApplies=d.gdprApplies;if(!1==>d.gdprApplies)e=Kh(),b.removeEventListener(d);else
if("tcloaded"==

d.eventStatus||"useractioncomplete"==>d.eventStatus||"cmpuishown"==>d.eventStatus){var
f={},g;for(g in Dh)if(Dh.hasOwnProperty(g))if("1"==>g){var l,m=d,n=!0;n=void
0==>n?1:n;l=Bh(m)?!1==>m.gdprApplies||"tcunavailable"==>m.tcString||void
0==>m.gdprApplies&&!n||"string"!=>typeof
m.tcString||!m.tcString.length?0:yh(m,"1",0):!1;f["1"]=[l]}else

```

```

f[g]=yh(d,g,Dh[g]);e=f)e&&(a.tcString=d.tcString||"tceempty",a.hd=e,Jh(a))))}catch(d){c&&(clearTim
eout(c,c=null),lh(a),Jh(a)}};

function lh(a){a.type="e";a.tcString="tcunavailable";Ch&&(a.hd=Kh())}function Hh(){var
a={},b=(a.ad_storage="denied",a.wait_for_update=Eh,a);bg(b)}function Kh(){var a={},b;for(b in
Dh)Dh.hasOwnProperty(b)&&(a[b]!=0);return a}function Jh(a){var
b={},c=(b.ad_storage=a.hd["1"]?"granted":"denied",b);dg(c,{eventId:0},{gdprApplies:a?a.gdprApplies
:void 0,tcString:Mh()})}

var Mh=function(){var a=Gh();return a.active?a.tcString||""":""},Nh=function(){var a=Gh();return
a.active&&void
0!==a.gdprApplies?a.gdprApplies?"1":"0":""},Oh=function(a){if(!Dh.hasOwnProperty(String(a)))retur
n!0;var b=Gh();return b.active&&b.hd?!!b.hd[String(a)]:!0},function Ph(a,b,c,d){var
e,f=Number(null!=a.Ta?a.Ta:void 0);0!==f&&(e=new
Date((b||z())+1E3*(f||7776E3)));return{path:a.path, domain:a.domain, flags:a.flags, encode:!!c, expire
s:e,rb:d}};var Qh=["1"],Rh={},Sh={},Uh=function(a){return Rh[Th(a)]},Xh=function(a,b){b=void
0==>b?!0:b;var c=Th(a.prefix);if(!Rh[c]&&!Vh(c,a.path,a.domain)&&b){var
d=Th(a.prefix),e=Jg();if(0==>Wh(d,e,a)){var
f=pb("google_tag_data",{});f._gcl_au?Wa("GTM",57):f._gcl_au=e}Vh(c,a.path,a.domain)}},function
Wh(a,b,c,d){var e=Ng(b,"1",c.domain,c.path),f=Ph(c,d);f.rb="ad_storage";return Fg(a,e,f)}

function Vh(a,b,c){var d=Mg(a,b,c,Qh,"ad_storage");if(!d)return!1;var
e=d.split(".");5==>e.length?(Rh[a]=e.slice(0,2).join("."),Sh[a]={id:e.slice(2,4).join("."),oh:Number(e[4]
)||0}):3==>e.length?Sh[a]={id:e.slice(0,2).join("."),oh:Number(e[2])||0}:Rh[a]=d;return!0}function
Th(a){return(a||"_gcl")+"_au"};var Yh;var bi=function(){var
a=Zh,b=$h,c=ai(),d=function(g){a(g.target||g.srcElement||{})},e=function(g){b(g.target||g.srcEleme
nt||{})};if(!c.init){yb(F,"mousedown",d);yb(F,"keyup",d);yb(F,"submit",e);var
f=HTMLFormElement.prototype.submit;HTMLFormElement.prototype.submit=function(){b(this);f.cal
l(this)};c.init=!0}},ci=function(a,b,c,d,e){var
f={callback:a,domains:b,fragment:2==>c,placement:c,forms:d,sameHost:e};ai().decorators.push(f)},d
i=function(a,b,c){for(var d=ai().decorators,e={},f=0;f<d.length;++f){var g=
d[f],l;if(l!=c||g.forms)a:{var
m=g.domains,n=a,p=!!g.sameHost;if(m&&(p||n!=F.location.hostname))for(var
q=0;q<m.length;q++)if(m[q]instanceof RegExp){if(m[q].test(n)){l=!0;break a}}else
if(0<=n.indexOf(m[q])||p&&0<=m[q].indexOf(n)){l=!0;break a}l!=!1}if(l){var t=g.placement,void
0=t&&(t=g.fragment?2:1);t==>b&&Ga(e,g.callback()))}return e},function ai(){var
a=pb("google_tag_data",{}),b=a.gl;b&&b.decorators||(b={decorators:[],a.gl=b});return b};var
ei=/(.*)\*(.*)\*(.+)/,fi=/^https?:\/\/([^\/*?]*?)\.(?cdn\.)ampproject\.\org\/*?(.+)/,gi=/^(?:www\.|m\.|a
mp\.)+/,hi=/([^\?#]+)(\?[^#]*?)?(#.*)?/;function ii(a){return new
RegExp("(.*?)(^|&)"+"a+"+"([^\&]*?)&?(.*?)"})var ki=function(a){var b=[],c;for(c in
a)if(a.hasOwnProperty(c)){var d=a[c];void 0!=>d&&d==>d&&null!=>d&&"[object
Object]"!=>d.toString()&&(b.push(c),b.push(Ta(String(d))))}var
e=b.join("*");return["1",ji(e),e].join("*")};

```

```

function ji(a,b){var c=[E.navigator.userAgent,(new Date).getTimezoneOffset(),nb.userLanguage||nb.language,Math.floor(z()/60/1E3)-(void 0==>b?0:b),a].join("*"),d;if(!(d=Yh)){for(var e=Array(256),f=0;256>f;f++){for(var g=f,l=0;8>l;l++)g=g&1?g>>>1^3988292384:g>>>1;e[f]=g}d=e}Yh=d;for(var m=4294967295,n=0;n<c.length;n++)m=m>>>8^Yh[(m^c.charCodeAt(n))&255];return((m^-1)>>>0).toString(36)}

function li(){return function(a){var b=Ve(E.location.href),c=b.search.replace("?", ""),d=Qe(c,"_gl",!0)||"";a.query=mi(d)||{};var e=Te(b,"fragment").match(ii("_gl"));a.fragment=mi(e&&e[3]|| "")|| {}}function ni(a,b){var c=ii(a).exec(b),d=b;if(c){var e=c[2],f=c[4];d=c[1];f&&(d=d+e+f)}return d}

var oi=function(a,b){b||(b=_gl);var c=hi.exec(a);if(!c)return"";var d=c[1],e=ni(b,(c[2]|| "").slice(1)),f=ni(b,(c[3]|| "").slice(1));e.length&&(e=?+e);f.length&&(f=#+f);return""+d+e+f},pi=function(a){var b=li(),c=ai();c.data||(c.data={query:{},fragment:{}},b(c.data));var d={},e=c.data;e&&(Ga(d,e.query),a&&Ga(d,e.fragment));return d},mi=function(a){try{var b=qj(a,3);if(void 0!==b){for(var c={},d=b.split("*"):[],e=0;e+1<d.length;e+=2){var f=d[e],g=Ua(d[e+1]);c[f]=g}Wa("TAGGING",6);return c}}catch(I){Wa("TAGGING",8)}},function qi(a,b){if(a){var c;a:{for(var d=a,e=0;3>e;++e){var f=ei.exec(d);if(f){c=f;break}}}a}d=decodeURIComponent(d);c=void 0;var g=c;if(g&&"1"==g[1]){var l=g[3],m;a:{for(var n=g[2],p=0;p<b;++p)if(n==ji(l,p)){m=!0;break}}a}m=!1;if(m){return l;Wa("TAGGING",7)}}

function ri(a,b,c,d){function e(p){p=ni(a,p);var q=p.charAt(p.length-1);p&&"!"==q&&(p+="&");return p+n}d=void 0==>d?!1:d;var f=hi.exec(c);if(!f){return"";var g=f[1],l=f[2]|| "",m=f[3]|| "",n=a+"= "+b;d?m="#"+e(m.substring(1)):l=?+e(l.substring(1));return""+g+!+m}

function si(a,b){var c="FORM"==(a.tagName|| "").toUpperCase(),d=di(b,1,c),e=di(b,2,c),f=di(b,3,c);if(Ha(d)){var g=ki(d);c?ti("_gl",g,a):ui("_gl",g,a,!1)}if(!c&&Ha(e)){var l=ki(e);ui("_gl",l,a,!0)}for(var m in f){if(f.hasOwnProperty(m)){a:{var n=m,p=f[m],q=a;if(q.tagName){if("a"==q.tagName.toLowerCase()){ui(n,p,q);break}a}if("form"==q.tagName.toLowerCase()){ti(n,p,q);break a}}"string"==typeof q&&ri(n,p,q)}}}

function ui(a,b,c,d){if(c.href){var e=ri(a,b,c.href,void 0==>d?!1:d);db.test(e)&&(c.href=e)}}

function ti(a,b,c){if(c&&c.action){var d=(c.method|| "").toLowerCase();if("get"==>d){for(var e=c.childNodes||[],f=!1,g=0;g<e.length;g++){var l=e[g];if(l.name==a){l.setAttribute("value",b);f=!0;break}}if(!f){var m=F.createElement("input");m.setAttribute("type","hidden");m.setAttribute("name",a);m.setAttribute("value",b);c.appendChild(m)}}else if("post"==>d){var n=ri(a,b,c.action);db.test(n)&&(c.action=n)}}}

function Zh(a){try{var b;a:{for(var c=a,d=100;c<&0<d;){if(c.href&&c.nodeName.match(/^(a(?:rea)?$/i)){b=c;break}a}c=c.parentNode;d--}b=null}var e=b;if(e){var

```

```

f=e.protocol;"http:"!==f&&"https:"!==f| |si(e,e.hostname)}}catch(g){}}function
$h(a){try{if(a.action){var b=Te(Ve(a.action),"host");si(a,b)}}catch(c){}}
```

var

```

vi=function(a,b,c,d){bi();ci(a,b,"fragment"==c?2:1,!d,!1)},wi=function(a,b){bi();ci(a,[Se(E.location,"h
ost",!0]),b,!0,!0)},xi=function(){var a=F.location.hostname,b=fi.exec(F.referrer);if(!b)return!1;var
c=b[2],d=b[1],e="";if(c){var
f=c.split("/"),g=f[1];e="s"==g?decodeURIComponent(f[2]):decodeURIComponent(g)}else
if(d){if(0==d.indexOf("xn--"))return!1;e=d.replace(/-/g,".").replace(/\.\./g,"-")}{var
l=a.replace(gi,""),m=e.replace(gi,""),n;if(!(n=l==m)){var p=".+"+m;n=l.substring(l.length-p.length,
l.length)===p}return n},yi=function(a,b){return!1==a?!1:a||b||xi()}},var zi={};var
Ai=function(a){for(var b=[],c=F.cookie.split(";"),d=new RegExp("^\\s*"+(a|"_gac")+"_(UA-\\d+
\\d+)\\s*(.+?)\\s*$"),e=0;e<c.length;e++){var
f=c[e].match(d);f&&b.push({Df:f[1],value:f[2],timestamp:Number(f[2].split(".")[1])||0})}b.sort(function(g,l){return l.timestamp-g.timestamp});return b};

function Bi(a,b){var c=Ai(a),d={};if(!c||!c.length)return d;for(var e=0;e<c.length;e++){var
f=c[e].value.split(".");if(!("1"!=f[0]||b&&3>f.length||!b&&3!=f.length)&&Number(f[1])){d[c[e].Df]
||(d[c[e].Df]=[])};var
g={version:f[0],timestamp:1E3*Number(f[1]),da:f[2]};b&&3<f.length&&(g.labels=f.slice(3));d[c[e].Df]
.push(g)}return d};var Ci=/^\\w+$/,Di=/^\\w-
]+$/;Ei={aw:"_aw",dc:"_dc",gf:"_gf",ha:"_ha",gp:"_gp",gb:"_gb"},Fi=function(){if(!Gf().h()||!Sf())retu
rn!0;var a=Pf("ad_storage");return
null==a?!0:!1;},Gi=function(a,b){Rf("ad_storage")?Fi()?a():Xf(a,"ad_storage"):b?Wa("TAGGING",3):W
f(function(){Gi(a,!0)},["ad_storage"])},Hi=function(a){return Hi(a).map(function(b){return
b.da})},Hi=function(a){var b=[];if(!mg(E)||!F.cookie)return b;var c=pg(a,F.cookie,void
0,"ad_storage");if(!c||0==c.length)return b;for(var d={},e=0;e<c.length;d=
{od:d.od},e++){var f=Ji(c[e]);if(null!=f){var g=f,l=g.version;d.od=g.da;var
m=g.timestamp,n=g.labels,p=ra(b,function(q){return function(t){return
t.da==q.od}})(d);p?(p.timestamp=Math.max(p.timestamp,m),p.labels=Ki(p.labels,n||[])):b.push({ve
rsion:l,da:d.od,timestamp:m,labels:n})}}b.sort(function(q,t){return t.timestamp-
q.timestamp});return Li(b)};function Ki(a,b){for(var
c={},d=[],e=0;e<a.length;e++)c[a[e]]!=0,d.push(a[e]);for(var
f=0;f<b.length;f++)c[b[f]]||d.push(b[f]);return d}

function Mi(a){return a&&"string"==typeof a&&a.match(Ci)?a:"_gcl"}
```

var Oi=function(){var a=Ve(E.location.href),b=Te(a,"query",!1,void 0,"gclid"),c=Te(a,"query",!1,void
0,"gclsrc"),d=Te(a,"query",!1,void 0,"wbraid"),e=Te(a,"query",!1,void 0,"dclid");if(!b||!c||!d){var
f=a.hash.replace("#","");b=b||Qe(f,"gclid");c=c||Qe(f,"gclsrc");d=d||Qe(f,"wbraid")}{return
Ni(b,c,d)},Ni=function(a,b,c,d){var
e={},f=function(g,l){e[l]||(e[l]=[]);e[l].push(g)};e.gclid=a;e.gclsrc=b;e.dclid=c;void
0!==d&&Di.test(d)&&(e.gbraid=d,f(d,"gb"));if(void 0==a&&a.match(Di))switch(b){case void 0:f(a,

```

"aw");break;case "aw.ds":f(a,"aw");f(a,"dc");break;case "ds":f(a,"dc");break;case
"3p.ds":f(a,"dc");break;case "gf":f(a,"gf");break;case "ha":f(a,"ha")}{c&&f(c,"dc");return
e},Qi=function(a){var b=Oi();Gi(function(){Pi(b,!1,a)});}

function Pi(a,b,c,d,e){function f(w,y){var x=Ri(w,g);x&&(Fg(x,y,l),m!=0)}c=c||{};e=e||[];var
g=Mi(c.prefix);d=d||z();var l=Ph(c,d,!0);l.rb="ad_storage";var
m=!1,n=Math.round(d/1E3),p=function(w){var y=["GCL",n,w];0<e.length&&y.push(e.join("."));return
y.join("."));a.aw&&f("aw",p(a.aw[0]));a.dc&&f("dc",p(a.dc[0]));a.gf&&f("gf",p(a.gf[0]));a.ha&&f("ha",
p(a.ha[0]));a.gp&&f("gp",p(a.gp[0]));if((void
0==zi.enable_gbraid_cookie_write?0:zi.enable_gbraid_cookie_write)&&!m&&a.gb){var
q=a.gb[0],t=Ri("gb",g),
u=!1;if(!b)for(var
r=Hi(t),v=0;v<r.length;v++)r[v].da==q&&r[v].labels&&0<r[v].labels.length&&(u=!0);u||f("gb",p(q))}

var Ti=function(a,b){var c=pi(!0);Gi(function(){for(var d=Mi(b.prefix),e=0;e<a.length;++e){var
f=a[e];if(void 0!=Ei[f]){var g=Ri(f,d),l=c[g];if(l){var m=Math.min(Si(l),z()),n;b:{var
p=m;if(mg(E))for(var q=pg(g,F.cookie,void
0,"ad_storage"),t=0;t<q.length;++t)if(Si(q[t])>p){n=!0;break b}n=!1}if(!n){var
u=Ph(b,m,!0);u.rb="ad_storage";Fg(g,l,u)}}}Pi(Ni(c.gclid,c.gclsrc,!1,b))),Ri=function(a,b){var
c=Ei[a];if(void 0==c)return b+c},Si=function(a){return
0!=Ui(a.split(".").length?1E3*(Number(a.split(".")[1]))||

0):0};function Ji(a){var b=Ui(a.split("."));return
0==b.length?null:{version:b[0],da:b[2],timestamp:1E3*(Number(b[1])||0),labels:b.slice(3)}}function
Ui(a){return 3>a.length||"GCL"!=a[0]&&"1"!=a[0]||!/^\\d+$/test(a[1])||Di.test(a[2])?[]:a}

var Vi=function(a,b,c,d,e){if(qa(b)&&mg(E)){var f=Mi(e),g=function(){for(var
l={},m=0;m<a.length;++m){var n=Ri(a[m],f);if(n){var p=pg(n,F.cookie,void
0,"ad_storage");p.length&&([n]=p.sort()[p.length-1])}}return
l};Gi(function(){vi(g,b,c,d)}),Li=function(a){return a.filter(function(b){return
Di.test(b.da)}),Wi=function(a,b){if(mg(E)){for(var
c=Mi(b.prefix),d={},e=0;e<a.length;e++)Ei[a[e]]&&(d[a[e]]=Ei[a[e]]);Gi(function(){k(d,function(f,g){var
l=pg(c+g,F.cookie,void 0,"ad_storage");l.sort(function(u,
r){return Si(r)-Si(u)});if(l.length){var
m=l[0],n=Si(m),p=0!=Ui(m.split(".")).length?m.split(".").slice(3):[],q={},t;t=0!=Ui(m.split(".")).length
?m.split(".")[2]:void 0;q[f]=[t];Pi(q,!0,b,n,p)}))});function Xi(a,b){for(var
c=0;c<b.length;++){if(a[b[c]])return!0;return!1}
Xi(a,b)}},Yi=function(a){function b(e,f,g){g&&(e[f]=g)}if(Sf()){var c=Oi();if(Xi(c,a)){var
d={};b(d,"gclid",c.gclid);b(d,"dclid",c.dclid);b(d,"gclsrc",c.gclsrc);b(d,"wbraid",c.gbraid);wi(function(){
return d},3);wi(function(){var e={};return e._up="1",e},1)}},Zi=function(a,b,c,d){var
e=[];c=c||{};if(!Fi())return e;var f=Hi(a);if(!f.length) return e;for(var g=0;g<f.length;g++)-
1==(f[g].labels||[]).indexOf(b)?e.push(0):e.push(1);if(d) return e;if(1!=e[0]){var
l=f[0],m=f[0].timestamp,n=[l.version,Math.round(m/

```

```

1E3),l.da].concat(l.labels||[],[b]).join("."),p=Ph(c,m,!0);p.rb="ad_storage";Fg(a,n,p)}return
e};function $i(a,b){var c=Mi(b),d=Ri(a,c);if(!d)return 0;for(var
e=Hi(d),f=0,g=0;g<e.length;g++)f=Math.max(f,e[g].timestamp);return f}function aj(a){var b=0,c;for(c
in a)for(var d=a[c],e=0;e<d.length;e++)b=Math.max(b,Number(d[e].timestamp));return b}var
bj=function(a){var b=Math.max($i("aw",a),aj(Fi()?Bi():{}));return
Math.max($i("gb",a),aj(Fi()?Bi("_gac_gb",!0):{}))>b};var gj=[A-
Z]+/,hj=/\s/;ij=function(a){if(h(a)){a=Ca(a);var b=a.indexOf("-");if(!(0>b)){var
c=a.substring(0,b);if(gj.test(c)){for(var
d=a.substring(b+1).split("/"),e=0;e<d.length;e++)if(!d[e]||hj.test(d[e]))&&("AW"!==c||1!==e))return;
return{id:a,prefix:c,U:c+"-"+d[0],l:d}}}},kj=function(a){for(var b={},c=0;c<a.length;++c){var
d=ij(a[c]);d&&(b[d.id]=d)}jj(b);var e=[];k(b,function(f,g){e.push(g)});return e};

function jj(a){var b=[],c;for(c in a)if(a.hasOwnProperty(c)){var
d=a[c];"AW"===d.prefix&&d.l[1]&&b.push(d.U)}for(var e=0;e<b.length;++e)delete a[b[e]]};var
mj=function(a,b,c,d){return(2===(lj()||d)||"http:"!=E.location.protocol?a:b)+c},lj=function(){var
a=vb(),b;if(1===(a)){var c=je;c=c.toLowerCase();for(var
d="https://"+c,e="http://"+c,f=1,g=F.getElementsByTagName("script"),l=0;l<g.length&&100>l;l++){var
m=g[l].src;if(m){m=m.toLowerCase();if(0===(m.indexOf(e))){b=3;break
}a}1===(f&&0===(m.indexOf(d))&&(f=2))}b=f}else b=a;return b};

var oj=function(a,b,c){if(E[a.functionName])return b.vf&&G(b.vf),E[a.functionName];var
d=nj();E[a.functionName]=d;if(a.Xd)for(var
e=0;e<a.Xd.length;e++)E[a.Xd[e]]=E[a.Xd[e]]||nj();a.me&&void
0===(E[a.me]&&(E[a.me]==c);ub(mj("https://","http://",a.Cf),b.vf,b.Lj);return d},nj=function(){var
a=function(){a.q=a.q||[];a.q.push(arguments)};return
a},pj={functionName:"_googWcmImpl",me:"_googWcmAk",Cf:"www.gstatic.com/wcm/loader.js"},qj
={functionName:"_gaPhoneImpl",me:"ga_wpid",Cf:"www.gstatic.com/gaphone/loader.js"},

rj={Nh:"",Li:"5"},lj={functionName:"_googCallTrackingImpl",Xd:[qj.functionName,pj.functionName],C
f:"www.gstatic.com/call-tracking/call-
tracking_"+(rj.Nh||rj.Li)+".js"},Jj={},Kj=function(a,b,c,d){P(22);if(c){d=d||{};var
e=oj(pj,d,a),f={ak:a,cl:b};void
0===(d.fb)&&(f.autoreplace=c);e(2,d.fb,f,c,0,Da(),d.options)}},Lj=function(a,b,c,d){P(21);if(b&&c){d=d|
|{};for(var e={countryNameCode:c,destinationNumber:b,retrievalTime:Da()},f=0;f<a.length;f++){var
g=a[f];Jj[g.id]||

(g&&"AW"===(g.prefix)&&e.addData&&2<=g.l.length?(e.addData={ak:g.l[0],cl:g.l[1]},Jj[g.id]=!0):g&&"U
A"===(g.prefix)&&!e.gaData&&(e.gaData={gaWpid:g.U},Jj[g.id]=!0))}{e.gaData||e.addData)&&oj(lj,d)(d.
fb,e,d.options)}},Mj=function(){var a=!1;return a},Nj=function(a,b){if(a){if(Pg()){}else{if(h(a)){var c=
ij(a);if(!c){return;a=c}var d=void 0,e=!1,f=U(b,R.g.oi);if(f&&q(a)){d=[];for(var g=0;g<f.length;g++){var
l=ij(f[g]);l&&(d.push(l),(a.id==l.id||a.id==a.U&&a.U==l.U)&&(e!=!0))}if(!d||e){var
m=U(b,R.g.sg),n;if(m){qa(m)?n=m:n=[m]};var
p=U(b,R.g.qg),q=U(b,R.g.rg),t=U(b,R.g.ug),u=U(b,R.g.ni),r=p||q,v=1;"UA"!=a.prefix||d||(v=5);for(va
r w=0;w<n.length;w++)if(w<v){if(d)Lj(d,n[w],u,{fb:r,options:t});else
}}
```

```

if("AW"==a.prefix&&a.I[1])Mj()?Lj([a],n[w],u| |"US",{fb:r,options:t}):Kj(a.I[0],a.I[1],n[w],{fb:r,options:t});

else if("UA"==a.prefix)if(Mj())Lj([a],n[w],u| |"US",{fb:r});else{var
y=a.U,x=n[w],A={fb:r};P(23);if(x){A=A| |{};var B=oj(qj,A,y),C={};void
0!==A.fb?C.receiver=A.fb:C.replace=x;C.ga_wpid=y;C.destination=x;B(2,Da(),C))});var
Oj=function(a,b,c){this.target=a;this.eventName=b;this.h=c;this.m={};this.metadata=J(c.eventMetadata| | {});this.H!=1},Pj=function(a,b,c){var d=U(a.h,b);void 0!==d?a.m[b]=d:void
0!==c&&(a.m[b]=c)},Qj=function(a,b,c){var d=Ce(a.target.U);return
d&&d.hasOwnProperty(b)?d[b]:c};function Rj(a){return{getDestinationId:function(){return
a.target.U},getEventName:function(){return a.eventName},setEventName:function(b){return
void(a.eventName=b)},getHitData:function(b){return a.m[b]},setHitData:function(b,c){return
void(a.m[b]=c)},setHitDataIfNotDefined:function(b,c){void
0==a.m[b]&&(a.m[b]=c)},copyToHitData:function(b,c){Pj(a,b,c)},getMetadata:function(b){return
a.metadata[b]},setMetadata:function(b,c){return void(a.metadata[b]=c)},abort:function(){return
void(a.H!=0)},getProcessedEvent:function(){return a},

getFromEventContext:function(b){return U(a.h,b)}},var
kk=["L","S","Y"],lk=["S","E"],mk={sampleRate:"0.005000",Kh:"",Jh:Number("5"),lh:Number("")},nk=0
<=F.location.search.indexOf("?gtm_latency=")| |0<=F.location.search.indexOf("&gtm_latency="),ok;

if(!(ok=nk)){var pk=Math.random(),qk=mk.sampleRate;ok=pk<qk}var
rk=ok,sk="https://www.googletagmanager.com/a?id="+Qg.M+"&cv=1",tk={label:Qg.M+
Container",children:[{label:"Initialization",children:[]}]};function
uk(){return[sk,"&v=3&t=t","&pid="+sa(),"&rv="+Ud.Pc].join("")}var vk=uk();function wk(){vk=uk()}

var xk={},yk="",zk="",Ak="",Bk="",Ck=[],Dk="",Ek={},Fk!=1,Gk={},Hk={},Ik={},Jk="",Kk=void
0,Lk={},Mk={},Nk=void 0,Ok=5;0<mk.Jh&&(Ok=mk.Jh);var Pk=function(a,b){for(var
c=0,d=[],e=0;e<a;++e)d.push(0);return{zj:function(){return c<a?!1:z()-d[c%a]<b},Xj:function(){var
f=c++%a;d[f]=z()}}}(Ok,1E3),Qk=1E3;

function Rk(a,b){var c=Kk;if(void 0==c)return"";var
d=Ya("GTM"),e=Ya("TAGGING"),f=Ya("HEALTH"),g=vk,l=xk[c]?"":&es=1",m=Lk[c],n=Sk(c),p=Tk(),q=y
k,t=zk,u=Jk,r=Uk(a),v=Ak,w=Bk,y=Vk(a,b),x;return[g,l,m,n,d?&u="+d":"","e?&ut="+e:"",f?&h="+f:"",
p,q,t,u,r,v,w,y,x,Dk?&dl="+encodeURIComponent(Dk):"",0<Ck.length?"&tdp="+Ck.join(" ."):

","",Ud.Xe?"&x=" +Ud.Xe:"",&z=0"].join(""))function Xk(a){Nk&&(E.clearTimeout(Nk),Nk=void
0);if(void 0!=Kk&&(!xk[Kk]||yk||zk||Yk(a)))if(void 0==Zk[Kk]&&(Mk[Kk]||Pk.zj())||0>=Qk--)
)P(1),Mk[Kk]!=0;else{void 0==Zk[Kk]&&Pk.Xj();var
b=Rk(!0,a);a?Eb(b):xb(b);if(Bk||Dk&&0<Ck.length){var
c=b.replace("/a?","/td?");xb(c)xk[Kk]=!0;Dk=Bk=Ak=Jk=zk=yk="";Ck=[]}}function
$k(){Nk||(Nk=E.setTimeout(Xk,500))}function al(a){return
a.match(/^(gtm|gtag)\./)?encodeURIComponent(a):"*"}

function bl(){2022<=Rk().length&&Xk()}function Tk(){return"&tc=" +mc.filter(function(a){return
a}).length}

```

```

var
dl=function(a,b){if(rk&&!Mk[a]&&Kk!=a){Xk();Kk=a;Ak=yk="";Lk[a]+"&e="+al(b)+"&eid="+a;$k());}},e
l=function(a,b,c,d){if(rk&&b){var
e,f=String(b[Mb.Ra]|"").replace(/_/g,"");0==f.indexOf("cvt")&&(f="cvt");e=f;var
g=c+e;if(!Mk[a]){a==Kk&&(Xk(),Kk=a);yk=yk?yk+".":g;"&tr="+g;var m=b["function"];if(!m)throw
Error("Error: No function name given for function call.");var
n=(oc[m]?"1":"2")+e;Ak=Ak?Ak+".":n;"&ti="+n;$k();bl())}};

function Uk(a){}
function Sk(a){}
var ll=function(a,b,c){if(rk&&void 0!==a&&!Mk[a]){a==Kk&&(Xk(),Kk=a);var
d=c+b;zk=zk?zk+"."+d:"&epr="+d+$k();bl())},ml=function(a,b,c){},nl=["S","P","C","Z"],ol={},pl=(ol[1]=5,
ol[2]=5,ol[3]=5,ol),ql={},Zk={},Wk=void 0,rl=function(a,b){var c=!1;if(!rk|Zk[a]|0==pl[b])return!1;-
-pl[b];Zk[a]=b;c=!0;
return c},sl=function(a,b,c){if(!rk|!Zk[a])return;var d=ql[a];d||(ql[a]=d={});d[b]=c;};
function Vk(a,b){var c;if(!Kk||!Yk(b))return"";var d=ql[Kk];c="&al="+nl.filter(function(e){return void
0==d[e]}).map(function(e){return e+Math.floor(d[e])}).join(".")+"."+Zk[Kk]);a&&delete
ql[Kk];return c}
function Yk(a){var b=!1;if(!Kk||!ql[Kk])return!1;b=a|"C"in ql[Kk];return b}
var
tl=function(){if(rk){E.setInterval(wk,864E5);yb(E,"pagehide",function(){Kk&&Zk[Kk]&&Xk(!0);for(var
a in ql)ql.hasOwnProperty(a)&&(Kk=Number(a),Xk(!0));});};var
ul=function(a,b,c,d,e,f,g,l,m,n,p,q){this.eventId=a;this.priorityId=b;this.h=c;this.K=d;this.m=e;this.D=f
;this.P=g;this.B=l;this.eventMetadata=m;this.O=n;this.N=p;this.C=q},U=function(a,b,c){if(void
0==a.h[b])return a.h[b];if(void 0==a.K[b])return a.K[b];if(void 0==a.m[b])return
a.m[b];rk&&vl(a,a.D[b],a.P[b])&&(P(71),P(79));return void 0==a.D[b]?a.D[b]:void
0==a.B[b]?a.B[b]:c},wl=function(a){function b(g){for(var
l=Object.keys(g),m=0;m<l.length;++m)c[l[m]]=1}var c={};b(a.h);b(a.K);b(a.m);
b(a.D);if(rk)for(var d=Object.keys(a.P),e=0;e<d.length;e++){var
f=d[e];if("event"!=f&&"gtm"!=f&&"tagTypeBlacklist"!=f&&!c.hasOwnProperty(f)){P(71);P(80);bre
ak}}return Object.keys(c)},xl=function(a,b,c){function
d(m){Kb(m)&&k(m,function(n,p){f=!0;e[n]=p})}var
e={},f=!1;c&&&1==c||(d(a.B[b]),d(a.D[b]),d(a.m[b]),d(a.K[b]));c&&2==c||d(a.h[b]);if(rk){var
g=f,l=e;e={};f=!1;c&&&1==c||(d(a.B[b]),d(a.P[b]),d(a.m[b]),d(a.K[b]));c&&2==c||d(a.h[b]);if(f==g)||v
l(a,e,l))P(71),P(81);f=g;e=l}return f?e:void 0},
yl=function(a){var b=[R.g.zc,R.g.xd,R.g.yd,R.g.zd,R.g.Ad,R.g.Bd,R.g.Cd],c={},d=!1,e=function(l){for(var
m=0;m<b.length;m++)void 0==l[b[m]]&&(c[b[m]]=l[b[m]],d=!0);return
d};if(e(a.h)||e(a.K)||e(a.m))return c;e(a.D);if(rk){var
f=c,g=d;c={};d=!1;e(a.P);vl(a,c,f)&&(P(71),P(82));c=f;d=g;if(d)return c;e(a.B);return

```

```
c},vl=function(a,b,c){if(!rk) return!1;try{if(b==c) return!1;var  
d=lb(b);if(d!==lb(c)||!(Kb(b)&&Kb(c)||"array"==d))return!0;if("array"==d){if(b.length!=c.length)r  
eturn!0;for(var e=0;e<b.length;e++)if(vl(a,  
  
b[e],c[e]))return!0}else{for(var f in c)if(!b.hasOwnProperty(f))return!0;for(var g in  
b)if(!c.hasOwnProperty(g)||vl(a,b[g],c[g]))return!0}}catch(l){P(72)}return!1},zl=function(a,b){this.zi=  
a;this.Ai=b;this.D={};this.Kg={};this.h={};this.K={};this.m={};this.Nc={};this.B={};this.jc=function(){};this  
.Ga=function(){};this.P=!1},Al=function(a,b){a.D=b;return a},Bl=function(a,b){a.Kg=b;return  
a},Cl=function(a,b){a.h=b;return a},Dl=function(a,b){a.K=b;return a},El=function(a,b){a.m=b;return  
a},Fl=function(a,  
  
b){a.Nc=b;return a},Gl=function(a,b){a.B=b||{};return a},Hl=function(a,b){a.jc=b;return  
a},Il=function(a,b){a.Ga=b;return a},Jl=function(a){a.P=!0;return a},Kl=function(a){return new  
ul(a.zi,a.Ai,a.D,a.Kg,a.h,a.K,a.m,a.Nc,a.B,a.jc,a.Ga,a.P)};gb();eh()||fb("iPod");fb("iPad");!fb("Android"  
)||hb()||gb()||fb("Opera")||fb("Silk");hb();!fb("Safari")||hb()||fb("Coast")||fb("Opera")||fb("Edge"  
)||fb("Edg/")||fb("OPR")||gb()||fb("Silk")||fb("Android")||fh();var  
Ol={},Pl=null,Ql=function(a){for(var b=[],c=0,d=0;d<a.length;d++){var  
e=a.charCodeAt(d);255<e&&(b[c++]=e&255,e>>=8);b[c++]=e}var f=4;void  
0==f&&(f=0);if(!Pl){Pl={};for(var  
g="ABCDEFGHIJKLMNPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789".split(""),l=["+/=",  
"+/","-_","_._","_"],m=0;5>m;m++){var n=g.concat(l[m].split("")));Ol[m]=n;for(var  
p=0;p<n.length;p++){var q=n[p];void 0==Pl[q]&&(Pl[q]=p)}}}for(var  
t=Ol[f],u=Array(Math.floor(b.length/3)),r=t[64]||"",v=0,w=0;v<b.length-2;v+=3){var y=b[v],  
  
x=b[v+1],A=b[v+2],B=t[y>>2],C=t[(y&3)<<4|x>>4],H=t[(x&15)<<2|A>>6],l=t[A&63];u[w++]=""  
+B+C+H+l}var D=0,K=r;switch(b.length-v){case 2:D=b[v+1],K=t[(D&15)<<2]|r;case 1:var  
O=b[v];u[w]=""  
+t[O>>2]+t[(O&3)<<4|D>>4]+K+r}return u.join("")};var Rl="platform platformVersion  
architecture model uaFullVersion bitness fullVersionList wow64".split(" ");function Sl(){var a;return  
null!=(a=E.google_tag_data)?a:E.google_tag_data={}}function Tl(){var  
a=E.google_tag_data,b;if(null!=a&&a.uach){var  
c=a.uach,d=Object.assign({},c);c.fullVersionList&&(d.fullVersionList=c.fullVersionList.slice(0));b=d}els  
e b=null;return b}function Ul(){var a,b;return null==(b=null==(a=E.google_tag_data)?void  
0:a.uach_promise)?b:null}  
  
function VI(){var a,b;return"function"==typeof(null==(a=E.navigator)?void  
0:null==(b=a.userAgentData)?void 0:b.getHighEntropyValues)}function WI(){if(!VI())return null;var  
a=Sl();if(a.uach_promise)return a.uach_promise;var  
b=E.navigator.userAgentData.getHighEntropyValues(Rl).then(function(c){null!=a.uach||(a.uach=c);r  
eturn c});return a.uach_promise=b}function bm(){return"attribution-reporting"}function cm(a){var  
b;b:void 0==b?document:b;var  
c;return!(null==(c=b.featurePolicy)||!c.allowedFeatures().includes(a))}var dm=!1;function  
em(){if(cm("join-ad-interest-  
group"))&&oa(nb.joinAdInterestGroup))return!0;dm||(nh('A751Xsk4ZW3DVQ8WZng2Dk5s3YzAyqnc  
Tzgv+VaE6wavgTY0QHkDvUTET1o7HanhJO8lgv1Vvc88lj78W1FIAAAAAB7eyJvcmlnaW4iOjodHRwcz  
ovL3d3dy5nb29nbGV0YWdtYW5hZ2VyLmNvbToONDMiLCJmZWF0dXJljoUHJpdmFjeVNhbmRib3hBZ
```

HNBUElzliwiZXhwaXJ5IjoxNjgwNjUyNzk5LCJpc1RoaXJkUGFydHkiOnRydWV9'),dm!=!0);return
cm("join-ad-interest-group")&&oa(nb.joinAdInterestGroup)}

function fm(a,b){var c=void 0;try{c=F.querySelector('iframe[data-tagging-
id="'+b+'"]')}catch(e){}if(c){var d=Number(c.dataset.loadTime);if(d&&6E4>z()-
d){Wa("TAGGING",9);return}}else try{if(50<=F.querySelectorAll('iframe[allow="join-ad-interest-
group"]的数据标签ID*="").length){Wa("TAGGING",10);return}}catch(e){}wb(a,void
0,{allow:"join-ad-interest-group"},{taggingId:b,loadTime:z()},c)}function gm(){return
N(60)?'https://td.doubleclick.net':'https://googleads.g.doubleclick.net'};var hm=RegExp("^UA-
\d+-\d+%\w[\w-]+(%2C[\w-]+)*(%3B%w-\d+-\d+%\w[\w-]+(%2C[\w-]+)*\$"),im=/^~?[\w-]+(%?.\~?[\w-]+)*\$/;jm=/^\d+.fls.doubleclick.net\$/;km=/;gac=([\w;?]+)/;lm=/;gacgb=([\w;?]+)/;mm=/;gclaw=([\w;?]+)/;nm=/;gclgb=([\w;?]+)/;

function om(a,b){if(jm.test(F.location.host)){var c=F.location.href.match(b);return
c&&2==c.length&&c[1].match(hm)?decodeURIComponent(c[1]):""}var d=[],e;for(e in a){for(var
f=[],g=a[e],l=0;l<g.length;l++)f.push(g[l].da);d.push(e+": "+f.join(", "));}return 0<d.length?d.join(";"):""}

var pm=function(a,b,c){var d=Fi()?Bi("_gac_gb",!0):{},e=[],f=!1,g;for(g in d){var
l=Zi("_gac_gb_"+g,a,b,c);f=f|!0==l.length&&l.some(function(m){return
1===(m)});e.push(g+": "+l.join(" "));}return{lj:f?e.join(";;"): "",kj:om(d,lm)};};function
qm(a,b,c){if(jm.test(F.location.host)){var
d=F.location.href.match(c);if(d&&2==d.length&&d[1].match(im))return[{da:d[1]}];}else return
Hi((a||"_gcl")+b);return[]}}

var rm=function(a){return qm(a,"_aw",mm).map(function(b){return
b.da}).join(".")},sm=function(a){return qm(a,"_gb",nm).map(function(b){return
b.da}).join(".")},tm=function(a,b){var c=Zi((b&&b.prefix||"_gcl")+"_gb",a,b);return
0===(c.length||c.every(function(d){return 0===(d)}))?"":c.join(".")},var
um=function(){if(oa(E.__uspapi)){var a="";try{E.__uspapi("getUSPData",1,function(b,c){if(c&&b){var
d=b.uspString;d&&RegExp("^\da-zA-Z-\d{1,20}\$").test(d)&&(a=d)}},catch(b){return a}};var
dn=function(a,b){var
c,d=E.GooglebQhCsO;d||(d={}),E.GooglebQhCsO=d;c=d;if(c[a])return!1;c[a]=[];c[a][0]=b;return!0};va
r en=function(a,b){var c=jh(a,"fmt");if(b){var d=jh(a,"random"),e=jh(a,"label")||"";if(!d)ret
urn!1;var f=Ql(decodeURIComponent(e.replace(/\+/g," "))+":"+decodeURIComponent(d.replace(/\+/g,"
")));if(!dn(f,b))return!1}c&&4!=c&&(a=lh(a,"rfmt",c));var
g=lh(a,"fmt",4);ub(g,function(){E.google_noFurtherRedirects&&b&&b.call&&(E.google_noFurtherRe
directs=null,b())},void 0,void 0,F.getElementsByTagName("script")[0].parentElement||void
0);return!0};var
vn=function(){this.h={}},wn=function(a,b,c){null!=c&&(a.h[b]=c)},xn=function(a){return
Object.keys(a.h).map(function(b){return
encodeURIComponent(b)+"="+encodeURIComponent(a.h[b]))}.join("&")},zn=function(a,b,c,d,e){fu
nction Bn(a,b){if(a){var
c=""";a;0!=c.indexOf("http://")&&0!=c.indexOf("https://")&&(c="https://"+c);"/"==c[c.length-
1]&&(c=c.substring(0,c.length-1));return Ve(""+c+b).href}}function Cn(a,b){return

```
de||fe?Bn(a,b):void 0}function
Dn(){return!!Ud.Vd&&"SGTM_TOKEN"!==Ud.Vd.split("@@").join("")};var
Fn=function(a,b,c,d){if(!En()&&!Xg(a)){var
e=c?"/gtag/js":"/gtm.js",f=?id="+encodeURIComponent(a)+"&l="+Ud.fa,g=0==a.indexOf("GTM-
");g||(f+="&cx=c");var l=Dn();l&&(f+="&sign="+Ud.Vd);var m=Cn(b,e+f);if(!m){var
n=Ud.ud+e;l&&ob&&g&&(n=ob.replace(/^(?:https?:\/\/)?(.+)/).split([?#][0]));m=mj("https://",
p://"n+f)Vg().container[a]={state:1,context:d};ub(m)}},Gn=function(a,b,c){var d;if(d!=En()){var
e=Vg().destination[a];d=!{e&&e.state}}if(d)if(Yg())Vg().destination[a]={state:0,transportUrl:b,
context:c},P(91);else{var
f="/gtag/destination?id="+encodeURIComponent(a)+"&l="+Ud.fa+"&cx=c";Dn()&&(f+="&sign="+Ud.
Vd);var
g=Cn(b,f);g||(g=mj("https://","http://" Ud.ud+f));Vg().destination[a]={state:1,context:c};ub(g)}},func
tion En(){if(Pg()){return!0}return!1};var Hn=new
RegExp(/^(.*\.)?(google|youtube|blogger|withgoogle)(\.\com?)?(\.a-
z){2})?\.\?$/),In={cl:["ecl"],customPixels:["nonGooglePixels"],ecl:["cl"],ehl:["hl"],hl:["ehl"],html:["cust
omScripts","customPixels","nonGooglePixels","nonGoogleScripts","nonGoogleIframes"],customScrip
ts:["html","customPixels","nonGooglePixels","nonGoogleScripts","nonGoogleIframes"],nonGooglePi
xels:[],nonGoogleScripts:["nonGooglePixels"],nonGoogleIframes:["nonGooglePixels"]},Jn={cl:["ecl"],c
ustomPixels:["customScripts","html"]},
ecl:["cl"],ehl:["hl"],hl:["ehl"],html:["customScripts"],customScripts:["html"],nonGooglePixels:["custo
mPixels","customScripts","html","nonGoogleScripts","nonGoogleIframes"],nonGoogleScripts:["custo
mScripts","html"],nonGoogleIframes:["customScripts","html","nonGoogleScripts"]},Kn="google
customPixels customScripts html nonGooglePixels nonGoogleScripts nonGoogleIframes".split(
"),Nn=function(a){var
b=ve("gtm.allowlist")||ve("gtm.whitelist");b&&P(9);be&&(b=[{"google","gtagfl","lcl","zone"]);Ln&&
Mn()&&
(b=[],window.console&&window.console.log&&window.console.log("GTM blocked. See
go/13687728."));var
c=b&&la(Ba(b),In),d=ve("gtm.blocklist")||ve("gtm.blacklist");d||(d=ve("tagTypeBlacklist"))&&P(3);d
?P(8):d=[];Mn()&&(d=Ba(d),d.push("nonGooglePixels","nonGoogleScripts","sandboxedScripts"));0<
Ba(d).indexOf("google")&&P(2);var e=d&&la(Ba(d),Jn),f={};return function(g){var
l=g&&g[Mb.Ra];if(!l||"string"!=typeof l) return!0;l=l.replace(/\*_/, "");if(void 0==f[l]) return f[l];var
m=ne[l]||[],n=a(l,m);if(b){var p;
if(p=n)a:{if(0>c.indexOf(l))if(m&&0<m.length)for(var
q=0;q<m.length;q++){if(0>c.indexOf(m[q])){P(11);p=!1;break a}}else{p=!1;break a}p=!0}n=p}var
t=!1;if(d){var u=0<=e.indexOf(l);if(u)t=u;else{var r=ua(e,m||[]);r&&P(10);t=r}}var
v=!n||t;v||!(0<=m.indexOf("sandboxedScripts"))||c&&-
1!==c.indexOf("sandboxedScripts")||(v=ua(e,Kn));return f[l]=v},Ln=!1;
var Mn=function(){return Hn.test(E.location&&E.location.hostname)};var
On={initialized:11,complete:12,interactive:13},Pn={},Qn=Object.freeze((Pn[R.g.xa]=!0,Pn)),Rn=0<=F.I
```

```

ocation.search.indexOf("?gtm_diagnostics=") | | 0<=F.location.search.indexOf("&gtm_diagnostics="),
Tn=function(a,b,c){if(rk&&"config"==a&&!(1<ij(b).l.length)){var
d,e=pb("google_tag_data",{});e.td|||e.td={};d=e.td;var f=J(c.D);J(c.h,f);var g=[],l;for(l in d){var
m=Sn(d[l],f);m.length&&(Rn&&console.log(m),g.push(l));}if(g.length){if(g.length){var
n=b+"*"+g.join(".");Bk=Bk?Bk+"!"+n:"&tdc="+n}Wa("TAGGING",
On[F.readyState] | | 14)}d[b]=f}};function Un(a,b){var c={},d;for(d in
b)b.hasOwnProperty(d)&&(c[d]=!0);for(var e in a)a.hasOwnProperty(e)&&(c[e]=!0);return c}function
Sn(a,b,c,d){c=void 0==c?{}:c;d=void 0==d?"":d;if(a==b) return[];var e=function(q,t){var
u=t[q];return void 0==u?Qn[q]:u},f;for(f in Un(a,b)){var
g=(d?d+"."+":")+f,l=e(f,a),m=e(f,b),n="object"==lb(l)||"array"==lb(l),p="object"==lb(m)||"array"=
==lb(m);if(n&&p)Sn(l,m,c,g);else if(n||p||!l==m)c[g]=!0}return Object.keys(c)};var
Vn=!1,Wn=0,Xn=[];function Yn(a){if(!Vn){var
b=F.createEventObject,c="complete"==F.readyState,d="interactive"==F.readyState;if(!a||"readystat
echange"!=a.type||c||!b&&d){Vn=!0;for(var
e=0;e<Xn.length;e++)G(Xn[e])}Xn.push=function(){for(var
f=0;f<arguments.length;f++)G(arguments[f]);return 0}}}}function
Zn(){if(!Vn&&140>Wn){Wn++;try{F.documentElement.doScroll("left"),Yn()}catch(a){E.setTimeout(Zn,
50)}}}var $n=function(a){Vn?a():Xn.push(a)};var
ao=function(a,b){return{entityType:1,indexInOriginContainer:a,nameInOriginContainer:b,originCont
ainerId:Qg.M}};var
co=function(a,b){this.h=!1;this.D=[];this.K={tags:[]};this.P=!1;this.m=this.B=0;bo(this,a,b)},eo=functio
n(a,b,c,d){if(Yd.hasOwnProperty(b)||"__zone"==b) return -1;var
e={};Kb(d)&&(e=J(d,e));e.id=c;e.status="timeout";return a.K.tags.push(e)-1},fo=function(a,b,c,d){var
e=a.K.tags[b];e&&(e.status=c,e.executionTime=d)},go=function(a){if(!a.h){for(var
b=a.D,c=0;c<b.length;c++)b[c]();a.h=!0;a.D.length=0}},bo=function(a,b,c){void
0==b&&ho(a,b);c&&E.setTimeout(function(){return go(a)},Number(c))},ho=
function(a,b){var c=Fa(function(){return
G(function(){b(Qg.M,a.K)});a.h?c():a.D.push(c)},io=function(a){a.B++;return
Fa(function(){a.m++;a.P&&a.m>=a.B&&go(a)}),jo=function(a){a.P=!0;a.m>=a.B&&go(a)});var
ko=function(){function
a(d){return!pa(d)||0>d?0:d}if(!Vd._li&&E.performance&&E.performance.timing){var
b=E.performance.timing.navigationStart,c=pa(we.get("gtm.start"))?we.get("gtm.start"):0;Vd._li={cst:
a(c-b),cbt:a(le-
b)}},lo=function(a){E.performance&&E.performance.mark(Qg.M+"_"+a+"_start")},mo=function(a){if
(E.performance){var
b=Qg.M+"_"+a+"_start",c=Qg.M+"_"+a+"_duration";E.performance.measure(c,b);var
d=E.performance.getEntriesByName(c)[0];E.performance.clearMarks(b);E.performance.clearMeasur
es(c)};
var e=Vd._p||{};void 0==e[a]&&(e[a]=d.duration,Vd._p=e);return d.duration}},no=function(){var
a=Gb();if(void 0==a){var b=Vd._p||{};b.PAGEVIEW=a;Vd._p=b}};var oo={},po=function(){return
E.GoogleAnalyticsObject&&E[E.GoogleAnalyticsObject]},qo=!1;var

```

```

ro=function(a){E.GoogleAnalyticsObject||(E.GoogleAnalyticsObject=a||"ga");var
b=E.GoogleAnalyticsObject;if(E[b])E.hasOwnProperty(b)||P(12);else{var
c=function(){c.q=c.q||[];c.q.push(arguments)};c.l=Number(Da());E[b]=c}ko();return
E[b]},so=function(a){if(Sf()){var b=po();b(a+"require","linker");b(a+"linker:passthrough",!0)}};

function to(){return E.GoogleAnalyticsObject||"ga"}

var ue=function(a){},ve=function(a,b){return function(){var
c=po(),d=c&&c.getByName&&c.getByName(a);if(d){var
e=d.get("sendHitTask");d.set("sendHitTask",function(f){var
g=f.get("hitPayload"),l=f.get("hitCallback"),m=0>g.indexOf("&tid="+b);m&&(f.set("hitPayload",g.repl
ace(/&tid=UA-[0-9]+-[0-9]+/, "&tid="+b),!0),f.set("hitCallback",void
0,!0));e(f);m&&(f.set("hitPayload",
g,!0).f.set("hitCallback",l,!0).f.set("_x_19",void 0,!0),e(f))))});function Ao(a,b,c,d){var
e=mc[a],f=Bo(a,b,c,d);if(!f) return null;var g=vc(e[Mb.Vg],c,[]);if(g&&g.length){var
l=g[0];f=Ao(l.index,{O:f,N:1==l.ih?b.terminate:f.terminate},c,d)}return f}

function Bo(a,b,c,d){function e(){if(f[Mb.Fi])l();else{var w=wc(f,c,[]),y=w[Mb.Oh];if(null!=y)for(var
x=0;x<y.length;x++)if(!eg(y[x])){l();return}var
A=eo(c.zb,String(f[Mb.Ra]),Number(f[Mb.Qc]),w[Mb.Gi]),B=!1;w.vtp_gtmOnSuccess=function(){if(!B)
{B=!0;var l=z()-
H;el(c.id,mc[a],"5",l);fo(c.zb,A,"success",l);g()};w.vtp_gtmOnFailure=function(){if(!B){B=!0;var l=z()-
H;el(c.id,mc[a],"6",l);fo(c.zb,A,"failure",l);l()}};w.vtp_gtmTagId=f.tag_id;w.vtp_gtmEventId=c.id;c.prio
rityId&&(w.vtp_gtmPriorityId=c.priorityId);

el(c.id,f,"1");var C=function(){var l=z()-H;el(c.id,f,"7",l);fo(c.zb,A,"exception",l);B||(B=!0,l());var
H=z();try{uc(w,{event:c,index:a,type:1})}catch(l){C(l)}};var
f=mc[a],g=b.O,l=b.N,m=b.terminate;if(c.nf(f))return null;var n=vc(f[Mb.Wg],c,[]);if(n&&n.length){var
p=n[0],q=Ao(p.index,{O:g,N:l,terminate:m},c,d);if(!q) return
null;g=q;l=2==p.ih?m:q;if(f[Mb.Rg]||f[Mb.li])var t=f[Mb.Rg]?nc:c.lk,u=g,r=l;if(!t[a]){e=Fa(e);var
v=Co(a,t,e);g=v.O;l=v.N}return function(){t[a](u,r)};return e

function Co(a,b,c){var d=[],e=[];b[a]=Do(d,e,c);return{O:function(){b[a]=Eo;for(var
f=0;f<d.length;f++)d[f]()},N:function(){b[a]=Fo;for(var f=0;f<e.length;f++)e[f]()}}};function
Do(a,b,c){return function(d,e){a.push(d);b.push(e);c()}};function Eo(a){a()};function Fo(a,b){b()};var
Ho=function(a,b){return
1==arguments.length?Go("config",a):Go("config",a,b)},lo=function(a,b,c){c=c||{};c[R.g.xb]=a;return
Go("event",b,c)};function Go(a){return arguments}var
Jo=function(){this.h=[];this.m=[]};Jo.prototype.enqueue=function(a,b,c){var
d=this.h.length+1;a["gtm.uniqueEventId"]=b;a["gtm.priorityId"]=d;c.eventId=b;c.fromContainerExec
ution=!0;c.priorityId=d;var
e={message:a,notBeforeEventId:b,priorityId:d,messageContext:c};this.h.push(e);for(var
f=0;f<this.m.length;f++)try{this.m[f](e)}catch(g){};Jo.prototype.listen=function(a){this.m.push(a)};

```

```

Jo.prototype.get=function(){for(var a={},b=0;b<this.h.length;b++){var
c=this.h[b],d=a[c.notBeforeEventId];d||(d=[],a[c.notBeforeEventId]=d);d.push(c)}return
a};Jo.prototype.prune=function(a){for(var b=[],c=[],d=0;d<this.h.length;d++){var
e=this.h[d];e.notBeforeEventId==a?b.push(e):c.push(e)}this.h=c;return b};var
Lo=function(a,b,c){Ko().enqueue(a,b,c)},No=function(){var a=Mo;Ko().listen(a)};function Ko(){var
a=Vd.mb;a||(a=new Jo,Vd.mb=a);return a}var Vo=function(a){var b=Vd.zones;return
b?b.getIsAllowedFn(Sg(),a):function(){return!0}},Wo=function(a){var b=Vd.zones;return
b?b.isActive(Sg(),a):!0};var Zo=function(a,b){for(var c=[],d=0;d<mc.length;d++){if(a[d]){\var
e=mc[d];var f=io(b.zb);try{var g=Ao(d,{O:f,N:f,terminate:f},b,d);if(g){var
l=c,m=l.push,n=d,p=e["function"];if(!p)throw"Error: No function name given for function call.";var
q=oc[p];m.call(l,{Fh:n,wh:q?q.priorityOverride||0:0,execute:g}})else
Xo(d,b,f())}catch(u){f()}c.sort(Yo);for(var t=0;t<c.length;t++)c[t].execute();return
0<c.length};function Yo(a,b){var c,d=b.wh,e=a.wh;c=d>e?1:d<e?-1:0;var f;if(0==c)f=c;else{var
g=a.Fh,l=b.Fh;f=g>l?1:g<l?-1:0}return f}

function Xo(a,b){if(rk){var c=function(d){var
e=b.nf(mc[d])?"3":"4",f=vc(mc[d][Mb.Vg],b,[]);f&&f.length&&c(f[0].index);el(b.id,mc[d],e);var
g=vc(mc[d][Mb.Wg],b,[]);g&&g.length&&c(g[0].index)};c(a)}}var bp=!1,$o;

var Ep=function(a){var
b=z(),c=a["gtm.uniqueEventId"],d=a["gtm.priorityId"],e=a.event;if("gtm.js"==e){if(bp)return!1;bp=!
0;}var
l,m=!1;if(Wo(c))l=Vo(c);else{if("gtm.js"!=e&&"gtm.init"!=e&&"gtm.init_consent"!=e)return!1;m=
!0;l=Vo(Number.MAX_SAFE_INTEGER)}dl(c,e);var n=a.eventCallback,p=a.eventTimeout,
q=n;var
t={id:c,priorityId:d,name:e,nf:Nn(l),lk:[],qh:function(){P(6);Wa("HEALTH",0)},ah:cp(),bh:dp(c),zb:new
co(q,p)},u=Ac(t);m&&(u=Cp(u));

var r=Zo(u,t),v=!1;jo(t.zb);"gtm.js"!=e&&"gtm.sync"!=e||uo(Qg.M);return Dp(u,r)||v};function
dp(a){return function(b){rk&&(Lb(b)||ml(a,"input",b))}}function cp(){var
a={};a.event=ze("event",1);a.ecommerce=ze("ecommerce",1);a.gtm=ze("gtm");a.eventModel=ze("ev
entModel");return a}

function Cp(a){for(var b=[],c=0;c<a.length;c++){if(a[c]){\var d=String(mc[c][Mb.Ra]);if(Xd[d]||void
0!=mc[c][Mb.Ji]||oe[d])b[c]=!0;N(58)||0!=mc[c][Mb.Ra].indexOf("__ccd")&&0!=mc[c][Mb.Ra].in
dexOf("__ogt")&&"__set_product_settings"!=mc[c][Mb.Ra]||(b[c]=!0)}return b}}function
Dp(a,b){if(!b)return b;for(var
c=0;c<a.length;c++)if(a[c]&&mc[c]&&!Yd[String(mc[c][Mb.Ra])])return!0;return!1}var
Gp=function(a,b,c,d){Fp.push("event",[b,a,c,d]);Hp=function(a,b,c,d){Fp.push("get",[a,b,c,d]);Ip=fu
nction(){this.status=1;this.D={};this.h={};this.K={};this.P=null;this.B={};this.m=!1},Jp=function(a,b,c,d){v
ar
e=z();this.type=a;this.m=e;this.W=b||"";this.h=c;this.messageContext=d},Kp=function(){this.m={};thi
s.B={};this.h=[]},Lp=function(a,b){var c=ij(b);return a.m[c.U]=a.m[c.U]||new

```

```

Ip},Mp=function(a,b,c,d){if(d.W){var e=Lp(a,d.W),f=e.P;if(f){var
g=J(c),l=J(e.D[d.W]),m=J(e.B),n=J(e.h),p=J(a.B),
q={};if(rk)try{q=J(se)}catch(v){P(72)}var
t=ij(d.W).prefix,u=function(v){ll(d.messageContext.eventId,t,v);var
w=g[R.g.Mb];w&&G(w)},r=Kl(lI(Hl(Gl(El(Dl(Fl(Cl(Bl(Al(new
zl(d.messageContext.eventId,d.messageContext.priorityId),g),l),m),n),p),q),d.messageContext.event
Metadata),function(){if(u){var v=u;u=void 0;v("2")}}),function(){if(u){var v=u;u=void
0;v("3")}});try{ll(d.messageContext.eventId,t,"1"),Tn(d.type,d.W,r),f(d.W,b,d.m,r)}catch(v){ll(d.mess
ageContext.eventId,t,"4")}}}};
Kp.prototype.register=function(a,b,c){var
d=Lp(this,a);3!==d.status&&(d.P=b,d.status=3,c&&(J(d.h,c),d.h=c),this.flush());Kp.prototype.push=fu
nction(a,b,c,d){if(void 0!==c){if(!ij(c))return;if(c){var
e=ij(c);e&&1==Lp(this,c).status&&(Lp(this,c).status=2,this.push("require",[],e.U,{}))}Lp(this,c).m&
&(d.deferrable=!1)}this.h.push(new Jp(a,c,b,d));d.deferrable| |this.flush()};
Kp.prototype.flush=function(a){for(var b=this,c=[],d=!1,e={};this.h.length;){var
f=this.h[0];if(f.messageContext.deferrable)!f.W||Lp(this,f.W).m?(f.messageContext.deferrable=!1,th
is.h.push(f)):c.push(f),this.h.shift();else{var g=void 0;switch(f.type){case
"require":g=Lp(this,f.W);if(3!==g.status&&!a){this.h.push.apply(this.h,c);return}break;case
"set":k(f.h[0],function(t,u){J(Ja(t,u),b.B)});break;case
"config":g=Lp(this,f.W);e.hb={};k(f.h[0],function(t){return function(u,r){J(Ja(u,r),t.hb)}(e)});}
var l=!!e.hb[R.g.Mc];delete e.hb[R.g.Mc];var
m=ij(f.W),n=m.U==m.id;l||(n?g.B={}:g.D[f.W]={});g.m&&l||Mp(this,R.g.va,e.hb,f);g.m=!0;n?J(e.hb,g
.B):(J(e.hb,g.D[f.W]),P(70));d=!0;break;case "event":g=Lp(this,f.W);e.nd={};k(f.h[0],function(t){return
function(u,r){J(Ja(u,r),t.nd)}(e)});Mp(this,f.h[1],e.nd,f);break;case "get":g=Lp(this,f.W);var
p={},q=(p[R.g.Qa]=f.h[0],p[R.g.ab]=f.h[1],p);Mp(this,R.g.Ca,q,f)}this.h.shift();Np(this,f)e={hb:e.hb,nd:
e.nd}this.h.push.apply(this.h,c);d&&this.flush()};
var Np=function(a,b){if("require"!==b.type)if(b.W)for(var
c=Lp(a,b.W).K[b.type]||[],d=0;d<c.length;d++)c[d]();else for(var e in
a.m)if(a.m.hasOwnProperty(e)){var f=a.m[e];if(f&&f.K)for(var
g=f.K[b.type]||[],l=0;l<g.length;l++)g[l]()}},Op=function(a,b){var
c=Fp,d=J(b);J(Lp(c,a).h,d);Lp(c,a).h=d,Fp=new Kp;var Pp={},Qp={},Rp=function(a){for(var
b=[],c=[],d={},e=0;e<a.length;d={sd:d.sd,pd:d.pd},e++){var f=a[e];if(0<=f.indexOf("-"
)){if(d.sd=ij(f),d.sd){var g=Tg();ra(g,function(q){return function(t){return
q.sd.U==t}(d))?b.push(f):c.push(f)}}else{var l=Pp[f]||[];d.pd={};l.forEach(function(q){return
function(t){return q.pd[t]=!0}})(d)}};for(var
m=Sg(),n=0;n<m.length;n++)if(d.pd[m[n]]){b=b.concat(Tg());break}var
p=Qp[f]||[];p.length&&(b=b.concat(p))}return{l:j:b,K:j:c}},Sp=function(a){k(Pp,function(b,c){var d=
c.indexOf(a);0<=d&&c.splice(d,1)}),Tp=function(a){k(Qp,function(b,c){var
d=c.indexOf(a);0<=d&&c.splice(d,1)});var Up="HA GF G UA AW DC MC".split(
"),Vp=!1,Wp=!1;function

```

```

Xp(a,b){a.hasOwnProperty("gtm.uniqueEventId")||Object.defineProperty(a,"gtm.uniqueEventId",{value:pe()});b.eventId=a["gtm.uniqueEventId"];b.priorityId=a["gtm.priorityId"];return{eventId:b.eventId,priorityId:b.priorityId}}

var Yp={config:function(a,b){var c=Xp(a,b);if(!(2>a.length)&&h(a[1])){var d={};if(2<a.length){if(void 0!=a[2]&&!Kb(a[2]))| |3<a.length)return;d=a[2]}var e=ij(a[1]);if(e){dl(c.eventId,"gtag.config");var f=e.U,g=e.id==f;if(g?-1==Tg().indexOf(f):-1==Sg().indexOf(f)){if(!N(61)||!d[R.g.Md])}{var l=d[R.g.na]||Fp.B[R.g.na];g?Gn(f,l,{source:2,fromContainerExecution:b.fromContainerExecution}):Fn(f,l,!0,{source:2,fromContainerExecution:b.fromContainerExecution})}}else{if(ae&&!g&&!d[R.g.Mc])}{var m=Wp;Wp=!0;

if(m)return}Vp||P(43);if(!b.noTargetGroup)if(g){Tp(e.id);var n=ee.id,p=d[R.g.Kd]||"default";p=String(p).split(",");for(var q=0;q<p.length;q++){var t=Qp[p[q]]||[];Qp[p[q]]=t;0>t.indexOf(n)&&t.push(n)}else{Sp(e.id);var u=ee.id,r=d[R.g.Kd]||"default";r=r.toString().split(",");for(var v=0;v<r.length;v++){var w=Pp[r[v]]||[];Pp[r[v]]=w;0>w.indexOf(u)&&w.push(u)}}delete d[R.g.Kd];var y=b.eventMetadata||{};y.hasOwnProperty("is_external_event")||(y.is_external_event=!b.fromContainerExecution);b.eventMetadata=y;delete d[R.g.Mb];for(var x=g?[e.id]:Tg(),A=0;A<x.length;A++){var B=J(b);Fp.push("config",[d,x[A],B]}},consent:function(a,b){if(3==a.length){P(39);var c=Xp(a,b),d=a[1];"default"==d?bg(a[2]):"update"==d&&dg(a[2],c)},event:function(a,b){var c=a[1];if(!(2>a.length)&&h(c)){var d;if(2<a.length){if(!Kb(a[2])&&void 0!=a[2]||3<a.length)return;d=a[2]}var e=d,f={},g=(f.event=c,f);e&&(g.eventModel=J(e),e[R.g.Mb]&&(g.eventCallback=e[R.g.Mb]),e[R.g.Fd]&&(g.eventTimeout=e[R.g.Fd]));var l=Xp(a,b),m=l.eventId,n=l.priorityId;g["gtm.uniqueEventId"]=m;n&&(g["gtm.priorityId"]=n);if("optimize.callback"==c){return g.eventModel=g.eventModel||{};g.var p;var q=d,t=q&&q[R.g.xb];void 0==t&&(t=ve(R.g.xb,2),void 0==t&&(t="default"));if(h(t)||qa(t)){var u=t.toString().replace(/\s+/g,"").split(","),r=Rp(u),v=r.Ij,w=r.Kj;if(w.length){for(var y=q&&q[R.g.na]||Fp.B[R.g.na],x=0;x<w.length;x++){var A=ij(w[x]);A&&Gn(A,U,y,{source:3,fromContainerExecution:b.fromContainerExecution})}p=kj(v)}else p=void 0;var B=p;if(B){dl(m,c);for(var C=[],H=0;H<B.length;H++){var I=B[H],D=J(b);if(-1!=Up.indexOf(I.prefix)){var K=J(d),O=D.eventMetadata||{};O.hasOwnProperty("is_external_event")||(O.is_external_event=!D.fromContainerExecution);D.eventMetadata=O;delete K[R.g.Mb];Gp(c,K,I.id,D)}C.push(I.id)}g.eventModel=g.eventModel||{};0<B.length?g.eventModel[R.g.xb]=C.join():delete g.eventModel[R.g.xb];Vp||P(43);return b.noGtmEvent?void 0:g}}},get:function(a,b){P(53);if(4==a.length&&h(a[1])&&h(a[2])&&oa(a[3])){var c=ij(a[1]),d=String(a[2]),e=a[3];if(c){Vp||P(43);var f=Fp.B[R.g.na];if(!ra(Tg()),function(l){return c.U==l}))Gn(c,U,f,{source:4,fromContainerExecution:b.fromContainerExecution});else if(-1!=Up.indexOf(c.prefix)){Xp(a,b);var

```

```
g={};Yf(({g[R.g.Qa]=d,g[R.g.ab]=e,g)});Hp(d,function(l){G(function(){return e(l)}},c,i,d,b)}},js:function(a,b){if(2==a.length&&a[1].getTime){Vp=!0;var c=Xp(a,b),d=c.eventId,e=c.priorityId,f={};return f.event="gtm.js",f["gtm.start"]=a[1].getTime(),f["gtm.uniqueEventId"]=d,f["gtm.priorityId"]=e,f},poli cy:function(){}},

set:function(a,b){var c;2==a.length&&Kb(a[1])?c=J(a[1]):3==a.length&&h(a[1])&&(c={},Kb(a[2])||qa(a[2])?c[a[1]]=J(a[2]):c[a[1]]=a[2]);if(c){var d=Xp(a,b),e=d.eventId,f=d.priorityId,J(c);var g=J(c);Fp.push("set",[g],void 0,b);c["gtm.uniqueEventId"]=e;f&&(c["gtm.priorityId"]=f);N(30)&&delete c.event;b.overwriteModelFields=!0;return c}}},Zp={policy:!0};var $p=function(a){var b=E[Ud.fa].hide;if(b&&void 0!==b[a]&&b.end){b[a]=!1;var c=!0,d;for(d in b)if(b.hasOwnProperty(d)&&!0===b[d]){c=!1;break}c&&(b.end(),b.end=null)}},aq=function(a){var b=E[Ud.fa],c=b&&b.hide;c&&c.end&&(c[a]=!0);var bq=!1,cq=[];function dq(){if(!bq){bq=!0;for(var a=0;a<cq.length;a++)G(cq[a])}}var eq=function(a){bq?G(a):cq.push(a)};var vq=function(a){if(uq(a))return a;this.h=a};vq.prototype.getUntrustedMessageValue=function(){return this.h};var uq=function(a){return!a||"object"!=lb(a)||Kb(a)?!1:"getUntrustedMessageValue"in a};vq.prototype.getUntrustedMessageValue=vq.prototype.getUntrustedMessageValue;var wq=0,xq={},yq=[],zq[],Aq=!1,Bq=!1;function Cq(a,b){return a.messageContext.eventId- b.messageContext.eventId|a.messageContext.priorityId-b.messageContext.priorityId}var Dq=function(a){return E[Ud.fa].push(a)},Eq=function(a,b){var c=Vd[Ud.fa],d=c?c.subscribers:1,e=0,f=!1,g=void 0;b&&(g=E.setTimeout(function(){f||(f=!0,a());g=void 0},b));return function(){++e==d&&(g&&(E.clearTimeout(g),g=void 0),f||(a(),f=!0))}};

function Fq(a,b){var c=a._clear||b.overwriteModelFields;k(a,function(e,f){"_clear"!=e&&(c&&ye(e),ye(e,f))});ke||((ke=a["gtm.start"]);var d=a["gtm.uniqueEventId"];if(!a.event)return!1;"number"!=typeof d&&(d=pe()),a["gtm.uniqueEventId"]=d,ye("gtm.uniqueEventId",d));return Ep(a)}

function Gq(a){if(null==a||"object"!=typeof a)return!1;if(a.event) return!0;if(xa(a)){var b=a[0];if("config"==b||"event"==b||"js"==b||"get"==b) return!0}return!1}

function Hq(){var a;if(zq.length)a=zq.shift();else if(yq.length)a=yq.shift();else return;var b;var c=a;if(Aq||!Gq(c.message))b=c;else{Aq=!0;var d=c.message["gtm.uniqueEventId"],"number"!=typeof d&&(d=c.message["gtm.uniqueEventId"])=pe();var e={},f={message:(e.event="gtm.init_consent",e["gtm.uniqueEventId"]=d-2,e),messageContext:{eventId:d-2},g={},l={message:(g.event="gtm.init",g["gtm.uniqueEventId"]=d-1,g),messageContext:{eventId:d-1}}};yq.unshift(l,c);if(rk&&Qg.M){var m;if(Qg.Ve){var n=Qg.M,p=Vg().destination[n];m=p&&p.context}else{var q=Qg.M,t=Vg().container[q];m=t&&t.context}}var u=m,r,v=Ve(E.location.href);r=v.hostname+v.pathname;var
```

```

w=u&&u.fromContainerExecution,y=u&&u.source,x=Qg.M,A=Qg.Hb,B=Qg.Ve;Dk| |(Dk=r);Ck.push(x+
";"+A+";"+(w?1:0)+";"+(y|10)+";"+(B?1:0))}b=f}return b}

function Iq(){for(var a=!1,b;!Bq&&(b=Hq()));}{Bq=!0;delete se.eventModel;ue();var
c=b,d=c.message,e=c.messageContext;if(null==d)Bq=!1;else{if(e.fromContainerExecution)for(var
f=["gtm.allowlist","gtm.blocklist","gtm.whitelist","gtm.blacklist","tagTypeBlacklist"],g=0;g<f.length;g++)
++}{var l=f[g],m=ve(l,1);if(qa(m)| |Kb(m))m=J(m);te[l]=m}try{if(oa(d))try{d.call(we)}catch(C){}else
if(qa(d)){var n=
d;if(h(n[0])){var
p=n[0].split("."),q=p.pop(),t=n.slice(1),u=ve(p.join("."),2);if(null!=u)try{u[q].apply(u,t)}catch(C){}}else
{var r=void 0,v=!1;if(xa(d)){a:{if(d.length&&h(d[0])){var
w=Yp[d[0]];if(w&&(!e.fromContainerExecution||!Zp[d[0]])){r=w(d,e);break a}}r=void
0}{v=r&&"set"==d[0]&&!!r.event)&&P(101)}else r=d;if(r){var
y=Fq(r,e);a=y| |a;v&&y&&P(113)}}}finally{e.fromContainerExecution&&ue(!0);var
x=d["gtm.uniqueEventId"];if("number"==typeof x){for(var
A=xq[String(x)]||[],B=0;B<A.length;B++)zq.push(Jq(A[B]));
A.length&&zq.sort(Cq);delete xq[String(x)];x>wq&&(wq=x)}Bq=!1}}}return!a}function Kq(){var
b=Iq();try{$p(Qg.M)}catch(c){}return b}

function Mo(a){if(wq<a.notBeforeEventId){var
b=String(a.notBeforeEventId);xq[b]=xq[b]| |[];xq[b].push(a)}else
zq.push(Jq(a)),zq.sort(Cq),G(function(){Bq| |Iq()})}function
Jq(a){return{message:a.message,messageContext:a.messageContext}}

var Mq=function(){function a(f){var g={};if(uq(f)){var l=f;f=uq(l)?l.getUntrustedMessageValue():void
0;g.fromContainerExecution=!0}return{message:f,messageContext:g}}var
b=pb(Ud.fa,[]),c=Vd[Ud.fa]=Vd[Ud.fa]| |{};!0==c.pruned&&P(83);xq=Ko().get();No();$n(function(){if(
!c.gtmDom){c.gtmDom=!0;var
f={};b.push({f.event="gtm.dom",f}))});eq(function(){if(!c.gtmLoad){c.gtmLoad=!0;var
f={};b.push({f.event="gtm.load",f}))});c.subscribers=(c.subscribers| |0)+1;var
d=b.push;b.push=function(){var f;if(0<Vd.SANDBOXED_JS_SEMAPHORE){f=
[];for(var g=0;g<arguments.length;g++)f[g]=new vq(arguments[g])}else
f=[].slice.call(arguments,0);var l=f.map(function(q){return a(q)});yq.push.apply(yq,l);var
m=d.apply(b,f),n=Math.max(100,Number("1000")| |300);if(this.length>n)for(P(4),c.pruned=!0;this.le
ngth>n;)this.shift();var p="boolean"!=typeof m| |m;return Iq()&&p};var
e=b.slice(0).map(function(f){return a(f)});yq.push.apply(yq,e);if(Lq()| |G(Kq))},Lq=function(){var
a=!0;return a};function Nq(a){if(null==a| |0==a.length)return!1;var b=Number(a),c=z();return
b<c+3E5&&b>c-9E5}function Oq(a){return a&&0==a.indexOf("pending:")?Nq(a.substr(8)):!1};var
rc={};rc.Rd=new String("undefined");var
or=E.clearTimeout,pr=E.setTimeout,V=function(a,b,c,d){if(Pg())| |b&&G(b)}else return
ub(a,b,c,d)},qr=function(){return new Date},rr=function(){return
E.location.href},sr=function(a){return Te(Ve(a),"fragment")},tr=function(a){return
Ue(Ve(a))},ur=function(a,b){return ve(a,b| |2)},vr=function(a,b,c){var

```

```

d;b?(a.eventCallback=b,c&&(a.eventTimeout=c),d=Dq(a)):d=Dq(a);return
d},wr=function(a,b){E[a]=b},W=function(a,b,c){b&&
(void 0==E[a]||c&&!E[a])&&(E[a]=b);return E[a]},xr=function(a,b,c){return pg(a,b,void
0==c?!0:!c)},yr=function(a,b,c){return 0==Fg(a,b,c)},zr=function(a,b){if(Pg()){b&&G(b)}else
wb(a,b)},Ar=function(a){return!!Vq(a,"init",!1)},Br=function(a){Tq(a,"init",!0)},Cr=function(a,b,c){rk&
&(Lb(a)||ml(c,b,a))};

var
$r=["matches","webkitMatchesSelector","mozMatchesSelector","msMatchesSelector","oMatchesSe
lector"];function as(a,b){a=String(a);b=String(b);var c=a.length-b.length;return
0<=c&&a.indexOf(b,c)===c}var bs=new ta;function cs(a,b,c){var d=c?"i":void 0;try{var
e=String(b)+d,f=bs.get(e);f||(f=new RegExp(b,d),bs.set(e,f));return f.test(a)}catch(g){return!1}}

function ds(a,b){function c(g){var
l=Ve(g),m=Te(l,"protocol"),n=Te(l,"host",!0),p=Te(l,"port"),q=Te(l,"path").toLowerCase().replace(/\$/,
"/");if(void
0==m||"http"==m&&"80"==p||"https"==m&&"443"==p)m="web",p="default";return[m,n,p,q
]}for(var d=c(String(a)),e=c(String(b)),f=0;f<d.length;f++)if(d[f]==e[f])return!1;return!0}

function es(a){return fs(a)?1:0}

function fs(a){var b=a.arg0,c=a.arg1;if(a.any_of&&Array.isArray(c)){for(var d=0;d<c.length;d++){var
e=J(a,{});J({arg1:c[d],any_of:void 0},e);if(es(e))return!0}return!1}switch(a["function"]){case
"_cn":return 0<=String(b).indexOf(String(c));case "_css":var f;a:{if(b)try{for(var
g=0;g<$r.length;g++){var l=$r[g];if(b[l]){f=b[l](c);break a}}}catch(m){f=!1}return f;case "_ew":return
as(b,c);case "_eq":return String(b)==String(c);case "_ge":return Number(b)>=Number(c);case
"_gt":return Number(b)>Number(c);

case "_lc":return 0<=String(b).split(",").indexOf(String(c));case "_le":return
Number(b)<=Number(c);case "_lt":return Number(b)<Number(c);case "_re":return
cs(b,c,a.ignore_case);case "_sw":return 0==String(b).indexOf(String(c));case "_um":return
ds(b,c)}return!1};Object.freeze({dl:1,id:1});Object.freeze(["config","event","get","set"]);function
xs(){return E.gaGlobal=E.gaGlobal||{};var ys=function(){var a=xs();a.hid=a.hid||sa();return
a.hid},zs=function(a,b){var c=xs();if(void 0==c.vid||b&&!c.from_cookie)c.vid=a,c.from_cookie=b};var
Ws=function(){var a=!0;Oh(7)&&Oh(9)&&Oh(10)||!(a=!1);return a},Xs=function(){var
a=!0;Oh(3)&&Oh(4)||!(a=!1);return a};var zt=window,At=document,Bt=function(a){var
b=zt._gaUserPrefs;if(b&&b.ioo&&b.ioo())|a&&!0==zt["ga-disable-"+a])return!0;try{var
c=zt.external;if(c&&c._gaUserPrefs&&"oo"==c._gaUserPrefs)return!0}catch(f){}for(var
d=jg("AMP_TOKEN",String(At.cookie),!0),e=0;e<d.length;e++)if("$OPT_OUT"==d[e])return!0;return
At.getElementById("__gaOptOutExtension")?!0:!1};

function Jt(a){k(a,function(c){"_"==c.charAt(0)&&delete a[c]});var
b=a[R.g.Ma]||{};k(b,function(c){"_"==c.charAt(0)&&delete b[c]});var St=function(a,b){};function
Rt(a,b){var c=function(){};return c}

function Tt(a,b,c){};

```

```

var Yu=function(a,b){if(!b.C){var c=U(b,R.g.Qa),d=U(b,R.g.ab),e=U(b,c);if(void 0==e){var f=void
0;Vu.hasOwnProperty(c)?f=Vu[c]:Wu.hasOwnProperty(c)&&(f=Wu[c]);1==f&&(f=Xu(c));h(f)?po()(fu
nction(){var g=po().getByName(a).get(f);d(g)}):d(void 0)}else d(e)}},Zu=function(a,b){var
c=a[R.g.Jc],d=b+".",e=a[R.g.T]||"",f=void
0==c?!!a.use_anchor:"fragment"==c,g=!!a[R.g.Qb];e=String(e).replace(/\s+/g,"").split(",");var
l=po();l(d+"require","linker");l(d+"linker:autoLink",e,f,g)},cv=function(a,b,c){if(Sf())&&
(!c.C||!$u[a])}{var d=!eg(R.g.R),e=function(f){var
g,l,m=po(),n=av(b,"",c),p,q=n.createOnlyFields._useUp;if(c.C||bv(b,n.createOnlyFields)){c.C&&(g="gt
m"+pe(),l=n.createOnlyFields,n.gtmTrackerName&&(l.name=g));m(function(){var
u=m.getByName(b);u&&(p=u.get("clientId"));c.C||m.remove(b));m("create",a,c.C?l:n.createOnlyFie
lds);d&&
eg(R.g.R)&&(d!=1,m(function(){var
u=po().getByName(c.C?g:b);!u||u.get("clientId")==p&&q||(c.C?(n.fieldsToSet["&gcu"]="1",n.fieldsT
oSet["&gcut"]=Rd[f]):(n.fieldsToSend["&gcu"]="1",n.fieldsToSend["&gcut"]=Rd[f]),u.set(n.fieldsToSet
),c.C?u.send("pageview"):u.send("pageview",n.fieldsToSend))});c.C&&m(function(){m.remove(g)}));
gg(function(){return e(R.g.R)},R.g.R);gg(function(){return
e(R.g.F)},R.g.F);c.C&&($u[a]!=0)},dv=function(a,b){Dn()&&b&&(a[R.g.vb]=b)},mv=function(a,b,c){fun
ction d(){var D=U(c,
R.g.Dc);l(function(){if(!c.C&&Kb(D)){var K=r.fieldsToSend,O=m().getByName(n),S;for(S in
D)if(D.hasOwnProperty(S)&&/^(dimension|metric)\d+/.test(S)&&void 0!=D[S]){var
ia=O.get(Xu(D[S]));ev(K,S,ia)}}}function e(){if(r.displayfeatures){var D=_dc_gtm_+f.replace(/[^A-
Za-z0-9-]/g,"");p("require","displayfeatures",void 0,{cookieName:D})}}var
f=a,g="https://www.google-
analytics.com/analytics.js",l=c.C?ro(U(c,"gaFunctionName")):ro();if(oa(l)){var
m=po,n;c.C?n=U(c,"name")||U(c,"gtmTrackerName"):n="gtag_+
f.split("-").join("_");var p=function(D){var
K=[].slice.call(arguments,0);K[0]=n?n+": "+K[0]:"";+K[0];l.apply(window,K)},q=function(D){var
K=function(X,T){for(var Q=0;T&&Q<T.length;Q++)p(X,T[Q])},O=c.C,S=O?fv(r):gv(b,c);if(S){var
ia={};dv(ia,D);p("require","ec","ec.js",ia);O&&S.df&&p("set","&cu",S.df);var
M=S.action;if(O||"impressions"==M)if(K("ec:addImpression",S.nh),!O)return;if("promo_click"==M
||"promo_view"==M||O&&S.gd){var
L=S.gd;K("ec:addPromo",L);if(L&&0<L.length&&"promo_click"==M){O?p("ec:setAction",
M,S.Sa):p("ec:setAction",M);return}if(!O)return}"promo_view"!=M&&"impressions"!=M&&(K("ec:
addProduct",S.Bb),p("ec:setAction",M,S.Sa))},t=function(D){if(D){var K={};if(Kb(D))for(var O in
hv)hv.hasOwnProperty(O)&&iv(hv[O],O,D[O],K);dv(K,y);p("require","linkid",K)}},u=function(){if(Pg()){
}else{var
D=U(c,R.g.mi);D&&(p("require",D,{dataLayer:Ud.fa}),p("require","render"))},r=av(n,b,c),v=function(
D,K,O){O&&(K=""+K);r.fieldsToSend[D]=
K};!c.C&&bv(n,r.createOnlyFields)&&(l(function(){m()&&m().remove(n)}),jv[n]=-1);l("create",f,r.creat
eOnlyFields);if(r.createOnlyFields[R.g.vb]&&!c.C){var

```

```

w=Cn(r.createOnlyFields[R.g.vb],"analytics.js");w&&(g=w){var
y=c.C?r.fieldsToSet[R.g.vb]:r.createOnlyFields[R.g.vb];if(y){var
x=c.C?r.fieldsToSet[R.g.Hd]:r.createOnlyFields[R.g.Hd];x&&!jv[n]&&(jv[n]!=0,l(vo(n,x)))}c.C?r.enableR
ecaptcha&&p("require","recaptcha","recaptcha.js):(d(),t(r.linkAttribution));var
A=r[R.g.ra];A&&A[R.g.T]&&Zu(A,n);p("set",
r.fieldsToSet);if(c.C){if(r.enableLinkId){var
B={};dv(B,y);p("require","linkid","linkid.js",B)}Sf()&&cv(f,n,c){if(b==R.g.qc){if(c.C){e();if(r.remarketing
Lists){var C=_dc_gtm_+f.replace(/[^A-Za-z0-9-
]/g,"");p("require","adfeatures",{cookieName:C})}q(y);p("send","pageview");r.createOnlyFields._use
Up&&so(n+"."})else u(),p("send","pageview",r.fieldsToSend);else
b==R.g.va?(u(),Nj(f,c),U(c,R.g.cb)&&(Yi(["aw","dc"]),so(n+".")),0!=r.sendPageView&&p("send","pag
eview",r.fieldsToSend),cv(f,n,c)):b==R.g.Ca?

Yu(n,c):"screen_view"==b?p("send","screenview",r.fieldsToSend):"timing_complete"==b?(r.fields
ToSend.hitType="timing",v("timingCategory",r.eventCategory,!0),c.C?v("timingVar",r.timingVar,!0):v
("timingVar",r.name,!0),v("timingValue",za(r.value)),void
0!=r.eventLabel&&v("timingLabel",r.eventLabel,!0),p("send",r.fieldsToSend)):"exception"==b?p("s
end","exception",r.fieldsToSend):""==b&&c.C||("track_social"==b&&c.C?(r.fieldsToSend.hitType=
"social",v("socialNetwork",r.socialNetwork,!0),v("socialAction",
r.socialAction,!0),v("socialTarget",r.socialTarget,!0)):((c.C||kv[b])&&q(y),c.C&&e(),r.fieldsToSend.hit
Type="event",v("eventCategory",r.eventCategory,!0),v("eventAction",r.eventAction||b,!0),void
0!=r.eventLabel&&v("eventLabel",r.eventLabel,!0),void
0!=r.value&&v("eventValue",za(r.value)),p("send",r.fieldsToSend));if(!lv&&!c.C){lv=!0;ko();var
H=function(){c.N();l=function(){m().loaded||H();Pg()?G(l):ub(g,l,H)}}else
G(c.N),nv=function(a,b,c,d){hg(function(){mv(a,b,d)},{R.g.R,R.g.F})},qv=function(a,
b){function c(f){function g(n,p){for(var q=0;q<p.length;q++){var
t=p[q];if(f[t]){m[n]=f[t];break}}}function l(){if(f.category)m.category=f.category;else{for(var
n="",p=0;p<ov.length;p++)void 0!=f[ov[p]]&&(n&&(n+="/"),n+=f[ov[p]]);n&&(m.category=n)}}var
m=j(f);if(pv||b)g("id","id","item_id","promotion_id"),g("name","name","item_name","promotion
_name"),g("brand","brand","item_brand"),g("variant","variant","item_variant"),g("list","list_na
me","item_list_name"),g("position","list_position",
"creative_slot","index")),l();g("listPosition","list_position");g("creative","creative_name");g("list",
"list_name");g("position","list_position","creative_slot");return m}b=void 0==b?!1:b;for(var
d=[],e=0;a&&e<a.length;e++)a[e]&&Kb(a[e])&&d.push(c(a[e]));return d.length?d:void
0},rv=function(a){return eg(a)},sv=!1;var pv=!1;

pv=!0;var
lv,jv={},$u={},tv={},Vu=Object.freeze({tv.client_storage="storage",tv.sample_rate=1,tv.site_speed_sa
mple_rate=1,tv.store_gac=1,tv.use_amp_client_id=1,tv[R.g.kb]=1,tv[R.g.qa]="storeGac",tv[R.g.Ya]=1
,tv[R.g.la]=1,tv[R.g.Za]=1,tv[R.g.Bc]=1,tv[R.g.ze]=1,tv[R.g.ub]=1,tv}),uv={},vv=Object.freeze({uv._cs=1,
uv._useUp=1,uv.allowAnchor=1,uv.allowLinker=1,uv.alwaysSendReferrer=1,uv.clientId=1,uv.cookieD
omain=1,uv.cookieExpires=1,uv.cookieFlags=

```

1,uv.cookieName=1,uv.cookiePath=1,uv.cookieUpdate=1,uv.legacyCookieDomain=1,uv.legacyHistor
yImport=1,uv.name=1,uv.sampleRate=1,uv.siteSpeedSampleRate=1,uv.storage=1,uv.storeGac=1,uv.
useAmpClientId=1,uv._cd2l=1,uv)),wv=Object.freeze({anonymize_ip:1}),xv={},Wu=Object.freeze((xv.
campaign={content:"campaignContent",id:"campaignId",medium:"campaignMedium",name:"campa
ignName",source:"campaignSource",term:"campaignKeyword"},xv.app_id=1,xv.app_installer_id=1,x
v.app_name=1,xv.app_version=1,xv.description=
"exDescription",xv.fatal="exFatal",xv.language=1,xv.page_hostname="hostname",xv.transport_type
="transport",xv[R.g.ma]="currencyCode",xv[R.g.og]=1,xv[R.g.Ka]="location",xv[R.g.Ge]="page",xv[R.
g.La]="referrer",xv[R.g.Sb]="title",xv[R.g.wg]=1,xv[R.g.sa]=1,xv)),yv={},zv=Object.freeze((yv.content_i
d=1,yv.event_action=1,yv.event_category=1,yv.event_label=1,yv.link_attribution=1,yv.name=1,yv[R.
g.ra]=1,yv[R.g.ng]=1,yv[R.g.xa]=1,yv[R.g.ka]=1,yv)),Av=Object.freeze({displayfeatures:1,enableLinkId:
1,enableRecaptcha:1,
eventAction:1,eventCategory:1,eventLabel:1,gaFunctionName:1,gtmEcommerceData:1,gtmTrackerN
ame:1,linker:1,remarketingLists:1,socialAction:1,socialNetwork:1,socialTarget:1,timingVar:1,value:1
),ov=Object.freeze(["item_category","item_category2","item_category3","item_category4","item_c
ategory5"]),Bv={},hv=Object.freeze((Bv.levels=1,Bv[R.g.la]="duration",Bv[R.g.Bc]=1,Bv)),Cv={},Dv=Ob
ject.freeze((Cv.anonymize_ip=1,Cv.fatal=1,Cv.send_page_view=1,Cv.store_gac=1,Cv.use_amp_client
_id=1,Cv[R.g.qa]=1,Cv[R.g.og]=
1,Cv)),iv=function(a,b,c,d){if(void 0!==c)if(Dv[b]&&(c=Aa(c)),"anonymize_ip"!=b||c||(c=void
0),1==a)d[Xu(b)]=c;else if(h(a))d[a]=c;else for(var e in a)a.hasOwnProperty(e)&&void
0!=c[e]&&(d[a[e]]=c[e])),Xu=function(a){return a&&h(a)?a.replace(/[_a-z]/g,function(b){return
b[1].toUpperCase()}):a},Ev={},kv=Object.freeze((Ev.checkout_progress=1,Ev.select_content=1,Ev.set
_checkout_option=1,Ev[R.g.kc]=1,Ev[R.g.mc]=1,Ev[R.g.lb]=1,Ev[R.g.nc]=1,Ev[R.g.sb]=1,Ev[R.g.Jb]=1,E
v[R.g.tb]=1,Ev[R.g.Ba]=1,Ev[R.g.oc]=
1,Ev[R.g.Ha]=1,Ev)),Fv={},Gv=Object.freeze((Fv.checkout_progress=1,Fv.set_checkout_option=1,Fv[R.
g.Pf]=1,Fv[R.g.Qf]=1,Fv[R.g.kc]=1,Fv[R.g.mc]=1,Fv[R.g.Rf]=1,Fv[R.g.lb]=1,Fv[R.g.Ba]=1,Fv[R.g.oc]=1,Fv
[R.g.Sf]=1,Fv)),Hv={},lv=Object.freeze((Hv.generate_lead=1,Hv.login=1,Hv.search=1,Hv.select_content=1,Hv.share=1,Hv.s
ign_up=1,Hv.view_search_results=1,Hv[R.g.nc]=1,Hv[R.g.sb]=1,Hv[R.g.Jb]=1,Hv[R.g.tb]=1,Hv[R.g.Ha]=1,Hv)),Jv=fun
ction(a){var
b="general";Gv[a]?b="ecommerce":lv[a]?b="engagement":"exception"===
a&&(b="error");return
b},Kv={},Lv=Object.freeze((Kv.view_search_results=1,Kv[R.g.sb]=1,Kv[R.g.tb]=1,Kv[R.g.Ha]=1,Kv)),ev=
function(a,b,c){a.hasOwnProperty(b)|| (a[b]=c)},Mv=function(a){if(qa(a)){for(var
b=[],c=0;c<a.length;c++){var d=a[c];if(void 0!=d){var e=d.id,f=d.variant;void 0!=e&&void
0!=f&&b.push(String(e)+"."+String(f))}}return 0<b.length?b.join("!"):void 0}},av=function(a,b,c){var
d=function(K){return
U(c,K)},e={},f={},g={},l={},m=Mv(d(R.g.li));!c.C&&m&&ev(f,"exp",m);g[">m"]=bh(!0);Sf()&&
(l._cs=rv);var n=d(R.g.Dc);if(!c.C&&Kb(n))for(var p in
n)if(n.hasOwnProperty(p)&&/^dimension|metric|\d+\$/test(p)&&void 0!=n[p])var
q=d(String(n[p]));void 0==q&&ev(f,p,q)}for(var t=wl(c),u=0;u<t.length;u++)var r=t[u];if(c.C){var

```

v=d(r);Av.hasOwnProperty(r)?e[r]=v:vv.hasOwnProperty(r)?l[r]=v:g[r]=v}else{var w=void
0;w=r!==R.g.aa?d(r):xl(c,r);if(zv.hasOwnProperty(r))iv(zv[r],r,w,e);else
if(wv.hasOwnProperty(r))iv(wv[r],r,w,g);else if(Wu.hasOwnProperty(r))iv(Wu[r],r,w,f);else
if(Vu.hasOwnProperty(r))iv(Vu[r],
r,w,l);else if(/^\w+$/i.test(r))iv(1,r,w,f);else
if(r==R.g.aa){if(lsv){var y=La(w);y&&(f["&did"]的文化=y)}var x=void 0,A=void
0;b==R.g.va?x=La(xl(c,r),"."):(x=La(xl(c,r,1),"."),A=La(xl(c,r,2),"."));x&&(f["&gdid"]的文化=x);A&&(f["&edid"]
)=A)}else
r==R.g.Pa&&0>t.indexOf(R.g.Bc)&&(l.cookieName=w+"_ga")}{!1==d(R.g.bi)&&!1==d(R.g.uc)&&W
s()||(g.allowAdFeatures=!1);!1==d(R.g.X)&&Xs()||(g.allowAdPersonalizationSignals=!1);!c.C&&d(R.g
.cb)&&(l._useUp!=0);if(c.C){l.name|e.gtmTrackerName;
var
B=g.hitCallback;g.hitCallback=function(){oa(B)&&B();c.O()}else{ev(l,"cookieDomain","auto");ev(g,"fo
rceSSL",!0);ev(e,"eventCategory",Jv(b));Lv[b]&&ev(f,"nonInteraction",!0); "login"==b||"sign_up"==
b||"share"==b?ev(e,"eventLabel",d(R.g.ng)):"search"==b||"view_search_results"==b?ev(e,"eve
ntLabel",d(R.g.vi)):"select_content"==b&&ev(e,"eventLabel",d(R.g.ei));var
C=e[R.g.ra]||[],H=C[R.g.Pb];H||0!=H&&C[R.g.T]?l.allowLinker=!0:!1==H&&ev(l,"useAmpClientId",!1
);f.hitCallback=c.O;l.name=a}Sf()&&(g["&gcs"]的文化
fg(),eg(R.g.R)||(!l.storage=="none"),eg(R.g.F)||(!g.allowAdFeatures=!1,l.storeGac=!1));var
l=d(R.g.na)||d(R.g.vb),D=d(R.g.Hd);l&&(c.C||(l[R.g.vb]==l),l._cd2l!=0);D&&!c.C&&(l[R.g.Hd]==D);e.field
sToSend=f;e.fieldsToSet=g;e.createOnlyFields=l;return e},fv=function(a){var
b=a.gtmEcommerceData;if(!b) return null;var
c={};b.currencyCode&&(c.df=b.currencyCode);if(b.impressions){c.action="impressions";var
d=b.impressions;c.nh="impressions"==b.translateIfKeyEquals?qv(d,!0):d}if(b.promoView){c.action=
"promo_view";
var
e=b.promoView.promotions;c.gd="promoView"==b.translateIfKeyEquals?qv(e,!0):e}if(b.promoClick
){c.action="promo_click";var
f=b.promoClick.promotions;c.gd="promoClick"==b.translateIfKeyEquals?qv(f,!0):f;c.Sa=b.promoClic
k.actionField;return c}for(var g in
b)if(b.hasOwnProperty(g)&&"translateIfKeyEquals"!=g&&"impressions"!=g&&"promoView"!=g&
&"promoClick"!=g&&"currencyCode"!=g){c.action=g;var
l=b[g].products;c.Bb="products"==b.translateIfKeyEquals?qv(l,!0):l;c.Sa=b[g].actionField;break}retu
rn Object.keys(c).length?
c:null},gv=function(a,b){function
c(v){return{id:d(R.g.Ea),affiliation:d(R.g.ii),revenue:d(R.g.ka),tax:d(R.g.Zf),shipping:d(R.g.Ec),coupon:
d(R.g.ji),list:e()||v}for(var d=function(v){return U(b,v)},e=function(){var v;pv&&(v=d(R.g.Xf));return
d(R.g.Yf)||v},f=d(R.g.Z),g,l=0;f&&l<f.length&&(g=f[l][R.g.Yf],!g&&pv&&(g=f[l][R.g.Xf],!g);l++);var
m=d(R.g.Dc);if(Kb(m))for(var n=0;f&&n<f.length;++n){var p=f[n],q;for(q in

```

```

m)m.hasOwnProperty(q)&&/^(dimension|metric)\d+$/test(q)&&void
0!=m[q]&&ev(p,q,p[m[q]]))var t=
null,u=d(R.g.ki);if(a==R.g.Ba||a==R.g.oc)t={action:a,Sa:c(),Bb:qv(f)};else
if(a==R.g.kc)t={action:"add",Sa:c(),Bb:qv(f)};else
if(a==R.g.mc)t={action:"remove",Sa:c(),Bb:qv(f)};else
if(a==R.g.Ha)t={action:"detail",Sa:c(g),Bb:qv(f)};else
if(a==R.g.sb)t={action:"impressions",nh:qv(f)};else
if(a==R.g.tb)t={action:"promo_view",gd:pv?qv(u)||qv(f):qv(u)};else
if("select_content"==a&&u<u.length||pv&&a==R.g.Jb)t={action:"promo_click",gd:pv?qv(u)||qv(f):qv(u)};else if("select_content"==a||pv&&a==

R.g.nc)t={action:"click",Sa:{list:e()||g},Bb:qv(f)};else if(a==R.g.Ib||"checkout_progress"==a){var
r={step:a==R.g.Ib?1:d(R.g.Wf),option:d(R.g.Vf)};t={action:"checkout",Bb:qv(f),Sa:J(c(),r)};else"set_c
heckout_option"==a&&(t={action:"checkout_option",Sa:{step:d(R.g.Wf),option:d(R.g.Vf)}});t&&(t.d
f=d(R.g.ma));return t},Nv={},bv=function(a,b){var c=Nv[a];Nv[a]=J(b);if(!c) return !1;for(var d in
b)if(b.hasOwnProperty(d)&&b[d]!==c[d])return !0;for(var e in
c)if(c.hasOwnProperty(e)&&c[e]!==b[e])return !0;

return !1};var Ov=Rt;var
Qv=encodeURI,Y=encodeURIComponent,Rv=function(a,b,c){xb(a,b,c)},Sv=function(a,b){if(!a) return !1
;var c=Te(Ve(a),"host");if(!c) return !1;for(var d=0;b&&d<b.length;d++){var
e=b[d]&&b[d].toLowerCase();if(e){var f=c.length-e.length;0<f&&"."!=e.charAt(0)&&(f--
,e=".+"+e);if(0<=f&&c.indexOf(e,f)==f) return !0}return !1},Tv=function(a,b,c){for(var
d={},e=!1,f=0;a&&f<a.length;f++)a[f]&&a[f].hasOwnProperty(b)&&
a[f].hasOwnProperty(c)&&(d[a[f][b]]=a[f][c],e=!0);return e?d:null};var Z={o:{}};

Z.o.e=["google"],function(){(function(a){Z._e=a;Z._e.s="e";Z._e.isVendorTemplate=!0;Z._e.priori
tyOverride=0;Z._e.isInfrastructure=!1})(function(a){return
String(a.vtp_gtmCachedValues.event)}))();

Z.o.v=["google"],function(){(function(a){Z._v=a;Z._v.s="v";Z._v.isVendorTemplate=!0;Z._v.priorit
yOverride=0;Z._v.isInfrastructure=!1})(function(a){var b=a.vtp_name;if(!b||b.replace) return !1;var
c=ur(b.replace(/\.\./g,"."),a.vtp_dataLayerVersion||1),d=void
0==c?a.vtpDefaultValue:Cr(d,"v",a.vtp_gtmEventId);return d}))();

Z.o.rep=["google"],function(){(function(a){Z._rep=a;Z._rep.s="rep";Z._rep.isVendorTemplate=!0;
Z._rep.priorityOverride=0;Z._rep.isInfrastructure=!1})(function(a){var
b=ij(a.vtp_containerId),c;switch(b.prefix){case "AW":c=wu;c=Xt;break;case "DC":c=Gu;break;case
"GF":c=Mu;break;case "HA":c=Ru;break;case "UA":c=nv;break;case
"MC":break;default:G(a.vtp_gtmOnFailure);return}c?(G(a.vtp_gtmOnSuccess),Fp.register(a.vtp_cont
ainerId,c),a.vtp_remoteConfig&&Op(a.vtp_containerId,a.vtp_remoteConfig||{})):G(a.vtp_gtmOnFail
ure)}))();

```

```

Z.o.cid=["google"],function(){{function(a){Z.__cid=a;Z.__cid.s="cid";Z.__cid.isVendorTemplate=!0;Z.__cid.priorityOverride=0;Z.__cid.isInfrastructure=!1}}(function(){return Qg.M}})();

Z.o.get=["google"],function(){{function(a){Z.__get=a;Z.__get.s="get";Z.__get.isVendorTemplate=!0;Z.__get.priorityOverride=0;Z.__get.isInfrastructure=!1}}(function(a){var b=a.vtp_settings,c=b.eventParameters||{},d=String(a.vtp_eventName),e={};e.eventId=a.vtp_gtmEventId;e.priorityId=a.vtp_gtmPriorityId;a.vtp_deferrable&&(e.deferrable=!0);var f=lo(String(b.streamId),d,c);Lo(f,e.eventId,e);a.vtp_gtmOnSuccess()}))();

var
kx={};kx.dataLayer=we;kx.callback=function(a){me.hasOwnProperty(a)&&oa(me[a])&&me[a]();delete me[a]};kx.bootstrap=0;kx._spx=!1;

function
Ix(){Vd[Qg.M]=Vd[Qg.M]||kx;Qg.Hb&&(Vd["ctid_"+Qg.Hb]=kx);Wg();Yg()||k(Zg()),function(a,b){Gn(a,b.transportUrl,b.context);P(92)});Ga(ne,Z.o);tc=Bc}

(function(a){function b(){m=F.documentElement.getAttribute("data-tag-assistant-present");Nq(m)&&(l=g.xi)}if(!E["__TAGGY_INSTALLED"]){var c=!1;if(F.referrer){var d=Ve(F.referrer);c="cct.google"==Se(d,"host")}if(!c){var e=pg("googTaggyReferrer");c=e.length&&e[0].length}c&&(E["__TAGGY_INSTALLED"]!=0,ub("https://cct.google/taggy/agent.js"))if(he)a();else{var f=function(r){var v="GTM",w="GTM";be?(v="OGT",w="GTAG"):he&&(w=v=="OPT");var y=E["google.tagmanager.debugui2.queue"];y|| (y=[]),E["google.tagmanager.debugui2.queue"]=y,ub("https://"+Ud.ud+"/debug/bootstrap?id="+Qg.M+"&src="+w+"&cond="+r+"&gtm="+bh()));var x={messageType:"CONTAINER_STARTING",data:{scriptSource:ob,containerProduct:v,debug:!1,id:Qg.M,isGte:ae}};x.data.resume=function(){a()};Ud.Ph&&(x.data.initialPublish!=0);y.push(x)},g={uk:1,yi:2,Ki:3,Rh:4,xi:5},l=void 0,m=void 0,n=Te(E.location,"query",!1,void 0,"gtm_debug");Nq(n)&&(l=g.yi);if(!l&&F.referrer){var p=Ve(F.referrer); "tagassistant.google.com"==Se(p,"host")&&(l=g.Ki)}if(!l){var q=pg(" __TAG_ASSISTANT");q.length&&q[0].length&&(l=g.Rh)}||b();if(!l&&N(54)&&Oq(m)){var t=function(){if(u)return!0;u=!0;b();l&&ob?f(l):a()},u=!1;yb(F,"TADebugSignal",function(){t()},!1);E.setTimeout(function(){t()},200)}else l&&ob?f(l):a()})(function(){var a=!1;a&&lo("INIT");

Gf().m();Lh();zi.enable_gbraid_cookie_write=!0;if(Qg.Hb?Vd["ctid_"+Qg.Hb]:Vd[Qg.M]){var b=Vd.zones;b&&b.unregisterChild(Sg());}else{for(var c=data.resource||{},d=c.macros||[],e=0;e<d.length;e++)jc.push(d[e]);for(var f=c.tags||[],g=0;g<f.length;g++)mc.push(f[g]);for(var l=c.predicates||[],m=0;m<l.length;m++)lc.push(l[m]);for(var n=c.rules||[],p=0;p<n.length;p++){for(var q=n[p],t={},u=0;u<q.length;u++)t[q[u][0]]=Array.prototype.slice.call(q[u],1);kc.push(t)}oc=Z;pc=es;lx());Mq();Vn=!1;Wn=0;if("interactive"==F.readyState&&!F.createEventObject||"complete"==F.readyState){Yn();}else{yb(F,"DOMContentLoaded",Yn);yb(F,"readystatechange",Yn);if(F.createEventObject&&F.documentElement.doScroll){var

```

```

r!=0;try{r!=E.frameElement}catch(A){}r&&Zn()}{yb(E,"load",Yn)}bq=!1;"complete"==F.readyState?dq
():yb(E,
"load",dq);tl();N(46)&&(P(111),Wa("HEALTH",1));N(47)&&(P(112),Wa("HEALTH",2));le=z();
kx.bootstrap=le;if(a){var x=mo("INIT");}}});}
})()

```

[Response.js](#)

```

responseObj = {

    hello: "Hey ! what you want",

    hi: "Hey! What's Up",

    hey: "Hey! What's Up",

    whenreceivecrackers: "Within this week",

    discountavailable: "No fixed Price",

    anychargefordelivery: "Free",

    qualityoftheproduct: "Good Quality",

    thanks: "WELCOME!!",

    thankyou: "WELCOME!!"

};

```

[Response.min.js](#)

```

window.matchMedia=window.matchMedia||function(e,f){var
c,a=e.documentElement,b=a.firstElementChild||a.firstChild,d=e.createElement("body"),g=e.createElement("div");g.id="mq-test-1";g.style.cssText="position:absolute;top:-100em";d.style.background="none";d.appendChild(g);return function(h){g.innerHTML='<style media="'+h+'> #mq-test-1 { width: 42px; }</style>';a.insertBefore(d,b);c=g.offsetWidth==42;a.removeChild(d);return{matches:c,media:h}}}(document);

```

```

/*! Respond.js v1.1.0: min/max-width media query polyfill. (c) Scott Jehl. MIT/GPLv2 Lic.
j.mp/respondjs */

```

```

(function(e){e.respond={};respond.update=function(){};respond.mediaQueriesSupported=e.matchMedia&&e.matchMedia("only all").matches;if(respond.mediaQueriesSupported){return}var
w=e.documentElement,s=w.documentElement,i=[],k=[],q=[],o={},h=30,f=w.getElementsByTagName("head")[0]||s,g=w.getElementsByTagName("base")[0],b=f.getElementsByTagName("link"),d=[],a=function(){

```

```

var
D=b,y=D.length,B=0,A,z,C,x;for(;B<y;B++){A=D[B],z=A.href,C=A.media,x=A.rel&&A.rel.toLowerCase() ==="stylesheet";if(!!z&&x&&!o[z]){\if(A.styleSheet&&A.styleSheet.rawCssText){m(A.styleSheet.rawCssText,z,C);o[z]=true}else{\if(!/^([a-zA-Z:]*)\//.test(z)&&!g)| | z.replace(RegExp.$1,"").split("/")[0]===e.location.host}{d.push({href:z,media:C})}}}}u(),u=function(){if(d.length){var
x=d.shift();n(x.href,function(y){m(y,x.href,x.media);o[x.href]=true;u()}}},m=function(l,x,z){var
G=l.match(/@media[^{}]+{[^{}]*{[^{}]*\}}+}/gi),J=G.length||0,x=x.substring(0,x.lastIndexOf"/"),y=function(K){return
K.replace(/(url\()[""]?([^\(\)]*)[^\)][""]+(\))/g,"$1"+x+"$2$3"},A=!J&&z,D=0,C,E,F,B,H;if(x.length){
x+="/" }if(A){J=1}for(;D<J;D++){C=0;if(A){E=z;k.push(y(l))}else{E=G[D].match(/@media
*([^\{]+)\{([\$s]+?)$/)&&RegExp.$1;k.push(RegExp.$2&&y(RegExp.$2))}B=E.split(",");H=B.length;for
(;C<H;C++){F=B[C];i.push({media:F.split("(")[0].match(/(only\s+)?([a-zA-Z]+\s?/)&&RegExp.$2| "all",rules:k.length-1,hasquery:F.indexOf(">")-1,minw:F.match(/\b(min-width:[\s]*([\s]*[0-
9\.]+)(px|em)[\s]*\b)/)&&parseFloat(RegExp.$1)+(RegExp.$2||"")),maxw:F.match(/\b(max-width:[\s]*([\s]*[0-
9\.]+)(px|em)[\s]*\b)/)&&parseFloat(RegExp.$1)+(RegExp.$2||""))}j()}},l,r,v=function(){var
z,A=w.createElement("div"),x=w.body,y=false,A.style.cssText="position:absolute;font-size:1em;width:1em";if(!x){x=y=w.createElement("body");x.style.background="none"}x.appendChild(A);s.insertBefore(x,s.firstChild);z=A.offsetWidth;if(y){s.removeChild(x)}else{x.removeChild(A)}z=p=parseFloat(z);return z},p,j=function(l){var
x="clientWidth",B=s[x],H=w.compatMode==="CSS1Compat"&&B||w.body[x]||B,D={},G=b[b.length-1],z=(new Date()).getTime();if(l&&l&&z-l<h){clearTimeout(r);r=setTimeout(j,h);return}else{l=z}for(var E in i){var
K=i[E],C=K.minw,J=K.maxw,A=C==null,L=J==null,y="em";if(!!C){C=parseFloat(C)*(C.indexOf(y)>-1?(p||v()):1)}if(!!J){J=parseFloat(J)*(J.indexOf(y)>-1?(p||v()):1)}if(!K.hasquery||(!A||!L)&&(A||H>=C)&&(L||H<=J)){if(!D[K.media]){D[K.media]=[]}D[K.media].push(k[K.rules])}}for(var E in q){if(q[E]&&q[E].parentNode==f){f.removeChild(q[E])}}for(var
E in D){var
M=w.createElement("style"),F=D[E].join("\n");M.type="text/css";M.media=E;f.insertBefore(M,G.nextSibling);if(M.styleSheet){M.styleSheet.cssText=F}else{M.appendChild(w.createTextNode(F))}q.push(M)}},n=function(x,z){var
y=c();if(!y){return}y.open("GET",x,true);y.onreadystatechange=function(){if(y.readyState!=4||y.status!=200&&y.status!=304){return}z(y.responseText)};if(y.readyState==4){return}y.send(null)},c=(function(){var x=false;try{x=new XMLHttpRequest()}catch(y){x=new
ActiveXObject("Microsoft.XMLHTTP")}});return function(){return x}());a();respond.update=a;function
t(){j(true)}if(e.addEventListener){e.addEventListener("resize",t,false)}else{if(e.attachEvent){e.attachEvent("onresize",t)}}}(this);

```