

Cucumber Report

Mar 31, 2024, 1:02:44 AM

Start : Mar 31, 1:02:39.239 AM

End : Mar 31, 1:02:43.684 AM

Duration : 4.445 s

Features

Scenarios

Steps

PASSED - 2
FAILED - 0
SKIPPED - 0

PASSED - 3
FAILED - 0
SKIPPED - 0

PASSED - 12
FAILED - 0
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Post Request</u>	3.727 s	1	1	0	0	4	4	0	0
<u>Request with no auth</u>	0.627 s	2	2	0	0	8	8	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag1	2	2	0	0	2	2	0	0
@tag2	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Post Request</u>	1	1	0	0	3.727 s
2	<u>Request with no auth</u>	2	2	0	0	0.627 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Post Request</u>	<u>Check if Admin able to generate token with valid credential</u>	4	4	0	0	3.724 s
2	<u>Request with no auth</u>	<u>Check if admin able to create a new Admin with request body without authorization</u>	4	4	0	0	0.364 s
3		<u>Check if admin is able to retrieve all the available roles without Authorization</u>	4	4	0	0	0.252 s

Post Request



PASSED	DURATION - 3.727 s	Scenarios		Steps	
/ 1:02:39.239 AM // 1:02:42.966 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 4 Pass - 4 Fail - 0 Skip - 0	

Check if Admin able to generate token with valid credential

<div>PASSED</div> <div>DURATION - 3.724 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:02:39.242 AM // 1:02:42.966 AM /</div>				
<div>Post Request</div>				
<div>@tag1</div>				

#	Step / Hook Details	Status	Duration
1	Given admin sets Authoization to No Auth.	PASSED	0.545 s
2	Given Admin creates request with valid credentials	PASSED	1.135 s
3	When Admin calls Post Https method with valid endpoint	PASSED	1.448 s
4	Then Admin receives 201 created with auto generated token	PASSED	0.580 s

Request with no auth

PASSED	DURATION - 0.627 s	Scenarios		Steps	
/ 1:02:43.057 AM // 1:02:43.684 AM /		Total - 2 Pass - 2 Fail - 0 Skip - 0		Total - 8 Pass - 8 Fail - 0 Skip - 0	

Check if admin able to create a new Admin with request body without authorization

PASSED	DURATION - 0.364 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:02:43.057 AM // 1:02:43.421 AM /				
Request with no auth				
@tag1				

#	Step / Hook Details	Status	Duration
1	Given admin sets Authoization to No Auth.	PASSED	0.001 s
2	Given Admin creates POST request to create users with all valid and invalid requests	PASSED	0.128 s
3	When Admin sends HTTPS Request to create users with endpoint with no auth	PASSED	0.229 s
4	Then Admin receives status 401 with Unauthorized message	PASSED	0.001 s

Check if admin is able to retrieve all the available roles without Authorization

PASSED	DURATION - 0.252 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 1:02:43.432 AM // 1:02:43.684 AM /				
Request with no auth				
@tag2				

#	Step / Hook Details	Status	Duration
1	Given admin sets Authoization to No Auth.	PASSED	0.001 s
2	Given Admin creates GET Request	PASSED	0.001 s
3	When Admin sends HTTPS Request with GET All Roles endpoint with no auth	PASSED	0.246 s
4	Then Admin receives status 401 with Unauthorized message	PASSED	0.002 s