In [1]:

```
import pandas as pd
from matplotlib import pyplot as plt
%matplotlib inline
```

In [2]:

```
df=pd.read_csv(r"C:\Users\HP\Downloads\Income.csv")
df.head()
```

Out[2]:

	Gender	Age	Income($)
0	Male	19	15
1	Male	21	15
2	Female	20	16
3	Female	23	16
4	Female	31	17

In [3]:

```
plt.scatter(df["Age"],df["Income($)"])
plt.xlabel("Age")
plt.ylabel("Income($)")
```

Out[3]:

```
Text(0, 0.5, 'Income($)')
```



In [4]:

```
from sklearn.cluster import KMeans
```

In [5]:

```
km=KMeans()
km
```

Out[5]:

KMeans()

In [6]:

```
y_predicted=km.fit_predict(df[["Age","Income($)"]])
y_predicted
```

```
C:\Users\HP\AppData\Local\Programs\Python\Python311\Lib\site-packages\skle
arn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` w
ill change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly
to suppress the warning
  warnings.warn(
```

Out[6]:

```
array([5, 5, 5, 5, 5, 5, 5, 5, 4, 5, 4, 5, 4, 5, 5, 5, 5, 5, 4, 5, 5, 5,
       4, 5, 4, 5, 4, 5, 4, 5, 4, 5, 4, 1, 4, 1, 4, 1, 1, 1, 6, 1, 4, 1,
       4, 1, 4, 1, 1, 1, 4, 1, 1, 6, 4, 4, 4, 6, 1, 6, 6, 1, 6, 6, 6, 1,
       0, 6, 1, 1, 6, 6, 6, 6, 6, 1, 0, 0, 1, 0, 6, 0, 6, 0, 1, 0, 6, 1,
       0, 0, 6, 2, 0, 0, 2, 2, 0, 2, 0, 2, 2, 0, 6, 2, 0, 2, 6, 0, 6, 6,
       6, 2, 0, 2, 2, 2, 6, 0, 0, 0, 2, 0, 0, 0, 2, 2, 0, 0, 0, 0, 0, 0,
       2, 2, 2, 2, 0, 2, 2, 2, 0, 2, 2, 2, 2, 2, 0, 2, 2, 2, 0, 2, 0, 2,
       0, 2, 2, 2, 2, 2, 0, 2, 2, 2, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7,
       7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 7, 3, 3, 3, 3, 3, 3,
       3, 3])
```

In [7]:

```
df["cluster"]=y_predicted
df.head()
```

Out[7]:

	Gender	Age	Income($)	cluster
0	Male	19	15	5
1	Male	21	15	5
2	Female	20	16	5
3	Female	23	16	5
4	Female	31	17	5

In [8]:

```
df1=df[df.cluster==0]
df2=df[df.cluster==1]
df3=df[df.cluster==2]

plt.scatter(df1["Age"],df1["Income($)"],color="red")
plt.scatter(df2["Age"],df2["Income($)"],color="green")
plt.scatter(df3["Age"],df3["Income($)"],color="blue")

plt.xlabel("Age")
plt.ylabel("Income($)")
```

Out[8]:

```
Text(0, 0.5, 'Income($)')
```



In [9]:

```
from sklearn.preprocessing import MinMaxScaler
```

In [10]:

```
Scaler =MinMaxScaler()
```

In [11]:

```
Scaler.fit(df[["Income($)"]])
df["Income($)"]=Scaler.transform(df[["Income($)"]])
df.head()
```

Out[11]:

	Gender	Age	Income($)	cluster
0	Male	19	0.000000	5
1	Male	21	0.000000	5
2	Female	20	0.008197	5
3	Female	23	0.008197	5
4	Female	31	0.016393	5

In [12]:

```
Scaler.fit(df[["Age"]])
df["Age"]=Scaler.transform(df[["Age"]])
df.head()
```

Out[12]:

	Gender	Age	Income($)	cluster
0	Male	0.019231	0.000000	5
1	Male	0.057692	0.000000	5
2	Female	0.038462	0.008197	5
3	Female	0.096154	0.008197	5
4	Female	0.250000	0.016393	5

In [13]:

```
km=KMeans()
km
```

Out[13]:

```
KMeans
KMeans()
```

In [14]:

```
y_predicted=km.fit_predict(df[["Age","Income($)"]])
y_predicted
```

```
C:\Users\HP\AppData\Local\Programs\Python\Python311\Lib\site-packages\skle
arn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` w
ill change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly
to suppress the warning
  warnings.warn(
```

Out[14]:

```
array([2, 2, 2, 2, 5, 2, 5, 2, 3, 5, 3, 5, 3, 2, 5, 2, 5, 2, 4, 5, 5, 2,
       4, 5, 4, 5, 4, 5, 5, 2, 3, 2, 4, 2, 4, 2, 4, 5, 5, 2, 3, 2, 4, 5,
       4, 2, 4, 5, 5, 5, 4, 5, 5, 3, 4, 4, 4, 3, 7, 4, 3, 7, 3, 4, 3, 7,
       4, 3, 7, 5, 3, 4, 3, 3, 3, 7, 4, 4, 7, 4, 3, 0, 3, 4, 7, 4, 4, 7,
       0, 4, 3, 7, 4, 0, 0, 7, 4, 7, 4, 7, 7, 4, 3, 7, 4, 7, 3, 1, 3, 3,
       3, 7, 0, 7, 7, 7, 3, 1, 1, 1, 7, 0, 0, 0, 7, 0, 1, 0, 1, 0, 1, 0,
       7, 0, 7, 0, 1, 0, 7, 0, 1, 0, 0, 0, 7, 0, 1, 0, 0, 0, 1, 0, 1, 0,
       1, 0, 0, 0, 0, 0, 1, 0, 7, 0, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0,
       1, 0, 1, 6, 6, 6, 1, 6, 6, 6, 1, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6, 6,
       6, 6])
```

```
1
```

In [16]:

```
df1=df[df.cluster==0]
df2=df[df.cluster==1]
df3=df[df.cluster==2]
plt.scatter(df1["Age"],df1["Income($)"],color="red")
plt.scatter(df2["Age"],df2["Income($)"],color="green")
plt.scatter(df3["Age"],df3["Income($)"],color="blue")
plt.xlabel("Age")
plt.ylabel("Income($)")
```

Out[16]:

```
Text(0, 0.5, 'Income($)')
```



In [17]:

```
km.cluster_centers_
```

Out[17]:

```
array([[0.30903399, 0.50114373],
       [0.62596154, 0.51885246],
       [0.07239819, 0.08003857],
       [0.89262821, 0.27015027],
       [0.58717949, 0.25245902],
       [0.28388278, 0.1245121 ],
       [0.32894737, 0.77782571],
       [0.07322485, 0.38272383]])
```

In [19]:

```
df1=df[df.cluster==0]
df2=df[df.cluster==1]
df3=df[df.cluster==2]
plt.scatter(df1["Age"],df1["Income($)"],color="red")
plt.scatter(df2["Age"],df2["Income($)"],color="green")
plt.scatter(df3["Age"],df3["Income($)"],color="blue")
plt.scatter(km.cluster_centers_[:,0],km.cluster_centers_[:,1],color="orange",marker='
plt.xlabel("Age")
plt.ylabel("Income($)")
```

Out[19]:

```
Text(0, 0.5, 'Income($)')
```



In [20]:

```
k_rng=range(1,10)
sse=[]
for k in k_rng:
 km=KMeans(n_clusters=k)
 km.fit(df[["Age","Income($)"]])
 sse.append(km.inertia_)
sse
```

```
C:\Users\HP\AppData\Local\Programs\Python\Python311\Lib\site-packages\skle
arn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` w
ill change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly
to suppress the warning
  warnings.warn(
C:\Users\HP\AppData\Local\Programs\Python\Python311\Lib\site-packages\skle
arn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` w
ill change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly
to suppress the warning
  warnings.warn(
C:\Users\HP\AppData\Local\Programs\Python\Python311\Lib\site-packages\skle
arn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` w
ill change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly
to suppress the warning
  warnings.warn(
C:\Users\HP\AppData\Local\Programs\Python\Python311\Lib\site-packages\skle
arn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` w
ill change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly
to suppress the warning
  warnings.warn(
C:\Users\HP\AppData\Local\Programs\Python\Python311\Lib\site-packages\skle
arn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` w
ill change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly
to suppress the warning
  warnings.warn(
C:\Users\HP\AppData\Local\Programs\Python\Python311\Lib\site-packages\skle
arn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` w
ill change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly
to suppress the warning
  warnings.warn(
C:\Users\HP\AppData\Local\Programs\Python\Python311\Lib\site-packages\skle
arn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` w
ill change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly
to suppress the warning
  warnings.warn(
C:\Users\HP\AppData\Local\Programs\Python\Python311\Lib\site-packages\skle
arn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` w
ill change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly
to suppress the warning
  warnings.warn(
C:\Users\HP\AppData\Local\Programs\Python\Python311\Lib\site-packages\skle
arn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` w
ill change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly
to suppress the warning
  warnings.warn(
```

Out[20]:

```
[23.583906150363607,
 13.028938428018286,
 7.492113413237458,
 6.055824667599623,
 4.742998936528983,
 3.857891822164646,
 3.055986211920202,
 2.6425203435360722,
 2.3346371088830585]
```

In [21]:

```
plt.plot(k_rng,sse)
plt.xlabel('k')
plt.ylabel("sum of squared Error")
```

Out[21]:

```
Text(0, 0.5, 'sum of squared Error')
```



In [ ]:

```
```