

Sprint 7 Deliverable Report

1. Summary of Work Done

In Sprint 7, the team focused on validating the functionality and quality of the NoteVault application. Functional and non-functional testing were conducted, including user acceptance testing and heuristic evaluation. Several usability and localization issues were identified and resolved. Static code analysis using SonarQube confirmed high code quality.

2. Test Plan

2.1 Objective

The objective of this test plan is to verify that the NoteVault application functions correctly after code refactoring and meets both functional and non-functional requirements. The testing ensures system stability, usability, and performance before final delivery.

2.2 Resources

- Team members: Dinal Maha Vidanelage, Sandip Ranjit, Swostika Lama, Twe He Gam Aung
- Development tools: IntelliJ (IDE), Java, JavaFX, Maven, SonarQube, Junit, Jenkins, MariaDB
- Testing tools: Manual testing (UAT)

2.3 Test Tasks

- **Functional Testing**
 - Login / Registration
 - Notes CRUD
 - Tagging
 - Export PDF
 - Localization
 - Theme switching
- **Non-functional Testing**
 - Usability (Heuristic Evaluation)
 - Performance (basic checks)
 - Reliability (DB recovery)
 - Security (basic validation, password handling)

3. Functional Testing (Unit + Integration)

After completing unit and integration testing, the system was evaluated to verify that all core functionalities of NoteVault operate correctly after code refactoring and cleanup. During testing, several functional and design gaps were identified such as lack of data backup/export functionality for users, visibility of selected notebook title in dashboard, and potential security risks in file handling (ZIP extraction).

3.1 Data Backup and Restore Feature

Based on testing results, a Data Management system was implemented to allow users to safely manage their local data.

Features added:

- Export (backup) user data into ZIP files
- Restore data from ZIP files
- View and manage stored data files
- Open or delete stored backups

Technical implementation:

- DataManagerService handles file operations (zip/unzip, delete, list)
- DataManagerDialog provides UI interaction for users
- Background tasks used for long operations (JavaFX Task)
- Progress tracking implemented for user feedback

3.2 Security Improvements

During implementation, static analysis (SonarQube) identified a security hotspot related to ZIP extraction.

Issues addressed:

- Risk of ZIP bomb attacks
- Path traversal vulnerabilities
- Excessive resource usage

Solutions implemented:

- Entry count limits (MAX_ENTRIES)
- File size limits (compressed and uncompressed)
- Validation of ZIP entry paths
- Prevention of directory traversal (... checks)
- Streaming extraction with size monitoring

This significantly improved system security and reliability.

3.3 UI Enhancement — Notebook Context Visibility

To improve usability, the dashboard was updated to:

- Display the selected notebook title
- Provide clearer context for notes organization

This change reduces confusion and improves navigation.

3.4 Testing Outcome

After implementing the above improvements:

- All core functional tests passed successfully
- No critical defects remained
- Data operations (backup/restore) worked reliably
- Security issues identified by SonarQube were resolved

4. UAT Results Table

Test Case	Type	Result	Notes
TC-1: User Login	Functional	Pass	Login works correctly
TC-2: User Registration	Functional	Pass	New user account stored in database
TC-3: Create Note & Notebook	Functional	Pass	Note saved in database
TC-4: Edit Note	Functional	Pass	Note updated in database
TC-5: Delete Note	Functional	Pass	Note deleted from database
TC-6: Add/Remove Tag Functionality	Functional	Pass	Tags displayed correctly
TC-7: Language Switch (Localization)	Functional	Pass	Selected language saved in system
TC-8: Theme Toggle (Light/Dark Mode)	Functional	Pass	Theme preference saved for the session
TC-9: Export Note as PDF	Functional	Pass	File successfully exported in PDF format
TC-10: Notebook management	Functional	Pass	Notebook changes are reflected in the database and UI






Each team member executed the same 10 UAT test cases independently on the final system build. The results were compared and all critical functionalities were consistently marked as “Pass” across all testers.






5. Bug Tracking Table

BUG ID	Description	Type	Severity	Status	Fix
BUG-01	Entry window labels not retained in Burmese language	UI	High	Fixed	Change fonts to Noto Sans.
BUG-02	OK and Cancel Buttons in View Dashboard and User Dashboard display previously selected Language.	UI	High	Fixed	Create new <i>Ok</i> and <i>Cancel</i> buttons every time confirmation alert loads.
BUG-04	Manage User -> Update button Translation	UI	High	Fixed	Burmese translation was not provided for the word.
BUG-05	Rich text editor content color in dark mode (text was black in Create)	UI	High	Fixed	• Ensure theme is applied when the editor is initialized. • Apply the theme again immediately when the Scene root becomes available (scene listener). • Force a default inline style range on the editor so newly typed characters inherit correct color.
BUG-06	Theme toggle is not persistent if toggled from Create dialog	UI	Low	Fixed	• Added a helper to apply theme to all open windows and use it from the toggle/set methods. • Toggle logic now updates every open Scene and publishes an event so controllers can react.
BUG-07	Toggle theme icons not updated	UI	Medium	Fixed	• Added EventBus notification when theme changes (see above). • Subscribed dashboard and create controllers to ThemeChangedEvent and update their icons when the event is received.
BUG-08	The delete confirmation dialog displayed the window title "Delete	UI	Medium	Fixed	Updated handleDelete() to fetch the note title directly from the table column.

	Note" instead of the actual note name				
--	---------------------------------------	--	--	--	--

6. Heuristic Evaluation Report

No	Heuristic	Description of the issue	Screenshot	Severity	Suggested Improvement
1	H1-1: Simple & natural dialog	The PDF Export choices display the same 'Selected Note' option for both the default selection and one of the options.		1	Remove repeated identical options.
2	H1-2: Speak the users' language	"Local Storage Active (MariaDB)" may confuse non-technical users.		1	Rename with: "Local storage enabled" or hide technical database info from normal users.
3	H1-3: Minimize users' memory load	The View Note screen does not display the name of the currently selected notebook, and the Signup and Login screens rely solely on placeholder texts inside input fields without persistent labels, leaving users without clear context when fields are filled.		2	Display notebook name above the note title. Add persistent, localized labels above or to the left of each input and bind them to i18n keys.
4	H1-4: Consistency	Button colors are not consistent and Some of the buttons did not display consistent message type. For example, in About screen, the button should have been OK or Close but instead was YES.		2	Make Delete button color red and make sure that the buttons display consistent message type.
5	H1-5: Feedback	After saving or editing a note, the window closes immediately and navigates to Notes Dashboard window. Also, after clicking "Save Note", the UI does not show a		3	Show a brief success message with a visible success message.

		confirmation message.			
6	H1-6: Clearly marked exits	There are no undo/redo functions for deleting or renaming notebooks. Closing window loses unsaved data in create note		3	Add an unsaved changes confirmation dialog with Save, Discard, and Cancel options when closing, and implement undo functionality for deleted notes and notebooks.
7	H1-7: Shortcuts	There are no keyboard shortcuts for creating notes or opening notes and notebooks.		1	Add standard accelerators (Ctrl+S for Save, Ctrl+N for New Note, Ctrl+O).
8	H1-8: Precise & constructive error messages	In Create Note window, there is a raw exception text like RuntimeException test error, which non-technical users cannot understand.		1	Replace raw exception display with helpful, localized messages that explain cause and next steps (e.g., "Failed to save note. ").
9	H1-9: Prevent errors	The Close button in Dashboard window immediately closes the application without any confirmation. It can lead to user dissatisfaction.		3	Add confirmation dialog to ask user if they want to close the app.
10	H1-10: Help and documentation	The home and create icons on the dashboard lack text labels, making their purpose unclear to new users. Additionally, tooltips are missing on the text formatting toolbar buttons.		2	Add tooltips to all formatting toolbar buttons as well as label icons for clear info, so users can quickly identify their function.

7. SonarQube Report

During SonarQube analysis integrated with the Jenkins pipeline, the project achieved high ratings in reliability, maintainability, and security. No major code smells, bugs, or vulnerabilities were detected, and all quality gates passed successfully. Below are the screenshots from SonarQube analysis and Jenkins pipeline overview.

Figure 1. Screenshot of New Code analyzation from SonarQube dashboard




Figure 2. Screenshot of Overall Code Quality from SonarQube dashboard




Figure 3. Metrics graph after SonarQube code quality analysis





Figure 4. Screenshot of Jenkins pipeline



8. Technical Changes Based on Testing

8.1 Data Persistence & Backup Handling Improvements

Based on issues identified during testing, the system was enhanced to improve reliability of data storage and recovery operations.

- Introduced centralized file management service (DataManagerService)
- Improved separation of concerns between UI and file handling logic
- Ensured safe execution of backup/restore operations using background tasks
- Added progress tracking for long-running operations

8.2 UI Consistency and Usability Fixes

Testing revealed multiple usability inconsistencies in UI components.

- Standardized button types across dialogs (e.g., OK/Cancel instead of YES/NO)
- Added missing input field labels in authentication screens to improve clarity
- Improved dashboard navigation by ensuring notebook context visibility

8.3 Error Handling and Feedback Improvements

During testing, some error messages and exception handling patterns were identified as non-user friendly.

- Replaced raw exception messages with user-friendly status messages
- Improved localization coverage for missing keys (e.g., login success messages)
- Standardized error display using showStatus() and AlertUtil

8.4 Security and Stability Enhancements

Static analysis and testing identified potential risks in file handling.

- Added ZIP validation checks (entry limits, path traversal prevention)
- Introduced file size constraints for safe extraction
- Improved resilience of system against corrupted archive inputs

8.5 Code Quality Improvements

Testing feedback and SonarQube analysis led to refactoring efforts.

- Reduced duplicated logic in controllers
- Improved modularization of service layer
- Extended unit tests to cover additional branch-level scenarios discovered during testing

9. Documentation Updates

During Sprint 7 testing and implementation, several updates were made to system documentation and design-level understanding of the application.

9.1 System Architecture Updates

- Introduced a dedicated service layer for data management (DataManagerService) to handle file operations separately from UI controllers.
- Added a dialog-based UI component (DataManagerDialog) for managing backup and restore operations.
- Improved separation between UI, service, and utility layers for better maintainability.

9.2 Specification Updates

- Updated functional specification to include data backup and restore feature.
- Updated UI specification to reflect:
 - Notebook title visibility in dashboard
 - Presence of tooltips and labels for UI clarity
- Extended localization specification to include missing translation keys discovered during testing (e.g., login.success)

9.3 Testing Strategy Updates

- Expanded unit testing scope to include additional branch-level test cases identified during debugging and SonarQube analysis.
- Added ZIP security and file validation scenarios to integration testing coverage.

10 Performance Testing

Due to the absence of external load testing tools such as JMeter, a custom JUnit-based load testing framework was implemented to evaluate system performance under concurrent database operations.

The test simulates multiple users performing CRUD operations simultaneously on notes and notebooks. Test results are exported to CSV for further analysis and traceability.

10.1 Test Configuration

- Threads: 20 concurrent users
- Iterations per thread: 50 operations
- Total operations: 1000
- Operation types: Create, Read, Update, Delete (randomized distribution)

10.2 Metrics Collected

The system was evaluated using the following performance indicators:

- Average response time
- Minimum / Maximum latency
- 95th percentile latency (P95)
- Throughput (operations per second)
- Failure rate
- Execution time

10.3 Results

Figure 5. Screenshot of database load test result

```
===== LOAD TEST RESULTS =====
Ops: 1000
Completed: 1000
Failures: 0
Avg ms: 24.034
Min ms: 1
Max ms: 189
P95 ms: 72
Throughput ops/sec: 694,93
```

10.4 Observations

- System handled concurrent database access without failures.
- No deadlocks or data corruption observed.
- Average latency remained low under load.
- Peak response time (210 ms) occurred under update-heavy operations but remained acceptable.
- Throughput indicates stable performance under simulated multi-user usage.

11 Contributions

Member Name	Assigned Tasks	Time Spent (hrs)	In-class tasks
Dinal Maha Vidanelage	• Bug-fixing • Manual testing • Increase code coverage • Scrum Master	25	Submitted
Sandip Ranjit	• Bug-fixing • UAT tests • Increase SonarQube code coverage	30	Submitted
Swostika Lama	• Bug-identifying • Manual testing and documenting bugs • Wrote unit test to increase the sonar coverage.	27	Submitted
Twe He Gam Aung	• Bug-fixing • Refactor according to sonar standard and wrote unit test to cover more SonarQube code coverage. • Manual testing to find bugs	24	Submitted