

Acceptance Test Plan — NoteVault

Version: 1.0

Authors: Dinal Maha Vidanelage, Sandip Ranjit, Swostika Lama, Twe He Gam Aung

Group: 9

1. Introduction

This document defines the Acceptance Criteria and Acceptance Test Plan for the NoteVault application. It provides measurable success criteria, maps tests to user stories/requirements, and supplies example test cases for functional, usability, and performance/reliability testing.

This document is based on the existing NoteVault system implementation and its associated user stories and controller tests.

The purpose of this plan is to ensure the system meets functional, usability, performance, and reliability requirements before release.

2. Scope

In Scope

- User authentication (sign-up, login, logout)
- Notes CRUD (create, read, update, delete)
- Tagging and search functionality
- Localization (language switching)
- User and guest dashboards
- Export features
- User interface

3. Acceptance Criteria

3.1 Authentication

- AC-Auth-01: Users can register account and log in successfully and are redirected to the dashboard.
- AC-Auth-02: Sessions persist for at least 10 minutes during inactivity.

3.2 Notes CRUD

- AC-Note-01: Users can create notes and view them within 2 seconds.
- AC-Note-02: Users can edit notes and changes are saved immediately.
- AC-Note-03: Users can delete notes successfully and data is removed.

3.4 Tagging

- AC-Tag-01: Tags can be added, removed, and used for filtering.

3.5 Localization

- AC-Local-01: UI language changes correctly and persists selection.

3.6 Performance & Reliability

- AC-Perf-01: System supports 4 concurrent users with <1s average response time.
- AC-Reliab-01: System recovers from DB failure within 30 seconds.

3.7 Usability & Accessibility

- AC-Usab-01: New users can create their first note within 2 minutes.
- AC-Access-01: System meets WCAG 2.1 AA accessibility standards.

4. Pass / Fail Rules

- A test passes only if actual results match expected results exactly.
- Critical failures (security, data loss, authentication) block release.
- Performance tests must meet thresholds in at least 90% of runs.

5. Coverage Matrix

Requirement / User Story	Functiona l	Usability	Performance
US-01: Register/Login	✓	✓	✓
US-02: Create Note	✓	✓	✓
US-03: Edit Note	✓	✓	✓
US-04: Delete Note	✓	✓	✓
US-05: Tagging	✓	✓	✓
US-06: Localization	✓	✓	✓
US-07: Guest Dashboard	✓	✓	✓

6. Acceptance Test Cases

6.1 Functional Test Cases

FT-Auth-01 — Sign Up and Login

User Story: US-01

Preconditions: No existing test user

Steps:

1. Open Register window
2. Enter valid user details (First name, Last name, Username, email and password)
3. Submit form
4. Log in using created credentials

Expected Result:

User is redirected to dashboard and account is created successfully.

FT-Note-01 — Create Note

User Story: US-02

Steps:

1. Login as user
2. Create new note and notebook
3. Enter title mandatory (content, annotations and tags are optional)
4. Enter notebook title
5. Save note

Expected Result:

Note appears in dashboard max 2 seconds.

FT-File-01 — Export File in PDF format

User Story: US-05

Steps:

1. Create note
2. Save note
3. Export in PDF format (specific note or whole notebook)

Expected Result:

File is downloadable.

6.2 Functional Test Cases — Database

FT-DB-01 — Data Persistence Test

User Story: US-Note CRUD (Create/Read/Update/Delete)

Preconditions: User is logged in, database is active

Steps:

1. Create a new note with title and content
2. Create new notebook or select existing notebook
3. Save the note
4. Navigates automatically to Notes Dashboard

Expected Result:

The created note remains stored and is visible in Notes Dashboard, confirming data is correctly saved in the database.

FT-DB-02 — Delete Data Consistency Test

User Story: US-04 (Delete Note / Notebook)

Steps:

1. Create a note / notebook
2. Delete the note / notebook
3. Check database and UI

Expected Result:

Note / Notebook is permanently removed from both UI and database.

FT-DB-03 — Invalid Data Handling Test

User Story: Data Validation

Steps:

1. Try saving a note with empty required fields (title)
2. Submit request

Expected Result:

System rejects input and shows validation error; no invalid data is stored in database.

6.3 Functional / Usability Test Cases — UI Localization

FT-LANG-01 — Language Switch Test

User Story: US-07 (Localization)

Preconditions: User is logged in

Steps:

1. Click language selector
2. Switch language (English (default) → another supported language)
3. Navigate across pages

Expected Result:

All UI text updates correctly to selected language without errors.

FT-LANG-02 — Language Persistence Test

Steps:

1. Change language in selector
2. Logout
3. Login again

Expected Result:

Previously selected language is retained.

FT-LANG-03 — Partial Translation Check

Steps:

1. Switch language
2. Check dashboard, buttons, menus

Expected Result:

No mixed-language UI elements; all visible text is translated consistently.

6.4 Usability Test Cases — Dark / Light Theme

UT-THEME-01 — Theme Switch Test

User Story: UI Personalization

Steps:

1. Click Light/Dark mode toggle button (sun/moon icon)
2. Switch from Light → Dark mode
3. Navigate across pages

Expected Result:

UI updates immediately with correct dark theme styling.

UT-THEME-02 — Readability Test (Light vs Dark)

Steps:

1. Test both themes
2. Check text readability on all pages

Expected Result:

All text remains clearly visible with sufficient contrast in both modes.

6.5 Usability Test Cases

UT-Onboard-01 — First User Flow

User Story: US-02

Expected Result:

User can create first note within 2 minutes without assistance.

6.5 Reliability Test Cases

RT-DB-01 — Database Recovery

User Story: AC-Reliab-01

Steps:

Simulate temporary DB outage and restore within 30 seconds.

Expected Result:

System recovers without data loss.

7. Test Environment

- Local development environment
- CI pipeline (automated tests)
- Staging environment (acceptance testing)

Test Tools

- JUnit (unit tests)

8. Sign-Off Criteria

Acceptance is approved when:

- All critical functional tests pass
- No high-severity defects remain
- Performance requirements are met
- Approved exceptions exist

9. Conclusion

The acceptance test plan ensures that the NoteVault application meets all functional, usability, performance, and reliability requirements.