

Cucumber Report

11-Jan-2024, 7:41:32 pm

Start : Jan 11, 7:37:57.250 pm

End : Jan 11, 7:41:20.197 pm

Duration : 3 m 22.947 s

Features


Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 3
FAILED - 1
SKIPPED - 0


PASSED - 11
FAILED - 1
SKIPPED - 2



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Test Orange HRM Application</u>	3 m 22.947 s	4	3	1	0	14	11	1	2





#	Feature Name	T	P	F	S	Duration
1	<u>Test Orange HRM Application</u>	4	3	1	0	3 m 22.947 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Test Orange HRM Application</u>	<u>Test Login Page Functionality</u>	3	3	0	0	55.881 s
2	<u>Test Orange HRM Application</u>	<u>Test Home Page Functionality</u>	3	3	0	0	11.235 s
3	<u>Test Orange HRM Application</u>	<u>Test PIM Page Functionality</u>	7	4	1	2	2 m 9.971 s
4	<u>Test Orange HRM Application</u>	<u>Test Logout functionality</u>	1	1	0	0	4.266 s



Test Orange HRM Application

<div>FAILED</div> <div>DURATION - 3 m 22.947 s</div>		<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>		<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 2</div>		<div></div>
<div>/ 7:37:57.250 pm // 7:41:20.197 pm /</div>							



Test Login Page Functionality


<div>PASSED</div>	<div>DURATION - 55.881 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 7:37:57.275 pm // 7:38:53.156 pm /</div>				
<div>Test Orange HRM Application</div>				



#	Step / Hook Details	Status	Duration
1	Given user is on Login Page	PASSED	36.948 s
	AFTER_STEP - StepDefinition.OrangeHRM_Class2.teardown(io.cucumber.java.Scenario)	PASSED	1.934 s
	6b4b49b9-7989-4ece-9552-bc26f9af75b1		
			
2	When user enter valid username and password credentials	PASSED	4.704 s
	Admin admin123		
	AFTER_STEP - StepDefinition.OrangeHRM_Class2.teardown(io.cucumber.java.Scenario)	PASSED	0.935 s
	6b4b49b9-7989-4ece-9552-bc26f9af75b1		

#	Step / Hook Details	Status	Duration
			
3	And user click on login button	PASSED	4.716 s
	AFTER_STEP - StepDefinition.OrangeHRM_Class2.teardown(io.cucumber.java.Scenario)	PASSED	6.478 s
	6b4b49b9-7989-4ece-9552-bc26f9af75b1		
			



Test Home Page Functionality

PASSED	DURATION - 11.235 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 7:38:54.074 pm // 7:39:05.309 pm /				
Test Orange HRM Application				





#	Step / Hook Details	Status	Duration
1	When user is on home page validate home page title	PASSED	0.394 s
	OrangeHRM		
	AFTER_STEP - StepDefinition.OrangeHRM_Class2.teardown(io.cucumber.java.Scenario)	PASSED	1.633 s
	04ae54b1-c139-4e71-9899-ac00e28a5ae1		
			
2	And user validate home page url	PASSED	0.115 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - StepDefinition.OrangeHRM_Class2.teardown(io.cucumber.java.Scenario) 04ae54b1-c139-4e71-9899-ac00e28a5ae1	PASSED	1.384 s
			
3	And user validate home page logo true	PASSED	6.773 s
	AFTER_STEP - StepDefinition.OrangeHRM_Class2.teardown(io.cucumber.java.Scenario) 04ae54b1-c139-4e71-9899-ac00e28a5ae1	PASSED	0.926 s
			

Test PIM Page Functionality


FAILED		DURATION - 2 m 9.971 s			Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
/ 7:39:05.566 pm // 7:41:15.537 pm /						
Test Orange HRM Application						

#	Step / Hook Details	Status	Duration
1	When user click on pim page link	PASSED	3.338 s
	AFTER_STEP - StepDefinition.OrangeHRM_Class2.teardown(io.cucumber.java.Scenario) 7d34521b-498a-44f0-a487-2c64763ba762	PASSED	4.340 s

#	Step / Hook Details	Status	Duration								
											
2	And user validate user is on pim page by using url pim	PASSED	0.235 s								
	AFTER_STEP - StepDefinition.OrangeHRM_Class2.teardown(io.cucumber.java.Scenario) 7d34521b-498a-44f0-a487-2c64763ba762	PASSED	1.138 s								
											
3	And user click add employee and enter firstname, lastname and click on save button <table><tr><td>Rajni</td><td>Chauhan</td></tr><tr><td>Pratik</td><td>Patel</td></tr><tr><td>Jitendra</td><td>Patil</td></tr><tr><td>Chirag</td><td>Patel</td></tr></table>	Rajni	Chauhan	Pratik	Patel	Jitendra	Patil	Chirag	Patel	PASSED	46.455 s
Rajni	Chauhan										
Pratik	Patel										
Jitendra	Patil										
Chirag	Patel										
	AFTER_STEP - StepDefinition.OrangeHRM_Class2.teardown(io.cucumber.java.Scenario) 7d34521b-498a-44f0-a487-2c64763ba762	PASSED	1.078 s								
											
4	And user capture employee id number and user click on employeeelist	PASSED	3.449 s								
	AFTER_STEP - StepDefinition.OrangeHRM_Class2.teardown(io.cucumber.java.Scenario) 7d34521b-498a-44f0-a487-2c64763ba762	PASSED	2.061 s								
											
5	And user enter employee id is employee id text box and click on search button	FAILED	1 m 6.822 s								

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //button[text()=' Search ']' (tried for 30 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at UtilsLayer.Wait.click(Wait.java:34) at PageLayer.PIMPageClass.user_enter_employee_id_is_employee_id_text_box_and_click_on_search_button(PIMPageClass.java:89) at StepDefinition. OrangeHRM_Class2.user_enter_employee_id_is_employee_id_text_box_and_click_on_search_button(OrangeHRM_Class2.java:136) at ?.user enter employee id is employee id text box and click on search button(file:///E:/WorkSpace_BDD_Jan24/com. OrangeHRM_BDD_E2E/AllFeatureFiles/OrangeHRM.feature:26)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button[text()=' Search ']} (Session info: MicrosoftEdge=120.0.2210.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.9.0', revision: 'd7057100a6' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [0f8769ef1386064855fe39e12cecac44, findElement {using=xpath, value="//button[text()=' Search ']} Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 120.0.2210.121, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:60125}, msedge: {msedgedriverVersion: 120.0.2210.121 (6086ec26a02..., userDataDir: C:\Users\SANDIP\AppData\Loc..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60125/devtoo..., se:cdpVersion: 120.0.2210.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f8769ef1386064855fe39e12cecac44</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p>		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at UtilsLayer.Wait.click(Wait.java:34)</p> <p>at PageLayer.PIMPageClass.user_enter_employee_id_is_employee_id_text_box_and_click_on_search_button(PIMPageClass.java:89)</p> <p>at StepDefinition.</p> <p>OrangeHRM_Class2.user_enter_employee_id_is_employee_id_text_box_and_click_on_search_button(OrangeHRM_Class2.java:136)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:228)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:63)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:961)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:201)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:819) at org.testng.TestRunner.run(TestRunner.java:619) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1301) at org.testng.TestNG.runSuitesLocally(TestNG.java:1228) at org.testng.TestNG.runSuites(TestNG.java:1134) at org.testng.TestNG.run(TestNG.java:1101) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - StepDefinition.OrangeHRM_Class2.teardown(io.cucumber.java.Scenario)	PASSED	0.782 s
	7d34521b-498a-44f0-a487-2c64763ba762		
			
6	And user selected searched employee and click on delete	SKIPPED	0.003 s
7	Then validate employee is deleted or not	SKIPPED	0.001 s

Test Logout functionality

PASSED	DURATION - 4.266 s		Steps Total - 1 Pass - 1 Fail - 0 Skip - 0	
/ 7:41:15.931 pm // 7:41:20.197 pm /				
Test Orange HRM Application				

#	Step / Hook Details	Status	Duration
1	When user click on profile and click on logout button	PASSED	2.806 s
	AFTER_STEP - StepDefinition.OrangeHRM_Class2.teardown(io.cucumber.java.Scenario)	PASSED	1.446 s
	b278f9de-866e-4ced-9394-5c54a7768eff		
	